

**APPENDIX D-4**  
**Beneficiary Eligible Mitigation Action Certification**

**BENEFICIARY ELIGIBLE MITIGATION ACTION CERTIFICATION**

Beneficiary Hoopa Valley Tribe

Lead Agency Authorized to Act on Behalf of the Beneficiary Hoopa Valley Land Management  
*(Any authorized person with delegation of such authority to direct the Trustee delivered to the Trustee pursuant to a Delegation of Authority and Certificate of Incumbency)*

<b>Action Title:</b>	Replacement of 1 Class 8 Truck and 1 Class 5 Truck
<b>Beneficiary's Project ID:</b>	0950
<b>Funding Request No.</b>	<i>(sequential)</i> 3
<b>Request Type:</b> (select one or more)	<input type="checkbox"/> Reimbursement <input checked="" type="checkbox"/> Advance <input type="checkbox"/> Other (specify): _____
<b>Payment to be made to:</b> (select one or more)	<input checked="" type="checkbox"/> Beneficiary <input type="checkbox"/> Other (specify): _____
<b>Funding Request &amp; Direction (Attachment A)</b>	<input checked="" type="checkbox"/> Attached to this Certification <input type="checkbox"/> To be Provided Separately

**SUMMARY**

<b>Eligible Mitigation Action</b>	<input checked="" type="checkbox"/> Appendix D-2 item (specify): <u>Replacement of 1 Class 8 Truck and 1 Class 5 Truck</u>
<b>Action Type</b>	<input type="checkbox"/> Item 10 - DERA Option (5.2.12) (specify and attach DERA Proposal): _____
<b>Detailed Description of Mitigation Action Item Including Community and Air Quality Benefits (5.2.2):</b> We plan to replace the following Class 8 fleet vehicle (VIN# 1FDYU90BXRVA06123) and Class 5 fleet vehicle (VIN# 1FDAF57P46ED11196) with 2020 and 2021 diesel models. Please find details in the attached addendum.	
<b>Estimate of Anticipated NOx Reductions (5.2.3):</b> The results for the upgrade entered for our project are 0.343 short tons annually with a 96.4% reduction over the lifetime of the vehicle after upgrades. Please see attached addendum for more details.	
<b>Identification of Governmental Entity Responsible for Reviewing and Auditing Expenditures of Eligible Mitigation Action Funds to Ensure Compliance with Applicable Law (5.2.7.1):</b> The Hoopa Valley Tribe Grant Compliance Officer, Joelle Cotegrove, will be responsible for the Internal review and auditing of eligible mitigation action funds to assure compliance with applicable law.	
<b>Describe how the Beneficiary will make documentation publicly available (5.2.7.2).</b> <b>Please see attached addendum.</b>	
<b>Describe any cost share requirement to be placed on each NOx source proposed to be mitigated (5.2.8).</b> Not Applicable	
<b>Describe how the Beneficiary complied with subparagraph 4.2.8, related to notice to U.S. Government Agencies (5.2.9).</b> No Federal Agencies contacted the Tribe for information about the Tribal Trust during the Beneficiary certification process	

If applicable, describe how the mitigation action will mitigate the impacts of NOx emissions on communities that have historically borne a disproportionate share of the adverse impacts of such emissions (5.2.10).

Not Applicable

**ATTACHMENTS**  
**(CHECK BOX IF ATTACHED)**

- |                                     |                     |   |
|-------------------------------------|---------------------|---|
| <input checked="" type="checkbox"/> | <b>Attachment A</b> | <b>Funding Request and Direction.</b>   |
| <input checked="" type="checkbox"/> | <b>Attachment B</b> | <b>Eligible Mitigation Action Management Plan Including Detailed Budget and Implementation and Expenditures Timeline (5.2.4).</b>   |
| <input checked="" type="checkbox"/> | <b>Attachment C</b> | <b>Detailed Plan for Reporting on Eligible Mitigation Action Implementation (5.2.11).</b>   |
| <input checked="" type="checkbox"/> | <b>Attachment D</b> | <b>Detailed cost estimates from selected or potential vendors for each proposed expenditure exceeding \$25,000 (5.2.6). [Attach only if project involves vendor expenditures exceeding \$25,000.]</b> |
| <input type="checkbox"/>            | <b>Attachment E</b> | <b>DERA Option (5.2.12). [Attach only if using DERA option.]</b>  |
| <input type="checkbox"/>            | <b>Attachment F</b> | <b>Attachment specifying amount of requested funding to be debited against each beneficiary's allocation (5.2.13). [Attach only if this is a joint application involving multiple beneficiaries.]</b> |

**CERTIFICATIONS**

By submitting this application, the Lead Agency makes the following certifications:


1. This application is submitted on behalf of Beneficiary Hoopa Valley Tribe, and the person executing this certification has authority to make this certification on behalf of the Lead Agency and Beneficiary, pursuant to the Certification for Beneficiary Status filed with the Court.
2. Beneficiary requests and directs that the Trustee make the payments described in this application and Attachment A to this Form.
3. This application contains all information and certifications required by Paragraph 5.2 of the Trust Agreement, and the Trustee may rely on this application, Attachment A, and related certifications in making disbursements of trust funds for the aforementioned Project ID.
4. Any vendors were or will be selected in accordance with a jurisdiction's public contracting law as applicable. (5.2.5)
5. Beneficiary will maintain and make publicly available all documentation submitted in

support of this funding request and all records supporting all expenditures of eligible mitigation action funds subject to applicable laws governing the publication of confidential business information and personally identifiable information. (5.2.7.2)

DATED: August 26th, 2020

Brian McCaughey, GIS Analyst/Database Coordinator

SIGNATURE:



[NAME]

[TITLE]

Hoopa Valley Land Management

[LEAD AGENCY]

for

Hoopa Valley Tribe

[BENEFICIARY]

**[SAMPLE ATTACHMENT B - USE OF THIS FORMAT IS NOT MANDATORY]**

**PROJECT MANAGEMENT PLAN**  
**PROJECT SCHEDULE AND MILESTONES**

<b>Milestone</b>	<b>Date</b>
Lead Agency Provides Notice of Availability of Mitigation Action Funds	7/1/2020
Project Sponsor Submits Proposal to Lead Agency	-
Lead Agency Provides Written Approval of Project Sponsor's Proposal	-
Lead Agency Incorporates Project Sponsor's Proposal into Mitigation Plan	-
Trustee Acknowledges Receipt of Project Certification and Funding Direction	-
Trustee Allocates Share of Funds for Approved Project	11/12/2020
Lead Agency Directs Funding (Advance Funded Projects)	-
Project Sponsor Obtains Cost Share, Notifies or Certifies to Lead Agency	-
Project Sponsor Enters into Contracts, Purchase Orders, etc. - Start	-
Project Sponsor Enters into Contracts, Purchase Orders, etc. - Complete	-
Project Installation(s) – Start	1/07/2021
Project Installation(s) – Complete	4/01/2021
Project Sponsor provides detailed invoices for all claimed project costs, documentation for emission reduction estimates, required certification documents to Lead Agency to support direction to Trustee for Payment (Reimbursement, Direct-to-Vendor) or final accounting (Forward Funded Projects)	-
Lead Agency completes review and certifies payment direction to Trustee (Reimbursement)	-
Trustee Acknowledges Receipt of Direction for Payment(s) (Advance Funded, Reimbursement)	-
Project Sponsor Certifies Project Completion	-
Lead Agency Reports Project Completion	5/13/2021

**PROJECT BUDGET**

<b>Period of Performance: _____</b>				
<b>Budget Category</b>	<b>Total Approved Budget</b>	<b>Share of Total Budget to be Funded by the Trust</b>	<b>Cost-Share, if applicable (Entity #1)</b>	<b>Cost-Share, if applicable (Entity #2)</b>
1. Equipment Expenditure	\$ 202,342.50	\$ 202,342.50	\$	\$
2. Contractor Support <i>(Provide List of Approved Contractors as Attachment with approved funding ceilings)</i>	\$	\$	\$	\$
3. Subrecipient Support <i>(Provide List of Approved Subrecipients or Grant Awardees as Attachment with approved funding ceilings)</i>	\$	\$	\$	\$
4. Administrative <sup>1</sup>	\$ 24,147.50	\$ 24,147.50	\$	\$
<b>Project Totals</b>	\$ 226,490.00	\$ 226,490.00	\$	\$
<b>Percentage</b>	100 %	100 %	%	%

<sup>1</sup> Subject to Appendix D-2 15% administrative cap.

**PROJECTED TRUST ALLOCATIONS:**

	2017	2018	2019	2020	2021
1. Anticipated Annual Project Funding Request to be paid through the Trust	\$	\$	\$	\$ 226,490.00	\$
2. Anticipated Annual Cost Share	\$	\$	\$	\$ 0 +	\$
3. Anticipated Total Project Funding by Year (line 1 plus line 2)	\$	\$	\$	\$ 226,490.00	\$
4. Cumulative Trustee Payments Made to Date Against Cumulative Approved Beneficiary Allocation	\$	\$	\$	\$ 389,561.00	\$
5. Current Beneficiary Project Funding to be paid through the Trust (line 1)	\$	\$	\$	\$ 226,490.00	\$
6. Total Funding Allocated to for Beneficiary, inclusive of Current Action by Year (line 4 plus line 5)	\$	\$	\$	\$ 616,051.00	\$
7. Beneficiary Share of Estimated Funds Remaining in Trust	\$	\$	\$ 0 +	\$ 0 +	\$
8. Net Beneficiary Funds Remaining in Trust, net of cumulative Beneficiary Funding Actions (line 7 minus line 6)	\$	\$	\$ 0 +	\$ 0 +	\$

**Hoopa Valley Tribal Council  
Land Management Department**



**P.O. Box 1130, 12 Cannery Road, Hoopa, CA 95546  
Phone: 530-625-5515 Fax: 530-625-5446**

**Hoopa Valley  
Sustainable Diesel Vehicle  
Project Initiative**

**D-4 Addendums and Attachments**

**Volkswagen Environmental Mitigation Trust Agreement**

**Submitted By:**

**Brian McCaughey, GIS Analyst/Database Coordinator  
Hoopa Valley Tribe**

**August 26, 2020**

## 5.2.2

### Detailed Description of Mitigation Action Items Including Community and Air Quality Benefits

#### Description of Mitigation Action Items

The Hoopa Valley Tribe in Humboldt County, California, is a rural timber harvesting tribe, with lots of roads and trucks. Our mitigation project has two elements, both designed to achieve a significant reduction in diesel emissions. The first involves a five-year strategy aimed at the replacement of eligible tribal fleet diesel trucks, to vastly improve fuel efficiency by decreasing fuel consumption and diesel emissions while cutting down on fuel costs. The second element involves the scrapping of existing vehicles. As a designated beneficiary in the third funding cycle we plan to replace 2 qualifying fleet vehicles (VIN# 1FDYU90BXRVA06123 and VIN# 1FDAF57P46ED11196) with a 2020 and 2021 diesel model.

#### Group Name: 2008 Kenworth TRACTOR W / DUMP (R-04)

Type Onroad	Engine Model Year 2008	Fuel Type ULSD (diesel)
Target Fleet Short Haul - Combination	Upgrade Year 2021	Annual Fuel Gallons 5,415
Class Class 8	Remaining Life 1	Diesel-equivalent Gallons 5,415
Sector Construction		Annual Miles Traveled 31,874
Vocation Utility		Annual Idling Hours 41
Quantity 1		
<a href="#">Edit Group</a>	<a href="#">Copy This Group</a>	<a href="#">Delete</a>

#### Group Name: 2006 Ford F550 CCDRW 4X4 FLATBED

Type Onroad	Engine Model Year 2006	Fuel Type ULSD (diesel)
Target Fleet Short Haul - Single Unit	Upgrade Year 2020	Annual Fuel Gallons 1,463
Class Class 4-5	Remaining Life 1	Diesel-equivalent Gallons 1,463
Sector Construction		Annual Miles Traveled 14,962
Vocation Utility		Annual Idling Hours 30
Quantity 1		
<a href="#">Edit Group</a>	<a href="#">Copy This Group</a>	<a href="#">Delete</a>

#### Community and Air Quality Benefits

Approximately 5,000 people live on the Hoopa Valley Indian Reservation. Most residents live in the 3,500-acre Hoopa Valley and adjacent bench lands, which lie within the center of the Reservation. The valley floor is bisected in a north-south direction by the meandering Trinity River. The climate of the Hoopa Valley is characterized by wet cool winters and dry hot summers. Temperatures in the basin are influenced by prevailing air masses, dynamic topography, cold dense air from higher elevations and cool moist air from the Pacific Ocean. Wind cycles seasonally on the reservation. Greatly influenced by temperature, wind blows up



and down the river valley on a daily basis from spring through fall. However, during stable winter weather, the reservation air mass also stabilizes and an inversion layer of cold air traps nitrogen oxides (NO<sub>x</sub>), sulfur dioxide (SO<sub>2</sub>), particulate matter (PM<sub>10</sub>), PM<sub>2.5</sub>, and Diesel PM emissions within the valley floor. The Hoopa Valley Tribe has worked diligently to improve air quality on the Reservation by eliminating outdoor open burning pollution as well as improving the efficiency of wood stoves. Funding acquired through the Environmental Mitigation Trust will assist Hoopa Valley in improving fuel efficiency of our fleet of vehicles.

We anticipate our project reducing PM<sub>2.5</sub>, which will lead to annual health benefits resulting from reduced exposure to PM<sub>2.5</sub>. These benefits include the reduction of premature mortality, chronic bronchitis, asthma attacks, non-fatal heart attacks, and other health problems.

### 5.2.3 Addendum

#### Estimate of Anticipated NOx Reductions

The combined results for the upgrade entered for our project is 0.343 short tons annually with a 95.4% annual reduction annually and over the lifetime of the vehicle after the upgrade.

Details are as follows:

### Emission Results <sup>1</sup>

Here are the combined results for all groups and upgrades entered for your project.<sup>1</sup>

<u>Annual Results (short tons)<sup>2</sup></u>	<u>NO<sub>x</sub></u>	<u>PM2.5</u>	<u>HC</u>	<u>CO</u>	<u>CO<sub>2</sub></u>	<u>Fuel<sup>3</sup></u>
Baseline of Entire Project	0.343	0.009	0.019	0.074	77.4	6,878
Amount Reduced After Upgrades	0.000	0.000	0.000	0.000	0.0	0
Percent Reduced After Upgrades	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
<u>Lifetime Results (short tons)<sup>2</sup></u>						
Baseline of Entire Project	0.343	0.009	0.019	0.074	77.4	6,878
Amount Reduced After Upgrades	0.000	0.000	0.000	0.000	0.0	0
Percent Reduced After Upgrades	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
<u>Lifetime Cost Effectiveness (\$/short ton reduced)</u>						
<b>Capital</b> Cost Effectiveness <sup>4</sup> (unit & labor costs only)	\$0	\$0	\$0	\$0	\$0	\$0
<b>Total</b> Cost Effectiveness <sup>4</sup> (includes all project costs)	\$0	\$0	\$0	\$0	\$0	\$0

<sup>1</sup> Emissions from the electrical grid are not included in the results.

<sup>2</sup> 1 short ton = 2000 lbs.

<sup>3</sup> In gallons; fuels other than ULSD have been converted to ULSD-equivalent gallons.

<sup>4</sup> Cost effectiveness estimates include only the costs which you have entered.

### Remaining Life

2008 Kenworth TRACTOR W / DUMP (R-04): Construction   Short Haul - Combination   Class 8 (Utility)	1 year
2006 Ford F550 CCDRW 4X4 FLATBED: Construction   Short Haul - Single Unit   Class 4-5 (Utility)	1 year

### 5.2.7.2 Addendum

#### Describe how the Beneficiary will make Documentation Publicly Available

All documents and forms regarding the Hoopa Valley Tribe's involvement with Wilmington Trust (Trustee) throughout the Volkswagen Settlement process will be displayed publicly on the Hoopa Valley Land Management website (<http://www.hoopatepa.org>). Any information published at [hoopatepa.org](http://www.hoopatepa.org) will be subject to all applicable Hoopa Valley Tribal laws, including those governing publication of confidential business information and personally-identifiable information.

## **Attachment C**

### **5.2.11**

#### **Detailed Plan for Reporting on Eligible Mitigation Action Implementation**

The Hoopa Valley Tribal Council has ordinances and procedures set in place to properly manage all funding received by the Hoopa Valley Tribe. The Tribe's Fiscal Department employs a Chief Financial Officer and a Grants Compliance Officer who manage and have oversight of all funding received by the Hoopa Valley Tribe. The Hoopa Valley Tribe's Grants Compliance Officer ensures that all grant funds are being spent in accordance with grant guidelines and will prepare a Federal Financial Report (SF-425) to be submitted to the funding agency before the required timeline at the closing of the fiscal year. As a requirement of the Federal Government and Office of Management and Budget Super Circular, a Single Agency Audit is performed on an annual basis. The Hoopa Valley Tribe utilizes an electronic and hard copy accounting system; document retention guidelines are strictly adhered to. Monthly expenditure reports are prepared on every grant contract and program and distributed to department directors, who are responsible for expenditure approval and the day-to-day management.

Furthermore, The Hoopa Valley Tribe will for each Eligible Mitigation Action (EMA) no later than 6 months after the disbursement of Trustee Assets of each year will submit to the Trustee a semi-annual report describing the progress implementing each EMA during the six month period leading up to the reporting date including a summary of all costs expended on the EMA through the reporting date. Such reports shall include a complete description of the status including actual or projected termination date, development, implementation and any modifications of each approved EMA. The reports will be signed by an official authority to submit the report and will contain an attestation that the information is true and correct and that the submission is made under penalty of perjury.

**Attachment D**

**5.2.6**

**Detailed Cost Estimates from Selected or Potential Vendors for each Proposed Expenditure Exceeding \$25,000**

Below we provide a list of the vehicles we aim to replace, with cost estimates for new, equivalent vehicle replacements. The vendor quotes attached in the Appendix include shipping costs, and are based upon comprehensive and rigorous general market research. Scrapping of old vehicles should not have associated costs, as our research revealed that most scrapping businesses will not charge for this service, since the metal from the old vehicles is valuable to them.

Furthermore, the purchase of the replacement vehicle utilizing VW Settlement Mitigation Funds will be made in accordance with the Hoopa Valley Tribe's Procurement Policy, as well as any procurement requirement and guidelines set forth by the trustee. Three (3) quotes for the vehicle will be required and/or a justification will be provided on the selection of the vendor to which the vehicle will be purchased. The Hoopa Valley Tribe's Procurement Policy is set in place to ensure purchases and expenditures are made in full compliance with federal standards and to assure that purchases are procured efficiently, effectively, and at the most favorable prices available to the Hoopa Valley Tribe. The procurement policy also provides safeguards for maintaining a procurement system of quality and integrity. The vehicle will be purchased as a capital addition and the appropriate documentation will be completed for filing it as an asset with our Insurance Department to ensure that it is recorded with the Hoopa Valley Tribe and placed under the Hoopa Valley Tribe's insurance policy.

<b>Original Vehicle Year</b>	<b>Make</b>	<b>Model</b>	<b>Fleet Vehicle Specifications</b>	<b>Fleet Vehicle #</b>	<b>2020 Model Replacement Cost</b>
2008	KENWORTH	TRACTOR W/ DUMP (R-04)	Class 8	11	\$ 131,695.50
2006	FORD	F550 CDRW 4X4 FLATBED	Class 5	3	\$ 70,647.00
				<b>TOTAL</b>	<b>\$ 202,342.50</b>

VW SETTLEMENT MITIGATION ACTION BUDGET

PERSONNEL	TOTAL
GIS Analyst/Database Coordinator @ \$23.27/hour (240 Hours)	\$5,584.80
Office Administrator @ 19.00/hour (180 Hours)	\$3,420.00
Fringe @ 36% (Average)	\$3,241.73
<i>subtotal</i>	<b>\$12,246.53</b>
SUPPLIES	
Internet, telephone, scanner, paper, printing supplies, notary fees for applications	\$662.12
Outfitting the new truck with the old dump	\$5,000.00
<i>subtotal</i>	<b>\$5,662.12</b>
TRAVEL (Mileage)	
Travel necessary for purchase of vehicles	\$700.00
<i>subtotal</i>	<b>\$700.00</b>
Capital Addition-Vehicle	
2006 FORD F550 CCDRW 4X4 FLATBED	<b>\$70,647.00</b>
2008 KENWORTH TRACTOR W/ DUMP (R-04)	<b>\$131,695.50</b>
<i>subtotal</i>	<b>\$202,342.50</b>
<b>Direct Total</b>	<b>\$220,951.15</b>
<b>Indirect Total (61.51%)</b>	<b>\$5,538.85</b>
<b>Project Total</b>	<b>\$226,490.00</b>

Mitigation Action Administrative Expenditures  
Hoopa Valley Tribe

<b>Personnel</b>	GIS Analyst/Database Coordinator @ 23.27/hour	\$	5,584.80
	Office Administrator @ 19.00/hour	\$	3,420.00
	<b>Total Personnel</b>	\$	<b>9,004.80</b>
	Fringe Rate (36%)	\$	3,241.73
	Mileage (To obtain Vehicle Information for submittal-1400 miles @.50/mile)	\$	700.00
	<b>Supplies</b>		
	Internet, telephone, printer/scanner, paper, printing supplies, ink, Notary Fees for Ag	\$	662.12
	Outfitting the new truck with the old dump	\$	5,000.00
	Additional costs (Indirect Rate 61.51%)	\$	5,538.85
	<b>TOTAL ADMINISTRATIVE EXPENSES</b>	\$	<b>24,147.50</b>

# Crown Motors

555 W. Cypress Ave. Redding, CA 96001  
 Cell# 530-241-4321 Fax# 530-255-2932  
 Email: bill@crownworktrucks.com www.crownworktrucks.com

## Fleet Bid

8/4/2020

To: Hoopa Tribal Forestry  
 Attn: Whits Marshall

Prepared by: William Dawson  


Vehicle Quoted: New 2020 Ram 5500 Crew Cab 4WD

Quantity	Description	Unit Price	Total
1	New 2020 Ram 5500 Crew Cab 4WD Factory Order: 18 to 20 weeks order to delivery *Price includes Enoven Flatbed per Quote 57895 **Hoopa Tribal Forestry will need to get an FCA Government Fleet number prior to order. Currently Roads and Housing have a fleet number but FCA requires a separate fleet number because of the different address. Simple process to apply. I will send the link to the application site	\$69,510.00	\$69,510.00
		<b>Net Price</b>	<b>\$69,510.00</b>
Sales Tax Exempt- Tribal Delivery		Sales Tax	\$0.00
License Exempt- registration and weight fee only		License	\$1,022.00
Includes 40,000 lbs Weight Decal		Doc Fee	\$85.00
		Tire Tax	\$0.00
		MVCS Fee	\$30.00
		<b>Bid Amount</b>	<b>\$70,647.00</b>

Good Until 8/6/2020

Submitted by:  
 William Dawson  
 Fleet Manager  
 bill@crownworktrucks.com  
 cell# 530-523-6011



**Prepared For:**  
Whitsiwe Marshall  
Hoopa Tribal Forestry  
California

**Prepared By:**  
Bill Dawson  
Crown Motors  
555 Cypress Ave  
Redding, California, 96001  
Phone: 530-523-6011  
Fax: 530-255-2932

**SELECTED EQUIPMENT 2020 RAM 5500 Chassis**

4x4 Crew Cab 197.4" WB Tradesman/SLT/Laramie/Limited (DP0L94)  
MSRP

DP0L94	Base Vehicle Price (DP0L94)	STD	47,020.00
<b>Packages</b>			
2YA	Quick Order Package 2YA Tradesman <i>Black Exterior Mirrors; Black Wheel Flares; Door Sill Scuff Pads; Exterior Mirrors w/Supplemental Signals; Exterior Mirrors Courtesy Lamps; Exterior Mirrors w/Heating Element; Glove Box; Matte Black Grille Surround; Halogen Quad Headlamps; Black Key Fob; Map/Courtesy Lamp; Mirror Running Lights; Overhead Console; Overhead Cupholder Lamp; Power Black Trailer Tow Mirrors; Rear Dome Lamp; Trailer Tow Mirrors; Urethane Shift Control</i>	OPT	N/C
<b>Emissions</b>			
NAS	50 State Emissions	OPT	N/C
<b>Powertrain</b>			
ETN	Engine: 6.7L I6 Cummins Turbo Diesel <i>87 mph Maximum Speed; B-20 Bio Diesel Capability; Clean Idle Emissions Label; Cummins Turbo Diesel Badge; Current Generation Engine Controller; Dual 730 Amp Maintenance Free Batteries; Electronically Controlled Throttle; (ZOC) GVWR: 19,500 lbs; Selective Catalytic Reduction (Urea); Smart Diesel Exhaust Brake; Supplemental Heater</i>	OPT	7,945.00
DF2	Transmission: 6-Speed Auto Aisin AS69RC HD	OPT	1,600.00
DPL	4.89 Axle Ratio	INC	Included
ZOC	GVWR: 19,500 lbs	INC	Included
<b>Wheels &amp; Tires</b>			
TY5	Tires: 225/70R19.5G All Traction	OPT	250.00
WP3	Wheels: 19.5" x 6.0" Steel	STD	N/C
<b>Seats &amp; Seat Trim</b>			

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference DX05103022 5/11/2020



**SELECTED EQUIPMENT Continued**

			MSRP
TX	HD Vinyl 40/20/40 Split Bench Seat	STD	N/C
	<b>Other Options</b>		
APA	Monotone Paint Application <i>Exterior content such as door handles, fascia, mirrors, etc. are black when ordering special low volume paints.</i>	STD	N/C
LPE	Cargo & CHMSL Lamp	OPT	95.00
DK3	Electric Shift-On-The-Fly Transfer Case <i>Center Stack Storage Drawer</i>	OPT	295.00
XNR	Manual DPF Regeneration	OPT	245.00
AHQ	Max Tow Package <i>(DPL) 4.89 Axle Ratio</i>	OPT	595.00
XAC	ParkView Rear Back-Up Camera <i>Rear View Auto Dim Mirror w/Display</i>	OPT	495.00
XBT	Tire Pressure Information System	OPT	150.00
XHC	Trailer Brake Control	OPT	295.00
XEF	Transfer Case Skid Plate Shield	OPT	145.00
UA1	Radio: Uconnect 3.0	STD	N/C
	<b>Interior Colors For : Primary w/Crew Cabs</b>		
X8	Diesel Gray/Black	OPT	N/C
	<b>Primary Colors For : Primary w/Crew Cabs</b>		
PW7	Bright White Clearcoat	OPT	N/C
<b>Vehicle Subtotal</b>			<b>\$59,130.00</b>
<b>Destination</b>			<b>\$1,695.00</b>
<b>Vehicle Subtotal (including Destination)</b>			<b>\$60,825.00</b>

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference: DX05103022 5/11/2020



**Prepared For:**  
Whitliffe Marshall  
Hoopa Tribal Forestry  
California

**Prepared By:**  
Bill Dawson  
Crown Motors  
555 Cypress Ave  
Redding, California, 96001  
Phone: 530-523-6011  
Fax: 530-255-2932

## VEHICLE OVERVIEW

## 2020 RAM 5500 Chassis

4x4 Crew Cab 197.4" WB Tradesman/SLT/Laramie/Limited (DP0L94)

### Powertrain

Cummins 6.7L I-6 OHV diesel direct injection 24 valve Intercooled turbo diesel engine \* 180 amp alternator \* 1,460 amp (total) battery dual lead acid batteries with run down protection \* Engine oil cooler, transmission oil cooler \* 6-speed electronic sequential shift control automatic transmission with overdrive, lock-up, driver selection \* Part-time four-wheel drive with electronic transfer case shift, auto locking hubs \* Limited slip differential, ABS & driveline traction control, power take-off provision \* 4.89 axle ratio \* Stainless steel exhaust

### Steering and Suspension

Hydraulic power-assist re-circulating ball steering \* 4-wheel disc brakes with front and rear vented discs \* Electronic stability \* Non-independent front suspension \* Front leading link suspension \* Front anti-roll bar \* Front coil springs \* HD front shocks \* Rigid rear axle \* Rear leaf suspension \* HD rear anti-roll bar \* HD rear leaf springs \* HD rear shocks \* Front and rear 19.5" x 6.00" argent steel wheels \* 225/70R19.5 BSW AT

### Safety

4-wheel anti-lock braking system \* Daytime running lights, center high mounted stop light \* Dual airbags, airbag occupancy sensor \* Front height adjustable seatbelts with front pre-tensioners \* Sentry Key Immobilizer

### Comfort and Convenience

Air conditioning, underseat ducts, supplemental heater \* AM/FM/Satellite-prep, clock, seek-scan, external memory control, 6 speakers, Bluetooth streaming audio, Integrated roof antenna \* Cruise control with steering wheel controls \* Power door locks, child safety rear door locks \* 2 12V DC power outlets, retained accessory power, Uconnect w/Bluetooth wireless phone connectivity \* Analog instrumentation display includes tachometer, oil pressure gauge, engine temperature gauge, voltmeter gauge, oil temperature gauge, transmission fluid temp gauge, engine hour meter, systems monitor, redundant digital speedometer, camera(s) - rear camera, trip odometer \* Warning indicators include oil pressure, engine temperature, battery, low oil level, low coolant, lights on, key, low fuel, low washer fluid, lighting malfunction, door ajar, service interval, brake fluid, turn signal on, tire specific low tire pressure, transmission fluid temp \* Steering wheel with tilt adjustment \* Power front and rear windows with light tint, driver and passenger 1-touch down \* Variable intermittent front windshield wipers \* Passenger side vanity mirror \* Auto-dimming day-night rearview mirror \* Interior lights include dome light with fade, front reading lights \* Mini overhead console, glove box, front and rear cupholders, instrument panel covered bin, dashboard storage, driver and passenger door bins, rear door bins, 2nd row underseat storage \* Upfitter switches

### Seating and Interior

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference DX05103022 5/11/2020

Effective Date: 5/11/2020  
Date Printed: August 04, 2020

Page 3  
QuoteID: HTFDP0L94C

## VEHICLE OVERVIEW Continued

### Seating and Interior (Continued)

Seating capacity of 6 \* 40-20-40 split-bench front seat with adjustable head restraints, center armrest with storage \* 4-way adjustable driver seat \* 4-way adjustable passenger seat \* Full folding rear bench seat with fold-up cushion, 3 adjustable rear head restraints \* Vinyl faced front seats with vinyl back material \* Vinyl faced rear seats with carpet back material \* Full cloth headliner, full vinyl/rubber floor covering, deluxe sound insulation, metal-look instrument panel insert, urethane gear shifter material, chrome/metal-look interior accents

### Exterior Features

1 skid plate, side impact beams, front license plate bracket, galvanized steel/aluminum body material \* Black fender flares \* Black side window moldings, black front windshield molding \* Black door handles \* Black grille \* 4 doors \* Trailer harness, brake controller, trailer sway control \* Driver and passenger power remote black heated convex spotter folding manual extendable trailer outside mirrors with turn signal indicators, clearance lights \* Front black bumper with front tow hooks \* Aero-composite halogen fully automatic headlamps with multiple headlamps, delay-off feature \* Additional exterior lights include cab clearance lights, pickup cargo box light, remote activated perimeter/approach lights \* Clearcoat monotone paint

### Warranty

Basic .....	36 month/36,000 miles	Powertrain .....	60 month/100,000 miles
Corrosion Perforation .....	60 month/100,000 miles	Roadside Assistance .....	60 month/100,000 miles
Diesel Engine .....	60 month/100,000 miles		

### Dimensions and Capacities

Output .....	360 hp @ 2,800 rpm	Torque .....	800 lb.-ft. @ 1,800 rpm
Drag coefficient .....	0.41	1st gear ratio .....	3.750
2nd gear ratio .....	2.000	3rd gear ratio .....	1.340
4th gear ratio .....	1.000	5th gear ratio .....	0.770
6th gear ratio .....	0.630	Reverse gear ratio .....	3.540
		GVWR .....	19,500 lbs.
Front GAWR .....	7,000 lbs.	Rear GAWR .....	13,500 lbs.
		Front axle capacity .....	7,000 lbs.
Rear axle capacity .....	13,500 lbs.	Front spring rating .....	7,000 lbs.
Rear spring rating .....	13,500 lbs.	Front tire/wheel capacity .....	7,940 lbs.
Rear tire/wheel capacity .....	15,000 lbs.		
Front legroom .....	40.9 "	Rear legroom .....	40.2 "
Front headroom .....	40.9 "	Rear headroom .....	39.8 "
Front hiproom .....	62.9 "	Rear hiproom .....	62.7 "
Front shoulder room .....	65.9 "	Rear shoulder room .....	65.6 "
Passenger area volume .....	124.6 cu.ft.	Length .....	289.2 "
Body width .....	86.9 "	Body height .....	81.4 "
Wheelbase .....	197.4 "	Cab to axle .....	83.9 "
Axle to end of frame .....	50.8 "	Front track .....	77.1 "

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference CX05103022 5/11/2020

## VEHICLE OVERVIEW Continued

### Dimensions and Capacities (Continued)

Rear track .....	73.6 "	Turning radius .....	29.8'
Fuel tank .....	52.0 gal.	Rear frame height loaded .....	31.3 "
Rear frame height unloaded .....	35.8 "		

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference DX05103822 5/11/2020

Effective Date: 5/11/2020  
Date Printed: August 04, 2020

Page 5  
QuoteID: HTFDP0L94C



**Enoven Truck Body & Equipment**

5125 Caterpillar Rd  
 Redding, CA 96003  
 530-605-4198

**Quote #: 57895**

Date: 7/14/2020  
 CustID: 92079

Thank you for the opportunity to quote your business, please call if you have any questions.

Crown Motors

Crown Motors  
 555 W. Cypress Ave.  
 Redding, Ca 96001

Attn: Bill Dawson  
 530-523-6011  
 bill@crownfleet.pro

Qty>=	Description	Unit Price	Ext Price
1	<b>Flatbed Dump: 12', Enoven EWPDL-1296S10</b> (REQUIRES 84" C/A) - 96" Wide - 10ga Diamond Plate Steel Deck - Body will be formed in two pieces and will be 100% welded longitudinally on underside only - 4" 11ga Formed crossmembers, 12" on center - 4" C-channel long-sills - 45" 10ga Square Headboard with laser cut viewing window framed in 2" X 3" Steel Tubing - (2) Recessed Work lights mounted in HB - 10ga gussets on every other crossmember - Stakepockets - 1/2" rope hooks every other crossmember, both sides - 3/16" Smooth Steel square tail apron with 2.5" LED Clearance and ID Lamps - 2.5" Red LED Marker lamps in side rails at end of bed - OEM S/T/T/BU - "ENOVEN" Mud Flaps - Body Powdercoated Black  - Champion CS615T Electric Double Acting Subframe Hoist giving 9 tons lifting capacity with 18" overhang - Pendant Control wired into cab - Body Prop, Body Up Lamp in dash, Back Up Alarm - Installed, Weighed, and Certified	\$9,871.00	\$9,871.00
1	<b>Accessories: 1/2" Buck Plate and Hitch</b> - 2.5" Receiver Tube - (2) 1/2" D-rings - 7-way RV Trailer Socket - Integrated underride protection - Painted Black	\$779.00	\$779.00
1	<b>Accessories: 45" Removable Stakesides with Aluminum Slats</b>	\$2,145.00	\$2,145.00

Qty>=	Description	Unit Price	Ext Price
	- 45" Tall Removable Side Gates with (4) Formed Aluminum Slats bolted to Metal Stakes, (3) Sections per Side - Sides Interconnected with Gate Latches		
1	<b>Accessories: Air Suspension</b>  TO BE INSTALLED ON CUSTOMER PROVIDED TRUCK WITH DUAL REAR WHEELS  - HD Air Spring system - (2) Air Ride Suspension bags, 1 per side installed on rear driver and passenger side - Dual Leveling System - In Cab Analog Air Inflation	\$1,948.00	\$1,948.00
1	<b>Accessories: Hammerhead Front Bumper and Warn Winch</b>  TO BE INSTALLED ON 2020 Ram 5500  - Hammerhead Full Grill Guard Winch Bumper - (4) LED cube lamps: (2) flood lamps in outer holes and (2) spot lamps in inner holes  - Warn M15, 15,000# winch mounted to front bumper with 90' of 7/16" wire rope, roller fairlead, and remote control	\$4,998.00	\$4,998.00
2	<b>Accessories: Toolbox, 36"</b>  - 36" X 18" X 18" steel toolbox mounted to underside of body, one per side - Powdercoated Black	\$550.00	\$1,100.00
1	<b>TRIBAL DISCOUNT</b>	(\$700.00)	(\$700.00)


<b>TOTAL</b>	<b>\$20,141.00</b>
--------------	--------------------

All prices are FOB unless stated otherwise. This quotation is good for 30 days, subject to our inspection and/or rejection of any materials that might be received by us for processing and subject to change or withdrawal without notice. Materials or parts to be plated must be of plating quality. Acceptance of this quotation is confirmed by issue and acceptance of a purchase order and/or receipt and processing of the parts with reference to this quotation. This quotation was made expressly upon your request and is confidential and non transferable. We will exercise the utmost care while processing your parts or order but limit our liability to the quoted price.

**Terms of Sale:**  
COD

**Enoven Truck Body & Equipment**  
Authorized by: dustin  
Date: 8/4/2020

Printed: 8/4/2020 11:43:12 AM



# COAST COUNTIES TRUCK & EQUIPMENT CO.

DBA: COAST COUNTIES PETERBILT



MAIN OFFICE  
1740 N. 4<sup>TH</sup>, SAN JOSE CA 95112  
P.O. BOX 757, SAN JOSE, CA 95106  
PHONE (408) 453-5510 FAX (408) 453-7637



SINCE 1949

www.coastcounties.com

DATE 08/18/20  
Customer Hoopa Valley Tribe  
Attention \_\_\_\_\_  
Address PO BOX 1348  
City & State Hoopa Ca 95546  
F.O.B. Point \_\_\_\_\_

Stock # \_\_\_\_\_  
Phone # \_\_\_\_\_  
Fax # \_\_\_\_\_  
Mobile # \_\_\_\_\_  
Email \_\_\_\_\_  
Mileage \_\_\_\_\_

YEAR	MAKE	MODEL	DESCRIPTION
2021	Peterbilt	367	3/axle Dump Truck
Specifications		TO Follow	

Trade In:	Year	Make	None
Body Type			
License			
Mileage			
Payoff Balance Owing To			
Appraised Value			
Less Payoff			
Net Trade Credit			

Cash Price	price each	<b>\$131,588.00</b>
	doc fee	<b>\$90.00</b>
12% Federal Excise Body		<b>EXEMPT</b>
Sales Tax		<b>EXEMPT</b>
DMV - Est. (thru EST.cost)		<b>EXEMPT</b>
Other	Tire Tax	<b>\$17.50</b>
<b>Total Sales Price Each</b>		<b>\$131,695.50</b>

Reg ( )

Fuel Tax  
FHUT ( ) Appraisal ( ) Stock#

License to be determined at delivery time.  
This order not valid until accepted by manager.

Firm Name \_\_\_\_\_

Purchase Order # \_\_\_\_\_

Accepted By: purchaser

Accepted By: chris wilber  
**sales manager**

Accepted By: \_\_\_\_\_  
**salesman**

920 ELVEE DRIVE, SALINAS, CA 93901  
P.O. BOX 1812, SALINAS, CA 93902  
PHONE (831) 758-2441  
FAX (831) 758-3314

260 DOOLITTLE DRIVE  
SAN LEANDRO, CA 94577  
PHONE (510) 568-6933  
FAX (510) 562-5664

7675 CONDE LANE  
WINDSOR, CA 95492  
PHONE (707) 837-2727  
FAX (707) 837-0589

2660 JACOBS AVENUE  
EUREKA, CA 95601  
PHONE (707) 443-7073  
FAX (707) 443-6264

3030 RAMADA DRIVE  
PASO ROBLES, CA 93446  
PHONE (805) 238-6764  
FAX (805) 238-6866



Coast Counties Peterbilt (C507)  
 2660 Jacobs Avenue  
 Eureka, California 95501

Hoopa Valley Tribe  
 12 Cannery Road  
 Hoopa, California 95546  
 United States of America

Chris Wilber  
 Cell Phone:  
 Office Phone: 707-443-7073  
 Email: cwilber@coastcounties.com

Brian MacIntosh

## Vehicle Summary

Unit		Chassis	
Model:	Model 367	Fr Axle Load (lbs):	14320
Type:	Full Truck	Rr Axle Load (lbs):	46000
Description 1:	BUZZ EQUIPMENT	G.C.W. (lbs):	84600
Description 2:	Clone of Chassis 709328 Model 367		
<b>Application</b>		<b>Road Conditions:</b>	
Intended Serv.:	Construction Dump-On/Off Highway	Class A (Highway)	100
Commodity:	Construction Materials	Class B (Hwy/Mtn)	0
		Class C (Off-Hwy)	0
		Class D (Off-Road)	0
<b>Body</b>		Maximum Grade:	6
Type:	Transfer Dump	Wheelbase (in):	228
Length (ft):	15	Overhang (in):	57.2
Height (ft):	14	Fr Axle to BOC (in):	92.8
Max Laden Weight (lbs):	8000		
		Cab to Axle (in):	135.2
		Cab to EOF (in):	192.4
		Overall Comb. Length (in):	316.2
<b>Trailer</b>		<b>Special Req.</b>	
No. of Trailer Axles:	0		
Type:			
Length (ft):	0		
Height (ft):	0		
Klingpin Inset (in):	0		
Corner Radius (in):	0		
<b>Restrictions</b>			
Length (ft):	65		
Width (in):	102		
Height (ft):	13.5		

Approved by: \_\_\_\_\_

Date: \_\_\_\_\_

**Note: All sales are F.O.B. designated plant of manufacture.**





Sales Code	Std/Opt	Description	Weight
<b>Base Model</b>			
0003671	S	<b>Model 367</b> Peterbilt's Model 367 defines rugged durability and quality construction for the vocational market and is specifically designed to endure the rigors of dump, logging, construction and numerous other heavy-duty vocational applications. The lightweight, all-aluminum cab with lap seam construction and bulkhead style doors is legendary for toughness and corrosion resistance. It provides years of virtually watertight performance. The Model 367 is available in both a set-forward and set-back axle configuration, with a 123" BBC. Available with a variety of heavy-duty components, including full and partial frame liners, as well as a selection of axles, including tandem, tridem and lift-axle options, the 367 is as tough as it is versatile.	15,020
0091070	O	<b>Construction Materials</b>	0
0093060	O	<b>Construction Dump-On/Off Highway</b> Truck or tractor without liftable trailing axle which carries bulk materials (excavated earth, sand/gravel, asphalt, demolition debris, etc.) and unloads by dumping out the back, over the side of the body, or out the bottom of the trailer.	0
0095180	O	<b>Transfer Dump</b>	0
0098010	O	<b>California Registry</b> California Registry Required for all vehicles that will be registered in the State of California.	0
0098070	O	<b>Severe Service Category Number Three</b> Severe Service Category Number Three On-Off Highway - North America. For vehicles operating on a combination of Class C & D roads totalling 10 to 25% of the vehicle operating mileage. This category is required for all loggers and all vehicles operating on the Alcan Highway.	0
<b>Configuration</b>			
0200700	S	<b>Not Applicable</b> Secondary Manufacturer	0
<b>Frame &amp; Equipment</b>			
0514000	O	<b>10-3/4" Steel Rails To 354"</b> 10.75x3.5x.375 Dimension, 2,136,000 RBM; Yield Strength: 120,000 psi. Section Modulus: 17.8 cubic inches. Weight: 1.74 lbs/inch pair	294
0611250	O	<b>Heavy-Duty Iron Front Spring Brackets</b> Forward and Rear	35
0611330	O	<b>Zinc Coated Anti Corrosion Treated Frame Rails</b> Requires Frame Rail Code. Zinc Phosphate coating will replace the standard frame rail primer and provide added corrosion prevention for your customer's operating in severe conditions or in climates where vehicle rust is common.	0
0620500	O	<b>Frame Components Bolted IPO Huck Fastened</b>	0

Price Level: July 1, 2020

Code: 81221 EQUIPMENT

Printed On: 8/17/2020 11:15:25 AM

Date: August 17, 2020

Code: 81221 EQUIPMENT



Sales Code	Std/Opt	Description	Weight
0644020	O	EOF Square with Steel Crossmember	8
0651090	O	Omit Rear Mudflaps and Hangers	-25
0711190	O	Premier 370A Hitch (Requires A-Brace Option)	44
0721110	O	Standard A-Brace for Square EOF with Steel Xmbr	49
0890050	O	Sliding Fifth Wheel Valve & Plumbing Only	4
<b>Front Axle &amp; Equipment</b>			
1012300	O	<b>Meritor MFS14 14,600 lb, 3.5 in, Drop</b> Axle is designed for applications with a gross axle weight rating (GAWR) of 14,600 pounds. Axle includes special low-friction bushings, double draw keys and integral thrust bearing and seal design for durability, low maintenance and ease of service. Combination of Meritor Easy Steer king pin bushings, computer-designed and optimized I-beam construction and stiff axle assembly delivering a tight turning radius, superior vehicle control and longer tire life.	29
1112150	O	<b>Taper Leaf Springs, Shocks 14,600 lb</b> Hendrickson Taper Leaf Springs, shocks 14,600 lb.	57
1233050	O	<b>Power Steering TRW TAS85</b> TRW TA85 Power Steering for use with 14,600 lb. axle ratings. Glidekote splines on steering shaft extend service life of components.	7
1250250	O	<b>Power Steering Reservoir Frame Mounted w/Cooler</b> A power steering cooler helps reduce the heat of the power steering fluid. This is commonly used with systems that may experience more stress from towing or off-road driving.	2
1353550	S	<b>PHP10 Aluminum PreSet PLUS Hubs Air Disc</b> PHP10 aluminum PreSet PLUS hubs air disc have a fully integrated spindle nut design, an optimized wheel spacer, magnetic fill plug, with a seal and bearings. Use with Front Axle.	0
1380070	O	<b>Greasable Front Spring Pins</b>	0
1380290	S	<b>Bendix Air Disc Front Brakes</b> Bendix air disc front brakes use a floating caliper design to provide foundation braking on all axles and complies with reduced stopping distance regulations.	0
1380470	O	<b>Meritor Wide Track IPO Standard, Front Axle</b> Meritor wide track front axle offers greater turning radius and ease of service. MFS+ 3.5" Drop / MFS 3.74" Drop. 71in KPI IPO 69in with MFS and MFS+ axles.	15
1390020	O	<b>Truckmaster Front Shocks</b>	-2
1391390	U	<b>Long Stroke Brakes, Front Axle</b>	0
1391400	U	<b>70 MM FRONT SPRING SPACER BLOCKS</b>	0

### Rear Axle & Equipment

Price Level: July 1, 2020

Used: LUDZEL FOR EQUIPMENT

Printed On: 8/17/2020 11:15:25 AM

Date: August 17, 2020

Quote Number: 1310-084910-01/01/20



Sales Code	Std/Opt	Description	Weight
1523440	O	<b>Dana Spicer D46-172 46,000 LBS</b> Dana Spicer D46-172 46,000 lbs tandem drive axles offer efficiency improvement, axle weight reduction and reduced lube quantity.	521
1616290	S	<b>PHP10 Aluminum PreSet PLUS Hubs</b>	0
1673090	O	<b>Separate Dash Controls, Cont Trac Full Lock</b> Dana Spicer or Meritor - Tandem or Tri-Drive Axles (Air Rocker Switch occupies the space of two gauges for tandem axle and three gauges for tri-drive axle)	2
1680500	O	<b>SBM Valve</b> Full trucks require a spring brake modulation (SBM) system for emergency braking application. This system requires an SBM valve and a relay valve with spring brakes on the rear axles. The SBM valve allows the foot valve to operate the rear axle spring brakes if a failure exists in the rear air system.	0
1680950	O	<b>Stability System Not Selected Or Not Available</b>	0
1682710	S	<b>Anti-Lock Braking System (ABS) 6S6M</b> ABS-6. Includes air braking system.	0
1684200	S	<b>Synthetic Axle Lubricant All Axles</b> Peterbilt heavy duty models include Fuel Efficient Cognis EMGARD FE75W-90 which provides customers performance advantages over current synthetic lubricants with reduced gear wear and extended maintenance intervals, resulting in increased uptime. In addition, the lubricant provides improved fluid flow to protect gears in extreme cold conditions and withstand the stress from high temperatures, extending component life.	0
1687040	O	<b>Air Disc Rear Brakes, Tandem Drive Axle</b> Includes Automatic Slack Adjusters.	0
1687090	O	<b>Diff Lock Tandem Axles</b> With Speed Interlock. Automatically Disengages Wheel Diff Lock at Speeds Above 25 mph.	60
1704100	O	<b>Ratio 4.10 Rear Axle</b>	0
1821860	O	<b>Peterbilt Air Trac 46,000 lbs, 52in Axle Spacing</b> Light Weight	291
1911010	O	<b>Steel Suspension Insert Up To 77" Overhang</b>	239
1920385	O	<b>Air Springs, Internal Bumpers</b> Air Trac / Air Leaf suspensions	0
1922260	O	<b>Dash Mtd Dump Switch with Indicator Light</b> Dash mounted dump switch with indicator light for suspension.	2
<b>Engine &amp; Equipment</b>			
2059976	O	<b>X15 525@1950 GOV@2000 1850@1150</b> Performance Series (2017 Emissions) Includes aluminum flywheel housing. Chevron Delo LE SAE 10W30 engine oil is specially formulated for new low emissions engines. Magnetic engine oil drain plug captures and holds any metal fragments in engine oil to extend service life.	340

Price List: July 1, 2020

Part: P112 EQUIPMENT

Printed On: 01/11/2020 11:18:25 AM

Date: August 17, 2020

Quote Number: 1171004310-450000



Sales Code	Std/Opt	Description	Weight
		N21350 C121 64....Maximum Accelerator Vehicle	
		N21370 C128 64....Maximum Cruise Control Speed	
		N21460 C132 1400..PTO Maximum Engine Speed	
		N21520 C133 5.....Idle Shutdown Timer	
		N21610 C188 40....Idle Shutdown Cold Ambient A	
		N21630 C190 80....Idle Shutdown Hot Ambient A	
		N21510 C225 NO....Idle Shutdown with Parking B	
		N21450 C231 NO....Gear Down Protection	
		N21570 C233 NO....Idle Shutdown Manual Override	
		N21440 C234 NO....Engine Protection Shutdown	
		N21480 C238 NO....Cruise Control and Engine Br	
		N21470 C239 NO....Cruise Control Auto-Resume	
		N21590 C382 YES...Idle Shutdown Hot Ambient Au	
		N21530 C396 YES...Idle Shutdown Warning Period	
		N21540 C397 60....Idle Shutdown Warning Period	
		N21320 C399 120...Green House Gas Vehicle Spee	
		N21620 C189 60....Idle Shutdown Intermediate A	
		N21550 C206 100...Idle Shutdown Percent Engine	
		N21340 C209 120...Maximum Vehicle Speed	
		N21430 C333 0.....Driver Initiated OverrideMax	
		N21410 C334 0.....Driver Initiated Override Ma	
		N21500 C395 0.....Green House Gas Automatic En	
		N21400 C400 252...Driver Initiated Override Re	
		N21420 C401 10....Green House Gas Vehicle Spee	
		N21330 C402 0.....Green House Gas Vehicle Spee	
2091310	O	<b>Engine Idle Shutdown Timer Disabled</b>	0
2091315	O	<b>Enable EIST Ambient Temp Override</b>	0
2091372		<b>Eff EIST NA Expiration Miles</b>	0
2091640		<b>Effective VSL Setting NA</b>	0
2092014	O	<b>Typical Operating Speed 65 MPH</b>	0
2092032	O	<b>Powertrain Optimized for Performance</b> Best analysis for vehicles used in vocational applications or with heavy GCWRs.	0
2140200	S	<b>CARB Engine Idling Compliance</b> PACCAR PX-7, PX-9 and MX, Cummins X15 and ISX diesel engines will include the required factory installed serialized sticker on the drivers door to identify them as meeting the NOx idling standard.	0
2141000	O	<b>Steel Front Engine Support IPO Standard Aluminum</b>	20
2513060	S	<b>PACCAR 160 Amp Alternator, Brushed</b> PACCAR 160 AMP alternator, brushed producing 160 Amps at road speed and 100 Amps at idle.	0
2521090	S	<b>Immersion Type Block Heater 110-120V</b>	0

Price List July 1, 2020  
 Dept: BUZZ EQUIPMENT  
 Printed On: 7/17/20 11:10:35 AM

Date: August 17, 2020  
 Quote Number: 0110-684610 X42806



Sales Code	Std/Opt	Description	Weight
		Standard location for 2.1M and 1.9M models is left-hand under cab, Model 520 is in bumper, and for Model 220 it is at the driver step. Plug includes a weather-proof cover that protects the receptacle. This pre-heater keeps the coolant in the engine block from freezing when the engine is not running.	
2522090	O	<b>PACCAR Premium Starter - X15 Engines Only</b> PACCAR Premium 12 volt. Better cranking power, lower current draw and improved warranty to 5-yr/500K miles.	0
2538040	S	<b>3 PACCAR Premium 12V Dual Purpose Batt 2190 CCA</b> Threaded stud type terminal. Stranded copper battery cables are double aught (00) or larger to reduce resistance.	0
2539410	O	<b>Battery Jumper Terminal Mounted Under Hood</b> LH Frame Rail. Not available with PX-7 engines.	4
2539650	O	<b>LVD For Day Cab (Low Voltage Disconnect)</b> Designed to preserve battery life to maintain adequate starting voltage. Equipped with both audible and visual alarms which are activated prior to disconnecting the battery load.	4
2539740	O	<b>Kissling Battery Disconnect Switch, 300 amp</b> Mounted on battery box	3
2621000	O	<b>2-Speed Fan Clutch For Frequent Start/Stops</b> A 2-speed fan clutch is ideal for vocational applications where the fan clutch engagement time exceeds 10% of the engine run time. When the fan clutch is disengaged, the fan still rotates at 15-25% of the engine RPM. This fan rotation provides crucial airflow to the engine and draws virtually no horsepower.	0
2723220	O	<b>Naturally Aspirated 18.7 CFM Air Compressor</b> X15 Only	17
2812170	O	<b>Intebrake (Furnished on Engine)</b> Features a dedicated cam lobe design for optimum power and three-stage engine brake operation.	0
2921110	S	<b>PACCAR Fuel/Water Separator Standard Service</b> PACCAR Fuel/Water separator standard service intervals. High efficiency media protects critical engine components.	0
2921220	O	<b>Fuel Heat for Fuel Filter</b>	0
2921310	S	<b>No Electric Heat Option for Fuel Filter</b>	0
3114270	S	<b>High Efficiency Cooling System</b> Cooling module is a combination of steel and aluminum components, with aluminum connections to maximize performance and cooling capability. Silicone radiator & heater hoses enhance value, durability, & reliability. Constant tension band clamps reduce leaks. Chevron Delo Extended Life Coolant (NOAT) extends maintenance intervals reducing maintenance costs. Anti-freeze effective to -30 degrees F helps protect the engine. Low coolant level sensor warns of low coolant condition to prevent engine damage. Radiator Size by Model: 579/367 FEPTO 1325 sq in, 567/365/367: 1440 sq in, 365 FEPTO: 1184 sq in, 389/367 HH: 1669 sq in, 348: 1000 sq in, 520: 1242 sq in.	0
3212010	O	<b>(2) 13" SS Air Cleaners, Cowl Mtd, SS Caps</b>	53

Price Level: July 1, 2020

Code BUZZ EQUIPMENT

Printed On: 8/17/2020 11:15:25 AM

Date: August 17, 2020

Code Number: 3114-3245 (P) MARCH



Sales Code	Std/Opt	Description	Weight
3365270	S	Exhaust Single RH Side of Cab DPF/SCR right-hand Under Cab.	0
3381770	O	Curved Tip Standpipe(s)	1
3387870	S	24" Ht, 5" Dia Chrome, Clear Coat Standpipe(s)	0

### Transmission & Equipment

4022200	O	<b>Eaton RTLO18918B 18-Speed</b> Includes oil-to-water cooler, rear transmission support, direct shift pattern. Synthetic lubricant to reduce friction, improve efficiency, & extend component life. Magnetic transmission oil drain plug captures & holds any metal fragments in transmission oil to extend service life. Torque limiting clutch brake. Forward ratios: LL-14.4, L-12.29, 1st-8.51, 2nd-7.26, 14th-1.00, 15th-0.86, 16th-.073. Reverse ratios: R1-15.06, R2-12.85, R3-4.03, R4-3.43	120
4211280	O	<b>SPL350 HD-XL Driveline, 1 Midship Bearing</b>	145
4216520	O	<b>SPL250 XL Driveline Interaxle</b> Dana Spicer Life Series heavy-duty drive shafts are built for heavy loads over the long haul. For tandem rear axles.	28
4233030	O	<b>(1) Dash Mounted Single Acting Air PTO Control</b> Standard with PTO engaged Indicator light on Class 8 units. Occupies the space of one gauge. Specing PTO switch does not ensure the PTO will fit.	0
4250800	O	<b>Manual Shifter, Chrome</b>	0
4256250	O	<b>Heavy Duty Input Bearing for PTO Operation</b> For use with Fuller RTLO transmission 1100 through 2250 series. The roller style input shaft bearing has twice the dynamic radial load capability of the ball bearing style and is recommended for transmissions that will be equipped with a transmission mounted 6 or 8 bolt PTO.	0
4380270	O	<b>Remote Lube Hoses For Clutch Linkage, Release</b> Bearing and cross shafts, mounted to left-hand frame rail	6
4380360	O	<b>Upgrade Clutch Torque Capacity</b> Requires 1,550 or greater engine torque.	0

### Air & Trailer Equipment

4510330	O	<b>Bendix AD-1S EP Air Dryer, Heater</b> Bendix Air Treatment Oil Coalescing filter, extended purge. Collects and removes solid, liquid and vapor contaminants before they enter the air brake system.	6
4519130	O	<b>Mount Air Dryer Inside Rail LH</b>	0
4520420	O	<b>Pull Cords All Air Tanks</b>	1
4540420	S	<b>Nylon Chassis Hose</b>	0
4543320	S	<b>Steel Painted Air Tanks</b>	0

Price List: July 1, 2020

Deal BUZZ EQUIPMENT

Printed On: 8/17/2020 11:15:05 AM

Date: August 17, 2020

Quote Number: QLK-684619 24X366



Sales Code	Std/Opt	Description	Weight
		All air tanks are steel with painted finish except when Code 4543330 Polish Aluminum Air Tanks is also selected (then exposed air tanks outside the frame rails will be polished aluminum). Peterbilt will determine the optimal size and location of required air tanks. Narratives requesting a specific air tank size or location will not be accepted for factory installation. See ECAT to determine number or location of air tanks installed.	
4543330	O	<b>Aluminum Polished Air Tanks Outside Frame Rails</b> Exposed air tanks outside the frame rails will be polished aluminum. Air tanks mounted inside the frame rails or covered by other components will be either painted aluminum (4543340) or painted steel (4543320) air tanks depending on air tank option selected.	0
4612800	S	<b>Trailer Hand Valve, Column Mounted Controls</b>	0
4613300	O	<b>Body Connection w/(1) Trucklite Junction Box</b> LH EOF	0
4614820	O	<b>AE Connections In EOF Crossmember</b>	-11
<b>Tires &amp; Wheels</b>			
5033150	O	<b>FF: GY 16ply 11R24.5 G751 MSA</b> Efficiency Rating: Poor Goodyear's Best Mixed Service All-Position Tire for Long Miles to Removal In On- and Off-road Applications. Diameter = 44.0 inches; SLR = 20.7 inches.	58
5130550	O	<b>RR: GY 16ply 11R24.5 G741 MSD</b> Diameter = 44.7 inches; SLR = 20.9 inches	200
5190008	S	<b>Code-rear Tire Qty 08</b>	0
5220690	O	<b>FF: Pblit 98U677 24.5X8.25 Clean Buff Finish</b> Aluminum	-22
5320690	O	<b>RR: Pblit 98U677 24.5X8.25 Clean Buff Finish</b> Aluminum	-88
5390008	S	<b>Code-rear Rim Qty 08</b>	0
5407640	O	<b>FF: Polished Wheels, Outer Surface, Sgl/Tdm Steer</b> Polish outer surface of outer wheel. Without chrome wheel nuts.	0
5407660	O	<b>RR: Polished Wheels, Outer Surface, Tandem Drive</b> Polish outer surface of outer wheels (4). Without chrome wheel nuts.	0
<b>Fuel Tanks</b>			
5552190	O	<b>26" Aluminum 100 Gallon Fuel Tank RH BOC</b> Paddle handle filler cap with threadless filler neck. Top draw fuel plumbing reduces chance of introducing air into the fuel system during low fuel level conditions due to the central placement of fuel pickup tube. Wire braid fuel lines increase durability & reduce potential for leaks.	9
5556130	O	<b>26" Aluminum 80 Gallon Fuel Tank LH BOC</b> Paddle handle filler cap with threadless filler neck. Top draw fuel plumbing reduces chance of introducing air into the fuel system during	5

Printed: Wed Jul 1, 2020

Plant: BUZZZLOU@PMB-NT

Printed On: 8/17/2020 11:03:36 AM

Date: August 17, 2020

Quote Number: QUC 684610-X47036



Sales Code	Std/ Opt	Description	Weight
		low fuel level conditions due to the central placement of fuel pickup tube. Wire braid fuel lines increase durability & reduce potential for leaks.	
5603100	O	Location RH BOC 100 Gallon	0
5604080	O	Location LH BOC 80 Gallon	0
5650010	O	Raise (2) BOC Fuel/Hydraulic Tanks 3" Subject to frame review	35
5650260	O	Split Aluminum Fuel Tank RH BOC	4
5650310	O	Fuel Tank Fill Center Not available on under cab fuel tanks	0
5650710	O	Locate BOC Fuel Tanks Forward As Far As Possible May result in filler neck under sleeper	0
5650820	O	Polish (2) Aluminum Fuel Tanks	0
5651710	O	Additional Thread Boss On Upper Hydraulic Tank Use in addition to tank code	2
5652570	O	(2) Shut-Off Valves On Fuel Supply Lines Dual draw/return	0
5652600	O	Fuel Rear In Split Tank	0
5652650	O	65 Gallon Fuel In Split Tank	0
5652800	O	Additional Sending Unit In Secondary Fuel Tank Dash mounted gauge selector switch, will allow driver to read the fuel level of each of the fuel tanks independently using a single dash mounted fuel gauge	2
5652830	O	Polish All Fuel / Hydraulic Tank Straps Does not apply to rectangular DEF tank straps	0
5652840	O	Locking Fuel Tank Cap(s)	0
5652890	O	DEF Tank Mounted LH BOC Models 220 and 520 mounted left hand back-of-cab.	0
5652980	S	DEF To Fuel Ratio Between 1:1 And 2:1	0
5655019	S	DEF Tank Small 11.1 Gallon Capacity	0
<b>Battery Box &amp; Bumper</b>			
6010030	S	Aluminum Battery Box LH Under Cab, Non-Slip Step Includes diamond pattern block shaped cover in traditional/vocational models and a smooth finish tapered cover on aerodynamic models	0
6030150	O	Rubber Battery Pad In Bottom of (1) Battery Box Mat in box that holds batteries only	4
6030540	O	Polish Battery/Tool Box(s), Aftertreatment Cab Entry complete	0

Price Level: July 1, 2020

Plant: BUZZ EQUIPMENT

Printed On: 8/17/2020 11:15:25 AM

Date: August 17, 2020

Quote Number: QUO-684810 24X806





Sales Code	Std/Opt	Description	Weight
6034620	O	Heavy Duty Battery Box Step Reinforcement	2
6040550	S	<b>Aftertreatment Aluminum Non-Slip Cab Entry</b> Aftertreatment right-hand under cab step. DPF/SCR for diesel engines, catalyst for natural gas engines. On Models 579 specifying chassis fairings, the box is aerodynamic.	0
6121090	S	<b>Steel Bumper Deep Tapered Chromed</b> Two tow points	0
6132450	O	<b>Heavy Duty External Tow Eye</b> IPO Standard	42

### Cab & Equipment

6515510	S	<b>Alum Cab 123in BBC Fiberglass Hood SFFA</b> Polished crown, spring tilt assist. Proprietary anti-blow-down locking mechanism that keeps hood open during servicing & prevents unintentional closing. Hood latch each side secures hood to cowl. Proprietary all-alum cab is light weight & durable for long service life. One-piece roof reduces potential for leaks. Two-piece windshield for cost effective windshield replacement. Lap seam construction & aircraft fasteners has greater clamp load than rivets. Bulkhead style doors provide virtually water-tight, rattle-free performance. Extruded alum door frames for strength & durability. Full length, heavy-duty piano-type stainless steel door hinges & pins provide durability. View window in RH door for safety. Electric windshield wipers & washers w/intermittent wiper function. Grab handles mtd on cab LH & RH for cab access. Convex mirror over RH door & below each rear view mirror for improved visibility & safety.	0
6540660	O	<b>SmartSound Cab Insulation Package</b> Cab acoustic insulation package for day cabs. Includes insulated inside firewall, top side floor damping, absorber treated kick panels, and insulated backwall and roof structure.	65
6700000	S	<b>No Sleeper Selected</b>	0
6911700	O	<b>National Driver Seat</b>	0
6921700	O	<b>National Passenger Seat</b>	0
6930800	O	<b>Black Seat Color IPO Standard Color</b>	0
6939400	S	<b>Air Ride Driver</b>	0
6939420	S	<b>High Back Driver</b>	0
6939480	O	<b>Mordura Driver</b>	0
6939510	S	<b>Non-Air Ride Passenger</b>	0
6939520	S	<b>High Back Passenger</b>	0

Price List as of July 1, 2020

Dear BUZZ EQUIPMENT

Printed On: 8/11/2020 11:15:23 AM

Order August 17, 2020

Quote Number: Q130 GB-BTS X420GB



Sales Code	Std/Opt	Description	Weight
6939580	O	Mordura Passenger	0
7000360	S	Power Door Locks Both Doors	0
7001520	O	Adjustable Steering Column - Tilt/Telescope	11
7001620	S	Steering Wheel With Peterbilt Logo Steering Wheel with embossed Peterbilt logo over horn button.	0
7039070	O	<b>Prestige Interior - Arctic Gray</b> Includes Innovative charcoal A & B instrument panels and color-matched C & D instrument panels, monochromatic color-coordinated dash with glare-resistant, charcoal soft-touch upper, black bezel on gauges, cigar lighter and ashtray with power port, burlwood insert on contoured doorpads, LH and RH door mounted map pockets with built-in courtesy lights, 18 inch 4-spoke soft-touch steering wheel, soft-touch steering column cover, power lift passenger window, padded vinyl headliner and wall panels, extruded rubber floor covering, (2) inside sunvisors, (2) coat hooks, header-mounted dome light, driver and passenger dome/reading lights, footwell lighting, integrated "dead pedal", (5) inside entry grab handles, cup holder and map bin in dash.	22
7210420	O	Dark Window Tint IPO Standard Tint - Day Cab	0
7210430	O	<b>Extended Rear Window ipo Std Window-Day Cab</b> The extended rear window protrudes two inches more than the standard conventional rear cab window. Take this into consideration when determining your loadspace.	18
7210540	S	<b>Day Cab Rear Window</b> Day cab rear window flush to back of cab.	0
7230350	O	<b>2-Piece Flat Windshield</b>	0
7230680	S	<b>Power Lift Windows - Both Doors</b> For use with ProBilt or Prestige Interior	0
7322010	S	<b>Combo Fresh Air Heater/Air Conditioner</b> With radiator mounted condenser, dedicated side window defrosters, Bi-Level Heater/Defroster Controls, 54,500 BTU/HR, and silicone heater hoses.	0
7322130	O	<b>Cup Holder (Floor Mounted)</b> Includes two standard-size drink holders and one extra-large jugholder, coin tray, and clipboard-size storage area.	4
7330700	S	<b>Peterbilt Comfort Control - Cab</b>	0
7410040	O	<b>Outside Sunvisor - Stainless Steel</b> Not available with 2.1M high roof sleeper.	4
7521030	O	<b>Moto Mirror Traditional, Heated and Motorized</b> Motorized head movement delivers better range and visibility than mirrors with glass movement alone with a rugged and durable construction that lasts. Film heater which provides superior heat distribution and durability.	2
7560850	S	<b>(2) Convex 8 Inch SSTL Mirrors</b>	0

Price Effect July 1, 2020

Equip BUZZ EQUIPMENT

Printed On: 8/17/2020 11:15:25 AM

Date: August 17, 2020

Order Number: 0100046190000000



Sales Code	Std/Opt	Description	Weight
		Center mounted under mirror bracket. If rear view mirrors are heated, the convex mirrors will be heated. Option includes dual door stops.	
7610470	S	<b>(1) Air Horn 24.5" Chrome - Round w/Horn Shield</b>	0
7722120	O	<b>ConcertClass, AM/FM, Weatherband, 3.5 Aux</b>	10
7725740	O	<b>Midlevel Speaker Package For Cab</b> (4) Speakers	6
7728040	O	<b>Bluetooth Phone and Audio</b>	0
7728050	O	<b>USB Port</b>	0
7740100	O	<b>Cobra 40 Channel CB Radio w/Integral Speaker</b> Includes illuminated front panel	11
7748680	O	<b>CB Antenna Mounting RH/LH Mirror</b> Not available with Raml	2
7749110	O	<b>Mount CB Speaker LH Rear Corner Cab Headliner</b>	2
7788055	S	<b>SmartLINQ Remote Diagnostics</b> SmartLINQ is Peterbilts proprietary remote diagnostics service which monitors the engine and aftertreatment for diagnostic codes providing real-time code analysis maximizing vehicle uptime and strengthening the fleets partnership with their dealer. SmartLINQ provides fault coverage for over 800 codes, a customizable email notification for 116 codes plus a web portal to manage your entire fleet included at no additional charge. SmartLINQ is compatible with any telematics system and doesnt require a specific fleet management system. For those whose customers utilize PeopleNet, the pre-wire with remote diagnostics will provide a more integrated solution utilizing the existing SmartLINQ modem. For those whose customers utilize other fleet services products, the existing pre-wire option for the other fleet service devices will continue to be available. Standard on Class 8 engines and available on Models 348, 337, 330 and 325 with a PX-9, PX-7 or Cummins Westport natural gas engine.	0
7788058	O	<b>24 Months SmartLINQ Subscription</b> Cummins Engines.	0
7850210	O	<b>Plug-In Auto Reset Circuit Breaker</b> in place of fuses in junction box.	0
7851040	O	<b>Removable Bugscreen Behind Grille</b>	2
7851480	S	<b>Peterbilt Electric Windshield Wipers</b> With Intermittent Feature.	0
7851970	O	<b>Unibilt Cab Air Suspension</b> Includes dual air bag suspension, leveling valve, and tracking rod. Provides a more ergonomic installation, higher EAU, easier serviceability and fewer parts.	25
7900090	O	<b>Triangle Reflector Kit, Ship Loose</b> Florescent triangle emergency road flares are designed to meet and exceed all DOT standards.	13

Price List: July 1, 2020

Deal: BUZZ EQUIPMENT

Created On: 8/11/2020 11:03:25 AM

Quote: August 11, 2020

Quote Number: Q10-684919-2476048



Sales Code	Std/ Opt	Description	Weight
7900270	O	<b>Fire Extinguisher, Cab Mounted</b> Hazmat approved UL listed/rated ABC	8
7901140	O	<b>Backup Alarm (87-112 DB)</b> Variable adjusting	6
8011100	O	<b>Main Transmission Temperature Gauge</b> 52mm Round, backlit	0
8011220	O	<b>Axle Temperature Gauges, Tandem Drive</b>	2
8011390	O	<b>Engine Oil Temperature Gauge</b>	0
8012240	O	<b>Guard(s) For Rear Axle Heat Gauge</b>	2
8021010	O	<b>Air Application Gauge</b>	0
8021380	S	<b>Air Restriction Indicator</b> Mounted on air cleaner, intake pling, or firewall	0
8071020	O	<b>Manifold Pressure Gauge</b>	2
8071280	O	<b>Suspension Pressure Gauge</b>	2
8071340	O	<b>Bright Bezel Gauges</b>	0
8071870	S	<b>Main Instrumentation Panel, Graphics Display</b> Includes speedometer with trip odometer, tachometer with hourmeter and outside air temperature display, voltmeter, engine oil pressure, engine coolant temperature, fuel level, primary and secondary air pressure gauges. Includes standard warning light package: high water temperature, low oil pressure, and low air pressure warning lights with audible alarms, high beam, turn signal, low fuel, parking brake, and ice warning indicators; seat belt reminder; rocker switches with long-life LED indicators; multi-function turn stalk with flash-to-pass feature (night mode flashes headlights and marker lights; day mode flashes headlights only); intermittent windshield wiper and headlamp beam control. Hydraulic braked trucks do not include air pressure gauges.	0
8072560	O	<b>(1) Additional Dash Switch With Wiring</b> (1) additional dash switch with wiring. Spare 1 and 2 share 15 amp fuse, spares 3, 4, and 5 share 15 amp fuse. Availability subject to dash space.	0
8111140	S	<b>Headlights Projector Module Pod</b> Integral Turn Signals	0
8121170	O	<b>(5) Marker Lights, Bus LED Bullet</b>	0
8133110	O	<b>Switch &amp; Wiring F/O Auxillary Light</b> Under cab/sleeper (15 amp max), includes switch on the dash that will power metri-pack sealed connections at the left-hand / right-hand side of cab at base of the firewall. Bundle panel light harness break outs with firewall harness.	2
8133120	O	<b>Switch &amp; Wiring F/O Aux Light On Air Cleaners</b>	2

Price Lock: July 1, 2020

Deal: BUZZ EQUIPMENT

Printed On: 8/17/2020 11:45:25 AM

Date: August 17, 2020

Quote Number: QUO-684519-24X506



Sales Code	Std/Opt	Description	Weight
		Includes switch on the dash which will power metri-pack sealed connections at the left-hand / right-hand air cleaner outlets	
8133470	O	<b>Switch &amp; Wiring for F/O Beacon/Strobe</b> Switch and wiring for furnished by owner beacon / strobe, 10' coiled wire back-of-cab / back-of-sleeper, at rear sill.	2
8133900	O	<b>None Furnished Stop/Tail/Backup Lights</b> Available with full truck only, not available with tractor	-7
8133950	O	<b>Courtesy Lights Mounted Under Cab</b> To illuminate steps, driver and passenger side	2
8153100	O	<b>(1) F/O Load Light, Switch, 10' Wire Coil</b> Under / In cab / sleeper baggage compartment	2

### Paint

8500440	O	<b>Chassis Painted Other Than Black</b>	0
8500710	O	<b>Standard Paint Color Selection</b>	0
8530770	S	<b>(1) Color Axalta Two Stage - Cab/Hood</b> Base Coat/Clear Coat N85020 A- L0006EY WHITE N85500 CAB ROOF L0006EY WHITE N85300 FENDER L0006EY WHITE N85200 FRAME L0001EA BLACK N85400 HOOD TOP L0006EY WHITE N85720 SK FAIRINGS L0006EY WHITE	0

### Shipping Destination

#### Options Not Subject To Discount

9400090	S	<b>Peterbilt Class 8 Standard Coverage</b> 1 year/100,000 Miles (160,000 km)	0
---------	---	---	---

### Miscellaneous

9409001	O	<b>Day Cab / Prestige Interior (DM)</b>	0
9409800	S	<b>2017 EPA Emissions Engine</b> Warranty Only	0
9409848	U	<b>VEHICLE ELIGIBLE FOR ST. T BUILD</b>	0
9409869	O	<b>Presentation Created With SmartSpec</b>	0

### Promotions

### Order Comments

Price Level: July 1, 2020

Deal: DUEZ EQUIPMENT

Printed On: 8/17/2020 11:15:25 AM

Date: August 17, 2020

Order Number: 1100156910 XA1000



**Shipping Destinations**

**Intermediate Destination:** none

Final Destinations	Quantity
--------------------	----------