

APPENDIX D-4
Beneficiary Eligible Mitigation Action Certification

BENEFICIARY ELIGIBLE MITIGATION ACTION CERTIFICATION

Beneficiary _____

Lead Agency Authorized to Act on Behalf of the Beneficiary _____
 (Any authorized person with delegation of such authority to direct the Trustee delivered to the Trustee pursuant to a Delegation of Authority and Certificate of Incumbency)

Action Title:	
Beneficiary's Project ID:	
Funding Request No.	<i>(sequential)</i>
Request Type: (select one or more)	<input type="checkbox"/> Reimbursement <input type="checkbox"/> Advance <input type="checkbox"/> Other (specify): _____
Payment to be made to: (select one or more)	<input type="checkbox"/> Beneficiary <input type="checkbox"/> Other (specify): _____
Funding Request & Direction (Attachment A)	<input type="checkbox"/> Attached to this Certification <input type="checkbox"/> To be Provided Separately

SUMMARY

Eligible Mitigation Action	<input type="checkbox"/> Appendix D-2 item (specify): _____
Action Type	<input type="checkbox"/> Item 10 - DERA Option (5.2.12) (specify and attach DERA Proposal): _____
Detailed Description of Mitigation Action Item Including Community and Air Quality Benefits (5.2.2):	
Estimate of Anticipated NOx Reductions (5.2.3):	
Identification of Governmental Entity Responsible for Reviewing and Auditing Expenditures of Eligible Mitigation Action Funds to Ensure Compliance with Applicable Law (5.2.7.1):	
Describe how the Beneficiary will make documentation publicly available (5.2.7.2).	
Describe any cost share requirement to be placed on each NOx source proposed to be mitigated (5.2.8).	
Describe how the Beneficiary complied with subparagraph 4.2.8, related to notice to U.S. Government Agencies (5.2.9).	

If applicable, describe how the mitigation action will mitigate the impacts of NOx emissions on communities that have historically borne a disproportionate share of the adverse impacts of such emissions (5.2.10).

ATTACHMENTS
(CHECK BOX IF ATTACHED)

- Attachment A Funding Request and Direction.
- Attachment B Eligible Mitigation Action Management Plan Including Detailed Budget and Implementation and Expenditures Timeline (5.2.4).
- Attachment C Detailed Plan for Reporting on Eligible Mitigation Action Implementation (5.2.11).
- Attachment D Detailed cost estimates from selected or potential vendors for each proposed expenditure exceeding \$25,000 (5.2.6). [Attach only if project involves vendor expenditures exceeding \$25,000.]
- Attachment E DERA Option (5.2.12). [Attach only if using DERA option.]
- Attachment F Attachment specifying amount of requested funding to be debited against each beneficiary's allocation (5.2.13). [Attach only if this is a joint application involving multiple beneficiaries.]

CERTIFICATIONS

By submitting this application, the Lead Agency makes the following certifications:

1. This application is submitted on behalf of Beneficiary _____, and the person executing this certification has authority to make this certification on behalf of the Lead Agency and Beneficiary, pursuant to the Certification for Beneficiary Status filed with the Court.
2. Beneficiary requests and directs that the Trustee make the payments described in this application and Attachment A to this Form.
3. This application contains all information and certifications required by Paragraph 5.2 of the Trust Agreement, and the Trustee may rely on this application, Attachment A, and related certifications in making disbursements of trust funds for the aforementioned Project ID.
4. Any vendors were or will be selected in accordance with a jurisdiction's public contracting law as applicable. (5.2.5)
5. Beneficiary will maintain and make publicly available all documentation submitted in

support of this funding request and all records supporting all expenditures of eligible mitigation action funds subject to applicable laws governing the publication of confidential business information and personally identifiable information. (5.2.7.2)

DATED: _____

Leri Freeman

[NAME]

[TITLE]

[LEAD AGENCY]

for

[BENEFICIARY]

Citizen Potawatomi Nation
Addendum to Appendix D-4
August 14, 2020

Summary

5.2.2

During the second funding cycle of the Volkswagen Settlement Environmental Mitigation Trust for Indian Tribes, the Citizen Potawatomi Nation will replace five (5) government-owned eligible diesel vehicles with five (5) low-emission new diesel vehicles.

The eligible three Class 4-7 vehicles and two Class 8 vehicles to be replaced will be the following five (5) vehicles:

Year	Make	Model	Class	VIN
1994	GMC	WB w/ Flatbed	8	4V1JDBPFXRR829764
2000	Freightliner	FL70 w/ Box Dump	7	1FVABTAK91HH97584
2005	Volvo	VNL w/ Box Dump	8	4V4NC9TJ25N388501
2001	Ford	F-550 Super Duty Bucket Truck	5	1FDAF56F21EC41408
1994	Ford	F-700	6	1FDWK74C8RVA08750

The eligible vehicles will be scrapped and replaced with low-emission new diesel vehicles. The old vehicles will be decommissioned by drilling a three-inch hole in the engine block and disabling the chassis, rendering the vehicle unusable.

The low-emission replacement vehicles that the Citizen Potawatomi Nation will acquire are:

Year	Make	Model	Quantity	Base Cost
2020	Peterbilt	Model 348 w/o bed	1	\$118,269
2020	Ford	F-750	1	\$69,800
2020	Peterbilt	Model 348 w/ Box Dump	1	\$141,094
2020	Ford	Altec AT237	1	\$115,000
2020	Ford	F-650	1	\$74,975

The five new diesel vehicles will be equipped to serve the similar or same purpose as the eligible vehicles being replaced. The total cost of the replacement vehicles will be \$519,138.

The replacement of old diesel vehicles to new low-emission diesel vehicles will benefit the community by reducing pollution, including reduced emissions of NOx, reduced emissions of noise, reduced fuel consumption, and reduced fuel cost.

5.2.3

The Eligible Mitigation Action will result in a significant reduction in NOx emissions, other pollutants, and fuel consumption. According to the U.S. Environmental Protection Agency's Diesel Emissions Qualified (DEQ), the Eligible Mitigation Action will result in an 94.7% annual reduction in NOx emissions and annual reductions of PM2.5 of 98.3%; HC 94.2% and CO 93.4%. The project will result in annual reduction of 2.707 NOx, short tons (based on average results for the five eligible replacement vehicles).

Lifetime reduction of NOx is 93.2%, and lifetime reductions of PM2.5 are 97.9%; HC 93.0% and CO 92.2%. The project will result in a lifetime reduction of 3.592 NOx, short tons (based on average results for the five eligible replacement vehicles).

Detailed data are attached to this Addendum.

5.2.7.1

The governmental entity responsible for reviewing and auditing expenditures of eligible Mitigation Action Funds to ensure compliance with applicable law is the Citizen Potawatomi Nation Department of Environmental Protection.

5.2.7.2

The Citizen Potawatomi Nation will provide a notice in the local newspaper dedicated to the funding received from the VW Settlement Trust, which will include information for members of the public to request additional information and documents related to the funding request and expenditure of funds.

The Citizen Potawatomi Nation will endeavor to respond to such requests within fifteen (15) business days and, when documents are requested, will advise the individual within that timeframe of the procedure for reviewing such documents. The Citizen Potawatomi Nation follows Citizen Potawatomi Nation's Constitution and Ordinances for matters governing the publication of confidential business information and personally identifiable information, and exemptions thereto.

5.2.8

Not applicable.

5.2.9

The Citizen Potawatomi Nation has complied with Section 4.2.8 of the Indian Tribe Trust Agreement. No federal agencies expressed interested or contacted the Citizen Potawatomi Nation about the VW Settlement.

5.2.10

Not applicable.

The combined results for vehicle upgrades in the project are from the U.S. Environmental Protection Agency Diesel Emissions Quantifier.

These results are for all eligible replacement vehicles, four Class 4-7 and one Class 8. All five (5) of these vehicles will be replaced in this Environmental Mitigation Action.

Emission Results and Health Benefits for Project: Citizen Potawatomi Nation 2020 Vehicle Replacement Project

Emission Results

Health Benefits

Emission Results [?]

Here are the combined results for all groups and upgrades entered for your project.¹

<i>Annual Results (short tons)²</i>	NO_x	PM2.5	HC	CO	CO₂	Fuel³
Baseline for Upgraded Vehicles/Engines	2.860	0.145	0.194	0.712	260.1	23,123
Amount Reduced After Upgrades	2.707	0.142	0.183	0.665	0.0	0
Percent Reduced After Upgrades	94.7%	98.3%	94.2%	93.4%	0.0%	0.0%

<i>Lifetime Results (short tons)²</i>	NO_x	PM2.5	HC	CO	CO₂	Fuel³
Baseline for Upgraded Vehicles/Engines	3.855	0.221	0.265	1.011	442.9	39,368
Amount Reduced After Upgrades	3.592	0.216	0.247	0.933	0.0	0
Percent Reduced After Upgrades	93.2%	97.9%	93.0%	92.2%	0.0%	0.0%

<i>Lifetime Cost Effectiveness (\$/short ton reduced)</i>						
Capital Cost Effectiveness ⁴ (unit & labor costs only)	\$0	\$0	\$0	\$0	\$0	
Total Cost Effectiveness ⁴ (includes all project costs)	\$0	\$0	\$0	\$0	\$0	

¹ Emissions from the electrical grid are not included in the results.

² 1 short ton = 2000 lbs.

³ In gallons; fuels other than ULSD have been converted to ULSD-equivalent gallons.

⁴ Cost effectiveness estimates include only the costs which you have entered.

Remaining Life

WB w/ Flatbed: Construction Short Haul - Combination Class 8 (Utility) Vehicle Replacement - ULSD (diesel)	1 year
FL70 w/ Box Dump: Construction Short Haul - Combination Class 6-7 (Utility) Vehicle Replacement - ULSD (diesel)	1 year
VNL w/ Box Dump: Construction Short Haul - Combination Class 8 (Utility) Vehicle Replacement - ULSD (diesel)	4 years
F-550 Super Duty Bucket Truck: Construction Short Haul - Single Unit Class 4-5 (Utility) Vehicle Replacement - ULSD (diesel)	1 year
F-700: Municipal Short Haul - Combination Class 6-7 (Other) Vehicle Replacement - ULSD (diesel)	1 year

Group Name: WB w/ Flatbed

Type Onroad	Engine Model Year 1994	Fuel Type ULSD (diesel)
Target Fleet Short Haul - Combination	Upgrade Year 2020	Annual Fuel Gallons 5,415
Class Class 8	Remaining Life 1	Diesel-equivalent Gallons 5,415
Sector Construction		Annual Miles Traveled 31,874
Vocation Utility		Annual Idling Hours 41
Quantity 1		
Edit Group Copy This Group Delete		

Upgrades to WB w/ Flatbed

Action	Upgrade	New Model Year	New Fuel Volume	New Diesel-equivalent Gallons	Cost per Unit		Percent Reduction				
					Upgrade	Labor	NO _x	PM2.5	HC	CO	CO ₂
Edit Delete	Vehicle Replacement - ULSD (diesel)	2020	5,415	5,415	\$0	\$0	96.2	98.1	92.3	95.2	-

Add an Upgrade



[↑ Top of Page](#)

Group Name: FL70 w/ Box Dump

Type Onroad	Engine Model Year 2000	Fuel Type ULSD (diesel)
Target Fleet Short Haul - Combination	Upgrade Year 2020	Annual Fuel Gallons 5,415
Class Class 6-7	Remaining Life 1	Diesel-equivalent Gallons 5,415
Sector Construction		Annual Miles Traveled 31,874
Vocation Utility		Annual Idling Hours 41
Quantity 1		
Edit Group Copy This Group Delete		

Upgrades to FL70 w/ Box Dump

Action	Upgrade	New Model Year	New Fuel Volume	New Diesel-equivalent Gallons	Cost per Unit		Percent Reduction				
					Upgrade	Labor	NO _x	PM2.5	HC	CO	CO ₂
Edit Delete	Vehicle Replacement - ULSD (diesel)	2020	5,415	5,415	\$0	\$0	92.9	98	95.5	93.4	-

Add an Upgrade



Group Name: VNL w/ Box Dump

Type Onroad	Engine Model Year 2005	Fuel Type ULSD (diesel)
Target Fleet Short Haul - Combination	Upgrade Year 2020	Annual Fuel Gallons 5,415
Class Class 8	Remaining Life 4	Diesel-equivalent Gallons 5,415
Sector Construction		Annual Miles Traveled 31,874
Vocation Utility		Annual Idling Hours 41
Quantity 1		

[Edit Group](#)
[Copy This Group](#)
[Delete](#)

Upgrades to VNL w/ Box Dump

Action	Upgrade	New Model Year	New Fuel Volume	New Diesel-equivalent Gallons	Cost per Unit		Percent Reduction				
					Upgrade	Labor	NO _x	PM2.5	HC	CO	CO ₂
Edit Delete	Vehicle Replacement - ULSD (diesel)	2020	5,415	5,415	\$0	\$0	88.9	97.1	89.6	89.5	-

[Add an Upgrade](#) +

[↑ Top of Page](#)

Group Name: F-550 Super Duty Bucket Truck

Type Onroad	Engine Model Year 2001	Fuel Type ULSD (diesel)
Target Fleet Short Haul - Single Unit	Upgrade Year 2020	Annual Fuel Gallons 1,463
Class Class 4-5	Remaining Life 1	Diesel-equivalent Gallons 1,463
Sector Construction		Annual Miles Traveled 14,962
Vocation Utility		Annual Idling Hours 30
Quantity 1		

[Edit Group](#)
[Copy This Group](#)
[Delete](#)

Upgrades to F-550 Super Duty Bucket Truck

Action	Upgrade	New Model Year	New Fuel Volume	New Diesel-equivalent Gallons	Cost per Unit		Percent Reduction				
					Upgrade	Labor	NO _x	PM2.5	HC	CO	CO ₂
Edit Delete	Vehicle Replacement - ULSD (diesel)	2020	1,463	1,463	\$0	\$0	91.5	98.3	95.4	93.1	-

[Add an Upgrade](#) +

Group Name: F-700

Type Onroad	Engine Model Year 1994	Fuel Type ULSD (diesel)
Target Fleet Short Haul - Combination	Upgrade Year 2020	Annual Fuel Gallons 5,415
Class Class 6-7	Remaining Life 1	Diesel-equivalent Gallons 5,415
Sector Municipal		Annual Miles Traveled 31,874
Vocation Other		Annual Idling Hours 41
Quantity 1		
Edit Group Copy This Group Delete		

Upgrades to F-700

Action	Upgrade	New Model Year	New Fuel Volume	New Diesel-equivalent Gallons	Cost per Unit		Percent Reduction				
					Upgrade	Labor	NO _x	PM2.5	HC	CO	CO ₂
Edit Delete	Vehicle Replacement - ULSD (diesel)	2020	5,415	5,415	\$0	\$0	96.4	99.2	95.5	93.4	-

Add an Upgrade



**Citizen Potawatomi Nation
Attachment B to Appendix D-4**

Eligible Mitigation Action Management Plan Including Detailed Budget and Implementation and Expenditures Timeline

5.2.4

Project Management Plan, Project Schedule and Milestones

Milestones	Date
Lead Agency Provides Project Certification and Funding Directions to Trustee	8/28/20
Trustee Allocates Share of Funds for Approved Project	11/12/20
Lead Agency Directs Funding and Enters into Contracts, Purchase Orders, etc., for Acquisition of Low-Emission New Diesel Class 4-7 and Class 8 Vehicles	12/01/20
Low-Emission New Diesel Vehicles Installed; Eligible Vehicles Decommissioned and Scrapped	4/13/21
Lead Agency Provides Semi Annual Report to Trustee	5/12/21

Project Budget

Period of Performance: Third Funding Cycle

Budget Category	Total
Acquisition of 5 Low-Emission New Diesel Trucks	\$519,138
Disable, Disposal & Inventory Control/Capital Asset Tracking Costs*	\$18,000
License and Registration*	\$3,500
GPS Installation & Mobilization*	\$7,151
Tribal Logo Decals and Application*	\$1000
Direct Costs	\$548,789
IDC @ 26.36%	\$7,816
Project Total	\$556,605

*Budget Class Categories to which IDC (indirect cost) is charged.

Acquisition costs are broken down as follows:

Acquisition Costs (5 Low-Emission Diesel Vehicles)				
Year	Make	Model	Quantity	Base Cost
2020	Peterbilt	Model 348 w/o bed	1	\$118,269
2020	Ford	F-750	1	\$69,800
2020	Peterbilt	Model 348 w/ Box Dump	1	\$141,094
2020	Ford	Altec AT237	1	\$115,000
2020	Ford	F-650	1	\$74,975
			Total	\$519,138

The total cost of the project is \$556,605. It has been determined that the Citizen Potawatomi Nation is eligible for \$556,605 from the Environmental Mitigation Trust in the second funding cycle. All eligible money will be used for the project.

Project Trust Allocation

Second Funding Cycle: \$556,605

**Citizen Potawatomi Nation
Attachment C to Appendix D-4**

Detailed Plan for Reporting on Eligible Mitigation Action Implementation

5.2.11

The Citizen Potawatomi Nation will for each Eligible Mitigation Action (EMA) no later than 6 months after receipt of first disbursement of Trust Assets and thereafter no later than January 30 (for the preceding six month period of July 1 to December 31) and July 30 (for the preceding six month period of January 1 to June 30) of each year will submit to the Trustee a semi-annual report describing the progress implementing each EMA during the six month period leading up to the reporting date including a summary of all costs expended on the EMA through the reporting date. Such reports shall include a complete description of the status including actual or projected termination date, development, implementation and any modifications of each approved EMA. The reports will be signed by an official with authority to submit the report and will contain an attestation that the information is true and correct, and that submission is made under penalty of perjury.

**Citizen Potawatomi Nation
Attachment D to Appendix D-4**

Detailed Cost Estimates from Potential Vendors

5.2.6

Detailed cost estimates from selected or potential vendors for each proposed expenditure exceeding \$25,000 are attached to this Attachment D.

**2020 Peterbilt
Model 348 w/o bed**

Truck: \$118,269

=\$118,269

**2020 Peterbilt
Model 348 w/ Box Dump**

Truck: \$118,269

Body: \$21,975

Hitch: \$850

=\$141,094

Lexi Freeman

From: Stacey Bennett
Sent: Friday, July 24, 2020 8:15 AM
To: Lexi Freeman; Shawn Howard
Cc: Jackie Gamble; Amanda D. Williams
Subject: FW: Rush Truck Centers OKC
Attachments: Scanned from a Xerox Multifunction Device.pdf

From: Kaplan, Matthew [OKCITY-New Vehicle Sales]
Sent: Thursday, July 23, 2020 3:37 PM
To: Stacey Bennett
Subject: Rush Truck Centers OKC

EXTERNAL EMAIL

Stacey

Please see attachment for truck and body specs.

Price for just the truck is \$118,269

Body is \$21,975

If you want to add a pintle hitch on body price is \$850

Matt Kaplan

Truck Sales

405-782-3514 OFFICE

405-659-8002 CELL

kaplanm@rushenterprises.com

Rush Truck Centers OKC



Rush Pblt Truck Centers (O500)
 8700 West I-40
 Oklahoma City, Oklahoma 73128

Citizen Potawatomi Nation
 1601 Gordon Cooper Dr.
 Shawnee , Oklahoma 74801
 United States of America

Matt Kaplan
 Cell Phone: 405-659-8002
 Office Phone: 405-782-3514
 Email: kaplanm@rushenterprises.com

Vehicle Summary

Unit		Chassis	
Model:	Model 348	Fr Axle Load (lbs):	20000
Type:	Full Truck	Rr Axle Load (lbs):	46000
Description 1:	348 Dump	G.C.W. (lbs):	66000
Description 2:	348 Dump		
Application		Road Conditions:	
Intended Serv.:	Construction Dump-On/Off Highway	Class A (Highway)	100
Commodity:	Construction Materials	Class B (Hwy/Mtn)	0
		Class C (Off-Hwy)	0
		Class D (Off-Road)	0
Body		Maximum Grade:	6
Type:	End Dump	Wheelbase (in):	214
Length (ft):	16	Overhang (in):	62.8
Height (ft):	8	Fr Axle to BOC (in):	72.2
Max Laden Weight (lbs):	3500		
		Cab to Axle (in):	141.8
		Cab to EOF (in):	204.6
		Overall Comb. Length (in):	315
Trailer		Special Req.	
No. of Trailer Axles:	0		
Type:			
Length (ft):	0		
Height (ft):	0		
Kingpin Inset (in):	0		
Corner Radius (in):	0		
Restrictions			
Length (ft):	65		
Width (in):	102		
Height (ft):	13.5		

Approved by: _____

Date: _____

Note: All sales are F.O.B. designated plant of manufacture.



Sales Code	Std/Opt	Description	\$ List	Weight
Base Model				
0003481	S	Model 348 The Model 348 was designed to exceed the rigid demands of Class 7 and Class 8 specialty application markets that require rugged durability and a wide range of optional content. The Model 348 represents a multi-dimensional performer with a GVW from 33,000 to 66,000 lbs. and optional capacity ratings to suit almost any vocation. The 348 is also available in a specifically designed all-wheel-drive configuration. From construction and crane service to utility and delivery services in both Class 7 and Class 8 markets, the 348 is in a class by itself.	108,550	10,610
0091070	O	Construction Materials	0	0
0093060	O	Construction Dump-On/Off Highway Truck or tractor without liftable trailing axle which carries bulk materials (excavated earth, sand/gravel, asphalt, demolition debris, etc.) and unloads by dumping out the back, over the side of the body, or out the bottom of the trailer.	0	0
0095170	O	End Dump	0	0
0098170	S	United States Registry Canadian Registry Package Requires Air Conditioning Excise Tax Canada, Speedometer to be KPH ipso MPH, Daytime Running Lights and Rubber Battery Pad in Bottom of Battery Box.	0	0
Configuration				
0200700	S	Not Applicable Secondary Manufacturer	0	0
Frame & Equipment				
0514000	O	10-3/4" Steel Rails To 354" 10.75x3.5x.375 Dimension, 2,136,000 RBM; Yield Strength: 120,000 psi. Section Modulus: 17.8 cubic inches. Weight: 1.74 lbs/inch pair	654	409
0601500	O	Full Steel Inner Liner	1,234	576
0612230	O	Custom Wheelbase or Overhang Engineering approval may be required.	365	0
0613090	S	Three-Piece Crossmembers	0	0
0644090	S	EOF Square without Crossmember End-of-frame square without crossmember. For use with body builder installed crossmember.	0	0
0651090	S	Omit Rear Mudflaps and Hangers	0	0
Front Axle & Equipment				
1011360	O	Dana Spicer D2000F 20,000 lb, 3.5 in. Drop Factory front axle alignment to improve handling & reduce tire wear. Zerk fittings on tie rod ends, king pins, & draglink ball joints for ease of maintenance & help extend service life of components. Cognis	1,820	144

Price Level: July 1, 2020

Deal: 348 Dump

Printed On: 7/23/2020 1:27:09 PM

Date: July 23, 2020

Quote Number: QUO-687313-J7Q4Q1



Sales Code	Std/Opt	Description	\$ List	Weight
		EMGARD® FE 75W-90 synthetic axle lube provides over 1% fuel economy improvement. Reduces wear & extends maintenance intervals, resulting in increased uptime. Provides improved fluid flow to protect components in extreme cold conditions & withstand the stress from high temperatures, extending component life.		
1114030	O	Taper Leaf Springs, Shocks 20,000 lb Standard with Heavy Resistance Shocks.	1,328	119
1243050	O	Power Steering Sheppard HD94 Dual For use with 16,000 to 20,000 lb. axle ratings.	795	80
1250250	O	Power Steering Reservoir Frame Mounted w/Cooler A power steering cooler helps reduce the heat of the power steering fluid. This is commonly used with systems that may experience more stress from towing or off-road driving.	254	2
1354845	S	PHP10 Iron PreSet Hubs	0	0
1380280	O	Bendix Air Cam Front Drum Brakes 16.5x7 For use with 16,000 lbs to 22,000 lbs steer axles or front drive axles. Includes automatic slack adjusters & outboard mounted brake drums.	230	10
1391410	S	Gusseted Cam Brackets, Steer Axle	0	0
1392970	O	Heavy Duty Cam Bushings, Steer Axle	26	0
Rear Axle & Equipment				
1523440	O	Dana Spicer D46-172 46,000 LBS Dana Spicer D46-172 46,000 lbs tandem drive axles offer efficiency improvement, axle weight reduction and reduced lube quantity.	9,090	2,450
1603145	O	Watson-Chalin SL1190SSR (1) 13,500 lb Pusher Includes (1) air tank. Self-Steering Pusher. Parking brakes not included, meaning that the axle will be set to the raised position when the parking brakes are applied. This is without regard to the current position of the in-dash switch.	8,787	945
1607152	O	52in Pusher Axle Spacing From Centerline of Forward Drive Axle	0	0
1615170	O	PHP10 Aluminum PreSet PLUS Hubs, Cast Drums With 13.5K or 20K Self-Steering Pusher Axles	0	0
1616370	S	PHP10 Iron PreSet Hubs	0	0
1680450	O	Rear Brake Camshaft Reinforcement Rear brake camshaft reinforcement helps guard against wear and corrosion.	91	9
1680460	O	Heavy Wall, Drive Axle(s)	800	88
1680470	O	Lube Pump, Drive Axle(s) Used to circulate oil within the axle housing. Recommended for use on 46,000 or greater axles used in refuse or severe service applications.	253	36
1680490	O	Gusseted Cam Brackets, Drive Axle(s)	24	2
1680500	S	SBM Valve	0	0

Price Level: July 1, 2020
 Deal: 348 Dump
 Printed On: 7/23/2020 1:27:09 PM

Date: July 23, 2020
 Quote Number: QUO-687313-J7Q4Q1



Sales Code	Std/Opt	Description	\$ List	Weight
		Full trucks require a spring brake modulation (SBM) system for emergency braking application. This system requires an SBM valve and a relay valve with spring brakes on the rear axles. The SBM valve allows the foot valve to operate the rear axle spring brakes if a failure exists in the rear air system.		
1680950	S	Stability System Not Selected Or Not Available	0	0
1682430	S	Anti-Lock Braking System (ABS) 4S4M ABS-6. Includes air braking system.	0	0
1684200	S	Synthetic Axle Lubricant All Axles Peterbilt heavy duty models include Fuel Efficient Cognis EMGARD FE75W-90 which provides customers performance advantages over current synthetic lubricants with reduced gear wear and extended maintenance intervals, resulting in increased uptime. In addition, the lubricant provides improved fluid flow to protect gears in extreme cold conditions and withstand the stress from high temperatures, extending component life.	0	0
1685150	O	Tag/Pusher Susp Controlled By Drive Axle Susp In Place of Regulator Valve	174	-2
1687010	S	Bendix Air Cam Rear Drum Brakes 16.5x7 Bendix Air Cam Rear Drum Brakes to fit all heavy haul, construction, refuse and highway truck and tractor applications. Includes Automatic Slack Adjusters & Outboard Mounted Brake Drums.	0	0
1687090	O	Diff Lock Tandem Axles With Speed Interlock. Automatically Disengages Wheel Diff Lock at Speeds Above 25 mph.	1,702	60
1687348	O	Tandem Drive Axle (Model 348)	0	0
1705250	O	Ratio 5.25 Rear Axle	0	0
1821640	O	Peterbilt Air Trac 46,000 lbs, 54in Axle Spacing Light Weight	3,787	0
1920385	O	Air Springs, Internal Bumpers Air Trac / Air Leaf suspensions	52	0
1922260	O	Dash Mtd Dump Switch with Indicator Light Dash mounted dump switch with indicator light for suspension.	35	2
Engine & Equipment				
2074507	O	PACCAR PX-9 370@1900 GOV@2100 1250@1400 Performance (2017 Emissions) N21320 N205 120...Standard Maximum Speed Limit N21470 P062 NO....Cruise Control Auto Resume (N21480 P068 NO....Auto Engine Brake in Cruise N21450 P026 NO....Gear Down Protection (P026) N21440 P015 NO....Engine Protection Shutdown (N21350 P001 64....Maximum Accelerator Pedal Ve N21370 P059 64....Maximum Cruise Speed (P059) N21590 P230 YES...Enable Hot Ambient Automatic N21530 P233 YES...Enable Impending Shutdown Wa N21540 P234 60....Timer For Impending Shutdown	9,117	0

Price Level: July 1, 2020
Deal: 348 Dump
Printed On: 7/23/2020 1:27:09 PM

Date: July 23, 2020
Quote Number: QUO-687313-J7Q4Q1



Sales Code	Std/Opt	Description	\$ List	Weight
		N21460 P046 1400..Max PTO Speed (P046)		
		N21520 P030 5.....Timer Setting (P030)		
		N21570 P031 NO....Idle Shutdown Manual Overrul		
		N21610 P172 40....Low Ambient Temperature Thre		
		N21630 P171 80....High Ambient Temperature Thr		
		N21510 P520 YES...Enable Idle Shutdown Park Br		
		N21430 N201 0.....Reserve Speed Limit Offset (
		N21410 N202 0.....Maximum Cycle Distance (N202		
		N21400 N203 252...Reserve Speed Function Reset		
		N21420 N206 10....Maximum Active Distance (N20		
		N21340 P112 120...Hard Maximum Speed Limit (P1		
		N21550 P516 100...Engine Load Threshold (P516)		
		N21620 P173 60....Intermediate Ambient Tempera		
		N21330 N207 0.....Expiration Distance (N207)		
		N21500 N209 0.....Expiration Distance (N209)		
2091305	O	Engine Idle Shutdown Timer Enabled	0	0
2091315	O	Enable EIST Ambient Temp Overrule	0	0
2091372		Eff EIST NA Expiration Miles	0	0
2091640		Effective VSL Setting NA	0	0
2092014	O	Typical Operating Speed 65 MPH	0	0
2092032	O	Powertrain Optimized for Performance Best analysis for vehicles used in vocational applications or with heavy GCWRs.	0	0
2140200	S	CARB Engine Idling Compliance PACCAR PX-7, PX-9 and MX, Cummins X15 and ISX diesel engines will include the required factory installed serialized sticker on the drivers door to identify them as meeting the NOx idling standard.	0	0
2513060	S	PACCAR 160 Amp Alternator, Brushed PACCAR 160 AMP alternator, brushed producing 160 Amps at road speed and 100 Amps at idle.	0	0
2521090	O	Immersion Type Block Heater 110-120V Standard location for 2.1M and 1.9M models is left-hand under cab, Model 520 is in bumper, and for Model 220 it is at the driver step. Plug includes a weather-proof cover that protects the receptacle. This pre-heater keeps the coolant in the engine block from freezing when the engine is not running.	86	2
2522110	S	PACCAR 12V Starter, N/A PACCAR MX Engines PACCAR 12-volt electrical system. With centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded.	0	0
2538030	S	2 PACCAR Premium 12V Starting Batteries 2000 CCA Threaded stud type terminal. Stranded copper battery cables are double aught (00) or larger to reduce resistance.	0	0
2539740	O	Kissling Battery Disconnect Switch, 300 amp	216	3

Price Level: July 1, 2020

Deal: 348 Dump

Printed On: 7/23/2020 1:27:09 PM

Date: July 23, 2020

Quote Number: QUO-687313-J7Q4Q1



Sales Code	Std/Opt	Description	\$ List	Weight
		Mounted on battery box		
2621000	O	2-Speed Fan Clutch For Frequent Start/Stops A 2-speed fan clutch is ideal for vocational applications where the fan clutch engagement time exceeds 10% of the engine run time. When the fan clutch is disengaged, the fan still rotates at 15-25% of the engine RPM. This fan rotation provides crucial airflow to the engine and draws virtually no horsepower.	374	0
2723210	S	18.7 CFM Air Compressor N/A X15. Furnished on engine. Teflon lined stainless steel braided compressor discharge line.	0	0
2921160	S	Spin-On Fuel/Water Separator	0	0
2921210	S	No Fluid Heat Option for Fuel Filter	0	0
2921310	S	No Electric Heat Option for Fuel Filter	0	0
3010400	O	Engine Protection Shutdown Includes oil pressure, oil temperature, coolant temperature, and intake manifold temperature.	4	0
3114270	S	High Efficiency Cooling System Cooling module is a combination of steel and aluminum components, with aluminum connections to maximize performance and cooling capability. Silicone radiator & heater hoses enhance value, durability, & reliability. Constant tension band clamps reduce leaks. Chevron Delo Extended Life Coolant (NOAT) extends maintenance intervals reducing maintenance costs. Anti-freeze effective to -30 degrees F helps protect the engine. Low coolant level sensor warns of low coolant condition to prevent engine damage. Radiator Size by Model: 579/367 FEPTO 1325 sq in, 567/365/367: 1440 sq in, 365 FEPTO: 1184 sq in, 389/367 HH: 1669 sq in, 348: 1000 sq in, 520: 1242 sq in.	0	0
3211120	S	Radial Seal, Dry Type Air Cleaner, Frontal Air Intake. Molded rubber air intake connections with lined stainless steel clamps seal to prevent contaminants in air intake.	0	0
3365270	O	Exhaust Single RH Side of Cab DPF/SCR right-hand Under-Cab.	405	29
3381770	O	Curved Tip Standpipe(s)	42	0
3387870	O	24" Ht, 5" Dia Chrome, Clear Coat Standpipe(s)	498	0

Transmission & Equipment

4052110	O	Allison 3000 RDS-P Transmission, Gen 5 Rugged Duty Series. Includes Rear Transmission Support except on MX engines, Mobil Delvac Automatic Transmission Fluid, and Water-Oil Heat Exchange. Also includes features that monitor the transmission fluid, filter and clutch condition. Will display percent life remaining for the transmission fluid, filter and clutches on the shift selector. This information may be displayed using the Mode and Up and Down buttons. A wrench icon will also be included to indicate when the transmission fluid, filter or clutches need servicing. Suited for vehicles operating on/off highway and/or requiring PTO operation. Forward	10,517	195
---------	---	--	--------	-----

Price Level: July 1, 2020
Deal: 348 Dump
Printed On: 7/23/2020 1:27:09 PM

Date: July 23, 2020
Quote Number: QUO-687313-J7Q4Q1



Sales Code	Std/Opt	Description	\$ List	Weight
		ratios: 1st-3.49, 2nd-1.86, 3rd-1.41, 4th-1.00, 5th-0.75, 6th-0.65. Reverse ratios: DR-(5.03).		
4210000	O	SPL170 HD-XL Driveline, 2 Midship Bearings	1,154	125
4216330	O	SPL170 XL Driveline Interaxle Dana Spicer Life Series heavy-duty drive shafts are built for heavy loads over the long haul. For tandem rear axles.	202	50
4233030	O	(1) Dash Mounted Single Acting Air PTO Control Standard with PTO engaged indicator light on Class 8 units. Occupies the space of one gauge. Specing PTO switch does not ensure the PTO will fit.	57	0
4252890	O	Allison FuelSense 2.0 Not Desired	0	0
4252940	O	Allison Neutral At Stop Neutral at Stop features and benefits: Reduces or eliminates the load on the engine when vehicle is stopped, can help lower fuel consumption and CO2 emissions, and is included in FuelSense 2.0 Plus and Max packages only.	0	0
4256640	O	Allison 6-Speed Configuration, Close Ratio Gears 3000 Series Transmissions.	0	0
4256920	O	Dash Mounted Push Button Shifter Available with Allison transmissions	626	0
Air & Trailer Equipment				
4510330	O	Bendix AD-IS EP Air Dryer, Heater Bendix Air Treatment Oil Coalescing filter, extended purge. Collects and removes solid, liquid and vapor contaminants before they enter the air brake system.	204	6
4520420	O	Pull Cords All Air Tanks	7	0
4540420	S	Nylon Chassis Hose	0	0
4543320	S	Steel Painted Air Tanks All air tanks are steel with painted finish except when Code 4543330 Polish Aluminum Air Tanks is also selected (then exposed air tanks outside the frame rails will be polished aluminum). Peterbilt will determine the optimal size and location of required air tanks. Narratives requesting a specific air tank size or location will not be accepted for factory installation. See ECAT to determine number or location of air tanks installed.	0	0
4611930	O	Body Connections 5' BOC Junction box contains light and power circuits for body connections located 5' from back-of-cab	132	4
4612900	O	AE Connection EOF, 7-Way Socket, Connection EOF Strapped to the rail	438	15
Tires & Wheels				
5064030	O	FF: BR 20ply 425/65R22.5 M864	863	148

Price Level: July 1, 2020
Deal: 348 Dump
Printed On: 7/23/2020 1:27:09 PM

Date: July 23, 2020
Quote Number: QUO-687313-J7Q4Q1



Sales Code	Std/Opt	Description	\$ List	Weight
		Diameter= 44.8 inches; SLR= 20.7 inches		
5167310	O	RR: BR 14ply 11R22.5 M843 Diameter= 42.5 inches; SLR= 19.9 inches	600	192
5190008	O	Code-rear Tire Qty 08	0	0
5220130	O	FF: Alcoa 824627 22.5X12.25 Clean Buff Finish	677	-2
5320600	O	RR: Peterbilt 88U677 22.5X8.25 Clean Buff Finish Aluminum	1,372	-184
5390008	O	Code-rear Rim Qty 08	0	0
5476105	O	PR: (2) BR 14ply 11R22.5 R284 Ecopia (1) self-steering pusher axles.	1,160	232
5482072	O	PR: (2) Alcoa ULT397 22.5X8.25 Clean Buff Finish Aluminum, (1) self-steering pusher axle. Built for heavy-duty applications and are light weight. Available with polished and Dura-Bright finishes.	647	78
Fuel Tanks				
5534100	O	23" Aluminum 70 Gallon Fuel Tank LH U/C Includes steps for cab access. Paddle handle filler cap with threadless filler neck. Top draw fuel plumbing reduces chance of introducing air into the fuel system during low fuel level conditions due to the central placement of fuel pickup tube. Wire braid fuel lines increase durability & reduce potential for leaks.	188	9
5602070	O	Location LH U/C 70 Gallon	0	0
5652830	O	Polish All Fuel / Hydraulic Tank Straps Does not apply to rectangular DEF tank straps	12	0
5652890	S	DEF Tank Mounted LH BOC Models 220 and 520 mounted left hand back-of-cab.	0	0
5652990	S	DEF To Fuel Ratio 2:1 Or Greater	0	0
5655019	S	DEF Tank Small 11.1 Gallon Capacity	0	0
Battery Box & Bumper				
6010780	O	Aluminum Space Saver Battery Box RH BOC Battery access from side	217	-84
6040550	S	Aftertreatment Aluminum Non-Slip Cab Entry Aftertreatment right-hand under cab step. DPF/SCR for diesel engines, catalyst for natural gas engines. On Models 579 specifying chassis fairings, the box is aerodynamic.	0	0
6113050	O	Aluminum Channel Bumper Stainless Steel Clad Two tow points	613	-4
Cab & Equipment				

Price Level: July 1, 2020
Deal: 348 Dump
Printed On: 7/23/2020 1:27:09 PM

Date: July 23, 2020
Quote Number: QUO-687313-J7Q4Q1



Sales Code	Std/ Opt	Description	\$ List	Weight
6515640	O	Alum Cab 110in BBC Metton Hood With bright finish crown. Includes view window RH door and convex mirror over RH door.	906	0
6540120	O	Severe Service Cab Package #1 Includes Aluminum side skins, aluminum rear skin, steel windshield mask, steel firewall, and steel front floor sheet on all cabs, and additional reinforcement structure on the back wall of the day cab.	151	39
6540740	O	Peterbilt Keyless Entry The Peterbilt key fob functions to lock or unlock the vehicle. With a single click, the drivers door is locked or unlocked and with a double click all doors are locked or unlocked. The third button, depicted by a picture of a lamp, will start the exterior light self-test sequence, helpful when performing the daily pre-trip inspection.	147	2
6800340	O	Rubber Fender Lips 4" Extra Wide	250	0
6911700	S	National Driver Seat	0	0
6921700	S	National Passenger Seat	0	0
6930500	O	Drivers Armrest - RH Only	35	2
6930590	O	Passenger Armrest - LH only Required with Evolution LX seats, optional with Evolution ST Seats.	35	2
6930800	O	Black Seat Color IPO Standard Color	0	0
6939400	S	Air Ride Driver	0	0
6939420	S	High Back Driver	0	0
6939470	S	Vinyl Driver	0	0
6939500	O	Air Ride Passenger Air Ride Passenger is available on all Model 567's.	202	43
6939520	S	High Back Passenger	0	0
6939570	S	Vinyl Passenger	0	0
7001520	O	Adjustable Steering Column - Tilt/Telescope	95	11
7001620	S	Steering Wheel With Peterbilt Logo Steering Wheel with embossed Peterbilt logo over horn button.	0	0
7036120	S	Interior Gray/Black Includes rugged charcoal instrument panels, glare-resistant gray dash, black bezels on gauges, (2) power ports, monochromatic molded door pads with durable in-mold color, gray molded back wall, 18 inch 4-spoke soft-touch steering wheel, soft-touch steering column cover, power lift passenger window, extruded rubber floor covering, header-mounted dome light, foot well lighting, integrated "dead pedal", (4)	0	0

Price Level: July 1, 2020
 Deal: 348 Dump
 Printed On: 7/23/2020 1:27:09 PM

Date: July 23, 2020
 Quote Number: QUO-687313-J7Q4Q1



Sales Code	Std/Opt	Description	\$ List	Weight
		inside entry grab handles, (2) inside sunvisors, (2) coat hooks, (2) cup holders and map bin in dash.		
7210430	O	Extended Rear Window ipo Std Window-Day Cab The extended rear window protrudes two inches more than the standard conventional rear cab window. Take this into consideration when determining your loadspace.	68	18
7210540	S	Day Cab Rear Window Day cab rear window flush to back of cab.	0	0
7230060	S	1-Piece Curved Windshield	0	0
7322010	S	Combo Fresh Air Heater/Air Conditioner With radiator mounted condenser, dedicated side window defrosters, Bi-Level Heater/Defroster Controls, 54,500 BTU/HR, and silicone heater hoses.	0	0
7330700	O	Peterbilt Comfort Control - Cab	21	6
7410040	O	Outside Sunvisor - Stainless Steel Not available with 2.1M high roof sleeper.	222	4
7511010	O	Stainless Steel Mirrors 7 x 16 with Heat Element	70	2
7560850	O	(2) Convex 8 Inch SSTL Mirrors Center mounted under mirror bracket. If rear view mirrors are heated, the convex mirrors will be heated. Option includes dual door stops.	266	4
7564110	S	Power Package Includes power door locks and power windows.	0	0
7610020	O	(1) Air Horn 15" Painted Mounted under cab.	178	8
7722120	O	ConcertClass, AM/FM, Weatherband, 3.5 Aux	317	10
7725710	O	Standard Speaker Package For Cab (2) Speakers	116	4
7728040	O	Bluetooth Phone and Audio	54	0
7728050	O	USB Port	54	0
7748140	O	CB Terminals/Wiring Mounted Under Header	48	0
7850210	O	Plug-In Auto Reset Circuit Breaker in place of fuses in junction box.	40	0
7851480	S	Peterbilt Electric Windshield Wipers With Intermittent Feature.	0	0
7851970	O	Unibilt Cab Air Suspension Includes dual air bag suspension, leveling valve, and tracking rod. Provides a more ergonomic installation, higher EAU, easier serviceability and fewer parts.	472	25
7900090	O	Triangle Reflector Kit, Ship Loose Florescent triangle emergency road flares are designed to meet and exceed all DOT standards.	17	13
7900270	O	Fire Extinguisher, Cab Mounted	54	8

Price Level: July 1, 2020
Deal: 348 Dump
Printed On: 7/23/2020 1:27:09 PM

Date: July 23, 2020
Quote Number: QUO-687313-J7Q4Q1



Sales Code	Std/Opt	Description	\$ List	Weight
		Hazmat approved UL listed/rated ABC		
8021380	S	Air Restriction Indicator Mounted on air cleaner, intake piping, or firewall	0	0
8071340	O	Bright Bezel Gauges	50	0
8071520	O	(2) Additional Electric Switches Without Wiring	46	0
8071870	S	Main Instrumentation Panel, Graphics Display Includes speedometer with trip odometer, tachometer with hourmeter and outside air temperature display, voltmeter, engine oil pressure, engine coolant temperature, fuel level, primary and secondary air pressure gauges. Includes standard warning light package: high water temperature, low oil pressure, and low air pressure warning lights with audible alarms, high beam, turn signal, low fuel, parking brake, and ice warning indicators; seat belt reminder; rocker switches with long-life LED indicators; multi-function turn stalk with flash-to-pass feature (night mode flashes headlights and marker lights; day mode flashes headlights only), intermittent windshield wiper and headlamp beam control. Hydraulic braked trucks do not include air pressure gauges.	0	0
8111110	S	Headlights Composite Fender Mounted Integral park, turn, and side marker	0	0
8121170	O	(5) Marker Lights, Bus LED Bullet	160	0
8140120	S	Incandescent Square Stop/Turn/Tail/Backup Left-hand / right-hand square end of frame or dropped a-brace	0	0
Paint				
8500710	S	Standard Paint Color Selection	-200	0
8530770	S	(1) Color Axalta Two Stage - Cab/Hood Base Coat/Clear Coat N85020 A - L0006EY WHITE N85500 CAB ROOF L0006EY WHITE N85300 FENDER L0006EY WHITE N85200 FRAME L0001EA BLACK N85400 HOOD TOP L0006EY WHITE	0	0
Shipping Destination				
Options Not Subject To Discount				
9400091	S	Peterbilt Class 7 Standard Coverage 1 year/Unlimited Miles/km	0	0
9400094	S	PACCAR PX-9 Standard Coverage 2 yrs/250,000 mi (402,336 km)/6,250 hrs	0	0
Miscellaneous				
9409800	S	2017 EPA Emissions Engine Warranty Only	0	0

Price Level: July 1, 2020
Deal: 348 Dump
Printed On: 7/23/2020 1:27:09 PM

Date: July 23, 2020
Quote Number: QUO-687313-J7Q401



Sales Code	Std/Opt	Description	\$ List	Weight
9409869	O	Presentation Created With SmartSpec	0	0

Promotions

Order Comments

Total List Price (W/O Freight & Warranty & Surcharges)	\$174,353
Marketing and Service Support Fee	\$875
Prepaid Freight	\$2,450
Total Surcharge/Options Not Subject To Discount	\$0
Total Weight	16,555

Prices and Specifications Subject to Change Without Notice.

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in CRM.

PRICING DISCLAIMER

While we make every effort to maintain the web site to preserve pricing accuracy, prices are subject to change without notice. Although the information in this price list is presented in good faith and believed to be correct at the time of printing, we make no representations or warranties as to the completeness or accuracy of this information. We reserve the right to change, delete or otherwise modify the pricing information which is represented herein without any prior notice. We carefully check pricing specifications, but occasionally errors can occur, therefore we reserve the right to change such prices without notice. We disclaim all liability for any errors or omissions in the materials. In no event will we be responsible for any damages of any nature whatsoever from the reliance upon information from these materials. Please check your order prebills to confirm your pricing information



Quotation: QUO-22983-W1Q5N0

Date: 7/23/2020

PO Number: _____

3300 Waco St
 Texarkana, TX 75503
 o: 903 838 6531
 f: 903 831 2719

CUSTOMER

Rush Truck Center
 Attn: MATT KAPLAN
 8700 WEST I-40
 Oklahoma city, OK 73128
 405-919-8164

SHIP TO

PRIMARY
 8700 WEST I-40
 Oklahoma city, OK 73128

REQUISITIONER	SHIP VIA	F.O.B.	Estimated Lead Time
MATT KAPLAN	Customer	FOB Texarkana, TX	

Item Description	Qty
------------------	-----

16' Box Dump - ET

1

13/16 Yard Box Dump

Dump Dimension	16'L X 89"W X 37"H X 45"TG	
Construction	2" X 4" Rectangular top rails	
Construction	8" x 11.5# Structural channel longitudinal members	
Construction	4" I-beams, crossmembers on 12" centers	
Construction	3/16" steel body	
Construction	3/16" steel formed sides	
Construction	Heavy duty front and rear corner pillars	
Construction	1/4" Steel floor	
Construction	In-cab shift tower	
Construction	35 Ton Capacity - Telescopic Hoist Cylinder	
Construction	10 Gauge Steel Cab Shield	
Side Boards	8" wooden side boards	
Tailgate Options	Single wide chute in tailgate	
Tailgate	Heavy duty double acting tail gate w/ Spreader chains and reinforced keyhole slots	
Tailgate Latch	Air-operated mechanical tailgate	
Lip Type	8" Asphalt lip	
Hitch Type	No Hitch	
Trailer Brake	No Trailer Brake Controller	
Light Plug Type	No Light Plugs	
Tarp Type	Electric type tarp cover	

DOT Compliance	3/4" LED Marker Lights	
DOT Compliance	Body-up indicator light	
DOT Compliance	Back-up alarm	
DOT Compliance	Mud flaps	
DOT Compliance	Fire extinguisher	
DOT Compliance	Triangle & reflector kit	
DOT Compliance	DOT LED lights & reflectors	
DOT Compliance	Reflexite conspicuity tape	
DOT Compliance	Sealed Wiring Harness	
Decals	No Customer Decals	
Paint	Painted One Color	
Special Instructions:	Black	

Quote Totals

Detail Amount	21,975.00
DOT	0.00
F.E.T.	0.00
Pre-Freight Amount	21,975.00
Freight Amount - To Be Determined	
Quote Total	21,975.00

****Applicable State / Local Taxes Not Included****

Other Comments or Special Instructions	SALESPERSON
<p>Options Hitch Kit: \$850.00 - 45 ton Pintle Hitch, Air Outlet Kit, 7-way plug, D-Rings</p> <p>Any applicable FET to be collected by selling dealer.</p> <p>Truck Requirements: PTO Provision, Body Builder Plug, Double Frame may be Applicable, CA Approximately 142"</p> <p>Please note: Work performed on a customer's truck is subject to additional charges if any frame work, relocation of fuel or air tanks, battery boxes, tool boxes or any other accessories are required to properly mount the body.</p> <p>All prices quoted are F.O.B. Texarkana, Texas and do not include license or registration. Stated price good for 60 days from above date.</p>	<p>Tyler Cowling 501.317.9079</p> <hr/> <p style="text-align: center;">Authorized By</p> <hr/> <p style="text-align: center;">Date</p>

Effective to: 12/31/2020

Please contact your salesman with any questions. Thank you for your business.
 Applicable State / Local Taxes Not Included

2020 Ford Altec AT237

Bucket truck= \$115,000*

*largest quote selected to allow for flexibility with final cost

Looking for a delivery truck to support your business? We are here to help.
Find your truck now!

X



1-866-738-5196



2020 FORD F550 UTILITY TRUCK - SERVICE TRUCK, BUCKET TRUCK - BOOM TRUCK

\$104,947

ETI ETI Standard Bucket Truck In Oklahoma City, OK 73114 - 38 Miles Away

POPULARITY STATS

This listing has been **seen 14 times** (last 30 days)

Be the first user to

The price has not decreased recently

DETAILS

UPFITS

DETAILS FROM SELLER

45' WORKING HEIGHT, 30' SIDE REACH, INSULATED BOOM, ARTICULATED-TELESCOPIC, FULL HYDRAULIC CONTROLS, 180* PLATFORM ROTATOR, 24 X30 PLATFORM FORD F-550, 4X4, DIESEL, AUTO

Condition: New
Year: 2020
Make: FORD
Model: F550
Class: CLASS 5 (GVW 16001 - 19500)
Category: Utility Truck - Service Truck, Bucket Truck - Boom Truck
Cab Type: STANDARD CAB

To offer you a better experience, this site uses profile cookies, even from third parties. By continuing to use this website you consent to the use of cookies. For more information or to select your preferences consult our Privacy Policy


> [Cookie Settings](#)

✓ OK

Max Torque: 950-950
Fuel Type: Diesel
Rear Axles: DRW
Wheelbase: 145.3-205.3
Brake Type: Hydraulic
Stock Number: D2018509
VIN: 1FDUF5HT1LECS3164
Drivetrain: 4X4
Engine Manufacture: Power Stroke
Engine Model: Power Stroke 6.7L V8 450hp 950ft. lbs.
Engine Size: 6.7L
Weight: 16001-19500
Upfit Body Type: Bucket Trucks
Upfit Make: ETI
Upfit Model: ETI Standard Bucket Truck

EQUIPMENT TECHNOLOGY LLC IN OKLAHOMA CITY, OK

341 NW 122nd
 Oklahoma City, OK 73114 - 38 miles away




\$73,943 95,382 miles

2015 FORD F650 Bucket Truck - ...
Equipment Technology LLC




\$169,073 13,321 miles

2016 FORD F750 Utility Truck - ...
Equipment Technology LLC



\$142,938 1,508 miles

2018 FORD F750 Utility Truck - ...
Equipment Technology LLC



\$104,947

2020 FORD F550 Utilit
Equipment Technology LLC

CALL 1-866-738-5196

DISCLAIMERS

Rates and terms may vary and are subject to approval of applicant and guarantor credit, equipment and supplier. Any payment or rate does not include additional fees or advance payments (if applicable) and are for informational purposes only. Applicant credit profile including FICO is used for decisioning. Assets aged 10-15 years may require increased finance charges. Equal opportunity lender. Commercial financing provided or arranged by Currency Capital, LLC pursuant to California Finance Lender License #60DB056173. Consumer financing arranged by Express Tech-Financing, LLC pursuant to California Finance Lender License #60DBA54873 and state licenses listed at this link.



© 2020 Trader Interactive | CommercialTruckTrader.com
 All Rights Reserved.

To offer you a better experience, this site uses profile cookies, even from third parties. By continuing to use this website you consent to the use of cookies. For more information or to select your preferences consult our Privacy Policy

> [Cookie Settings](#)

✓ OK

Looking for a delivery truck to support your business? We are here to help.
Find your truck now!

X




1-844-424-4140



BUCKET TRUCK - BOOM TRUCK IN FORT WORTH, TX 76118


\$110,210 Make an Offer


TEREX LT40 In Fort Worth, TX 76118 - 174 Miles Away -  Sale Pending


MSRP: **\$110,210**

Lease **\$1592 per month** for 60 months and credit approval. Additional taxes and license fees may apply.

POPULARITY STATS

 This listing has been **seen 33 times** (last 30 days)

 Be the first user to

 The price has not decreased recently

DETAILS

UPFITS

DETAILS FROM SELLER

New 2019 Ford F550 4X4 Bucket Truck
6.7L 4V OHV Power Stroke V8 Turbo Diesel
TorqShift 6-Speed Automatic Transmission
7,500 lb Mono-Beam Front Suspension with anti-roll bar, HD Shocks
4.88 Limited Slip Ratio
19.5 Painted Argent Steel Wheels
225/70Rx19.5G BSW A/S Tires Rear Axles
14,706 lb Dana Rear Axle
4.88 Limited Slip Ratio
19.5 Painted Argent Steel Wheels
225/70Rx19.5G BSW A/S Tires
Payload Plus Upgrade Package
4 Wheel Power Disc Brakes w/Anti-Lock Brake System Hydro Boost (DRW)

To offer you a better experience, this site uses profile cookies, even from third parties. By continuing to use this website you consent to the use of cookies. For more information or to select your preferences consult our Privacy Policy

> [Cookie Settings](#)

✓ OK

Vinyl 40/20/40 Seat
Power Equipment Group
Air Conditioning
AM/FM Stereo w/Clock
Chrome Bumper w/(2) Tow Hooks
Instrument Panel w/Upfitter Switches
Tele TT Mirror
Oxford White
Electric Brake Controller

MESSAGE FROM CUSTOM TRUCK ONE SOURCE- FORT WORTH II

At Custom Truck One Source, we take our role to protect our teams, customers, and communities seriously. Learn more about the steps we are taking and the various ways we can assist you through the challenges created by COVID-19 on our website.

DISCLAIMER: Price quoted includes any applicable FET. Quoted price is Ex Works and does not include any freight / delivery charges, sales tax, titling fees, or registration fees. Specifications are believed to be correct but may contain errors and/or omissions. Pictures are representative and may not be identical. Description and Images © Custom Truck One Source

Condition: New
Year: 2019
Make: FORD
Model: F550
Class: CLASS 5 (GVW 16001 - 19500)
Category: Bucket Truck - Boom Truck
Cab Type: STANDARD CAB
Location: Fort Worth, TX
Horse Power: 300 - 400
Max Horse Power: 330
Max Torque: 750
Fuel Type: Diesel
Axles: 4x4
Rear Axles: 21,000 lbs. or Less
Suspension: Spring
Front Axle: 7,500
Rear Axle: 14,706
Number of Rear 1
Axles:
Brake Type: Hydraulic
Stock Number: NT30332
VIN: 1FDUF5HT1KDA15898
Drivetrain: 4X4
Engine Manufacture: Powerstroke
Engine Model: Power Stroke 6.7L V8
Engine Size: 6.7L
Transmission Make: Ford
Transmission Type: Automatic
Color: White

To offer you a better experience, this site uses profile cookies, even from third parties. By continuing to use this website you consent to the use of cookies. For more information or to select your preferences consult our Privacy Policy

> [Cookie Settings](#)

✓ OK

Doors: 2
Upfit Body Type: Bucket Trucks
Upfit Make: TEREX
Upfit Model: LT40

Options: Air Conditioning, Cruise Control, AM/FM Radio, Power Steering, Power Windows, Power Locks, Anti-Lock Braking System, 4x4, Block Heater, DOT Inspected, Electric Brake Controller, Heated Mirrors, Hitch, CARB Compliant, Bluetooth

CUSTOM TRUCK ONE SOURCE- FORT WORTH II IN FORT WORTH, TX

7200 Jack Newell Boulevard South
 Fort Worth, TX 76118 - 174 miles away ↗



\$23,500

2004 FORD F550 Utility Truck - ...
 Custom Truck One Source- Tampa




\$63,500 98,467 miles

2013 FORD F550 Bucket Truck - ...
 Custom Truck One Source- Midland



\$63,500 105,639 miles

2013 FORD F550 Bucket Truck - ...
 Custom Truck One Source- Midland



\$63,500

2013 FORD F550 Bucke
 Custom Truck One Source- O

CALL 1-844-424-4140

DISCLAIMERS

* Rates and terms may vary and are subject to approval of applicant and guarantor credit, equipment and supplier. Any payment or rate does not include additional fees or advance payments (if applicable) and are for informational purposes only. Applicant credit profile including FICO is used for decisioning. Assets aged 10-15 years may require increased finance charges. Equal opportunity lender. Commercial financing provided or arranged by Currency Capital, LLC pursuant to California Finance Lender License #60DB056173. Consumer financing arranged by Express Tech-Financing, LLC pursuant to California Finance Lender License #60DBA54873 and state licenses listed at this link.




© 2020 Trader Interactive | CommercialTruckTrader.com
 All Rights Reserved.

To offer you a better experience, this site uses profile cookies. even from third parties. By continuing to use this website you consent to the use of cookies. For more information or to select your preferences consult our Privacy Policy

> [Cookie Settings](#)

✓ OK

[Back to Results](#)

2019 ALTEC AT237

Altec New Equipment Sales

1 (800) 958-2555[Request Information](#)**\$115,000**

- **Unit:** AT237
- **Chassis Mfg:** Ford
- **Location:** Elizabethtown, KY
- **Stock #:** 5765789442

Request Information

*Required

Altec New Equipment Sales

1 (800) 958-2555

Name *

We use cookies on our site to provide you with the best user experience. This data may be used for personalization, analytics, and ads. Disabling cookies may also prevent parts of website from working properly.

[ACCEPT](#) [MORE INFO](#)

Email *

Phone *

Country *

Please select ▼

Which selection best describes your industry: *

Select One ▼

Which selection best describes your role: *

Select One ▼

Comments

I would like to know more about the AT237 you have listed on Altec.com.

Contact Preference *

Phone

Email

Subscribe to Altec email: *

Yes

No

Submit

About this AT237

Description

Are you looking to purchase a non-insulating bucket truck for lighting maintenance or telecommunications work? If so, check out this brand new Altec AT237. This truck is paired with a Ford F550 and a steel service body. The unit is equipped with a walk-in platform featuring ground entry for easy access and decreased operator strain. This reliable work truck allows you to work longer hours with minimal downtime to keep money in your pocket and your crews working hard. For more information on this Altec bucket truck or any other piece of equipment please call us at 1 (800) 958-2555.

Unit Specifications

Unit Model:	AT237
Unit Mount:	Behind the Cab Mount
Working Height:	42.5 ft

We use cookies on our site to provide you with the best user experience. This data may be used for personalization, analytics, and ads. Disabling cookies may also prevent parts of website from working properly.

ACCEPT MORE INFO

Platform Dimensions:	30 x 26 x 42 in
Platform Capacity:	400 lb
Unit Controls:	Single Handle
Primary Stabilizer:	N/A
Auxiliary Stabilizer:	N/A
Rotation:	Non-Continuous

Chassis Specifications

Chassis Year:	2019
Chassis Manufacturer:	Ford
Chassis Model:	F550
Fuel Type:	Diesel
Transmission Type:	Automatic
Brake Type:	Hydraulic
GVWR:	19,500 lb
Drive Train:	4x2
Body Type:	Service Line
Under CDL:	Yes

Your actual payment may vary depending on finance and dealer terms. There is no commitment on the part of Altec Industries, Altec NUECO or Altec Capital to make any loan or lease to the user. Payments are subject to change without notice and subject to approval.

Please note: Equipment listed on Altec.com and affiliated websites reflect domestic U.S. availability and pricing only. All units subject to prior sale.

- Our Company >
- Quick Links >
- International Sales >

Altec Inc.

Need Help? Please contact us at 1-877-GO ALTEC, option 1.

210 Inverness Center Drive
 Birmingham, AL 35242-4834
 Phone (205) 991-7733
 Fax (205) 408-8601

Copyright © 2020 Altec Industries. All Rights Reserved. "Altec" is a registered trademark of Altec Industries, Inc.

Privacy Policy | Terms & Conditions | CA Transparency Disclosure | California Resident Privacy Policy



We use cookies on our site to provide you with the best user experience. This data may be used for personalization, analytics, and ads. Disabling cookies may also prevent parts of website from working properly.

ACCEPT MORE INFO

2020 Ford F-750
Truck w/ Flatbed= \$69,800



Oklahoma City OK
 8700 W Interstate 40
 Oklahoma City, OK 73128
 877-863-6024
 405-782-3500

Customer Proposal Letter

Citizen Potawatomi Nation
 1601 Gordon Cooper Dr.
 Shawnee, OK 74801
 (405) 834-9754

STACEY BENNETT, thank you for the opportunity to earn your business. We look forward to working with you on your business needs. Please accept the following proposal.

VEHICLE

Make Ford Model F-750 Year 2019 Stock Number 1058586
 Additional Vehicle and Accessories Description To be delivered on or about _____

Ford F-750 with Flatbed

Quantity	1	Total
Truck Price per Unit	\$69,550.00	\$69,550.00
F.E.T. (Factory & Dealer Paid)	\$0.00	\$0.00
Net Sales Price	\$69,550.00	\$69,550.00
Optional Extended Warranty(ies)		
State Sales Tax		
Documentary Fee	\$250.00	\$250.00
Administration Fee		
Vehicle Inventory Tax		
Additional Taxes		
Tire Recycling Program		
Battery Disposal Fee		
Out of State Vehicle Fee		
Rebate(s)		
Total Sales Price (Including Rebate(s))	\$69,800.00	\$69,800.00
Trade Allowance (see DISCLAIMER Below)		\$0.00

Sales Representative Matthew Kaplan
 Purchaser _____ signature _____ printed name _____
 _____ signature _____ printed name _____
 Accepted by Sales Manager or General Manager _____ title _____ date _____
 _____ signature _____ printed name _____

Quote good until 9/9/2020 Note: The above Customer Proposal is a quotation only. Sale terms subject to approval of Sales Manager of Dealer.

DISCLAIMER: Any order based on this Proposal subject to Customer executing Dealer's standard form Retail Purchase Order incorporating above terms. Any documentary fees, state tax, title, registration and license fees subject to adjustment and change. Actual F.E.T. to be paid by Dealer, subject to adjustment. Any F.E.T. variance will be responsibility of Dealer. Manufacturer has reserved the right to change the price to Dealer of any vehicle not currently in Dealer's stock, without notice to Dealer. If Quoted Vehicle(s) not currently in Dealer's stock, Dealer reserves right to change Quotation Total to reflect any price increases from Manufacturer. This Proposal is based upon Dealer's current and expected inventory, which is subject to change. Dealer not obligated to retain any specific vehicles in stock, nor maintain any specific inventory level. Dealer shall not be obligated to fulfill Proposal in event quoted vehicle(s) not in stock or available within requested delivery schedule at time Proposal accepted. Dealer shall not be liable for any delay in providing or inability to provide Quoted Vehicle(s), where such inability or delay is due, in whole or in part, to any cause beyond the reasonable control of Dealer or is without the gross negligence or intended misconduct of Dealer. Above listed Trade Value based upon current appraisal of Trade Vehicle(s). Dealer may adjust Trade Value of Trade Vehicle(s) to reflect changes in condition and/or mileage of Trade Vehicle(s) between date of current appraisal and acceptance of this Proposal by Customer.

2020 Ford F-650

Truck with flatbed: \$74,975

= \$74,975

Lexi Freeman

From: Stacey Bennett
Sent: Tuesday, July 21, 2020 8:07 AM
To: Lexi Freeman; Shawn Howard
Subject: FW: Rush Truck Centers OKC Truck to replace 1994 Ford f700 in t he Public Works Dept
Attachments: Rush Truck quote July 20 2020 12 ft gooseneck flat Matt Kaplan.pdf; CPN F-650.pdf

Here is one!!!! They will hopefully get me their specs and we can go from here.

From: Donny Vaughan
Sent: Monday, July 20, 2020 5:08 PM
To: Stacey Bennett
Subject: FW: Rush Truck Centers OKC Truck to replace 1994 Ford f700 in t he Public Works Dept

Hello Stacey , Here is a quote from Rush Truck Center on the replacement for the 1994 ford f700

From: Kaplan, Matthew [OKCITY-New Vehicle Sales] <KaplanM@RushEnterprises.com>
Sent: Monday, July 20, 2020 4:17 PM
To: Donny Vaughan <dvaughan@POTAWATOMI.ORG>
Subject: FW: Rush Truck Centers OKC

EXTERNAL EMAIL

From: Kaplan, Matthew [OKCITY-New Vehicle Sales]
Sent: Monday, July 20, 2020 3:45 PM
To: dvaughn@potawatomi.org
Subject: Rush Truck Centers OKC

Please see attachment for truck and flatbed specs. Total price for this truck with flatbed is \$74,975

Matt Kaplan

Truck Sales

405-782-3514 OFFICE

405-659-8002 CELL

kaplanm@rushenterprises.com

Rush Truck Centers OKC

Quote

CLARENCE P. SMITH

PHILLIP W. SMITH

QUAN.	PART NO. & DESCRIPTION	PRICE
	12' flatbed w/ 3 1/2"	2600 00
	Tread plate floor, headache rack, Gooseneck hitch & bumper hitch, 2 - 18x18x24" toolboxes, 2 - 18x18x36" toolboxes, cab rail w/ stake pockets, LED bed lights, trailer plug & D-rings, painted black.	

SMITH TRUCK & EQUIPMENT COMPANY, LLC

P.O. BOX 1036 • EDMOND, OKLAHOMA 73083

PHONE 341-6755 • FAX 340-1955

PAST DUE ACCOUNTS ARE SUBJECT TO 1 1/2% PER MONTH
ACCOUNTS ARE DUE BY THE 10TH OF EACH MONTH.

NAME: Rush Truck

ADDRESS: _____

CITY: _____ STATE: _____ ZIP CODE: _____

COMPLETION DATE: 7/20/2020 PO #: _____ START DATE: _____

MAKE AND MODEL: 650 or 750 truck YEAR: _____ PHONE NO.: _____

SERIAL NO.: _____ CONTACT NAME: Matt Kaplan

OPER. NO.	INSTRUCTIONS	PRICE
	Build 12' flatbed like the description. Paint black, mount & hook up lights.	3600 00
	SH Toolboxes	100 00
	Shop Supplies	100 00

I hereby authorize the above repair work to be done along with the necessary material, and hereby grant you and/or your employees permission to operate the car, truck or vehicle herein described on streets, highways, or elsewhere for the purpose of testing and or inspection. An express mechanic's lien is hereby acknowledged on above car, truck or vehicle to secure the amount of repairs thereto.

AUTHORIZED BY: _____

LABOR	3800 00
PARTS	2600 00
TAX Dealer	_____
TOTAL AMOUNT	6400 00

TOTAL 2600 00

2021 F-750 Diesel SuperCab Base (X7D)

Price Level: 120



Client Proposal

Prepared by:

Matt Kaplan

Office: 405-659-8002

Date: 07/20/2020



Rush Truck Center, Oklahoma City | 8700 West I-40, Oklahoma City, Oklahoma, 73128

Office: 405-947-2391 | Fax: 405-946-5489



Prepared by: Matt Kaplan

07/20/2020

Rush Truck Center, Oklahoma City | 8700 West I-40 Oklahoma City Oklahoma | 73128

2021 F-750 Diesel SuperCab Base (X7D)

Price Level: 120

Selected Equip & Specs

Dimensions

- Exterior length: 267.0"
- Exterior width: 96.7"
- Wheelbase: 179.0"
- * **Rear track: 72.7"**
- Front legroom: 41.4"
- Front headroom: 40.7"
- Front hiproom: 67.6"
- Front shoulder room: 68.0"
- Cab to axle: 84.0"
- Exterior height: 94.3"
- * **Front track: 83.5"**
- Rear tire outside width: 96.0"
- Rear legroom: 31.6"
- Rear headroom: 38.1"
- Rear hiproom: 67.3"
- Rear shoulder room: 68.1"

Powertrain

- * **300hp 6.7L OHV 32 valve intercooled turbo V-8 engine with diesel direct injection**
- federal
- Rear-wheel drive
- Fuel Economy Highway: N/A
- Fuel/water separator
- Standard rear differential
- Right mounted horizontal tailpipe
- Recommended fuel : diesel
- 6 speed automatic transmission with overdrive
- Fuel Economy Cty: N/A
- 65.0 gal. rectangular Left front fuel tank
- * **Transmission PTO provision**
- Right mounted horizontal muffler

Suspension/Handling

- Front non-independent leaf spring suspension
- Hydraulic power-assist re-circulating ball Steering
- 11.0R22.5 AS front and rear tires
- Rubber auxiliary rear springs
- Rear rigid axle leaf spring suspension
- Front and rear 22.5 x 8.25 wheels
- Dual rear wheels

Body Exterior

- 4 doors
- Reverse opening right rear passenger
- Black door mirrors
- Side steps
- Straight front bumper ends
- Front and rear 22.5 x 8.25 white steel wheels with 10 wheel studs
- Reverse opening left rear passenger
- * **Driver and passenger heated, manual folding door mirrors**
- * **Chrome bumpers**
- Clearcoat paint
- Hood mounted grille
- 2 front tow hook(s)

Convenience

- Manual air conditioning
- * **Power front windows**
- * **Remote power door locks with illuminated entry**
- Cruise control with steering wheel controls
- * **Driver and passenger 1-touch down**
- Manual tilt steering wheel

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Matt Kaplan

07/20/2020

Rush Truck Center, Oklahoma City | 8700 West I-40 Oklahoma City Oklahoma | 73128

2021 F-750 Diesel SuperCab Base (X7D)

Price Level: 120

Selected Equip & Specs (cont'd)

- Manual telescopic steering wheel
- Front cupholders
- * **Single air horn**
- * **Driver and passenger door bins**
- Wireless phone connectivity
- Passenger visor mirror
- Automatic gearshift steering column lever
- Upfitter switches

Seats and Trim

- * **Seating capacity of 6**
- Fixed passenger seat
- 60-40 folding rear bench seat
- * **40-20-40 bench seat**
- * **Mid back seats**
- Manual fore/aft seats
- Fixed driver seat
- * **Centre front armrest with storage**
- * **Cloth seat upholstery**
- * **Folding seat back**
- * **4 way seat direction**

Entertainment Features

- AM/FM stereo radio
- Steering wheel mounted radio controls
- Streaming audio
- Auxiliary audio input
- 2 speakers
- Fixed antenna

Lighting, Visibility and Instrumentation

- Halogen aero-composite headlights
- Variable intermittent front windshield wipers
- * **Front reading lights**
- * **Voltmeter**
- Trip computer
- RNDM
- Fully automatic headlights
- Light tinted windows
- Tachometer
- Oil pressure gauge
- Trip odometer

Safety and Security

- 4-wheel ABS brakes
- * **Air brakes**
- * **Power remote door locks with**
- Hill hold control
- ABS traction control
- * **Security system with stolen vehicle tracking system**

Dimensions

General Weights

* Curb	10,497 lbs.	Front GAWR	10000 lbs.
Rear GAWR	21000 lbs.	GVWR	31000 lbs.
GCWR	50000 lbs.		

Front Weights

* Front curb weight	6,582 lbs.	Front axle capacity	10,000 lbs.
----------------------------------	-------------------	---------------------------	-------------

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Matt Kaplan

07/20/2020

Rush Truck Center, Oklahoma City | 8700 West I-40 Oklahoma City Oklahoma | 73128

2021 F-750 Diesel SuperCab Base (X7D)

Price Level: 120

Selected Equip & Specs (cont'd)

Front spring rating 10,000 lbs. Front tire/wheel capacity 12,350 lbs.

Rear Weights

* **Rear curb weight** **3,914 lbs.** Rear axle capacity 21,000 lbs.

Rear spring rating 21,000 lbs. Rear tire/wheel capacity 23,360 lbs.

Fuel Tank type

Left front Fuel tank capacity 65.01 gal.

Front Frame

Height loaded 35 " Height unloaded 37 "

Rear Frame

Height loaded 36 " Height unloaded 38 "

Powertrain

Engine Type

Block material Iron Cylinders V-8

Head material Aluminum Ignition Compression

Injection Diesel direct injection Liters 6.7L

Orientation Longitudinal Recommended fuel Diesel

Valves per cylinder 4 Valvetrain OHV

Forced induction Intercooled turbo

Engine Spec

Bore 3.90" Compression ratio 16.2:1

Displacement 406 cu.in. Stroke 4.25"

Engine Power

* **Output** **300 HP @ 2,500 RPM** * **Torque** **725 ft.-lb @ 1,500 RPM**

* **Governed RPM** **3,300**

Alternator

Type HD Amps 200

Battery

Cold cranking amps 1,500 Location Forward right

Step Yes Type Dual

Engine Extras

* **Block heater** **Yes**

Transmission

Electronic control Yes Lock-up Yes

Overdrive Yes Speed 6

Type Automatic

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Matt Kaplan

07/20/2020

Rush Truck Center, Oklahoma City | 8700 West I-40 Oklahoma City Oklahoma | 73128

2021 F-750 Diesel SuperCab Base (X7D)

Price Level: 120

Selected Equip & Specs (cont'd)

Transmission Gear Ratios

1st	3.974	2nd	2.318
3rd	1.516	4th	1.149
5th	0.858	6th	0.674
Reverse Gear ratios	3.128		

Transmission Torque Converter

Stall ratio 1.85

Transmission Extras

Driver selectable mode	Yes	Sequential shift control	Yes
Oil cooler	Regular duty	* PTO provision	Yes

Drive Type

Type Rear-wheel

Drive Feature

Traction control ABS

Drive Axle

*** Ratio** **5.29**

Exhaust

Material Aluminized steel System type Single

Emissions

CARB Federal

Engine Retarder

Type Yes

Driveability

Brakes

ABS 4-wheel ABS channels 4

*** Type** **Air brakes**

Brake Assistance

Hill hold control Yes

Suspension Control

Ride Regular

Front Suspension

Independence Non-independent Type Leaf

Front Spring

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Matt Kaplan

07/20/2020

Rush Truck Center, Oklahoma City | 8700 West I-40 Oklahoma City Oklahoma | 73128

2021 F-750 Diesel SuperCab Base (X7D)

Price Level: 120

Selected Equip & Specs (cont'd)

Type	Tapered leaf	Grade	Regular
<i>Front Shocks</i>			
Type	Regular		
<i>Rear Suspension</i>			
Independence	Rigid axle	Type	Leaf
<i>Rear Spring</i>			
Type	Multi-leaf	Grade	Regular
Auxiliary	Rubber		
<i>Steering</i>			
Activation	Hydraulic power-assist	Type	Re-circulating ball
<i>Steering Specs</i>			
# of wheels	2		

Exterior

Front Wheels

Diameter	22.5"	Width	8.25"
----------	-------	-------	-------

Rear Wheels

Diameter	22.5"	Width	8.25"
Dual	Yes		

Front Tires

Aspect	82	Diameter	22.5"
Sidewalls	BSW	Tread	AS
Width	11.0"	LT load rating	G
RPM	497		

Rear Tires

Aspect	82	Diameter	22.5"
Sidewalls	BSW	Tread	AS
Width	11.0"	LT load rating	G
RPM	497		

Wheels

* Front track	83.5"	* Rear track	72.7"
Turning radius (to curb)	25'	Turning radius (to bumper)	26'
Wheelbase	179.0"	Rear tire outside width	96.0"

Body Features

Front splash guards	Yes	Body material	Composite/galvanized steel
Side steps	Yes	Front tow hook(s)	2

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Matt Kaplan
07/20/2020

Rush Truck Center, Oklahoma City | 8700 West I-40 Oklahoma City Oklahoma | 73128

2021 F-750 Diesel SuperCab Base (X7D)

Price Level: 120

Selected Equip & Specs (cont'd)

Body Doors

Door count	4	Left rear passenger	Reverse opening
Right rear passenger	Reverse opening		

Exterior Dimensions

Length	267.0"	Body width	96.7"
Body height	94.3"	Cab to axle	84.0"
Axle to end of frame	49.0"	* Frame section modulus	14.2cu.in.
* Frame yield strength (psi)	120000.0	* Frame rail depth	10.1"
* Frame rail width	3.6"	* Frame rail thickness	0.3"
* Max RBM (in.-lbs.)	1,780,800.0	Frame rail section	9.5"
Front bumper to Front axle	39.0"	* Nominal RBM (in.-lbs.)	1,701,600.0

Safety

Seatbelt

Height adjustable	Front
-------------------	-------

Seating

Passenger Capacity

* Capacity	6
------------	---

Driver Seat

* Type	40-20-40 bench	Back	Folding
* Back type	Mid	Way direction control	4
Fore/aft	Manual		

Passenger Seat

* Type	40-20-40 bench	* Back	Folding
* Back type	Mid	* Way direction control	4
Fore/aft	Manual		

Front Armrest

* Centre	Yes	* Storage	Yes
----------	-----	-----------	-----

Rear Seats

Descriptor	Bench	Facing	Front
Folding	60-40	Folding position	Fold-up cushion
Type	Fixed		

Front Seat Trim

* Material	Cloth	Back material	Carpet
------------	-------	---------------	--------

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Matt Kaplan
07/20/2020

Rush Truck Center, Oklahoma City | 8700 West I-40 Oklahoma City Oklahoma | 73128

2021 F-750 Diesel SuperCab Base (X7D)

Price Level: 120

Selected Equip & Specs (cont'd)

Rear Seat Trim Group

Material Vinyl Back material Carpet

Convenience

AC And Heat Type

Air conditioning Manual

Audio System

Auxiliary audio input Yes Radio AM/FM stereo
Radio grade Regular Seek-scan Yes

Audio Speakers

Speaker type Regular Speakers 2

Audio Controls

Steering wheel controls Yes Streaming audio Bluetooth yes

Audio Antenna

Type Fixed

Cruise Control

Cruise control With steering wheel controls

Convenience Features

12V DC power outlet 2 Wireless phone connectivity Bluetooth
* **AC power outlet** **1** * **Horn** **Single air**
Upfitter switches Yes

Door Lock Activation

* **Type** **Power** * **Remote** **Keyfob (all doors)**

Instrumentation Type

Display Analog

Instrumentation Gauges

Tachometer Yes Oil pressure Yes
Engine temperature Yes * **Voltmeter** **Yes**
Transmission fluid temp Yes Engine hour meter Yes
* **Primary air pressure** **Yes**

Instrumentation Warnings

Battery Yes Lights on Yes
Key Yes Service interval Yes
Brake fluid Yes Transmission fluid temp Yes

Instrumentation Displays

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Matt Kaplan
07/20/2020

Rush Truck Center, Oklahoma City | 8700 West I-40 Oklahoma City Oklahoma | 73128

2021 F-750 Diesel SuperCab Base (X7D)

Price Level: 120

Selected Equip & Specs (cont'd)

Clock In-radio display

Instrumentation Feature

Trip computer Yes
Shift indicator RNDM

Trip odometer Yes

Steering Wheel Type

Material Urethane
Telescoping Manual

Tilting Manual

Front Side Windows

* **Window 1st row activation** **Power**

Windows Rear Side

2nd row activation Fixed

Window Features

* **1-touch down** **Driver and passenger**

Tinted Light

Front Windshield

Wiper Variable intermittent

Rear Windshield

Window Fixed

Automatic Gearshift

Location Steering column lever

Interior

Passenger Visor

Mirror Yes

Headliner

Coverage Full

Material Cloth

Floor Trim

Coverage Full

Covering Vinyl/rubber

Trim Feature

Gear shifter material Urethane

* **Interior accents** **Chrome**

Lighting

Dome light type Delay

* **Front reading** **Yes**

* **Illuminated entry** **Yes**

Variable IP lighting Yes

Overhead Console Storage

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Matt Kaplan

07/20/2020

Rush Truck Center, Oklahoma City | 8700 West I-40 Oklahoma City Oklahoma | 73128

2021 F-750 Diesel SuperCab Base (X7D)

Price Level: 120

Selected Equip & Specs (cont'd)

* Storage	Yes	* Type	Mini
<i>Storage</i>			
* Driver door bin	Yes	Front Beverage holder(s)	Yes
Glove box	Yes	* Passenger door bin	Yes
Dashboard	Yes		
<i>Legroom</i>			
Front	41.4"	Rear	31.6"
<i>Headroom</i>			
Front	40.7"	Rear	38.1"
<i>Hip Room</i>			
Front	67.6"	Rear	67.3"
<i>Shoulder Room</i>			
Front	68.0"	Rear	68.1"

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Matt Kaplan
07/20/2020

Rush Truck Center, Oklahoma City | 8700 West I-40 Oklahoma City Oklahoma | 73128

2021 F-750 Diesel SuperCab Base (X7D)

Price Level: 120

Warranty

Standard Warranty

Basic

Distance Unlimited miles Months 24 months

Powertrain

Distance Unlimited miles Months 24 months

Corrosion Perforation

Distance Unlimited miles Months 36 months

Roadside Assistance

Distance Unlimited miles Months 24 months

Diesel Engine

Distance 250,000 miles Months 60 months

Transmission

Distance 250,000 miles Months 60 months

Frame Rail

Distance Unlimited miles Months 60 months

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.