APPENDIX D-4 Beneficiary Eligible Mitigation Action Certification

BENEFICIARY ELIGIBLE MITIGATION ACTION CERTIFICATION

Beneficiary Upper Sioux Community

Lead Agency Authorized to Act on Behalf of the Beneficiary Office of the Environment (Any authorized person with delegation of such authority to direct the Trustee delivered to the Trustee pursuant to a Delegation of Authority and Certificate of Incumbency)

Action Title:	Replacement of Diesel Plow Truck
Beneficiary's Project ID:	USC VW_2020
Funding Request No.	(sequential) 2
Request Type: (select one or more)	Reimbursement Advance Other (specify):
Payment to be made to: (select one or more)	Beneficiary Other (specify):
Funding Request & Direction (Attachment A)	 Attached to this Certification To be Provided Separately

SUMMARY

 Eligible Mitigation Action
 Appendix D-2 item (specify):
 Replacement of Diesel Plow Truck (Class 8)

 Action Type
 Item 10 - DERA Option (5.2.12) (specify and attach DERA Proposal):

Detailed Description of Mitigation Action Item Including Community and Air Quality Benefits (5.2.2): We plan to replace a qualifying fleet vehicle, a Class 8 2008 dump truck, with a 2020 diesel model. Please see addendum for details.

Estimate of Anticipated NOx Reductions (5.2.3):

After upgrades we expect to reduce NOx by .068 short tons annually, with a 86% annual reduction. Please see addendum for details.

Identification of Governmental Entity Responsible for Reviewing and Auditing Expenditures of Eligible Mitigation Action Funds to Ensure Compliance with Applicable Law (5.2.7.1):

Tribal Treasurer, Sharon Odegard, Upper Sioux Community (Granite Falls, MN)

Describe how the Beneficiary will make documentation publicly available (5.2.7.2).

Transparency will be ensured via the USC's webpage: http://www.uppersiouxcommunity-nsn.gov/page/usc-envrionmental

Describe any cost share requirement to be placed on each NOx source proposed to be mitigated (5.2.8). USC will cost share \$60,952.00

Describe how the Beneficiary complied with subparagraph 4.2.8, related to notice to U.S. Government Agencies (5.2.9).

No federal agency has contacted the Tribe about our participation in the VW Settlement.

If applicable, describe how the mitigation action will mitigate the impacts of NOx emissions on communities that have historically borne a disproportionate share of the adverse impacts of such emissions (5.2.10). The Upper Sioux Community affirms that this project has the p

act their Community, which has historically bo

ATTACHMENTS (CHECK BOX IF ATTACHED)

utionate share of the adverse impacts of such emissions by improving air quality on Trust Lands. Please see addendum for details

✓	Attachment A	Funding Request and Direction.
✓	Attachment B	Eligible Mitigation Action Management Plan Including Detailed Budget and Implementation and Expenditures Timeline (5.2.4).
✓	Attachment C	Detailed Plan for Reporting on Eligible Mitigation Action Implementation (5.2.11).
✓	Attachment D	Detailed cost estimates from selected or potential vendors for each proposed expenditure exceeding \$25,000 (5.2.6). [Attach only if project involves vendor expenditures exceeding \$25,000.]
	Attachment E	DERA Option (5.2.12). [Attach only if using DERA option.]
	Attachment F	Attachment specifying amount of requested funding to be debited against each beneficiary's allocation (5.2.13). [Attach only if this is a joint application involving multiple beneficiaries.]

CERTIFICATIONS

By submitting this application, the Lead Agency makes the following certifications:

- This application is submitted on behalf of Beneficiary _____ Upper Sioux Community 1. and the person executing this certification has authority to make this certification on behalf of the Lead Agency and Beneficiary, pursuant to the Certification for Beneficiary Status filed with the Court.
- 2. Beneficiary requests and directs that the Trustee make the payments described in this application and Attachment A to this Form.
- 3. This application contains all information and certifications required by Paragraph 5.2 of the Trust Agreement, and the Trustee may rely on this application, Attachment A, and related certifications in making disbursements of trust funds for the aforementioned Project ID.
- 4. Any vendors were or will be selected in accordance with a jurisdiction's public contracting law as applicable. (5.2.5)
- 5. Beneficiary will maintain and make publicly available all documentation submitted in

support of this funding request and all records supporting all expenditures of eligible mitigation action funds subject to applicable laws governing the publication of confidential business information and personally identifiable information. (5.2.7.2)

DATED: Augus

August 5, 2020

SIGNATURE

Amanda Wold, Environmental Director

[NAME] [TITLE]

Office of the Environment

[LEAD AGENCY]

for

Upper Sioux Community

[BENEFICIARY]

[SAMPLE ATTACHMENT B - USE OF THIS FORMAT IS NOT MANDATORY]

PROJECT MANAGEMENT PLAN PROJECT SCHEDULE AND MILESTONES

Milestone	Date				
Lead Agency Provides Notice of Availability of Mitigation Action Funds	August 2020				
Project Sponsor Submits Proposal to Lead Agency	August 2020				
Lead Agency Provides Written Approval of Project Sponsor's Proposal					
Lead Agency Incorporates Project Sponsor's Proposal into Mitigation Plan	August 2020				
Trustee Acknowledges Receipt of Project Certification and Funding Direction	September 2020				
Trustee Allocates Share of Funds for Approved Project	November 2020				
Lead Agency Directs Funding (Advance Funded Projects)	November 2020				
Project Sponsor Obtains Cost Share, Notifies or Certifies to Lead Agency	December 2020				
Project Sponsor Enters into Contracts, Purchase Orders, etc Start	December 2020				
Project Sponsor Enters into Contracts, Purchase Orders, etc Complete	December 2020				
Project Installation(s) – Start					
Project Installation(s) – Complete	January 2021				
Project Sponsor provides detailed invoices for all claimed project costs, documentation for emission reduction estimates, required certification documents to Lead Agency to support direction to Trustee for Payment (Reimbursement, Direct-to-Vendor) or final accounting (Forward Funded Projects)	-				
Lead Agency completes review and certifies payment direction to Trustee (Reimbursement)	January 2021				
Trustee Acknowledges Receipt of Direction for Payment(s) (Advance Funded, Reimbursement)	-				
Project Sponsor Certifies Project Completion	January 2021				
Lead Agency Reports Project Completion	January 2021				


PROJECT BUDGET

Period of Performance: <u>Three months (November 2020-January 20</u> 21)								
Budget Category	Total Approved Budget	Share of Total Budget to be Funded by the Trust	Cost-Share, if applicable (Entity #1)	Cost-Share, if applicable (Entity #2)				
1. Equipment Expenditure	\$209,959.00	^{\$} 149,007.00	^{\$} 60,952.00	\$				
2. Contractor Support (Provide List of Approved Contractors as Attachment with approved funding ceilings)	\$	\$	\$	\$				
3. Subrecipient Support (Provide List of Approved Subrecipients or Grant Awardees as Attachment with approved funding ceilings)	\$	\$	\$	\$				
4. Administrative ¹	\$	\$	\$	\$				
Project Totals	\$ 209,959.00	\$149,007.00	\$60,952.00	\$				
Percentage	100 %	71 %	29 %	%				

¹ Subject to Appendix D-2 15% administrative cap.

PROJECTED TRUST ALLOCATIONS:

	2017	2018	2019	2020	2021
1. Anticipated Annual Project Funding Request to be paid through the Trust	\$	\$	\$	\$ 149,007.00	\$
2. Anticipated Annual Cost Share	\$	\$	\$	\$ 60,952.00	\$
3. Anticipated Total Project Funding by Year (line 1 plus line 2)	\$	\$	\$	\$ 209,959.00	\$
4. Cumulative Trustee Payments Made to Date Against Cumulative Approved Beneficiary Allocation	\$	\$	\$	\$	\$
5. Current Beneficiary Project Funding to be paid through the Trust (line 1)	\$	\$	\$	\$	\$
6. Total Funding Allocated to for Beneficiary, inclusive of Current Action by Year (line 4 plus line 5)	\$	\$	\$	\$	\$
7. Beneficiary Share of Estimated Funds Remaining in Trust	\$	\$	\$	\$	\$
8. Net Beneficiary Funds Remaining in Trust, net of cumulative Beneficiary Funding Actions (line 7 minus line 6)	\$	\$	\$	\$	\$



D-4 Attachments and Addendums for Wilmington Trust, LLC

Volkswagen Diesel Emissions Environmental Mitigation Trust Agreement for Indian Tribe Beneficiaries

Upper Sioux Community: Office of the Environment

August 5, 2020

<u>5.2.2</u>

Detailed Description of Mitigation Action Items Including Community and Air Quality Benefits

Description of Mitigation Action Items

Upper Sioux Community proposes replacing one diesel freightliner – a Class 8 2008 dump truck (VIN: 1FVHC7CV68HZ78773). The above vehicle was chosen from the Roads Department due to the age and disproportionately higher level of emissions. Replacement of this older diesel vehicle will benefit the Upper Sioux Community by reducing greenhouse emissions, in turn saving fuel costs, while substantially improving air quality and energy security. Advanced fuel technologies will also benefit the surrounding soundscape, with much quieter engines. The eventual outcome is two-fold, a healthier environment with reduced nitrogen oxide (NOx) pollution, as well as noise reduction throughout the reservation. Thus, Upper Sioux Community intends to replace its designated older vehicles (2008), while adhering to the scrapping requirements described within the Volkswagen Settlement Agreement.

	VIN		Vehicle/Equipment
Fleet Vehicle		Sector	Code
2008 Dump Truck	1FVHC7CV68HZ78773	Short Haul - Combination	Class 8

Community and Air Quality Benefits

Although People of the Upper Sioux Community (USC) are known as Dakota, they come from several different bands of Dakota. The population is made up of primarily Wahpetonwan ("Dwellers in the Leaves") Dakota, however, there exists a small population of Mdewakanton ("Dwellers by Mystic Lake") and Yankton (Dwellers at the End). The USC resides on a small portion of the unceded Dakota homeland along the Minnesota River located near Granite Falls, Minnesota, bounded on the West, East, and South by Yellow Medicine County and the Minnesota River to the North. The reservation consists of approximately 1,464 acres held in trust, with an additional 309 acres owned by the Tribe, but not in trust. The land consists of floodplain, hardwood, brush, wetlands, the Minnesota River escarpment, and flat agricultural land.

The USC members residing within the Community are estimated at approximately 230 individuals. As of March 2019, Tribal membership includes a total of 521 individuals. Approximately 455 USC members reside within a 15-mile service radius area of the Reservation, encompassing Lyon, Redwood, Renville, Lac qui Parle, Yellow Medicine, and Chippewa counties. At present, there are 51 single-family dwellings, a community center-multi-purpose building, a Tribal court building, government offices (the Network Operations Center (NOC) and Roundhouse), a drinking water treatment plant and a wastewater treatment plant. The USC is governed by a five-person Board of Trustees (BOT) elected to four-year terms, with staggered elections every two-years. The Tribe owns and operates: Prairie's Edge Casino Resort, Prairie's Edge Convenience Store; Prairie View RV Park/Campground, and USC Propane.

Upper Sioux Community Mission Statement

"The mission of the Upper Sioux Community Board of Trustees is to provide culturally-based programs and services that preserve the Dakota traditions, promote and support education, healthy families, and a diversified and growing economy, leading to increased self-esteem and self-sufficiency for individual community members and the Upper Sioux Community, Pezihutazizi Oyate."

Office of the Environment Mission Statement

"To ensure the health, welfare, and safety of Tribal members and to protect and conserve the natural resources of the earth for today's and future generations. The Office of the Environment (OE) is responsible for tribal and federal environmental regulation compliance, environmental/natural resources program and infrastructure development, and related responsibilities."

This project will enable us to reduce particulate matter (PM 2.5), which will lead to annual health benefits resulting from reduced exposure to PM2.5. These benefits include the reduction of premature mortality, chronic bronchitis, asthma attacks, non-fatal heart attacks, and other health problems. Our health impacts are expected to be:

County and State	Annual Diesel PM2.5 Reduction (short tons)
Yellow Medicine, Minnesota	0.009
Total	0.009

Health Benefits Results

5.2.3 Estimate of Anticipated NOx Reductions

We utilized the United States Environmental Protection Agency's Diesel Emissions Quantifier to prepare our estimates. Anticipated reductions of nitrogen oxides (NOx) for both of our project vehicle is as follows:

Emission Results and Health Benefits for Project: UpperSioux_2020

Emission Results

Annual Results (short tons) ²	NO _x	PM2.5	HC	CO	CO2	Fuel ³
Baseline for Upgraded Vehicles/Engines	0.079	0.000	0.002	0.009	16.5	1,463
Amount Reduced After Upgrades	0.068	0.000	0.001	0.004	0.0	0
Percent Reduced After Upgrades	86.0%	41.5%	46.4%	46.4%	0.0%	0.0%
Lifetime Results (short tons) ²						
Lifetime Results (short tons) ² Baseline for Upgraded Vehicles/Engines	0.475	0.003	0.014	0.052	98.8	8,778
Baseline for Upgraded	0.475	0.003	0.014	0.052 0.024	98.8 0.0	8,778 0

¹ Emissions from the electrical grid are not included in the results.

 2 1 short ton = 2000 lbs.

³ In gallons; fuels other than ULSD have been converted to ULSD-equivalent gallons.

<u>5.2.7.2</u>

Publicly Available Information

The Upper Sioux Community established a webpage (<u>http://www.uppersiouxcommunity-nsn.gov/page/uscenvrionmental</u>) on the Tribe's website (<u>http://www.uppersiouxcommunity-nsn.gov</u>) dedicated to the funding received from the Volkswagen Settlement Trust, which includes a link for members of the public to request additional information and/or documents related to the funding request and expenditure of funds. The Upper Sioux Community will endeavor to respond to such request within 10 business days and, when documents are requested, will advise the individual/s within that timeframe of the procedure for reviewing such documents. The Upper Sioux Community follows Minnesota law related to matters governing the publication of confidential business information and personally identifiable information, and exemptions thereto.

Describe how the Mitigation Action will Mitigate the Impacts of NOx Emissions on Communities that have Historically Borne a Disproportionate Share of Adverse Impacts of Such Emissions

The Upper Sioux Community affirms that this project has the potential to impact their community, which has historically borne a disproportionate share of the adverse impacts of such emissions by improving air quality on the Reservation. Indigenous populations are prone to much higher rates of asthma, diabetes, as well as chronic obstructive pulmonary diseases compared to that of the overall populace. The Minnesota Pollution Control Agency (2017) argues that the following are source contributors: permitted facilities – such as power plants, refineries, manufacturing, recyclers; transportation – like passenger cars, diesel trucks, buses, airports, railroads, recreational vehicles; residential – through home heating, backyard fires, lawn mowers, cleaning products, open burning; commercial and industrial – via large boilers, diesel equipment, gas stations, construction equipment; wildfires and prescribed burns – by way of forest fires, agricultural burning, grassland and park fires; and non-local sources (background and secondary formation – for example, pollution forming from the breakdown and/or combination of other pollutants, and the transport of emissions from natural sources such as forests or dust storms. Major sources of NOx pollution within and/or adjacent to the Upper Sioux Community are permitted facilities, commercial, industrial, agricultural, and residential. Additionally, Highway 67 runs east and west through the Reservation. Subsequently, this thoroughfare is a significant source of NOx emissions to the Upper Sioux Community and its nearby residents. Currently, the Office of the Environment is actively seeking guidance and assistance in implementing an air quality monitoring program for the Upper Sioux Community in Granite Falls, Minnesota.

<u>Attachment C</u> <u>5.2.11</u> Detailed Plan for Reporting on Eligible Mitigation Action Implementation

Transparency will be ensured via the Upper Sioux Community's new web page (http://www.uppersiouxcommunity-nsn.gov/page/usc-envrionmental), part of the Tribe's website (http://www.uppersiouxcommunity-nsn.gov) that dedicated to the funding received from the Volkswagen Settlement Trust. Volkswagen Settlement Environmental Air Quality Documents will be posted here and available by request.

Reporting on Eligible Mitigation Activities (EMA) will take place semi-annually. Reports will be posted on the Upper Sioux Community website no more than 30 days after the end of the sixmonth period, following the acquisition of the vehicle, and also provided to the Trustee via Intralinks. The Office of the Environment will oversee the proposed EMAs as follows:

- a) The Office of the Environment, Comptroller, and Program Accounting Director will review and audit expenditures to ensure compliance with all applicable laws.
- b) The Office of the Environment will maintain and make publicly available all documentation submitted in support of this funding request, as well as records supporting all expenditures of sequential funds, subject to applicable laws governing the publication of confidential business information and personally-identifiable information. The Office of the Environment will post documentation to the Upper Sioux Community website, under the Environmental/Air Quality tab. Furthermore, the Office of the Environment will work with our Information Technology Network Administrator in posting this documentation to ensure that all information is true, accurate, and accessible. Additional information will be provided upon request. The procedure by which the Beneficiary shall make such documentation publicly available is: requests shall be made to the Office of the Environment's Director, Amanda Wold.
- c) Upon the termination or completion, any unused funds shall be returned by Upper Sioux Community to the Trustee, to ultimately be returned to the Tribal Allocation Subaccount.
- d) The Beneficiary (Upper Sioux Community) shall submit a semiannual report to the Trustee (via Intralinks) describing the progress made, the implementations, as well as a reporting date. This report shall include a summary of the initial and final expenditures. The first report shall be submitted no later than thirty days after receiving the initial disbursement of Trust Assets.
- e) Subsequent reports will include a complete description of our status (including actual and/or projected termination date), development and implementation,

approved by the EMA. These reports will be signed by an official with the authority to submit the report for the Beneficiary and will contain an attestation that the information is true and correct, and that the submission is made under penalty of perjury.

<u>Attachment D</u> <u>5.2.6</u> Detailed Cost Estimates from Selected or Potential Vendors for each Proposed Expenditure Exceeding \$25,000

Detailed cost estimates associated with each replacement follow:

Original Fleet Vehicle	Vehicle Replacement Line Items	Cost
2008 Dump Truck	2020 Class 8 Vehicle	\$209,959.00
	Total	\$209,959.00

Please see attached vendor quotes for each vehicle cited above. USC will cover the amount not provided by the VW Settlement funds, approximately \$60,952.00.



TOWMASTER, 61381 US HWY 12, LITCHFIELD, MN 55355 PH: 320-693-7900 FX: 320-693-7921 TF: 800-462-4517 TOWMASTERTRUCK.COM

Reference No. QT

51339

** QUOTATION **

Ship To:	Cust:	3269	Phone:		Bill To:	Phone:		
UPPER SIOUX	COMMUNITY				UPPER SIOUX COMMUNITY			
P.O. BOX 14	7				P.O. BOX 147			
2497-565TH	STREET				2497-565TH STREET			
GRANITE FAL	LS	MN	56241	USA	GRANITE FALLS	MN	56241	USA

ATTN: JAMES ROSS 320-226-6518

	PO#	Salesman	Terms	Created	Last Revised	Аррх Сотр
		CHRIS GUGGEMOS	NET 30 DAYS	4/09/20	4/09/20	0/00/00
Seria	1 No.					
Qty	Part No. Des	scription			Price Ea.	Net Amt.
1	9900118 - Body 10'6"	EDGE-RS/SCIS-46-36-	36 46" 7 ga Stainless	\$	10,879.00	\$10,879.00
			No Pockets), 36" 7 ga St			
			" Hardox-450 Floor, 8" I-	Beam		
	Longsills, Air-trip :	ready linkage, Under	side Black			
1	9901701 - Installatio	on of Dump Body to h	oist		\$1,358.00	\$1,358.00
1	9900145 - Body acc'y	TMTE Air trip kit,	w/solenoid valve,		\$311.00	\$311.00
1			ailgate latch kit, with		\$279.00	\$279.00
	solenoid valve in hy	draulic valve enclos	ure.			
1	9900147 - Body acc B	ox Vibrator - Cougar	model DC3200		\$641.00	\$641.00
1	9901703 - Installati	on of Box Vibrator,	with solenoid located in		\$326.00	\$326.00
	hydraulic valve encl	osure.				
1	9900156 - Cabshield,	1/2 type Stationary	Free-Standing style,w/pl	ain	\$2,403.00	\$2,403.00
	STAINLESS STEEL cano					
			ed Center Viewing Window,	(2)		
	shovel holders, & re					
1	9900181 - Walkrail r	emovable both sides	of 10' RC & RS body,		\$800.00	\$800.00
	Installed					
1	9900207 - Ladder Fli	p-A-Way Access ladde	er (STAINLESS STEEL) Inclu	ding	\$468.00	\$468.00
	Grab Handle above, a	nd Interior Step, ea	, Installed			
	SPECIFY LOCATION HER	E:LH REAR				
1	9900211 - Body acc'y posts	Dual "split" sande	er manifolds in rear corne	r	\$370.00	\$370.00
	20202				* Continu	ed*

		Price:	
Accepted by	Date	Total Discounts: Net Cost:	
		Freight	
		Total:	



QT 51339

** OUOTATION **

hip To: Cust:	3269 Phone:		Bill To:		Phone:	
PER SIOUX COMMUNITY	Y		UPPER SIOUX COMM	UNITY		
O. BOX 147			P.O. BOX 147	-		
97-565TH STREET			2497-565TH STREE	T		
ANITE FALLS	MN 56241	USA	GRANITE FALLS		MN 562	241 US
TN: JAMES ROSS 320	-226-6518					
PO#	Salesman		Terms	Created	Last Revised	
	CHRIS GUGGEMOS	NE'	F 30 DAYS	4/09/20	4/09/20	0/00/00
erial No.						
					\$4,033.00	\$4,033.00
1 9904246 - Light Wa				12	\$4,033.00	34,035.00
3-light LED Micro-) 400 Max B-T-T LE			, (2) Side TIR3 LED,	(2		
Housings, (1) TIR3	$\Delta D, \& (2) 400 \text{ LED } P$	and (2) 4	" LED work lights			
Installed	DED WING IIGNC/ S					
Indealled						
1 9905778 - Light, M	Mirror Mounted ABL	3800 LED	HEAD LAMP PLOW LIGH	TS	\$1,076.00	\$1,076.00
W/ICE MELTING TECH	HNOLOGY Installed					
				c. 11	A1 756 00	\$1,756.00
1 9900273 - Fender s		less Stee	1, for Single Axle,	IUII	\$1,756.00	\$1,750.00
radius style, inst	called					
1 9905144 - Tarp Shu	ur-Co Arm-Matic ele	ectric ta	rp SGL & TDM w/ tarp	, STD	\$3,429.00	\$3,429.00
1 9905144 - Tarp Shu motor, Front Roller				, STD	\$3,429.00	\$3,429.00
motor, Front Roller	r, Rear Air Lock Ki	it, Insta	lled		\$3,429.00	\$3,429.00
	r, Rear Air Lock Ki	it, Insta	lled		\$3,429.00	\$3,429.00 \$804.00
motor, Front Roller 1 9900290 - Tool Boy Installed	r, Rear Air Lock Ki x PRO-TECH Alum 18'	it, Insta	lled			
motor, Front Roller 1 9900290 - Tool Box	r, Rear Air Lock Ki x PRO-TECH Alum 18'	it, Insta	lled			
motor, Front Roller 1 9900290 - Tool Box Installed DRIVERS SIDE WHERE	r, Rear Air Lock Ki x PRO-TECH Alum 18 E EVER IT FITS	it, Insta " x 18" x	lled 24" tool box & Brac		\$804.00	\$804.00
motor, Front Roller 1 9900290 - Tool Box Installed DRIVERS SIDE WHERE 1 9904691 - INSTALLA	r, Rear Air Lock Ki x PRO-TECH Alum 18 E EVER IT FITS ATION of (Initial)	it, Insta " x 18" x Single c	lled 24" tool box & Brac amera system			
motor, Front Roller 1 9900290 - Tool Box Installed DRIVERS SIDE WHERE 1 9904691 - INSTALLA	r, Rear Air Lock Ki x PRO-TECH Alum 18' E EVER IT FITS	it, Insta " x 18" x Single c	lled 24" tool box & Brac amera system		\$804.00	\$804.00
motor, Front Roller 1 9900290 - Tool Box Installed DRIVERS SIDE WHERE 1 9904691 - INSTALLA **NOTE: MOUNTED ON	r, Rear Air Lock Ki x PRO-TECH Alum 18 E EVER IT FITS ATION of (Initial) N STROBE TUBE, FOR	it, Insta " x 18" x Single c WING VIE	lled 24" tool box & Brac amera system W USAGE, WIRED AS	kets	\$804.00	\$804.00
motor, Front Roller 1 9900290 - Tool Box Installed DRIVERS SIDE WHERE 1 9904691 - INSTALLA **NOTE: MOUNTED ON 1 9904692 - Camera S	r, Rear Air Lock Ki x PRO-TECH Alum 18 E EVER IT FITS ATION of (Initial) N STROBE TUBE, FOR	it, Insta " x 18" x Single c WING VIE TECH 9100	lled 24" tool box & Brac amera system W USAGE, WIRED AS -2HC 120 degree nigh	kets	\$804.00	\$804.00
<pre>motor,Front Roller 1 9900290 - Tool Box Installed DRIVERS SIDE WHERE 1 9904691 - INSTALLA **NOTE: MOUNTED OF 1 9904692 - Camera S vision CCD weather</pre>	r, Rear Air Lock Ki x PRO-TECH Alum 18 E EVER IT FITS ATION of (Initial) N STROBE TUBE, FOR System option, NOR r-proof HEATED came	it, Insta " x 18" x Single c WING VIE TECH 9100 era, only	lled 24" tool box & Brac amera system W USAGE, WIRED AS -2HC 120 degree nigh GEN 5 6100	kets	\$804.00	\$804.00
motor, Front Roller 1 9900290 - Tool Box Installed DRIVERS SIDE WHERE 1 9904691 - INSTALLA **NOTE: MOUNTED ON 1 9904692 - Camera S	r, Rear Air Lock Ki x PRO-TECH Alum 18 E EVER IT FITS ATION of (Initial) N STROBE TUBE, FOR System option, NOR r-proof HEATED came	it, Insta " x 18" x Single c WING VIE TECH 9100 era, only	lled 24" tool box & Brac amera system W USAGE, WIRED AS -2HC 120 degree nigh GEN 5 6100	kets	\$804.00 \$279.00 \$163.00	\$804.00 \$279.00 \$163.00
motor, Front Roller 1 9900290 - Tool Box Installed DRIVERS SIDE WHERE 1 9904691 - INSTALLA **NOTE: MOUNTED ON 1 9904692 - Camera S vision CCD weather 1 9904693 - Camera S Waterproof GEN 5 (r, Rear Air Lock Ki x PRO-TECH Alum 18 E EVER IT FITS ATION of (Initial) N STROBE TUBE, FOR System option, NOR F-proof HEATED came System option, NOR 6100	it, Insta * x 18* x Single c WING VIE TECH 9100 era, only TECH 9100	<pre>11ed 24" tool box & Brac amera system W USAGE, WIRED AS -2HC 120 degree nigh GEN 5 6100 -4 Harness, 65'</pre>	kets	\$804.00 \$279.00 \$163.00 \$41.00	\$804.00 \$279.00 \$163.00 \$41.00
<pre>motor,Front Roller 1 9900290 - Tool Box Installed DRIVERS SIDE WHERE 1 9904691 - INSTALLA **NOTE: MOUNTED ON 1 9904692 - Camera S vision CCD weather 1 9904693 - Camera S Waterproof GEN 5 6 1 9904694 - INSTALLA</pre>	r, Rear Air Lock Ki x PRO-TECH Alum 18 E EVER IT FITS ATION of (Initial) N STROBE TUBE, FOR System option, NOR r-proof HEATED cam System option, NOR 6100 ATION of Camera, &	it, Insta * x 18* x Single c WING VIE TECH 9100 era, only TECH 9100	<pre>11ed 24" tool box & Brac amera system W USAGE, WIRED AS -2HC 120 degree nigh GEN 5 6100 -4 Harness, 65' GEN 5 6100</pre>	kets	\$804.00 \$279.00 \$163.00	\$804.00 \$279.00 \$163.00
motor, Front Roller 1 9900290 - Tool Box Installed DRIVERS SIDE WHERE 1 9904691 - INSTALLA **NOTE: MOUNTED OF 1 9904692 - Camera S vision CCD weather 1 9904693 - Camera S Waterproof GEN 5 (1 9904694 - INSTALLA **NOTE: MOUNTED OF	r, Rear Air Lock Ki x PRO-TECH Alum 18 E EVER IT FITS ATION of (Initial) N STROBE TUBE, FOR System option, NOR r-proof HEATED cam System option, NOR 6100 ATION of Camera, & NLH REAR POST	it, Insta * x 18* x Single c WING VIE TECH 9100 era, only TECH 9100 Harness	<pre>11ed 24" tool box & Brac amera system W USAGE, WIRED AS -2HC 120 degree nigh GEN 5 6100 -4 Harness, 65' GEN 5 6100 , FOR</pre>	kets	\$804.00 \$279.00 \$163.00 \$41.00	\$804.00 \$279.00 \$163.00 \$41.00
<pre>motor,Front Roller 1 9900290 - Tool Box Installed DRIVERS SIDE WHERE 1 9904691 - INSTALLA **NOTE: MOUNTED ON 1 9904692 - Camera S vision CCD weather 1 9904693 - Camera S Waterproof GEN 5 6 1 9904694 - INSTALLA</pre>	r, Rear Air Lock Ki x PRO-TECH Alum 18 E EVER IT FITS ATION of (Initial) N STROBE TUBE, FOR System option, NOR r-proof HEATED cam System option, NOR 6100 ATION of Camera, &	it, Insta * x 18* x Single c WING VIE TECH 9100 era, only TECH 9100 Harness	<pre>11ed 24" tool box & Brac amera system W USAGE, WIRED AS -2HC 120 degree nigh GEN 5 6100 -4 Harness, 65' GEN 5 6100 , FOR</pre>	kets	\$804.00 \$279.00 \$163.00 \$41.00	\$804.00 \$279.00 \$163.00 \$41.00

		Price:	
Accepted by	Date	Total Discounts: Net Cost:	
		Freight	
		Total:	

11 11		7
	VI. TUY VICAN	
	INN/ IN	
	TRUCKE	OLIEMENT

QT 51339

TRUCK EQUIPMENT TOWMASTER, 61381 US HWY 12, LITCHFIELD, MN 55355 PH: 320-693-7900 FX: 320-693-7921 TF: 800-462-4517 TOWMASTERTRUCK.COM

** QUOTATION **

Ship To:CUPPER SIOUX COMIP.O. BOX 1472497-565TH STREI		Phone:		Bill To: UPPER SIOUX COMMUNITY P.O. BOX 147 2497-565TH STREET	Phone:		
GRANITE FALLS	MN	56241	USA	GRANITE FALLS	MN	56241	USA

ATTN: JAMES ROSS 320-226-6518

	PO#		Salesman	Terms	Created	Last Revised	Appx Comp
			CHRIS GUGGEMOS	NET 30 DAYS	1/09/20	4/09/20	0/00/00
eria	l No.						
		REVERSE					
ty	Part No	•	Description			Price Ea.	Net Amt.
1	1941405	- Camera	Guard, SS, Bolt-On			\$58.00	\$58.00
1	9905502	- PreCise	ARC Sensor Mount #112	6929, only GEN 5 6100		\$29.00	\$29.00
1	A DE LO DE LA CARLE MARCE	11279-11226-126-126-126-126-	ARC Sensor #1117640, ations (LESS MTG BRKT)	only, for Wireless GEN 5		\$555.00	\$555.00
	INSTALLE		actions (1155 MTC DART)	, 110001100			
1		- Pre-Wet ptical bo		S-TMR-110-EGF Body Side Mt mtg hdwe, plumbing,	Sys	\$2,104.00	\$2,104.00
	BARAGE LIGHT STRAFT	vity Feed	Carlo and and and and a second and	mtg nawe, prumbing,			
1	9902483	- Install	ation of TMR pre-wet s	ystem (New Towmaster Body)		\$883.00	\$883.00
1	9901834	- Hoist C	SP/Towmaster 720DH, Do	uble Acting, W/Solid block		\$2,668.00	\$2,668.00
	rear hin	ge point,	& OSHA approved safte	y props		÷	
1	9901712	- Install	ation of SCISSORS TYPE	double acting hoist		\$1,389.00	\$1,389.00
1			FALLS IB-11A 1" MB, w	/single lift cylinder, LESS	3	\$6,185.00	\$6,185.00
	CUTTING	EDGES					
1			arFlex 3' Underchassis	Complete System (includes		\$658.00	\$658.00
_	bolts &	nuts)					
2			arFlex 4' Underchassis	Complete System (includes		\$877.00	\$1,754.00
	bolts &	nuts)					
1	9901705 cylinder	Televine in Carolina	ation of underbody fix	ed angle scraper w/single :	Lift	\$2,562.00	\$2,562.00
						* Continu	ed*

		Price:	
Accepted by	Date	Total Discounts: Net Cost:	
		Freight	
		Total:	

Go	NM/ANS	THEN
TOWMASTER, 613	BI US HWY 12, LITCH	IFIELD, MN 55355
	FX: 320-693-7921 WMASTERTRUCK.CO	

QT 51339

** QUOTATION **

Ship To: Cust: UPPER SIOUX COMMUNITY	3269 Phone:	_	Bill To: UPPER SIOUX COMMUN	Phone:	
P.O. BOX 147			P.O. BOX 147		
2497-565TH STREET			2497-565TH STREET		
GRANITE FALLS	MN 56241	USA	GRANITE FALLS	MN 56	241 USA
ATTN: JAMES ROSS 320-	226-6518				
PO#	Salesman		Terms C	reated Last Revised	Appx Comp
	CHRIS GUGGEMOS	NE	1 30 DAYS 4,	09/20 4/09/20	0/00/00
Serial No.					
1 9904232 - Scraper F	ORCE Electric pre	ssure tra	ansmitter to read on LO	D \$428.00	\$428.00
screen, installed					
1 9900351 - Scraper F	ORCE reverse/Auto	-Lift sv	stem, ADD-A-FOLD valve,	\$467.00	\$467.00
installed					
1 9902948 - Wing Fall	S RHSDL101-HYDPB	Primed L	ESS CUTTING EDGES	\$10,217.00	\$10,217.00
1 9902940 - Wing Fall	B MIDDLION MIDID				
2 9902818 - VBL Valli	te HIGHWEAR Fab W	ing Blad	e, 5/8" x 6" x 3'	\$165.00	\$330.00
1 9902819 - VBL Valli	te HIGHWEAR Fab W	ing Blad	e, 5/8" x 6" x 4'	\$220.00	\$220.00
1 9900388 - Installat	ion Falls SDL Ser	ies Wing	- w/Bulkhead Couplers	\$4,117.00	\$4,117.00
1 9901431 - Wing Fall	s RL (REAR LIFT)	up charg	e SDL WING	\$433.00	\$433.00
1 9904688 - Wing Fall	s POST-LESS Toe L	ift in l	ieu of Std Front		
post/slide system				A.	
1 9900477 - Wing Fall	.s Hwy Orange - Pa	int Mold	board	\$309.00	\$309.00
1 9900555 - Plow Hitc	h Falls 44XB2/STD	/STD/SA/	SPR-RET/HITCH	\$3,013.00	\$3,013.00
1 0000589 - Installat					
I 9900309 - Instariat	ion Falls Plow Hi	tch - 40	Series 3Line/STDBLKHD	\$1,745.00	\$1,745.00
1 9900625 - Plow Push				\$1,745.00	\$1,745.00
	n Unit Falls 24/44	Series	Std		
1 9900625 - Plow Push	n Unit Falls 24/44 Ls Rubber Belt Def	Series lector K	Std it - Installed	\$882.00	\$882.00
1 9900625 - Plow Push 1 9900639 - Plow Fall 1 9900640 - Plow Fall	h Unit Falls 24/44 Ls Rubber Belt Def Ls Parking Stand -	Series lector K Drop Le	Std it - Installed g Style	\$882.00 \$336.00 \$226.00	\$882.00 \$336.00 \$226.00
1 9900625 - Plow Push 1 9900639 - Plow Fall	h Unit Falls 24/44 Ls Rubber Belt Def Ls Parking Stand -	Series lector K Drop Le	Std it - Installed g Style	\$882.00 \$336.00	\$882.00 \$336.00

Continued

Price:	
Total Discounts:	
Net Cost:	
Freight	
 Total:	

Accepted by

Date

The second s	
1/1	
VAII.	

QT 51339

TOWMASTER, 61381 US HWY 12, LITCHFIELD, MN 55355 PH: 320-693-7900 FX: 320-693-7921 TF: 800-462-4517 TOWMASTERTRUCK.COM

** OUOTATION **

Ship To: Cust: UPPER SIOUX COMMUNITY P.O. BOX 147 2497-565TH STREET	3269 Phone:		Bill To: UPPER SIOUX COMMUN P.O. BOX 147 2497-565TH STREET	Phone: NITY	
GRANITE FALLS	MN 56241	USA	GRANITE FALLS	MN 56	241 USA
ATTN: JAMES ROSS 320-	226-6518				
PO#	Salesman		Terms	Created Last Revised	Аррх Сотр
emanna	CHRIS GUGGEMOS	NE	T 30 DAYS 4	4/09/20 4/09/20	0/00/00
Serial No.					
3 9902827 - VBL Polar	Flex 4' Front Mour	it Compl	ete System (includes	\$820.00	\$2,460.00
bolts & nuts)	<u> </u>				
		10 10	and Gunh Dunners IV	\$172.00	\$172.00
1 9904802 - VBL V45-P PolarFlex, New Styl		wrap-Aro	und curb kunner, in	\$172.00	91/2:00
					Telefold In Control of
1 9904801 - VBL V45-P		Wrap-Aro	und Curb Runner, RH	\$172.00	\$172.00
PolarFlex, New Styl	e				
1 9900679 - Plow Fall	s Hwy Orange Pain	t, Rev F	low, w/installation	\$410.00	\$410.00
				\$635.00	\$635.00
1 9900730 - Plow Fall	S SCR-ADJ/SHOE/REV	V-PLW/SI	D	\$655.00	\$055.00
1 9900757 - Hitch TMI	E Heavy Duty plate	e assemb	oly,	\$487.00	\$487.00
			7.7.4	\$744.00	\$744.00
1 9901716 - Hitch Ins **NOTE: HITCH PLATE			Veld in style)	\$744.00	\$711.00
**NOIE: HIICH FIRTH	FACE TO BE BOULD		ERENCE TO REAR TIRE FAC	CE.	
	P ^R			670C 00	\$786.00
1 9900764 - Hitch PRE	MIER 2300 Air Cus	hion Pir	tle, installed	\$786.00	\$786.00
1 9902493 - Hitch 7 c	contact Standard R	ound Pir	n Std socket installed	\$103.00	\$103.00
1 9900791 - Sander Fa	ills 1ASD-6CDSS-6P	-1D-1S-I	M, Salt Special 6", Poly Spinner Ass'v, C	\$4,886.00	\$4,886.00
mplete sander (incl			Poly Spinner Ass'y, Co		
					STORAGE PROFIL
1 9901718 - Sander In	stall & dual mani	fold RH	& LH rear	\$852.00	\$852.00
1 9901348 - Sander T	TE Exterior Bolt-	On Sande	er/Tailgate Spill Plat	es, \$502.00	\$502.00
Stainless Steel, Mi					
				* Contin	ued*

		Price:	
Accepted by	Date	Total Discounts: Net Cost:	
		Freight	
		Total:	



TOWMASTER, 61381 US HWY 12, LITCHFIELD, MN 55355 PH: 320-693-7900 FX: 320-693-7921 TF: 800-462-4517 Towmastertruck.com

** QUOTATION **

Ship To:Cust:UPPER SIOUX COMMUNITYP.O. BOX 1472497-565TH STREET	3269 Phone:		Bill To: UPPER SIOUX CC P.O. BOX 147 2497-565TH STF	OMMUNITY	Phone:	
GRANITE FALLS	MN 56241	USA	GRANITE FALLS		MN 562	41 USA
ATTN: JAMES ROSS 320-	226-6518					
PO#	Salesman		Terms	Created	Last Revised	Appx Comp
	CHRIS GUGGEMOS	NE	r 30 days	4/09/20	4/09/20	0/00/00
Serial No.						
1 9900851 - Valve Sys	tem, Force Add-A-F	old MCV	-ISO Valve 9 Funct	tions, s	\$10,620.00	\$10,620.00
INSTALLED BOX HOIST, PLOW LIFT PUSH-BAR, AUGER & SF		R LIFT,	WING TOE, WING HER	EL,WING		

 1 9902497 - Control System Force ULTRA-4-6100 Commander control,
 \$11,212.00

 Installed
 \$11,212.00

 1 9900874 - Filter Force IN-TANK mounted filter installed
 \$459.00

- 1 9900882 Reservoir TMTE Cabshield mt (stainless steel) w/intank
 \$2,377.00

 filter provision, installed

 1 9900888 Pump Force FASD45L LS (6 ci) installed
 \$4,286.00
- 1 9900884 Sensor Force Low oil indicator system, SLIM-LINE AND \$235.00 \$235.00 CABSHIELD MOUNTED w/light mounted in cab, installed

1 WARRANTY - TOWMASTER EXCLUSIVE WARRANTY: 5 yr Steel/Stainless Steel Body Structure; 5 yr Whelen LED Light Systems; 3 yr Palfinger Hoists; 4 yr SwapLoader Hoists; 1 year Swenson Spreaders, 2 yr Hyd, FALLS Snow Equip, Tele Hoists, and all other items.

		Price:	\$120,061.00
Accepted by	Date	Total Discounts: Net Cost:	\$120,061.00
		Freight	
		Total:	\$120,061.00



Five (5) heavy rolled channel iron ribs. Horizontal braces for additional moldboard reinforcement. Moldboard tilt feature. Moldboard may roll forward or back depending on snow and road conditions.

> A-frame push plate is double tubular construction. Hitch unit will attach through large diameter hinge bolt (2") to allow the plow to oscillate to follow changing road contour.

Standard screw-adjustable mushroom shoes.

Heavy-duty reversing push frame distributes plowing stress across the entire length of the moldboard

Optional slotted trip (shown) or compression spring trip tilting bars.

Precise moldboard curvature provides lift, roll, and throw of snow for maximum efficiency and easier plowing.

Discharge end is flanged and additionally reinforced with 1/2" roundbar.

Push frame attaches at four (4) pins — 1-1/4".

Bottom support structure is 4" x 4" x 1/2" A36MOD angle iron reinforced between bolt holes.



QUOTATION

108SD CONVENTIONAL CHASSIS

SET BACK AXLE - TRUCK CUM L9 350 HP @ 2000 RPM, 2200 GOV RPM, 1150 LB/FT @ 1400 RPM ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION RS-23-160 23,000# R-SERIES SINGLE REAR AXLE 26,000# FLAT LEAF SPRING REAR SUSPENSION WITH RADIUS ROD DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE	20,000# TAPERLEAF FRONT SUSPENSION 108 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB 4275MM (168 INCH) WHEELBASE 7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI 1275MM (50 INCH) REAR FRAME OVERHANG BODY COMPANY INSTALLED ADDITIONAL FRONT FRAME REINFORCEMENT FOR SNOW PLOW	
SINGLE FRONT AALE	PER UNIT TOTA	L

VEHICLE PRICE	TOTAL # OF UNITS (1)	\$ 89,705	\$ 89,705
EXTENDED WARRANTY		\$ 400	\$ 400
DEALER INSTALLED OPTIONS		\$ 0	\$ 0
CUSTOMER PRICE BEFORE TAX		\$ 90,105	\$ 90,105
TAXES AND FEES			
FEDERAL EXCISE TAX (FET)		\$ (207)	\$ (207)
TAXES AND FEES		\$ 0	\$ 0
OTHER CHARGES		\$ 0	\$ 0
TRADE-IN			
TRADE-IN ALLOWANCE		\$ (0)	\$ (0)
BALANCE DUE	(LOCAL CURRENCY)	\$ 89,898	\$ 89,898
COMMENTS:			

Projected delivery on ___ / ___ / ___ provided the order is received before ___ / ___ / ___.

APPROVAL:

Please indicate your acceptance of this quotation by signing below:

Customer: X___

Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at <u>www.daimler-truckfinancial.com</u>.

Application Version 11.2.313 Data Version PRL-15D.012 Upper Sioux single axle Plow 04/10/2020 12:04 PM

Prepared for: Luke Jannett State Of Minnesota 50 Sherburne Ave St Paul, MN 55155 Phone: 651-201-2446

Application Version 11.2.313 Data Version PRL-15D.012 Upper Sioux single axle Plow

04/10/2020 12:04 PM

Page 2 of 16

SPECIFICATION PROPOSAL

	Description	Weight Front	Weight Rear	
Price Level				
	SD PRL-15D (EFF:10/25/16)			
Data Version				
	SPECPRO21 DATA RELEASE VER 012			
Vehicle Configuration	on			
	108SD CONVENTIONAL CHASSIS	6,829	3,748	
	2021 MODEL YEAR SPECIFIED			
	SET BACK AXLE - TRUCK			
	STRAIGHT TRUCK PROVISION			
	LH PRIMARY STEERING LOCATION			
General Service				
	TRUCK CONFIGURATION			
	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)			
	UTILITY/REPAIR/MAINTENANCE SERVICE			
	GOVERNMENT BUSINESS SEGMENT			
	DIRT/SAND/ROCK COMMODITY			
	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			
	MAXIMUM 8% EXPECTED GRADE			
	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			
	FREIGHTLINER SD VOCATIONAL WARRANTY			
	EXPECTED FRONT AXLE(S) LOAD: 18000.0 lbs			
	EXPECTED REAR DRIVE AXLE(S) LOAD : 23000.0 lbs			
	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 41000.0 lbs			
Truck Service				
	FRONT PLOW/END DUMP BODY			
	EXPECTED TRUCK BODY LENGTH: 0.0 ft			

	Description	Weight Front	Weight Rear	
	J-CRAFT (TBEI)			
	APPROVAL TO SHARE SPEC WITH TEM			
Engine				
	CUM L9 350 HP @ 2000 RPM, 2200 GOV RPM, 1150 LB/FT @ 1400 RPM			
Electronic Parame	eters			
	70 MPH ROAD SPEED LIMIT			
	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			
	CUMMINS TRIP INFORMATION REPORTS ENABLED; LEVEL 1: 4 MPH, LEVEL 2: 7 MPH ABOVE ROAD SPEED LIMIT			
	PTO MODE ENGINE RPM LIMIT - 2100 RPM			
	PTO RPM WITH CRUISE SET SWITCH - 1100 RPM			
	PTO RPM WITH CRUISE RESUME SWITCH - 1200 RPM			
	PTO MODE CANCEL VEHICLE SPEED - 5 MPH			
	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND			
	FUEL DOSING OF AFTERTREATMENT ENABLED IN PTO MODE-CLEANS HYDROCARBONS AT HIGH TEMPERATURES ONLY			
	ENGINE BRAKE WITH CRUISE CONTROL ENABLED AT 2 MPH ABOVE SET SPEED, 1 MPH INCREMENT BETWEEN BRAKING LEVELS			
	PTO MINIMUM RPM - 700			
	REGEN INHIBIT SPEED THRESHOLD - 0 MPH			
	MAXIMUM ENGINE RPM = 1500 ON VSS FAILURE			
Engine Equipmen	t			
	2016-2019 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG17 CONFIGURATION			
	NO 2008 CARB EMISSION CERTIFICATION			
	STANDARD OIL PAN			
	ENGINE MOUNTED OIL CHECK AND FILL			
	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER AND INSIDE/OUTSIDE AIR WITH SNOW DOOR	10		
	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			
	(3) DTNA GENUINE, FLOODED STARTING, MIN 3000CCA, 555RC, THREADED STUD BATTERIES	40	20	

Description	Weight Front	Weight Rear	
 BATTERY BOX WITH ALUMINUM COVER MOUNTED SHORT SIDE TO RAIL			
STANDARD BATTERY JUMPERS			
LH BATTERY BOX MOUNTED AS FAR AFT AS POSSIBLE, NO GREATER THAN 60 INCHES BACK OF CAB			
WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			
NON-POLISHED BATTERY BOX COVER WITH 3/16 INCH TETHER ON FORWARD SIDE OF COVER/BOX			
CAB AUXILIARY POWER CABLE	5		
POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT	8		
POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER	2		
CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			
ELECTRONIC ENGINE INTEGRAL WARNING AND DERATE PROTECTION SYSTEM			
CUMMINS ENGINE INTEGRAL WITH VARIABLE GEOMETRY TURBO ON/OFF	20		
RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	30	25	
ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH			
10 FOOT 06 INCH (126 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT			
STANDARD CURVE BRIGHT UPPER STACK(S)			
RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP			
13 GALLON DIESEL EXHAUST FLUID TANK			
100 PERCENT DIESEL EXHAUST FLUID FILL			
STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			
NON-POLISHED ALUMINUM DIAMOND PLATE DIESEL EXHAUST FLUID TANK COVER	15	5	
LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			
STANDARD DIESEL EXHAUST FLUID TANK CAP			

	Description	Weight Front	Weight Rear	
	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD			
	HORTON DRIVEMASTER ADVANTAGE ON/OFF FAN DRIVE			
	AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED			
	CUMMINS SPIN ON FUEL FILTER			
	COMBINATION FULL FLOW/BYPASS OIL FILTER			
	1115 SQUARE INCH ALUMINUM RADIATOR			
	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			
	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			
	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			
	RADIATOR DRAIN VALVE			
	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER	4		
	BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			
	ELECTRIC GRID AIR INTAKE WARMER			
	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH			
Transmission				
	ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION			
Transmission Eq	uipment			
	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV			
	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			
	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			
	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 4, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			
	S1 PERFORMANCE PRIMARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			

Application Version 11.2.313 Data Version PRL-15D.012 Upper Sioux single axle Plow

04/10/2020 12:04 PM

	Description	Weight Front	Weight Rear	
	S1 PERFORMANCE SECONDARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			
	2100 RPM PRIMARY MODE SHIFT SPEED			
	2100 RPM SECONDARY MODE SHIFT SPEED			
	FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED			
	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES			
	DIRECTION CHANGE ENABLED WITH MULTIPLEXED SERVICE BRAKES - ALLISON 5TH GEN TRANSMISSIONS			
	VEHICLE INTERFACE WIRING CONNECTOR WITHOUT BLUNT CUTS, AT FIREWALL			
	ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED			
	CUSTOMER INSTALLED CHELSEA 280 SERIES PTO			
	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION			
	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			
	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED			
	TRANSMISSION PROGNOSTICS - ENABLED 2013			
	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK			
	TRANSMISSION OIL CHECK AND FILL WITH CROSSOVER TO CLEAR LH PTO AND DIRECT MOUNT PUMP			
	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)			
Front Axle and Equi	pment			
	DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE	190		
	BENDIX ADB22X-V AIR DISC FRONT BRAKES			
	NON-ASBESTOS FRONT BRAKE LINING			
	FRONT DISC BRAKE ROTORS			
	FRONT OIL SEALS			
	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			
	STANDARD SPINDLE NUTS FOR ALL AXLES			
	FRONT AIR DISC BRAKE INTERNAL AD HISTERS			

FRONT AIR DISC BRAKE INTERNAL ADJUSTERS

STANDARD KING PIN BUSHINGS

	Description	Weight Front	Weight Rear	
	TRW THP-60 POWER STEERING WITH RCH45 AUXILIARY GEAR	130		
	POWER STEERING PUMP			
	4 QUART POWER STEERING RESERVOIR			
	OIL/AIR POWER STEERING COOLER			
	SYNTHETIC 75W-90 FRONT AXLE LUBE			
Front Suspension				
	20,000# TAPERLEAF FRONT SUSPENSION	200		
	GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION			
	NO FRONT SUSPENSION OPTIONS			
	FRONT SUSPENSION WITH LEFT HAND OFFSET SHACKLE BRACKET	4		
	FRONT SHOCK ABSORBERS			
Rear Axle and Equ	ipment			
	RS-23-160 23,000# R-SERIES SINGLE REAR AXLE		180	
	5.63 REAR AXLE RATIO			
	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			
	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	20	20	
	DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE		20	
	(1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR VALVE FOR SINGLE DRIVE AXLE			
	BLINKING LAMP WITH EACH MODE SWITCH, DIFFERENTIAL UNLOCK WITH IGNITION OFF, ACTIVE <5 MPH			
	BENDIX ADB22X AIR DISC REAR BRAKES		-25	
	NON-ASBESTOS REAR BRAKE LINING			
	BRAKE CAMS AND CHAMBERS ON REAR SIDE OF DRIVE AXLE(S)			
	REAR DISC BRAKE ROTORS			
	REAR OIL SEALS			
	AIR DISC LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS			
	REAR AIR DISC BRAKE INTERNAL ADJUSTERS			
	SYNTHETIC 75W-90 REAR AXLE LUBE			
	STANDARD REAR AXLE BREATHER(S)			
Rear Suspension				

Rear Suspension

	Description	Weight Front	Weight Rear	
	26,000# FLAT LEAF SPRING REAR SUSPENSION WITH RADIUS ROD		40	
	SPRING SUSPENSION - 2.25 INCH AXLE SPACER		10	
	STANDARD AXLE SEATS IN AXLE CLAMP GROUP			
	FORE/AFT CONTROL RODS			
Brake System				
	WABCO 4S/4M ABS			
	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			
	FIBER BRAID PARKING BRAKE HOSE			
	STANDARD BRAKE SYSTEM VALVES			
	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			
	STD U.S. FRONT BRAKE VALVE			
	RELAY VALVE WITH 3-4.5 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			
	BW AD-9SI BRAKE LINE AIR DRYER WITH HEATER			
	AIR DRYER MOUNTED INBOARD ON LH RAIL			
	STEEL AIR BRAKE RESERVOIRS; CUSTOMER ACCEPTS TANKS MOUNTED PERPENDICULAR TO RAIL	10	10	
	CLEAR FRAME RAIL FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET, RH RAIL OUTBOARD			
	PULL CABLES ON ALL AIR RESERVOIR(S)			
Trailer Connections				
	UPGRADED CHASSIS MULTIPLEXING UNIT			
Wheelbase & Frame				
	4275MM (168 INCH) WHEELBASE			
	7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI	170	150	
	BODY COMPANY INSTALLED ADDITIONAL FRONT FRAME REINFORCEMENT FOR SNOW PLOW			
	1275MM (50 INCH) REAR FRAME OVERHANG			
	FRAME OVERHANG RANGE: 41 INCH TO 50 INCH	20	-100	
	24 INCH INTEGRAL FRONT FRAME EXTENSION	140	-20	
	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 102.76 in			

	Description	Weight Front	Weight Rear
	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 99.76 in		
	CALC'D FRAME LENGTH - OVERALL : 283.67		
	CALCULATED FRAME SPACE LH SIDE : 31.32 in		
	CALCULATED FRAME SPACE RH SIDE : 173.09 in		
	CALC'D SPACE AVAILABLE FOR DECKPLATE : 102.45 in		
	SQUARE END OF FRAME		
	FRONT CLOSING CROSSMEMBER		
	LIGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE CROSSMEMBER	-12	
	STANDARD MIDSHIP #1 CROSSMEMBER(S)		
	STANDARD REARMOST CROSSMEMBER		
	STANDARD SUSPENSION CROSSMEMBER		
Chassis Equipment			
	OMIT FRONT BUMPER, CUSTOMER INSTALLED SPECIAL BUMPER, DOES NOT COMPLY WITH FMCSR 393.203	-110	
	HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS SUSPENSIONS ONLY		
Fuel Tanks			
	70 GALLON/264 LITER ALUMINUM FUEL TANK - LH	5	
	23 INCH DIAMETER FUEL TANK(S)		
	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH POLISHED STAINLESS STEEL BANDS		
	FUEL TANK(S) FORWARD		
	PLAIN STEP FINISH		
	FUEL TANK CAP(S)		
	DAVCO 245 FUEL/WATER SEPARATOR WITH 12 VOLT HEAT AND WATER IN FUEL SENSOR	5	
	EQUIFLO INBOARD FUEL SYSTEM		
	NO NATURAL GAS VEHICLE FUEL TANK VENT LINE/STACK		
	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
Tires			
	MICHELIN X WORKS Z 315/80R22.5 20 PLY RADIAL FRONT TIRES	100	
	MICHELIN X MULTI D 11R22.5 14 PLY RADIAL REAR TIRES		96
Application Version 11. Data Version PRL-15D			04/10/2020 12:04 PM
Upper Sioux single axle			Page 10 of 16

	Description	Weight Front	Weight Rear	
Hubs				
	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS			
	CONMET PRESET PLUS PREMIUM IRON REAR HUBS			
Wheels				
	ALCOA ULTRA ONE 89U64X 22.5X9.00 10-HUB PILOT 5.99 INSET ALUMINUM FRONT WHEELS	-28		
	ALCOA LVL ONE 88267X 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS		-100	
	NO FRONT AXLE WHEEL/HUB COVER			
	NYLON WHEEL GUARDS FRONT AND REAR ALL INTERFACES			
Cab Exterior				
	108 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			
	AIR CAB MOUNTING			
	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE			
	SHORT FENDER WITH MUDFLAP			
	BOLT-ON MOLDED FLEXIBLE FENDER EXTENSIONS	10		
	LH AND RH EXTERIOR GRAB HANDLES WITH SINGLE RUBBER INSERT			
	BRIGHT FINISH RADIATOR SHELL/HOOD BEZEL			
	STATIONARY BLACK GRILLE WITH BRIGHT ACCENTS			
	CHROME HOOD MOUNTED AIR INTAKE GRILLE			
	FIBERGLASS HOOD			
	CAB FLOOR, TOE BOARD AND FIREWALL HEAT SHIELD	5		
	SINGLE 14 INCH ROUND HADLEY AIR HORN UNDER LH DECK			
	SINGLE ELECTRIC HORN			
	SINGLE HORN SHIELD			
	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			
	KEY QUANTITY OF 2			
	REAR LICENSE PLATE MOUNT END OF FRAME			
	HALOGEN COMPOSITE HEADLAMPS WITH BRIGHT BEZELS			
	LED AERODYNAMIC MARKER LIGHTS			

	Description	Weight Front	Weight Rear	
	FREIGHTLINER LED FLANGE MOUNTED STOP/TAIL/TURN LIGHTS WITH SEPARATE INCANDESCENT BACKUP LIGHTS		5	
	STANDARD FRONT TURN SIGNAL LAMPS			
	NO WORK LIGHT			
	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE			
	DOOR MOUNTED MIRRORS			
	102 INCH EQUIPMENT WIDTH			
	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS			
	RH AND LH 8 INCH HEATED STAINLESS STEEL FENDER MOUNTED CONVEX MIRRORS WITH QUADPOD BRACKETS	8		
	STANDARD SIDE/REAR REFLECTORS			
	RH AFTERTREATMENT SYSTEM CAB ACCESS WITH POLISHED DIAMOND PLATE COVER			
	COMPOSITE EXTERIOR SUN VISOR	10		
	63X14 INCH TINTED REAR WINDOW			
	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS			
	RH AND LH ELECTRIC POWERED WINDOWS, PASSENGER SWITCHES ON DOOR(S)	4		
	1-PIECE BONDED HEATED WIPER PARK SOLAR GREEN GLASS WINDSHIELD			
	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITHOUT FLUID LEVEL INDICATOR			
Cab Interior				
	OPAL GRAY VINYL INTERIOR			
	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL INSERT WITH ALUMINUM KICKPLATE LOWER DOOR			
	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL INSERT WITH ALUMINUM KICKPLATE LOWER DOOR			
	BLACK MATS WITH SINGLE INSULATION			
	DASH MOUNTED ASH TRAY(S) WITHOUT LIGHTER			
	NO FORWARD ROOF MOUNTED CONSOLE			
	CENTER STORAGE CONSOLE MOUNTED ON BACKWALL	20		
	(2) CUP HOLDERS LH AND RH DASH			
	GRAY/CHARCOAL WING DASH			

Description	Weight Front	Weight Rear	
 SMART SWITCH EXPANSION MODULE			
2-1/2 LB. FIRE EXTINGUISHER	5		
HEATER, DEFROSTER AND AIR CONDITIONER			
STANDARD HVAC DUCTING WITH SNOW SHIELD FOR FRESH AIR INTAKE			
MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			
STANDARD HEATER PLUMBING			
VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR			
BINARY CONTROL, R-134A			
PREMIUM INSULATION			
SOLID-STATE CIRCUIT PROTECTION AND FUSES			
12V NEGATIVE GROUND ELECTRICAL SYSTEM			
DOME DOOR ACTIVATED LH AND RH, DUAL READING LIGHTS, FORWARD CAB ROOF			
LH AND RH ELECTRIC DOOR LOCKS			
(1) 12V POWER SUPPLY (1) DUAL 2.1 AMP USB CHARGER IN DASH			
TRIANGULAR REFLECTORS KIT WITHOUT FLARES SHIPPED LOOSE IN CAB	10		
PREMIUM HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 3 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION, FORWARD AND REAR CUSHION TILT, ADJUSTABLE SHOCK ABSORBER	70		
BASIC HIGH BACK NON SUSPENSION PASSENGER SEAT			
DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS	4		
LH AND RH INTEGRAL DOOR PANEL ARMRESTS			
GRAY MORDURA CLOTH DRIVER SEAT COVER			
GRAY MORDURA CLOTH PASSENGER SEAT COVER			
BLACK SEAT BELTS			
ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	10		
4-SPOKE 18 INCH (450MM) STEERING WHEEL			
DRIVER AND PASSENGER INTERIOR SUN VISORS			
NO ENTRY/ACCESS/STEP WIRING			

Instruments & Controls

WOODGRAIN DRIVER INSTRUMENT PANEL

Application Version 11.2.313 Data Version PRL-15D.012 Upper Sioux single axle Plow

Description	Weight Front	Weight Rear	
 WOODGRAIN CENTER INSTRUMENT PANEL			
BLACK GAUGE BEZELS			
LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM			
2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES			
ENGINE COMPARTMENT MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS, WITH WARNING LIGHT IN DASH			
97 DB BACKUP ALARM		3	
ELECTRONIC CRUISE CONTROL WITH SWITCHES ON AUXILIARY GAUGE PANEL (B DASH PANEL)			
KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			
ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED			
HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			
2 INCH ELECTRIC FUEL GAUGE			
PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE			
ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			
2 INCH TRANSMISSION OIL TEMPERATURE GAUGE			
ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			
CUSTOMER FURNISHED AND INSTALLED PTO CONTROLS			
ELECTRIC ENGINE OIL PRESSURE GAUGE			
OVERHEAD INSTRUMENT PANEL			
SMARTPLEX HUB MODULE WITH OVERHEAD SWITCH MOUNTING, DRIVER SIDE ONLY (6 SWITCH SLOTS)	44		
AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939	10		
DASH MOUNTED RADIO			
(2) RADIO SPEAKERS IN CAB			
POWER AND GROUND WIRING PROVISION OVERHEAD			
ROOF/OVERHEAD CONSOLE CB RADIO PROVISION			

Application Version 11.2.313 Data Version PRL-15D.012 Upper Sioux single axle Plow

04/10/2020 12:04 PM

	Description	Weight Front	Weight Rear	
	MULTI-BAND AM/FM/WB/CB LH MIRROR MOUNTED ANTENNA SYSTEM			
	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			
	STANDARD VEHICLE SPEED SENSOR			
	ELECTRONIC 3000 RPM TACHOMETER			
	IGNITION SWITCH CONTROLLED ENGINE STOP			
	PRE-TRIP LAMP INSPECTION, ALL OUTPUTS FLASH, WITH SMART SWITCH			
	6 ON/OFF LATCHING SMARTPLEX SWITCHES			
	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			
	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY AND ARCTIC TYPE BLADES			
	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH AND DUAL CONNECTORS AND SWITCH FOR CUSTOMER FURNISHED SNOW PLOW LIGHTS, LOW BEAMS OFF WITH HIGH BEAMS			
	ONE VALVE PARKING BRAKE SYSTEM WITH DASH VALVE CONTROL AUTONEUTRAL AND WARNING INDICATOR			
	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE			
	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS			
Design				
	PAINT: ONE SOLID COLOR			
Color				
	CAB COLOR A: L0789EY OMAHA ORANGE ELITE EY			
	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			
	SUNVISOR PAINTED SAME AS CAB COLOR A			
	STANDARD E COAT/UNDERCOATING			
Certification /	Compliance			
	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			
Secondary Fac	ctory Options			
	NO CUSTOMER FURNISHED MATERIAL SPECIFIED			

SPECIFIED

Application Version 11.2.313 Data Version PRL-15D.012 Upper Sioux single axle Plow

04/10/2020 12:04 PM

Description	Weight Front	Weight Rear	
Raw Performance Data			
CALC'D FRAME LENGTH - OVERALL : 283.67			
CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 99.76 in			
CALC'D SPACE AVAILABLE FOR DECKPLATE : 102.45 in			

TOTAL VEHICLE SUMMARY

Weight Summary			
	Weight	Weight	Total
	Front	Rear	Weight
Factory Weight ⁺	8017 lbs	4087 lbs	12104 lbs
Total Weight ⁺	8017 lbs	4087 lbs	12104 lbs

Extended Warranty

TOWING: 2 YEARS/UNLIMITED MILES/KM EXTENDED TOWING COVERAGE \$550 CAP FEX APPLIES

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.