

Saint Regis Mohawk Tribe

Environment Division

Anthony David, Director

Seskeha/August 28, 2020

Wilmington Trust, N.A. ATTN: Capital Markets & Agency Services Rodney Square North 1100 North Market Street Wilmington, DE 19890

To Whom It May Concern:

Please accept the Saint Regis Mohawk Tribe's Appendix D-4 enclosed requesting funds in conjunction with the Volkswagen Settlement.

It is our understanding that we will be notified within 60 days (or by *Kentenha*/October 27, 2020) of our approval, denial, modification request or request for more information.

The Saint Regis Mohawk Tribe is excited these funds are available for us to make a difference when it comes to emissions of NO_X by replacing older more polluting Diesel Trucks with newer cleaner ones.

Thank you for your consideration.

Ingele Bledit

Sken:nen/Peace,

Angela Benedict Air Program Manager Anthony David

Environment Division Director

71 Margaret Terrance Memorial Way Akwesasne, New York 13655

> Phone: 518-358-5937 Fax: 518-358-6252 www.srmt-nsn.gov

Work Together Today to Build a Better Tomorrow Ská tne ionkwaió te ón:wa wenhniserá:te ne sén:ha aioianerénhake ne enióhrhen'ne APPENDIX D-4
Beneficiary Eligible Mitigation Action Certification

BENEFICIARY ELIGIBLE MITIGATION ACTION CERTIFICATION

Beneficiary Saint Regis Mohawk Tribe			
(Any authorized person with d	ct on Behalf of the Beneficiary Environment Division lelegation of such authority to direct the Trustee delivered to the ion of Authority and Certificate of Incumbency)		
Action Title:	SRMT NOx Reduction		
Beneficiary's Project ID:	303000		
Funding Request No.	(sequential) 2		
Request Type: (select one or more)	■ Reimbursement □ Advance □ Other (specify):		
Payment to be made to: (select one or more)	■ Beneficiary □ Other (specify):		
Funding Request & Direction (Attachment A)	■ Attached to this Certification □ To be Provided Separately		
	SUMMARY		
Eligible Mitigation Action Action Type	Appendix D-2 item (specify): Item 6: Replace 2 older class 4-7 diesel trucks with 2 new lower emitting trucks I Item 10 - DERA Option (5.2.12) (specify and attach DERA Proposal):		
	ation Action Item Including Community and Air Quality Benefits (5.2.2): ass 4-7 diesel trucks with new lower emission trucks.		
Estimate of Anticipated NOx			
	al Entity Responsible for Reviewing and Auditing Expenditures of Eligible insure Compliance with Applicable Law (5.2.7.1):		
Describe how the Beneficiary	will make documentation publicly available (5.2.7.2).		
See attached addendum			
Describe any cost share requirements See attached addendum	rement to be placed on each NOx source proposed to be mitigated (5.2.8).		
Describe how the Beneficiary Agencies (5.2.9).	complied with subparagraph 4.2.8, related to notice to U.S. Government		
See attached addendum			

If applicable, describe how the mitigation action will mitigate the impacts of NOx emissions on communities that have historically borne a disproportionate share of the adverse impacts of such emissions (5.2.10).

See attached addendum

ATTACHMENTS (CHECK BOX IF ATTACHED)

\checkmark	Attachment A	Funding Request and Direction.
\checkmark	Attachment B	Eligible Mitigation Action Management Plan Including Detailed Budget and Implementation and Expenditures Timeline (5.2.4).
\checkmark	Attachment C	Detailed Plan for Reporting on Eligible Mitigation Action Implementation (5.2.11).
\checkmark	Attachment D	Detailed cost estimates from selected or potential vendors for each proposed expenditure exceeding \$25,000 (5.2.6). [Attach only if project involves vendor expenditures exceeding \$25,000.]
	Attachment E	DERA Option (5.2.12). [Attach only if using DERA option.]
	Attachment F	Attachment specifying amount of requested funding to be debited against each beneficiary's allocation (5.2.13). [Attach only if this is a joint application involving multiple beneficiaries.]

CERTIFICATIONS

By submitting this application, the Lead Agency makes the following certifications:

- 1. This application is submitted on behalf of Beneficiary

 and the person executing this certification has authority to make this certification on behalf of the Lead Agency and Beneficiary, pursuant to the Certification for Beneficiary Status filed with the Court.
- 2. Beneficiary requests and directs that the Trustee make the payments described in this application and Attachment A to this Form.
- 3. This application contains all information and certifications required by Paragraph 5.2 of the Trust Agreement, and the Trustee may rely on this application, Attachment A, and related certifications in making disbursements of trust funds for the aforementioned Project ID.
- 4. Any vendors were or will be selected in accordance with a jurisdiction's public contracting law as applicable. (5.2.5)
- 5. Beneficiary will maintain and make publicly available all documentation submitted in

support of this funding request and all records supporting all expenditures of eligible mitigation action funds subject to applicable laws governing the publication of confidential business information and personally identifiable information. (5.2.7.2)

DATED: 8/27/2020

INAME Angela Benedict

[TITLE] Air Quality Program Manager

Environment Division

[LEAD AGENCY]

for

Saint Regis Mohawk Tribe [BENEFICIARY]

SAINT REGIS MOHAWK TRIBE ATTACHMENT B

PROJECT MANAGEMENT PLAN PROJECT SCHEDULE AND MILESTONES

5.2.4

Timeline	Date
Lead Agency becomes an eligible beneficiary	03-01-2019
Lead Agency submits Designated Beneficiary's Participation Notice Appendix D-3	06-15-2020
Lead Agency recieves written notification of allocated funds	06-29-2020
Lead Agency submits proposal of mitigation action plan	08-28-2020
Trustee Acknowledges Receipt of Project Certification and Funding Direction	10-28-2020
Trustee Allocates Share of Funds for Approved Project	11-12-2020
Lead agency directs funding and enters into contracts, purchases orders, for acquisition of low-	
emission new diesel trucks.	11-23-2020
Old diesel trucks decommissioned and scrapped	01-30-2021
Lead Agency Reports Project Completion	05-12-2021

PROJECT BUDGET

Period of Performance: Third Funding Cycle 2020-2021

Administration Costs	% time	Total cost
Air Program Manager	5.00%	\$4,413
Transfer Station Manager	3.00%	\$2,762
Fringe		\$1,160
Indirect	y 0 :	\$1,486
Total for admin costs		\$9,822
Purchases		
2020 Med Duty Refuse Hauler		\$142,778
2020 Med Duty Dump/Plow/Sand		\$87,528
License & Registration		\$550
Total for purchases		\$230,856
Grand Total		\$240,678

Administrative costs consist of personnel of thje Saint Regis Mohawk Tribe, not consultants. The percentage listed for each represents the amount of time the employee will devote to this project, expressed as a percentage of the employees annual full time equivalent (FTE). The air program manager will be responsible for making sure the purchases are done within budget and in a timely manner. The Transfer Station administration costs will go towards the time spent selecting and procuring the replacement truck. Fringe benefits include the cost of employee fringe benefits such as health insurance, FICA, retirement, life insurance and payroll taxes. This projects total is \$240,678.

Project Trust Allocation Third Funding Cycle: \$240, 678.

SAINT REGIS MOHAWK TRIBE ADDENDUM TO APPENDIX D-4

Summary

5.2.2

During the third funding cycle of the Volkswagen Settlement Environmental Mitigation Trust for Indian Tribes, the Saint Regis Mohawk Tribe will replace two (2) government-owned eligible Class 4-7 Local Freight Trucks (Item 6: Class 4-7 Local Freight Trucks (Medium Trucks)) with two (2) low-emission new trucks.

The eligible Class 4-7 Trucks that will be replaced are:

Year	Make	Model	Description	<u>VIN</u>
2006	GMC -	W-3500	Dump Truck	1GDJ5C1266F422721
1999	Int'l	DT444E	Dump Truck	1HTSCABM1XH630159

The SRMT will choose a vendor utilizing the procurement policy and contract department for the destruction of the vehicles.

The eligible trucks will be scrapped by drilling a 3" hole in the engine block and having the body cut in half. The destruction will be documented with photos.

The low-emission replacement trucks that the Saint Regis Mohawk Tribe will acquire are as follows:

Year	Make	Model	Description	Specs Attached	Qty	Base Cost per Unit
2020	Freightliner	M2 106	Medium Duty refuse hauler for 21 cubic yard container. Local pick ups and drop offs	1	1	\$142,778
2020	International	CV515	Medium duty Dump/Plow Sander. Local Use	1	1	\$87,528

The refuse hauler will be equipped with an after treatment system on the exhaust pipe reducing the overall emissions from this vehicle. The total cost of the replacement vehicles will be \$230,306. This price includes delivery to the Saint Regis Mohawk Tribe in Akwesasne, NY The community and air quality benefits from the project will include reduced pollution, including reduced emissions of NOx, reduced emissions of noise, reduced fuel consumption, and reduced fuel costs.

5.2.3

The eligible mitigation action will result in a significant reduction in NOX emissions, other pollutants and fuel consumption.

SRMT's 2006 eligible refuse truck will show annual reduction of 89.6% NO_X as well as 98.0% $PM_{2.5}$; 91.4%HC; 91.2%CO.

SRMT's 1999 eligible dump truck will show annual reduction of 91.3% NOX as well as 98.2% PM2.5; 95.3% HC; 92.9% CO.

Detailed data are attached to this addendum.

5.2.5

Selection of all vendors will conform with the Saint Regis Mohawk Tribes 2016 Procurement Policy

5.2.7.1

The governmental entity responsible for reviewing and auditing expenditures of eligible Mitigation Action Funds to ensure compliance with applicable law is the Financial Accounting Office of the Saint Regis Mohawk Tribe.

5.2.7.2

The Saint Regis Mohawk Tribe is committed to maintaining and making publicly available all documentation submitted in support of the Funding Request and all records supporting all expenditures of Eligible Mitigation Action funds, subject to applicable laws governing the publication of confidential business information and personally identifiable information.

The Saint Regis Mohawk Tribe shall publish public notices of availability for public review of the following documents and records through posted announcements in tribal government buildings, published announcements in one or more newspapers of general circulation in Akwesasne, and radio public service announcements on the local CKON radio station broadcasting in Akwesasne:

- 1. Documents and records submitted by the Tribe in support of its Funding Requests;
- 2. Documents and records supporting all expenditures of Trust Funds by the Tribe; and
- 3. Documents and records supporting NOx emission reductions attributable to the Action.

The public notices shall instruct members of the public to contact the Records Manager of the Saint Regis Mohawk Tribe to arrange to inspect such records during normal business hours, which are Monday through Friday, 8:00 A.M. to 5:00 P.M., at the Ionkwakiohkwaró:ron Tribal Administration Building in Akwesasne, NY. Documents shall be retained and made available until the date the Indian Tribe Trust terminates pursuant to Section 6.8 of the Indian Tribe Trust Agreement.

Release of information will be subject to the laws of the Saint Regis Mohawk Tribe, including but not limited to the Saint Regis Mohawk Tribe Freedom of Information Ordinance found in the Saint Regis Mohawk Tribe Law and Order Code, Chapter 21.

5.2.8

This project does not involve a cost share. The total cost of the project is \$240,678 It has been determined that the Saint Regis Mohawk Tribe is eligible for \$240,678 from the Environmental Mitigation Trust in the second funding cycle.

5.2.9

The Saint Regis Mohawk Tribe has complied with Section 4.2.8 of the Indian Tribe Trust Agreement. Within thirty (30) days after being deemed a Beneficiary pursuant to subparagraph 4.0.2.1 of the Indian Tribe Trust Agreement, the Saint Regis Mohawk Tribe provided a copy of the Indian Tribe Trust Agreement with Attachments to the U.S. Department of the Interior, the U.S. Department of Agriculture, and any other Federal Agency that has custody, control, or management of land within or contiguous to the territorial boundaries of the Saint Regis Mohawk Tribe and has by then notified the Saint Regis Mohawk Tribe of its interest hereunder, explaining that the Saint Regis Mohawk Tribe may request Eligible Mitigation Action funds for use on lands within that Federal Agency's custody, control, or management and setting forth the procedures by which the Saint Regis Mohawk Tribe will review, consider, and make a written determination upon each such request.

5.2.10

The Saint Regis Mohawk has historically borne a disproportionate share of the adverse effects of NOx emissions. Through this project, the Saint Regis Mohawk Tribe will replace two (2) high-emission diesel trucks with two (2) low-emission new diesel trucks. The Eligible Mitigation Action will mitigate the impacts of NOx emissions by reducing NOx emissions from two (2) high-emission diesel trucks. The Eligible Mitigation Action will also reduce emissions of other pollutants, reduce emissions of noise, reduce fuel consumption, and reduce fuel costs.

Akwesasne is located along a major state highway, State Route 37, which runs directly through the territory. State Route 37 is a major artery for northern New York connecting major points of entry to Canada as well as connecting cities and towns to the shipping industry and is heavily used by the trucking companies.

Emission Results and Health Benefits for Project: SRMT 2006 Dump Truck

Emission Results

Health Benefits

Emission Results

Here are the combined results for all groups and upgrades entered for your project.¹

riete are the combined results for all groups and up	ogrades entered	ior your project				
Annual Results (short tons) ²	Nox	PM2.5	нс	co	CO2	Fuel ³
Baseline for Upgraded Vehicles/Engines	0.071	0.006	0.010	0.037	16.5	1,463
Amount Reduced After Upgrades	0.064	0.005	0.009	0.034	0.0	0
Percent Reduced After Upgrades	89.6%	98.0%	91.4%	91.2%	0.0%	0.0%
Lifetime Results (short tons)2						
Baseline for Upgraded Vehicles/Engines	0.429	0.033	0.060	0.225	98.8	8,778
Amount Reduced After Upgrades	0.384	0.033	0.055	0.205	0.0	0
Percent Reduced After Upgrades	89.6%	98.0%	91.4%	91.2%	0.0%	0.0%
Lifetime Cost Effectiveness (\$/short ton reduced)						
Capital Cost Effectiveness ⁴ (unit & labor costs only)	\$0	\$0	\$0	\$0	\$0	
Total Cost Effectiveness ⁴ (includes all project costs)	\$0	\$0	\$0	\$0	\$0	

¹ Emissions from the electrical grid are not included in the results.

Remaining Life

2006 W-3500: Short Haul - Single Unit | Class 6-7

6 years

 $^{^2}$ 1 short ton = 2000 lbs.

 $^{^{3}}$ In gallons; fuels other than ULSD have been converted to ULSD-equivalent gallons.

 $^{^{4}}$ Cost effectiveness estimates include only the costs which you have entered.

Emission Results and Health Benefits for Project: SRMT Round3

Emission Results

Health Benefits

Emission Results

Here are the combined results for all groups and upgrades entered for your project. 1

	The same of the sa					
Annual Results (short tons) ²	NOx	PM2.5	нс	со	CO ₂	Fuel ²
Baseline for Upgraded Vehicles/Engines	0.043	0.003	0.009	0.023	5.6	500
Amount Reduced After Upgrades	0.039	0.003	0.009	0.022	0.0	0
Percent Reduced After Upgrades	91.3%	98.2%	95.3%	92.9%	0.0%	0.0%
Lifetime Results (short tons) ²						
Baseline for Upgraded Vehicles/Engines	0.128	0.010	0.028	0.070	16.9	1,500
Amount Reduced After Upgrades	0.117	0.009	0.027	0.065	0.0	0
Percent Reduced After Upgrades	91.3%	98.2%	95.3%	92.9%	0.0%	0.0%
Lifetime Cost Effectiveness (\$/short ton reduced)						
Capital Cost Effectiveness ⁴ (unit & labor costs only)	\$0.	\$0	\$0	\$0	\$0	
Total Cost Effectiveness ⁴ (includes all project costs)	\$0	\$0	\$0	\$0	\$0	

¹ Emissions from the electrical grid are not included in the results.

Remaining Life

 $\textbf{1999 International:} \ \ \mathsf{Construction} \ | \ \mathsf{Short} \ \mathsf{Haul} \cdot \mathsf{Single} \ \mathsf{Unit} \ | \ \mathsf{Class} \ \mathsf{6-7} \ \mathsf{(Utility)}$

Vehicle Replacement - ULSD (diesel)

3 years

^{2 1} short ton = 2000 lbs.

³ In gallons; fuels other than ULSD have been converted to ULSD equivalent gallons.

⁴ Cost effectiveness estimates include only the costs which you have entered.

SAINT REGIS MOHAWK TRIBE ATTACHMENT C TO APPENDIX D-4

5.2.11 Reporting Requirements

The Saint Regis Mohawk Tribe will for each eligible mitigation action (EMA) will submit to the trustee a semi-annual report of the previous 6-months describing the progress of each EMA including a summary of all costs expended on the EMA on the reporting date. Such reports shall include a complete description of the status including actual or projected termination date, development, implementation and any modification of each approved EMA. The reports will be signed by the lead agency contact. The reports will contain an attestation that the information is true and correct and that the submission is made under penalty of perjury.

SAINT REGIS MOHAWK TRIBE ATTACHMENT D TO APPENDIX D-4

5.2.6 Detailed Costs

Detailed cost estimates from selected or potential vendors for each proposed expenditure exceeding \$25,000 are attached in Attachment D

UNIT TYPE 1

SPECIAL REQUIREMENTS SPECIAL RESTRICTIONS 0098170 UNITED STATES REGISTRY

ENGINEERING ASSIGNED RATINGS

GAWR FRONT: 12,350.00 LBS
GAWR FIRST INTER 23,000.00 LBS

SECOND INTER

23,000.00 LBS

GAWR REAR: 0.00 LBS

GVWR:	58,350.00 LBS

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
	BASE MODEL	-	207 060	14 065
0005791	MODEL 579 CONVENTIONAL	P	191,060	
0200614	SMARTWAY DESIGNATED - NOT SELECTED OR	P	0	0
0000000	UNAVAILABLE FOR VEHICLE CONFIGURATION			0
0200700	NOT APPLICABLE SECONDARY MANUFACTURER	P	0	0
	SECONDARI MANUFACIORER			
	FRAME AND EQUIPMENT			
0515020	10-5/8" STEEL RAILS 286"-325"	P	64	93
0010020	5/16" RAIL THICKNESS		1.7	-
0611250	HD IRON FRONT SPRING BRKTS	P	298	35
	FORWARD & REAR			
0611330	ZINC COATED ANTI CORROSION TREATED FRME	P	387	4
	RAILS - REQUIRES FRAME RAIL CODE			
0611790	ALUMINUM FRAME RAIL CROSSMEMBERS	P	0	0
	EXCLUDES SUSPENSION			
0644000	EOF TRACTOR TAPERED WITH CROSSMEMBER	P	0	0
	INCL KINGPIN CUTOUT			
0651220	FURNISH MUDFLAP HNGRS ONLY OMIT FLAPS	P	22-	9 -
	MUDFLAP/HANGER OPTION REQUIRED			
0651800	PB REAR MUDFLAPS, PREMIUM HANGERS	P	179	11
N. STANSON STANSON STANS	STAINLESS STEEL		1,000,000	
0674010	QUARTER FENDER BRACKETS ONLY	P	33	4
0835860	HOLLAND FW35 FIFTH WHEEL TOP PLATE	P	147	0
0860060	REAR OR FIXD SETTING AHD C/L BOGIE 006.			_
0890090	LH FIFTH WHEEL RELEASE	P	0	0
0890250	MULTIPLE FIXED FIFTH WHEEL SETTINGS	P	461	31
0890550	7.6"-8" FIFTH WHEEL HEIGHT FIXED FIFTH WHEEL, FW35/FW31 OUTBOARD	P P	0 115-	15 66-
0890760 0899060	INSTALLED FIFTH WHEEL SETTING +6"	P	115-	0
0099000	USE WITH MULTIPLE FIXED 5TH WHL SETTING		U	U
0899501	INSTALL 5TH WHEEL IN REARMOST HOLE	Ü	0	0
N0890	0899501 OAR	O	Ü	Ü
0960000	FRAME MTD DECK PLATE AND ACCESS PKG, LH	Р	519	42
020000	SIDE	-	010	
	FRONT AXLE AND EQUIPMENT			
1012160	MERITOR MFS+13B 13,200 LBS., 3.5" DROP	P	233	11
1111200	TAPER LEAF SPRINGS, SHOCKS 13,200 LBS.	P	122	9
1243040	POWER STEERING SHEPPARD HD94	P	0	0
1250180	POWER STEERING RESERVOIR, FRAME MOUNTED) P	0	0
	¥			

PETERBILT CHASSIS FINAL BILL PAGE 003
VMXXR036-1 FOR VIN 1XPBD40X8MD730026 AS OF 02/11/20

IINTT	TYPE	7

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
1353550	PHP10 ALUMINUM PRESET+ HUBS - AIR DISCUSE WITH FRONT AXLE		0	0
1380070	GREASABLE FRONT SPRING PINS	P	50	0
1380290	AIR DISC FRONT BRAKES	P	0	0
1380380	TENNECO SHOCKS FOR STEER AXLE	P	0	0
1380470	MERITOR WIDE TRACK IPO STD, FRONT AXLE MFS+ 3.5" DROP / MFS 3.74"		0	15
1390630	80 MM FRONT SPRING SPACER BLOCKS	P	0	0
1391480	PAD DUST SHIELDS FOR AIR DISC BRAKES; FRONT AXLE	P	28	2
	REAR AXLE AND EQUIPMENT			
1526120	MERITOR RT46-160 46,000 LBS.	P	1,870	635
1616295	PHP10 ALUMINUM PRESET+ HUBS - AIR DISC	P	0	0
1632650	LONG STROKE PARKING BRAKES DRIVE AXLE(S)	P	0	0
1660040	PAD DUST SHIELDS FOR AIR DISC BRAKES; DRIVE AXLE	P	82	0
1673090	SEPARATE DASH CTRL CONT TRAC FULL LOCK TANDEM, TRI-DRIVE AXLES	P	98	2
1680390	BENDIX ESP ELECTRONIC STABILITY PROGRAM WITH ATC, TRACTOR SERVICE	P	0	0
1680460	HEAVY WALL, DRIVE AXLE(S)	P	739	88
1680470	LUBE PUMP, DRIVE AXLE(S)	P	427	35
1680975	BENDIX WINGMAN ADVANCED	P	604-	0
	SIDE SENSOR NOT INCLUDED	-		Ü
1682420	ISO 3731 CONNECTOR TRAILER ABS POWER; MTD ADJACENT TO J560 TRAILER CONNECTOR	P	230	9
1682710	ANTI-LOCK BRAKING SYSTEM (ABS) 656M	P	306	0
1684200	SYNTHETIC AXLE LUBRICANT ALL AXLES	P	0	0
1687040	AIR DISC REAR BRAKES, TANDEM DRIVE AXLE	P	o o	0
1687090	DIFF LOCK TANDEM AXLES	P	1,977	60
	WITH SPEED INTERLOCK	-	_,_,,	00
1703580	RATIO 3.58 REAR AXLE	P	0	0
1821860	PETERBILT AIR TRAC 46,000 LBS., 52" AS	P	1,554	291
1911010	STEEL SUSP INSERT UP TO 77" OVERHANG	P	596	390
1922260	DASH MTD DUMP SWITCH WITH INDICATOR	P	47	2
	LIGHT FOR SUSPENSION			_
	ENGINE AND ENGINE EQUIPMENT			
2059619	X15 500V@1900 GOV@2000 1850@950 PRODUCTIVITY SERIES (2017 EMISSIONS)	P	9,310	340
2091140	CECU/VECU ELECTRONICS ARCHITECTURE	P	0	0
2091305	ENGINE IDLE SHUTDOWN TIMER ENABLED	P	0	0
2091315	ENABLE EIST AMBIENT TEMP OVERRULE	P	0	0
2091372	EFF EIST NA EXPIRATION MILES	P	0	0
2091510	ENABLE RESERVE SPEED DRIVE CYCLE LIMIT	U	0	0
2091638	EFFECTIVE VSL SETTING 65.0 MPH OR GREATER (USA)	P	0	0
2092016	TYPICAL OPERATING SPEED 62 MPH	P .	0	0
2092079	DECLINE DRIVER PERFORMANCE ASSISTANT	P	0	0
N2090	2091510 OAR	-		Ü

PETERBILT VMXXR036-1

CHASSIS FINAL BILL FOR VIN 1XPBD40X8MD730026 UNIT TYPE 1

PAGE 004 AS OF 02/11/20

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
2140200	CARB ENGINE IDLING COMPLIANCE	P	0	
2140410	ENGINE BRAKE CONTROLS LOC ON RH COLUMN	P	0	0
2140450	REMOTE PTO/THROTTLE, 12-PIN, ENG BAY	P	31	0
	REMOTE CONTROL PROVISION	r	31	U
N2132	C399 120STANDARD MAXIMUM SPEED LIMIT	•		
N2133	C402 0EXPIRATION DISTANCE (C402)			
N2134	C209 120HARD MAXIMUM SPEED LIMIT (C2			
N2135	C121 64MAXIMUM ACCELERATOR PEDAL VE			
N2137	C128 64MAXIMUM CRUISE SPEED (C128)			
N2140	C400 252RESERVE SPEED FUNCTION RESET	ı		
N2141	C334 0MAXIMUM CYCLE DISTANCE (C334			
N2142	C401 10MAXIMUM ACTIVE DISTANCE (C40			
N2143	C333 0RESERVE SPEED LIMIT OFFSET			
N2144	C234 NOENGINE PROTECTION SHUTDOWN			
N2145	C231 NOGEAR DOWN PROTECTION			
N2146	C132 1400MAX PTO SPEED (C132)			
N2147	C239 NOCRUISE CONTROL AUTO RESUME)			
N2148	C238 NOAUTO ENGINE BRAKE IN CRUISE			
N2150	C395 0EXPIRATION DISTANCE (C395)			
N2151	C225 NOENABLE IDLE SHUTDOWN PARK BR			
N2152	C133 5TIMER SETTING)			
N2153	C396 YESENABLE IMPENDING SHUTDOWN WA			
N2154	C397 60TIMER FOR IMPENDING SHUTDOWN			
N2155	C206 100ENGINE LOAD THRESHOLD			
N2157	C233 YESIDLE SHUTDOWN MANUAL OVERRUL			
N2159	C382 YESENABLE HOT AMBIENT AUTOMATIC			
N2161	C188 40LOW AMBIENT TEMPERATURE THRE			
N2162	C189 60INTERMEDIATE AMBIENT TEMPERA			
N2163	C190 80HIGH AMBIENT TEMPERATURE THR			
2513060	PACCAR 160 AMP ALTERNATOR, BRUSHED	P	0	0
2521090	IMMERSION TYPE BLOCK HEATER 110-120V	P	0	0
	SEE SALES TOOL DESC FOR PLUG LOCATION			1.70
2521110	OIL PAN HEATER 120V/300W	P	148	2
2522090	PACCAR PREMIUM STARTER-X15 ENGINES ONLY	P	373	0
2538050	4 PACCAR PREMIUM 12V DUAL PURPOSE	P	228	62
053050-	BATTERIES, 2920 CCA			
2539720	LOW VOLTAGE DISCONNECT SYSTEM	P	0	0
2621000	2-SPEED FAN CLUTCH FOR FREQUENT	P	300	0
222522	START/STOPS			
2725270	NATURALLY ASPIRATED 37.4 CFM AIR	P	256	26
2012170	COMPRESSOR - (X15 ONLY)			
2812170	INTEBRAKE	P	0	0
2021120	ISX/ISX15 (FURNISHED ON ENGINE)			
2921120	PACCAR FUEL/WATER SEPARATOR EXTENDED	P	0	0
2021220	SERVICE INTERVAL			
2921220	FUEL HEAT FOR FUEL FILTER	P	54	0
2921320 3010400	12V HEAT FOR FUEL FILTER	P	66	0
7070400	ENGINE PROTECTION SHUTDOWN	P	6	0
3114270	W/DASH LABEL			
3291680	HIGH EFFICIENCY COOLING SYSTEM	P	0	0
>1000	(1) AIR CLEANER FIREWALL MTD	P	0	0

PETERBILT CHASSIS FINAL BILL PAGE 005
VMXXR036-1 FOR VIN 1XPBD40X8MD730026 AS OF 02/11/20

UNI	T TYPE 1	

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
3365270	EXHAUST SINGLE RH SIDE OF CAB DPF/SCR RH UNDER CAB	Р	141	
3381770		P	51	0
3387870	24" HT, 5" DIA STANDPIPE(S)	p	797	
3387870	CHROME WITH CLEAR COAT	_	,,,	J
	TRANSMISSION AND CLUTCH			
4024130	EATON FO18E313A-MHP ULTRASHIFT PLUS OIL-TO-WATER COOLER	P	3,843	364
4099980	TRANSMISSION APPROVED	Ü	0	0
N4090	* TRANS APPROVAL #TR000163359			
4211520	SPL250 LITE HT DRIVELINE , 1 MIDSHIP	P	589	86
	BEARING			
4216330	SPL170 XL DRIVELINE INTERAXLE	P.	387	4
	FOR TANDEM REAR AXLES			
4219990	DRIVELINE APPROVED	U	0	0
4233900	(1) DASH MTD SINGLE ACTING EOA PTO CTRL ELECTRIC OVER AIR	P	102	0
4252600	EATON SHIFT CALIBRATION MHP/VHP	U	0	0
	CUMMINS ISX15 FAM 1 (5572923)			
4252610	COLUMN MOUNTED SHIFTER RH SIDE	P	0	0
N4250	4252600 OAR			
	AIR AND TRAILER EQUIPMENT			
4510330	•	P	139	7
	COALESCING FILTER, EXTENDED PURGE			
4520420	PULL CORDS ALL AIR TANKS	P	7	0
4540220 .	WIRE BRAID BRAKE HOSE, REAR	P	192	15
4540420	NYLON CHASSIS HOSE	P	. 0	Q
4541490	TRACTOR AIR SYSTEM, SPRING BRAKE RELAY IPO QR-1C	P	71	0
4541600	WIRE BRAID BRAKE HOSE, FRONT	P	38	4
4543340	ALUMINUM PAINTED AIR TANKS	P	191	44-
4543550	CLEAR INSIDE FRAME OF ALL AIR SYSTEM COMPONENTS LH BOC	P	613	0
4543560	CLEAR INSIDE FRAME OF ALL AIR SYSTEM	p	613	0
374545	COMPONENTS RH BOC			
N4540	4543551 CUSTOMER NEEDS ETRA AIR TANKS			
N4541	4543551 LIKE CHASSIS #204532	-	27.6	
4610925	NON-SELF RETURNING BRAKE HAND VALVE DASH MOUNTED CONTROLS	P	216	0
4611140	12' AE LINES COILED, (2) 7-WAY PLUGS	P	292	9
	3-4' STRAIGHT SECTION			
4611590	GLADHANDS, PLUG, & ISO HOLDER MOUNTED BOC/BOS	P	38	4
4614810	AE CONNECTIONS BOC/BOS, HOSE TENNA	P	0	0
4614870	AE CONNECTIONS 41-54" BOC/BOS	P	0	0
-022010		•	0	J
	TIRES AND WHEELS			
5058840	FF: MN 14PLY 11R22.5 XZE2	P	189	11
	PART: MN11R225GXZE2 FET: 50	11 .5 1		

PETERBILT CHASSIS FINAL BILL PAGE 006
. VMXXR036-1 FOR VIN 1XPBD40X8MD730026 AS OF 02/11/20

,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
	UNIT	TYPE	1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
5169190	RR: MN 16PLY 11R22.5 XDS2	P	3,628	160
	PART: MN11R225HXDS2 FET: 232			
5190008	CODE-REAR TIRE QTY 08.			
5221740	FF: ALCOA 883677 22.5X8.25 CLEAN BUFF	U	342	44-
	NLA REPLACE W/5220710 AFT 3/2/20			2.56
5321740	RR: ALCOA 883677 22.5X8.25 CLEAN BUFF	U	1,368	176-
5390008	**NLA** REPLACE W/5320710 AFT 3/2/20 CODE-REAR RIM OTY 08.			
5407640	FF: POLISH WHEELS, OUTER SURFACE,	P	73	0
5107010	SGL OR TDM STEER, W/O CHROME WHEEL NUTS	-	,,,	•
5407660	RR: POLISH WHEELS, OUTER SURFACE,	P	293	0
	TANDEM DRIVE, W/O CHROME WHEEL NUTS			
5409320	WHEEL GUARDS, TANDEM AXLE	P	31	0
	BETWEEN WHEELS			
5554346	FUEL TANKS	P		40
5554340	26" ALUM 135 GAL FUEL TANK LH U/C NON-SLIP FUEL TANK STEP LH U/C	P	666	42
5602135	LOCATION LH UNDER CAB 135 GAL.			
5651520	(4) STRAPS PER TANK, (1) TANK	P	1,010	40
5051520	FUEL OR HYDRAULIC, SUBJECT FRAME REVIEW		1,010	-20
5652880	DEF TANK MOUNTED RH BOC	P	0	0
5652990	STD DEF TO FUEL RATIO 2:1 OR GREATER	p	0	0
5655029	DEF TANK MEDIUM	P	84	22
5760010	RH TANK NONE FURNISHED	Ð	546-	86-
5850130	26" ALUM 50 GAL RH BOC HYD TANK ADDL	P	938	88
	BATTERY BOX AND BUMPER			
6010500	ALUMINUM BATTERY BOX LH BOC	P	18-	33-
6030150	RUBBER BATTERY PAD IN BOTTOM	P	12	4
000000	(1) BATTERY BOX	-	5.0	-
6040550	AFTERTREATMENT RH U/C ALUM NON-SLIP	P	0	0
	CAB ENTRY STEP			
6121020	AERO BUMPER, STEEL 3-PIECE, BRIGHT	P	1,129	64
	FINISH			
	CAB AND EQUIPMENT			
6515680	AERODYNAMIC 123 BBC ALUM CAB & SMC HOOL	n D	2,779	60
9212990	SBFA	, _F	2,115	60
6540440	KEY ALL UNITS ALIKE	P	242	0
6540660	SMARTSOUND CAB INSULATION PKG	P	412	64
6543753	KEY P1404	P	0	0
6700000	NO SLEEPER SELECTED	P	0	0
6911100	PETERBILT ST DRIVER	P	0	0
6921740	PETERBILT ST NON-ADJUSTABLE PASS SEAT	P	0	0
6930580	DRIVERS ARMRESTS - LH & RH	P	170	4
6930800	BLACK SEAT COLOR IPO STD COLOR	P	0	0
6939140	TUBE FRAME UNDER PASSENGER SEAT	P	0	0
6030400	PETERBILT PASS NON-ADJUSTABLE SEAT	п	^	•
6939400 6939420	AIR RIDE DRIVER HIGH BACK DRIVER	P P	0	0
2222450	HIGH DACK DRIVER	E	U	U

PETERBILT CHASSIS FINAL BILL PAGE 007
VMXXR036-1 FOR VIN 1XPBD40X8MD730026 AS OF 02/11/20
UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
5030460	DARRIE DRIVER			
6939460	FABRIC DRIVER	P	39	0
6939510	NON-AIR RIDE PASSENGER	P	0	0
6939520	HIGH BACK PASSENGER	P	0	0
6939560	FABRIC PASSENGER	P	39	0
7001520	ADJUSTABLE STEERING COLUMN TILT/TELESCOPE	P	0	0
7001630	PREMIUM STEERING WHEEL W MULTI FUNCTION LEATHER WRAPPED W/PB LOGO, AUDIO AND CO		429	4
7037130	PRESTIGE INTERIOR - STERLING GRAY	P	0	0
7110680	EXTERIOR CAB ENTRY GRABHANDLE	P	143	7
	TEXTURED; NFPA COMPLIANT			
7210420	DARK WINDOW TINT IPO STD - DAY CAB	P	22	0
7210510	3-PIECE GLASS REAR CAB WINDOW	P	111	11
	ALL PIECES FIXED			
7210540	DAY CAB REAR WINDOW	P	D	0
7230060	ONE-PIECE CURVED WINDSHIELD	P	0	0
7230360	POWER DOOR LOCKS AND POWER WINDOW LIFTS		0	0
	STANDARD	-	Ū	•
7322010	COMBO FRESH AIR HEATER/AIR CONDITIONER	p	0	0
7322130	CUP HOLDER (FLOOR MOUNTED)	P	68	4
7410040	OUTSIDE SUNVISOR - STAINLESS STEEL	P	855	9
. 120010	N/A W/ 2.1M HR SLEEPER	-	0.7.7	,
7510060	AERO REAR VIEW MIRROR HOUSING	P	319	2
7520000	BRIGHT FINISH	-	3.19	2
7514010	PETERBILT AERO REAR VIEW MIRROR	P	361	2
,511010	MOTORIZED & HEATED W/INTEGRATED CONVEX	-	201	2
7514050	LOOK DOWN MIRROR OVER PASSENGER DOOR	Р	0	0
	WITH BLACK HOUSING			
7561190	LH/RH ROUND HOOD MIRRORS BRIGHT HOUSING	P	262	9
	BRIGHT BASE, SST TUBE ARM			
7610500	AIR HORN MOUNTED UNDER CAB	P	0	0
7725725	CONCERTCLASS W/CD, BLUETOOTH PHONE &	P	496	11
	AUDIO INC. AM/FM, WB, USB & MP3			
7725730	PREMIUM SPEAKER PACKAGE FOR CAB	P	539	7
	(6) SPEAKERS (INCLUDES TWEETERS)			
7728030	RADIO MUTE WHEN AUTOMATIC OR AUTOMATED	P	0	0
	TRANSMISSION IN REVERSE			
7740140	COBRA 29 CB RADIO MTD CENTER OF HEADER	P	310	11
	WITHOUT WEATHERBAND			
7748150	(1) ANTENNA FOR FACTORY INSTALLED	P	109	0
	OR F/O CB, MTD LH COWL, LOW MOUNT ONLY			
7788055	SmartLINQ REMOTE DIAGNOSTICS	P	0	0
7851040	REMOVABLE BUGSCREEN BEHIND GRILLE	P	183	2
7851480	PB ELEC WINDSHIELD WIPERS	P	0	0
	W/INTERMITTENT FEATURE			
7852020	CAB AIR SUSPENSION	P	244	15
7852050	AUTO RESET CIRCUIT PROTECTION	P	19	0
	DAYCAB AND SLEEPER			-
7852090	CIGAR LIGHTER AND ASH CUP	P	59	2
	MOUNTED IN DASH	-		_
7900090	TRIANGLE REFLECTOR KIT	P	18	13
		-		

SHIP LOOSE

PETERBILT VMXXR036-1

CHASSIS FINAL BILL FOR VIN 1XPBD40X8MD730026

PAGE 008 AS OF 02/11/20

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
7900310	FIRE EXTINGUISHER, MTD OUTBOARD DRIVER SEAT	P	66	9
7901130	BACKUP ALARM (107 DB)	P	128	2
8011400	MAIN TRANSMISSION OIL TEMPERATURE GAUGE LOCATED IN DRIVER INFORMATION DISPLAY		28	0
8011410	DRIVE AXLE #1 FRONT OIL TEMP GAUGE 52MM ROUND, BACKLIT	P	136	0
8011420	DRIVE AXLE #2 REAR OIL TEMP GAUGE 52MM ROUND, BACKLIT	P	150	0
8011470	ENGINE OIL TEMPERATURE GAUGE	p	51	0
8021390	52MM ROUND, BACKLIT AIR FILTER RESTRICTION PRESSURE	P	0	0
	LOCATED IN DRIVER INFORMATION DISPLAY			
8021530	AIR SUSPENSION PRESSURE 1 GAUGE 52MM ROUND, BACKLIT	P	113	0
B070090	(3) ADDITIONAL DASH SWITCHES, WIRING	P	127	0
8070200	TRACTOR BRAKE APPLICATION GAUGE	P	148	0
	52MM ROUND, BACKLIT			, , ,
8071890	MAIN INSTRUMENT PANEL	P	0	0
	INC DRIVER INFORMATION DISPLAY			
8072960	TRAILER AIR SUSPENSION DUMP SWITCH SOLENOID ON CHASSIS	P	138	0
8076060	TRAILER BRAKE APPLICATION GAUGE 52MM ROUND, BACKLIT	P	175	2
8110830	HEADLIGHTS HID XENON COMPOSITE FNDR MTD INTEGRAL PARK, TURN, SIDE MARKER	P	314	2
B120990	(5) MARKER LIGHTS, AERO LED ON ROOF, VISOR, OR FAIRING	P	0	0
8131560	(2) PETERBILT FOG LIGHTS RECESSED IN BUMPER	P	96	7
8133250	DASH SWITCH, LIGHT, BATTERY POWER TO J560 TRAILER CONNECTOR PIN 7	P	48	4
8133960	DAYTIME RUNNING LIGHTS	p		
	REQUIRED ON ALL CANADIAN VEHICLES	r	0	0
8140060	LED OVAL STOP/TURN/TAIL/BACKUP IN TRACTOR TAPER EOF XMBR	P	30	7-
8140650	PB SIGNATURE DOOR LIGHT TURN SIGNAL	P		_
8151170	(2) LOAD LIGHTS, INCANDESCENT	P	0	0
	FLUSH MOUNTED LOW INBOARD, BOC/BOS	P	145	4
8153050	(1) F/O LOAD LIGHT, SWITCH, (2) 10' WIRE COILS UNDER CAB/SLEEPER	P	100	2
0530330	PAINT			
8530770	(1) COLOR AXALTA TWO STAGE PAINT CAB/HOOD	P	0	0
N8502	A - L0931EY RED			
N8520	FRAME LOUOLEA BLACK			
N8530	FENDER L0931EY RED			
N8540	HOOD TOP LO931EY RED			
N8550	CAB ROOF L0931EY RED			
8999989	SHIPPING DESTINATION TO DEALERSHIP	P	0	0

PETERBILT
VMXXR036-1

CHASSIS FINAL BILL FOR VIN 1XPBD40X8MD730026 PAGE 009 AS OF 02/11/20

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
	MISCELLANEOUS			
9409001	DAY CAB / PRESTIGE INTERIOR (DM)	P	0	0
9409800	2017 EPA EMISSIONS ENGINE WARRANTY ONLY	P	0	0
9409869	PRESENTATION CREATED WITH SMARTSPEC	P	0	0
9409876	ORDERED AS STOCK	P	0	0
9409960	PRESENTATION CREATED USING FEATURED SPEC FOR MODEL	P	0	0
9490039	APPLICATIONS CONTACT: KELLY GOFORTH (940) 591-4012	σ	0	0
9499990 N9400	*TRUCK TO BE INVOICED IN U.S. DOLLARS* 9408831 OAR	P	0	0
122010	PROMOTIONS			
N9510	9511364 OAR			
N9994	EMAIL: NGUAY@CHAMPLAINPETERBILT.COM			
N9995	CELL PHONE: (518)572-8917			
N9996	SALESPERSON ID: NORMAND GUAY			
N9997	DEALER CONTACT			
N9998	NAME: NORMAND GUAY PH:5182983835EXT20			
N9999	KSG 01/07/20 OC008			

** TOTAL ESTIMATED WEIGHT TOTAL LIST PRICE

17,936

\$142,778



CV515 SFA

Sales Proposal For:

ST. REGIS MOHAWK TRIBE


Presented By:

CLARK'S TRUCK CENTER

Prepared For: ST. REGIS MOHAWK TRIBE STAN JACOBS 873 State Route 37 Hogansburg, NY 13655-1800 (518)521 - 0208 Reference ID: N/A

Presented By: CLARK'S TRUCK CENTER Josh Clark 4365 ROUTE 22 PLATTSBURGH NY 12901 - 5852 (518)561-6770

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile 2020 CV515 SFA (CV515)

AXLE CONFIG: APPLICATION:

MISSION:

Landscape Dump

4X4

Requested GVWR: 21000. Calc. GVWR: 22500. Calc. Start / Grade Ability: 39.35% / 2.66% @ 55 MPH

Calc. Geared Speed: 102.5 MPH

Wheelbase: 165.00, CA: 83.80, Axle to Frame: 49.00

DIMENSION: ENGINE, DIESEL:

(International 6.6) EPA 2017, 350HP @ 2700 RPM, 700 lb-ft Torque @ 1600 RPM, 2900 RPM

Governed Speed, 350 Peak HP (Max)

{Allison 2750 RDS} 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with TRANSMISSION, AUTOMATIC: PTO Provision, Less Retarder, Includes Park Pawl, with 23,500-lb GVW and 37,500-lb GCW Max,

On/Off Highway

AXLE, FRONT DRIVING: AXLE, REAR, SINGLE:

CAB:

TIRE, FRONT: TIRE, REAR:

SUSPENSION, REAR, SINGLE:

PAINT:

(Dana Spicer 60-256) Single Reduction, 7,500-lb Capacity, with Hub Piloted Wheel Mounting {Dana Spicer S16-130} Single Reduction, 15,500-lb Capacity, 190 Wheel Ends Gear Ratio: 4.30 Conventional, Day Cab

(2) 225/70R19.5 Load Range G HYBRID HD3 (CONTINENTAL), 647 rev/mile, 87 MPH, Drive (4) 225/70R19.5 Load Range G HYBRID HD3 (CONTINENTAL), 647 rev/mile, 87 MPH, Drive

15,500-lb Capacity, Vari-Rate Springs

Cab schematic 100CX

Location 1: 9219, Winter White (Std)

Chassis schematic N/A

INTERNATIONAL*

Vehicle Specifications 2020 CV515 SFA (CV515)

July 29, 2020

Code	Part of
<u>Code</u> CV51500	Description Base Chassis, Model CV515 SFA with 165.00 Wheelbase, 83.80 CA, and 49.00 Axle to Frame.
1ANB	AXLE CONFIGURATION {Navistar} 4x4
	Notes : Pricing may change if axle configuration is changed.
1CGH	FRAME RAILS High Strength Low Alloy Steel (50,000 PSI Yield), Straight Top Flange with Contoured Bottom, Height Transitions from 7.375" (187.325mm) to 9.125" (231.775mm) to 7.625" (193.675mm); Width: 3.079" (78.21mm); Thickness: 0.3125" (7.94mm); 383.3" (9735.8mm) Max OAL
1LEG	LICENSE PLATE HOLDER Includes Upper & Lower Mounting Plate Hardware, Mounted in Existing Holes in Front Bumper
1LSA	BUMPER, FRONT Contoured, Steel, Painted Gray
1WEB	WHEELBASE RANGE 128" (325cm) Through and Including 183" (465cm)
2EWA	AXLE, FRONT DRIVING {Dana Spicer 60-256} Single Reduction, 7,500-lb Capacity, with Hub Piloted Wheel Mounting
2WLC	AXLE, FRONT DRIVING, LUBE {EmGard FE-75W-90} Synthetic Oil; 1 thru 29.99 Pints
3AJN	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 7,500-lb Capacity, with Shock Absorbers
4198	BRAKE SYSTEM, HYDRAULIC (Bosch) Split System, with Four Channel ABS, Traction Control, Hydromax Brake Booster and Master Cylinder
4EVD	DUST SHIELDS, FRONT BRAKE for Hydraulic Brakes
4EVE	DUST SHIELDS, REAR BRAKE for Hydraulic Brakes
4GBJ	BRAKE, PARKING {Bosch} DSSA Type, 12" x 3"; for Hydraulic Brake Chassis; Foot Operated in Cab; Differential Mounted
4XCU	BRAKES, FRONT (Meritor Quadraulic) Hydraulic Disc Type, with Four 64mm Diameter Pistons, 8,000-lb Capacity
4XCV	BRAKES, REAR (Meritor Quadraulic) Hydraulic Disc Type, with Four 64mm Diameter Pistons, 15,500-lb Capacity per Axle
5708	STEERING COLUMN Tilting
5CBG	STEERING WHEEL 4-Spoke; 15" Dia., Black
5PSS	STEERING GEAR {Bosch S2 8014 Plus} Power
6DHD	DRIVELINE SYSTEM {Dana Spicer} SPL100 Main Driveline, Direct Mount Transfer Case to Transmission, SPL70 Driveline to Front Axle, for 4x4
7BLL	EXHAUST SYSTEM Horizontal, Frame Mounted Right Side, Under Rail, for Single Exhaust
7SDS	ENGINE EXHAUST BRAKE for International 6.6 Engine
7XAA	MANUAL REGEN Capability
8002	ELECTRICAL SYSTEM 12-Volt for CV Model
	Includes : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : PARKING LIGHT PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : TURN SIGNALS, FRONT Includes Reflectors and Solid State Flashers; Flush Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature, Integral with Turn Signal Lever
8AAB	DEFROSTER, REAR WINDOW Electric

<u>Vehicle Specifications</u> 2020 CV515 SFA (CV515)

### BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Crew Cab at Left Frame; Includes One Sealed Connector for Separate Ground/Backup/Left and Right Hand Turn, Left and Right Hand Tail/Stop/ Accessory Power and Combined for Left and Right Hand Stop/Turn ### BATTERY SYSTEM (VARTA) Maintenance-Free, (2) 12-Volt 1300CCA Total, Top Threaded Stud #### BATTERY SYSTEM (VARTA) Maintenance-Free, (2) 12-Volt 1300CCA Total, Top Threaded Stud ###################################	Code 8GJB	Description * ALTERNATOR (Denso SC6) Brush Type, 12 Volt 220 Amp. Capacity
Sealed Connector for Separate Ground/Backupfl.eft and Right Hand Turn, Left and Right Hand Tail/Stop/ Accessory Power and Combined for Left and Right Hand Stop/Turn 8MWA BATTERY SYSTEM (VARTA) Maintenance-Free, (2) 12-Volt 1300CCA Total, Top Threaded Stud 8RNM RADIO AM/FM/Clock/Bluetooth, Seek/Scan, with 7" Touch Panel Display 8RNU SPEAKERS (6) 8THB / BACK-UP ALARM Electric, 102 dBA 8TRA TRAILER CONNECTION SOCKET Mounted at Rear of Frame, Wired for Turn Signals Combined with Stop. Compatible with Trailers with Combined Stop, Tail, Turn Lamps 8TUL STOP, TURN, TAIL & B/U LIGHTS Multi-Function, Sealed, Incandescent Stop, Turn and Tail Lights, Backup Lights with Rear Reflex Reflector, Includes License Plate Light 8TUM AUXILIARY HARNESS "Y" Harness for Auxiliary Front Head Lights (High/Low Beam), Marker Lights, and Turn Signals for Front Plow Applications 8VAY HORN, ELECTRIC Disc Style 8VVB AATTERY BOX Steel, with Plastic Cover, 2 Battery Capacity, Parallel to Rail, 28" Wide, Mounted Left Side Under Cab 8WITT SWITCH, TOGGLE, FOR WORK LIGHT Lighted; on Instrument Panel and Wiring Effects for Customer Furnished End of Frame Light 8XJN HEADLIGHTS Halogen, Composite Aero Design, Black Trim Bezel, with Daylime Running Lights 8XJV CLEARANCE/MARKER LIGHTS (5) Amber LED Lights, Flush Mounted on Cab 8XJW STARTING MOTOR 12 Volt 8XKS SWITCH, TOGGLE, ROOF WORKLIGHT Lighted; in Overhead Console and Wiring Effects for Customer Furnished Roof Mounted Light 9WAC BUS CREEN Mounted Badges 9HBZ GRILLE Molded in Dark Gray 9WAC BUS CREEN Mounted Badges 9HBZ GRILLE Molded in Dark Gray 9WAC BUS CREEN Mounted Behind Grille 9WAN FRONT END Tilling, Fiberglass, with Three Piece Construction 9FINE SCHEMATIC, PT-1 Single Color, Design 100 PAINT TYPE Base Coat/Clear Coat, 1-2 Tone 9NOW PLOW PREP PACKAGE Includes Wiring for Roof Mounted Light 10060 PAINT SCHEMATIC, PT-1 Single Color, Design 100 PAINT TYPE Base Coat/Clear Coat, 1-2 Tone 9NOW PLOW PREP PACKAGE Includes Wiring for Roof Mounted Light 100408 GLOW PLUG Automa	8HBW	TRAILER BRAKE CONTROL Integrated
RADIO AM/FM/Clock/Bluetooth, Seek/Scan, with 7" Touch Panel Display SPEAKERS (6) 8THB BACK-UP ALARM Electric, 102 dBA 8TRA TRAILER CONNECTION SOCKET Mounted at Rear of Frame, Wired for Turn Signals Combined with Stop, Compatible with Trailers with Combined Stop, Tail, Turn Lamps 8TUL STOP, TURN, TAIL & B/U LIGHTS Multi-Function, Sealed, Incandescent Stop, Turn and Tail Lights, Backup Lights with Rear Reflex Reflector, Includes License Plate Light AUXILIARY HARNESS "Y" Harness for Auxiliary Front Head Lights (High/Low Beam), Marker Lights, and Turn Signals for Front Plow Applications 8VAY HORN, ELECTRIC Disc Style BATTERY BOX Steel, with Plastic Cover, 2 Battery Capacity, Parallel to Rail, 28" Wide, Mounted Left Side Under Cab 8WITT SWITCH, TOGGLE, FOR WORK LIGHT Lighted; on Instrument Panel and Wiring Effects for Customer Furnished End of Frame Light AUXILIARY 1 to 4 Latching Switches with 30-Amp Fuses 8XJV CLEARANCE/MARKER LIGHTS (5) Amber LED Lights, Fiush Mounted on Cab 8XJW STARTING MOTOR 12 Volt 8XKS SWITCH, AUXILIARY 1 to 4 Latching Switches with 30-Amp Fuses CLEARANCE/MARKER LIGHTS (5) Amber LED Lights, Fiush Mounted on Cab 8XXIV STARTING MOTOR 12 Volt 8XKS SWITCH, TOGGLE, ROOF WORKLIGHT Lighted; in Overhead Console and Wiring Effects for Customer Furnished Roof Mounted Light LOGOS EXTERIOR Model Badges 9HBZ GRILLE Molded in Dark Gray 9WAY FRONT END Tilting, Fiberglass, with Three Piece Construction FENDER EXTENSIONS Painted PAINT SCHEMATIC, PT-1 Single Color, Design 100 PAINT SCHEMATIC, PT-1 Single Color, Design 100 PAINT SCHEMATIC, PT-1 Single Color, Design 100 PAINT TYPE Base Coat/Clear Coat, 1-2 Tone SNOW PLOW PREP PACKAGE Includes Wiring for Roof Mounted Light GOWN WEIGHT CLASSIFICATION Class 6 (19,501-26,000 lbs) LIGHAD LIGHAGE SCHOW PLUG Automatic with Indicator Light	8HXV	Sealed Connector for Separate Ground/Backup/Left and Right Hand Turn, Left and Right Hand Tail/Stop/
8RNU SPEAKERS (6) 8THB	8MWA	BATTERY SYSTEM {VARTA} Maintenance-Free, (2) 12-Volt 1300CCA Total, Top Threaded Stud
BACK-UP ALARM Electric, 102 dBA TRAILER CONNECTION SOCKET Mounted at Rear of Frame, Wired for Turn Signals Combined with Stop, Compatible with Trailers with Combined Stop, Tail, Turn Lamps STOP, TURN, TAIL & B/U LIGHTS Multi-Function, Sealed, Incandescent Stop, Turn and Tail Lights, Backup Lights with Rear Reflex Reflector, Includes License Plate Light AUXILIARY HARNESS "" Harness for Auxiliary Front Head Lights (High/Low Beam), Marker Lights, and Turn Signals for Front Plow Applications WHORN, ELECTRIC Disc Style BATTERY BOX Steel, with Plastic Cover, 2 Battery Capacity, Parallel to Rail, 28" Wide, Mounted Left Side Under Cab WITT SWITCH, TOGGLE, FOR WORK LIGHT Lighted; on Instrument Panel and Wiring Effects for Customer Furnished End of Frame Light XJN HEADLIGHTS Halogen, Composite Aero Design, Black Trim Bezel, with Daytime Running Lights XJV CLEARANCE/MARKER LIGHTS (5) Amber LED Lights, Flush Mounted on Cab STARTING MOTOR 12 Volt XKS SWITCH, AUXILIARY 1 to 4 Latching Switches with 30-Amp Fuses XJV CLEARANCE/MARKER LIGHTS (5) Amber LED Lights, Flush Mounted on Cab STARTING MOTOR 12 Volt XKS SWITCH, TOGGLE, ROOF WORKLIGHT Lighted; in Overhead Console and Wiring Effects for Customer Furnished Roof Mounted Light LOGOS EXTERIOR Model Badges GRILLE Molded in Dark Gray BUG SCREEN Mounted Behind Grille FRONT END Tilting, Fiberglass, with Three Piece Construction FENDER EXTENSIONS Painted PAINT SCHEMATIC, PT-1 Single Color, Design 100 PAINT SCHEMATIC, PT-1 Single Color, Design 100 PAINT TYPE Base Coat/Clear Coat, 1-2 Tone SNOW PLOW PREP PACKAGE Includes Wiring for Roof Mounted Light SNOW PLOW PREP PACKAGE Includes Wiring for Roof Mounted Light SNOW PLOW PREP PACKAGE Includes Wiring for Roof Mounted Light SNOW PLOW PREP PACKAGE Includes Wiring for Roof Mounted Light SNOW PLUG Automatic with Indicator Light Light Type Base Coat/Clear Coat, 1-2 Tone SNOW PLUG Automatic with Indicator Light	8RNM	RADIO AM/FM/Clock/Bluetooth, Seek/Scan, with 7" Touch Panel Display
TRAILER CONNECTION SOCKET Mounted at Rear of Frame, Wired for Turn Signals Combined with Stop, Compatible with Trailers with Combined Stop, Tail, Turn Lamps STOP, TURN, TAIL & B/J LIGHTS With:Function, Sealed, Incandescent Stop, Turn and Tail Lights, Backup Lights with Rear Reflex Reflector, Includes License Plate Light AUXILIARY HARNESS "Y" Harness for Auxiliary Front Head Lights (High/Low Beam), Marker Lights, and Turn Signals for Front Plow Applications WAY HORN, ELECTRIC Disc Style BATTERY BOX Steel, with Plastic Cover, 2 Battery Capacity, Parallel to Rail, 28" Wide, Mounted Left Side Under Cab BWTT SWITCH, TOGGLE, FOR WORK LIGHT Lighted; on Instrument Panel and Wiring Effects for Customer Furnished End of Frame Light HEADLIGHTS Halogen, Composite Aero Design, Black Trim Bezel, with Daytime Running Lights SWITCH, AUXILIARY 1 to 4 Latching Switches with 30-Amp Fuses XJV CLEARANCE/MARKER LIGHTS (5) Amber LED Lights, Flush Mounted on Cab STARTING MOTOR 12 Volt SXKS SWITCH, TOGGLE, ROOF WORKLIGHT Lighted; in Overhead Console and Wiring Effects for Customer Furnished Roof Mounted Light LOGOS EXTERIOR Model Badges GRILLE Molded in Dark Gray BUG SCREEN Mounted Behind Grille FRONT END Tilting, Fiberglass, with Three Piece Construction FENDER EXTENSIONS Painted PAINT TYPE Base Coat/Clear Coat, 1-2 Tone SNOW PLOW PREP PACKAGE Includes Wiring for Roof Mounted Light GYWR WEIGHT CLASSIFICATION Class 6 (19,501-26,000 lbs) ENGINE, DIESEL (International 6.6) EPA 2017, 350HP @ 2700 RPM, 700 lb-ft Torque @ 1600 RPM, 2900 RPM Governed Speed, 350 Peak HP (Max) Includes GLOW PLUG Automatic with Indicator Light	8RNU	SPEAKERS (6)
Compatible with Trailers with Combined Stop, Tail, Turn Lamps STOP, TURN, TAIL & BrU LIGHT'S Multi-Function, Sealed, Incandescent Stop, Turn and Tail Lights, Backup Lights with Rear Reflex Reflector, Includes License Plate Light AUXILIARY HARNESS"" Harness for Auxiliary Front Head Lights (High/Low Beam), Marker Lights, and Turn Signals for Front Plow Applications WAY HORN, ELECTRIC Disc Style BATTERY BOX Steel, with Plastic Cover, 2 Battery Capacity, Parallel to Rail, 28" Wide, Mounted Left Side Under Cab WITCH, TOGGLE, FOR WORK LIGHT Lighted; on Instrument Panel and Wiring Effects for Customer Furnished End of Frame Light XUN HEADLIGHTS Halogen, Composite Aero Design, Black Trim Bezel, with Daytime Running Lights SWITCH, AUXILIARY 1 to 4 Latching Switches with 30-Amp Fuses XJV CLEARANCE/MARKER LIGHTS (5) Amber LED Lights, Flush Mounted on Cab STARTING MOTOR 12 Volt SXKS SWITCH, TOGGLE, ROOF WORKLIGHT Lighted; in Overhead Console and Wiring Effects for Customer Furnished Roof Mounted Light LOGOS EXTERIOR Model Badges 9HBZ GRILLE Molded in Dark Gray BUG SCREEN Mounted Behind Grille FRONT END Tilting, Fiberglass, with Three Piece Construction FENDER EXTENSIONS Painted PAINT SCHEMATIC, PT-1 Single Color, Design 100 PAINT SCHEMATIC, PT-1 Single Color, Design 100 PAINT TYPE Base Coat/Clear Coat, 1-2 Tone SNOW PLOW PREP PACKAGE Includes Wiring for Roof Mounted Light GWWR WEIGHT CLASSIFICATION Class 6 (19,501-26,000 lbs) ENGINE, DIESEL (International 6.6) EPA 2017, 350HP @ 2700 RPM, 700 lb-ft Torque @ 1600 RPM, 2900 RPM Governed Speed, 350 Peak HP (Max) Includes : GLOW PLUG Automatic with Indicator Light	8THB	✓ BACK-UP ALARM Electric, 102 dBA
Lights with Rear Reflect Reflect Reflector, Includes License Plate Light AUXILIARY HARNESS "Y" Harness for Auxiliary Front Head Lights (High/Low Beam), Marker Lights, and Turn Signals for Front Plow Applications BVAY HORN, ELECTRIC Disc Style BATTERY BOX Steel, with Plastic Cover, 2 Battery Capacity, Parallel to Rail, 28" Wide, Mounted Left Side Under Cab SWITCH, TOGGLE, FOR WORK LIGHT Lighted; on Instrument Panel and Wiring Effects for Customer Furnished End of Frame Light SWITCH, AUXILIARY 1 to 4 Latching Switches with 30-Amp Fuses SWJV CLEARANCE/MARKER LIGHTS (5) Amber LED Lights, Flush Mounted on Cab STARTING MOTOR 12 Volt SXKS SWITCH, TOGGLE, ROOF WORKLIGHT Lighted; in Overhead Console and Wiring Effects for Customer Furnished Roof Mounted Light LOGOS EXTERIOR Model Badges GRILLE Moided in Dark Gray BUG SCREEN Mounted Behind Grille FRONT END Tilting, Fiberglass, with Three Piece Construction FENDER EXTENSIONS Painted 10060 PAINT SCHEMATIC, PT-1 Single Color, Design 100 PAINT TYPE Base Coal/Clear Coat, 1-2 Tone SNOW PLOW PREP PACKAGE Includes Wiring for Roof Mounted Light GVWR WEIGHT CLASSIFICATION Class 6 (19,501-26,000 lbs) ENGINE, DIESEL (International 6.6) EPA 2017, 350HP @ 2700 RPM, 700 lb-ft Torque @ 1600 RPM, 2900 RPM Governed Speed, 350 Peak HP (Max) Includes	8TRA	
Signals for Front Plow Applications HORN, ELECTRIC Disc Style BATTERY BOX Steel, with Plastic Cover, 2 Battery Capacity, Parallel to Rail, 28" Wide, Mounted Left Side Under Cab SWITT SWITCH, TOGGLE, FOR WORK LIGHT Lighted; on Instrument Panel and Wiring Effects for Customer Furnished End of Frame Light SXJN HEADLIGHTS Halogen, Composite Aero Design, Black Trim Bezel, with Daytime Running Lights SXJP SWITCH, AUXILIARY 1 to 4 Latching Switches with 30-Amp Fuses SXJV CLEARANCE/MARKER LIGHTS (5) Amber LED Lights, Flush Mounted on Cab SXAW STARTING MOTOR 12 Volt SXKS SWITCH, TOGGLE, ROOF WORKLIGHT Lighted; in Overhead Console and Wiring Effects for Customer Furnished Roof Mounted Light LOGOS EXTERIOR Model Badges 9HBZ GRILLE Molded in Dark Gray 9WAC BUG SCREEN Mounted Behind Grille 9WAY FRONT END Tilting, Fiberglass, with Three Piece Construction 9WBN FENDER EXTENSIONS Painted 10060 PAINT SCHEMATIC, PT-1 Single Color, Design 100 10761 PAINT TYPE Base Coat/Clear Coat, 1-2 Tone \$NOW PLOW PREP PACKAGE Includes Wiring for Roof Mounted Light GVWR WEIGHT CLASSIFICATION Class 6 (19,501-26,000 lbs) PENGINE, DIESEL (International 6.6) EPA 2017, 350HP @ 2700 RPM, 700 lb-ft Torque @ 1600 RPM, 2900 RPM Governed Speed, 350 Peak HP (Max) Includes GLOW PLUG Automatic with Indicator Light	8TUL	
BATTERY BOX Steel, with Plastic Cover, 2 Battery Capacity, Parallel to Rail, 28" Wide, Mounted Left Side Under Cab SWITCH, TOGGLE, FOR WORK LIGHT Lighted; on Instrument Panel and Wiring Effects for Customer Furnished End of Frame Light SWITCH, AUXILIARY 1 to 4 Latching Switches with 30-Amp Fuses SWITCH, AUXILIARY 1 to 4 Latching Switches with 30-Amp Fuses SWITCH, AUXILIARY 1 to 4 Latching Switches with 30-Amp Fuses SWITCH, AUXILIARY 1 to 4 Latching Switches with 30-Amp Fuses SWITCH, AUXILIARY 1 to 4 Latching Switches with 30-Amp Fuses SWITCH, AUXILIARY 1 to 4 Latching Switches with 30-Amp Fuses SWITCH, AUXILIARY 1 to 4 Latching Switches with 30-Amp Fuses STARTING MOTOR 12 Volt SWITCH, TOGGLE, ROOF WORKLIGHT Lighted; in Overhead Console and Wiring Effects for Customer Furnished Roof Mounted Light LOGOS EXTERIOR Model Badges GRILLE Molded in Dark Gray BUG SCREEN Mounted Behind Grille FRONT END Tilting, Fiberglass, with Three Piece Construction FENDER EXTENSIONS Painted PAINT SCHEMATIC, PT-1 Single Color, Design 100 PAINT SCHEMATIC, PT-1 Single Color, Design 100 PAINT TYPE Base Coat/Clear Coat, 1-2 Tone SNOW PLOW PREP PACKAGE Includes Wiring for Roof Mounted Light GWW WEIGHT CLASSIFICATION Class 6 (19,501-26,000 lbs) ENGINE, DIESEL (International 6.6) EPA 2017, 350HP @ 2700 RPM, 700 lb-ft Torque @ 1600 RPM, 2900 RPM Governed Speed, 350 Peak HP (Max) Includes : GLOW PLUG Automatic with Indicator Light	8TUM	
8WTT SWITCH, TOGGLE, FOR WORK LIGHT Lighted; on Instrument Panel and Wiring Effects for Customer Furnished End of Frame Light 8XJN HEADLIGHTS Halogen, Composite Aero Design, Black Trim Bezel, with Daytime Running Lights 8XJP SWITCH, AUXILIARY 1 to 4 Latching Switches with 30-Amp Fuses 8XJV CLEARANCE/MARKER LIGHTS (5) Amber LED Lights, Flush Mounted on Cab 8XJW STARTING MOTOR 12 Volt 8XKS SWITCH, TOGGLE, ROOF WORKLIGHT Lighted; in Overhead Console and Wiring Effects for Customer Furnished Roof Mounted Light 9AAB LOGOS EXTERIOR Model Badges 9HBZ GRILLE Molded in Dark Gray 9WAC BUG SCREEN Mounted Behind Grille 9WAY FRONT END Tilting, Fiberglass, with Three Piece Construction 9WBN FENDER EXTENSIONS Painted 10060 PAINT SCHEMATIC, PT-1 Single Color, Design 100 10761 PAINT TYPE Base Coat/Clear Coat, 1-2 Tone 10WWS SNOW PLOW PREP PACKAGE Includes Wiring for Roof Mounted Light 10XAX GYWR WEIGHT CLASSIFICATION Class 6 (19,501-26,000 lbs) 10cludes	8VAY	✓ HORN, ELECTRIC Disc Style
Furnished End of Frame Light ### HEADLIGHTS Halogen, Composite Aero Design, Black Trim Bezel, with Daytime Running Lights ### SWITCH, AUXILIARY 1 to 4 Latching Switches with 30-Amp Fuses ### SWITCH, AUXILIARY 1 to 4 Latching Switches with 30-Amp Fuses ### SWITCH, AUXILIARY 1 to 4 Latching Switches with 30-Amp Fuses ### SWITCH, AUXILIARY 1 to 4 Latching Switches with 30-Amp Fuses ### SWITCH, AUXILIARY 1 to 4 Latching Switches with 30-Amp Fuses ### SWITCH, AUXILIARY 1 to 4 Latching Switches with 30-Amp Fuses ### SWITCH, AUXILIARY 1 to 4 Latching Switches with 30-Amp Fuses ### SWITCH, AUXILIARY 1 to 4 Latching Switches with Mounted on Cab ### SWITCH, TOGGLE, ROOF WORKLIGHT Lighted; in Overhead Console and Wiring Effects for Customer Furnished Roof Mounted Light ### SWITCH, AUXILIARY 1 to 4 Latching Switches with Induces Wiring for Roof Mounted Console and Wiring Effects for Customer Furnished Roof Mounted Badges ### SWITCH, AUXILIARY 1 to 4 Latching Switches with Induces Wiring for Roof Mounted Console and Wiring Effects for Customer Furnished Roof Mounted Badges ### SWITCH, AUXILIARY 1 to 4 Latching Switches with Induces Induces with Induces Light ### SWITCH, AUXILIARY 1 to 4 Latching Switches with Indicator Light ### SWITCH, AUXILIARY 1 to 4 Latching Switches with Indicator Light ### SWITCH, AUXILIARY 1 to 4 Latching Switches with Indicator Light ### SWITCH, AUXILIARY 1 to 4 Latching Switches with Indicator Light ### SWITCH, AUXILIARY 1 to 4 Latching Switches with Indicator Light ### SWITCH, AUXILIARY 1 to 4 Latching Switches with Indicator Light ### SWITCH, AUXILIARY 1 to 4 Latching Switches with Indicator Light ### SWITCH, AUXILIARY 1 to 4 Latching Switches with Indicator Light ### SWITCH, AUXILIARY 1 to 4 Latching Switches with Indicator Light ### SWITCH, AUXILIARY 1 to 4 Latching Switches with Indicator Light ### SWITCH, TORS	8VVB	
8XJP SWITCH, AUXILIARY 1 to 4 Latching Switches with 30-Amp Fuses 8XJV CLEARANCE/MARKER LIGHTS (5) Amber LED Lights, Flush Mounted on Cab 8XJW STARTING MOTOR 12 Volt 8XKS SWITCH,TOGGLE, ROOF WORKLIGHT Lighted; in Overhead Console and Wiring Effects for Customer Furnished Roof Mounted Light 9AAB LOGOS EXTERIOR Model Badges 9HBZ GRILLE Molded in Dark Gray 9WAC BUG SCREEN Mounted Behind Grille 9WAY FRONT END Tilting, Fiberglass, with Three Piece Construction 9WBN FENDER EXTENSIONS Painted 10060 PAINT SCHEMATIC, PT-1 Single Color, Design 100 10761 PAINT TYPE Base Coat/Clear Coat, 1-2 Tone 10WWS NOW PLOW PREP PACKAGE Includes Wiring for Roof Mounted Light 10XAX GVWR WEIGHT CLASSIFICATION Class 6 (19,501-26,000 lbs) 12GAD ENGINE, DIESEL {International 6.6} EPA 2017, 350HP @ 2700 RPM, 700 lb-ft Torque @ 1600 RPM, 2900 RPM Governed Speed, 350 Peak HP (Max) Includes 1 GLOW PLUG Automatic with Indicator Light	8WTT	
SXJW STARTING MOTOR 12 Volt SXKS SWITCH,TOGGLE, ROOF WORKLIGHT Lighted; in Overhead Console and Wiring Effects for Customer Furnished Roof Mounted Light LOGOS EXTERIOR Model Badges 9HBZ GRILLE Molded in Dark Gray 9WAC BUG SCREEN Mounted Behind Grille 9WAY FRONT END Tilting, Fiberglass, with Three Piece Construction 9WBN FENDER EXTENSIONS Painted 10060 PAINT SCHEMATIC, PT-1 Single Color, Design 100 10761 PAINT TYPE Base Coat/Clear Coat, 1-2 Tone 10WWS SNOW PLOW PREP PACKAGE Includes Wiring for Roof Mounted Light 10XAX GVWR WEIGHT CLASSIFICATION Class 6 (19,501-26,000 lbs) 12GAD PLOG Automatic with Indicator Light	8XJN	∠HEADLIGHTS Halogen, Composite Aero Design, Black Trim Bezel, with Daytime Running Lights
STARTING MOTOR 12 Volt SXKS SWITCH,TOGGLE, ROOF WORKLIGHT Lighted; in Overhead Console and Wiring Effects for Customer Furnished Roof Mounted Light LOGOS EXTERIOR Model Badges 9HBZ GRILLE Molded in Dark Gray 9WAC BUG SCREEN Mounted Behind Grille 9WAY FRONT END Tilting, Fiberglass, with Three Piece Construction 9WBN FENDER EXTENSIONS Painted 10060 PAINT SCHEMATIC, PT-1 Single Color, Design 100 10761 PAINT TYPE Base Coat/Clear Coat, 1-2 Tone 10WWS SNOW PLOW PREP PACKAGE Includes Wiring for Roof Mounted Light GVWR WEIGHT CLASSIFICATION Class 6 (19,501-26,000 lbs) ENGINE, DIESEL {International 6.6} EPA 2017, 350HP @ 2700 RPM, 700 lb-ft Torque @ 1600 RPM, 2900 RPM Governed Speed, 350 Peak HP (Max) Includes GLOW PLUG Automatic with Indicator Light	8XJP	SWITCH, AUXILIARY 1 to 4 Latching Switches with 30-Amp Fuses
SWITCH,TOGGLE, ROOF WORKLIGHT Lighted; in Overhead Console and Wiring Effects for Customer Furnished Roof Mounted Light LOGOS EXTERIOR Model Badges GRILLE Molded in Dark Gray BUG SCREEN Mounted Behind Grille FRONT END Tilting, Fiberglass, with Three Piece Construction FENDER EXTENSIONS Painted 10060 PAINT SCHEMATIC, PT-1 Single Color, Design 100 10761 PAINT TYPE Base Coat/Clear Coat, 1-2 Tone 10WWS SNOW PLOW PREP PACKAGE Includes Wiring for Roof Mounted Light 10XAX GVWR WEIGHT CLASSIFICATION Class 6 (19,501-26,000 lbs) 12GAD ENGINE, DIESEL (International 6.6) EPA 2017, 350HP @ 2700 RPM, 700 lb-ft Torque @ 1600 RPM, 2900 RPM Governed Speed, 350 Peak HP (Max) Includes GLOW PLUG Automatic with Indicator Light	8XJV	CLEARANCE/MARKER LIGHTS (5) Amber LED Lights, Flush Mounted on Cab
Furnished Roof Mounted Light 9AAB LOGOS EXTERIOR Model Badges 9HBZ GRILLE Molded in Dark Gray 9WAC BUG SCREEN Mounted Behind Grille 9WAY FRONT END Tilting, Fiberglass, with Three Piece Construction 9WBN FENDER EXTENSIONS Painted 10060 PAINT SCHEMATIC, PT-1 Single Color, Design 100 10761 PAINT TYPE Base Coat/Clear Coat, 1-2 Tone 10WWS SNOW PLOW PREP PACKAGE Includes Wiring for Roof Mounted Light 10XAX GVWR WEIGHT CLASSIFICATION Class 6 (19,501-26,000 lbs) ENGINE, DIESEL {International 6.6} EPA 2017, 350HP @ 2700 RPM, 700 lb-ft Torque @ 1600 RPM, 2900 RPM Governed Speed, 350 Peak HP (Max) Includes : GLOW PLUG Automatic with Indicator Light	8XJW	STARTING MOTOR 12 Volt
9WAC 9WAC BUG SCREEN Mounted Behind Grille 9WAY FRONT END Tilting, Fiberglass, with Three Piece Construction 9WBN FENDER EXTENSIONS Painted 10060 PAINT SCHEMATIC, PT-1 Single Color, Design 100 10761 PAINT TYPE Base Coat/Clear Coat, 1-2 Tone 10WWS SNOW PLOW PREP PACKAGE Includes Wiring for Roof Mounted Light 10XAX GVWR WEIGHT CLASSIFICATION Class 6 (19,501-26,000 lbs) 12GAD ENGINE, DIESEL (International 6.6) EPA 2017, 350HP @ 2700 RPM, 700 lb-ft Torque @ 1600 RPM, 2900 RPM Governed Speed, 350 Peak HP (Max) Includes : GLOW PLUG Automatic with Indicator Light	8XKS	
BUG SCREEN Mounted Behind Grille 9WAY FRONT END Tilting, Fiberglass, with Three Piece Construction 9WBN FENDER EXTENSIONS Painted 10060 PAINT SCHEMATIC, PT-1 Single Color, Design 100 10761 PAINT TYPE Base Coat/Clear Coat, 1-2 Tone 10WWS SNOW PLOW PREP PACKAGE Includes Wiring for Roof Mounted Light GVWR WEIGHT CLASSIFICATION Class 6 (19,501-26,000 lbs) 12GAD ENGINE, DIESEL {International 6.6} EPA 2017, 350HP @ 2700 RPM, 700 lb-ft Torque @ 1600 RPM, 2900 RPM Governed Speed, 350 Peak HP (Max) Includes GLOW PLUG Automatic with Indicator Light	9AAB	LOGOS EXTERIOR Model Badges
9WAY FRONT END Tilting, Fiberglass, with Three Piece Construction 9WBN FENDER EXTENSIONS Painted 10060 PAINT SCHEMATIC, PT-1 Single Color, Design 100 10761 PAINT TYPE Base Coat/Clear Coat, 1-2 Tone 10WWS SNOW PLOW PREP PACKAGE Includes Wiring for Roof Mounted Light GVWR WEIGHT CLASSIFICATION Class 6 (19,501-26,000 lbs) 12GAD ENGINE, DIESEL {International 6.6} EPA 2017, 350HP @ 2700 RPM, 700 lb-ft Torque @ 1600 RPM, 2900 RPM Governed Speed, 350 Peak HP (Max) Includes GLOW PLUG Automatic with Indicator Light	9HBZ	GRILLE Molded in Dark Gray
9WBN FENDER EXTENSIONS Painted 10060 PAINT SCHEMATIC, PT-1 Single Color, Design 100 10761 PAINT TYPE Base Coat/Clear Coat, 1-2 Tone 10WWS SNOW PLOW PREP PACKAGE Includes Wiring for Roof Mounted Light GVWR WEIGHT CLASSIFICATION Class 6 (19,501-26,000 lbs) ENGINE, DIESEL {International 6.6} EPA 2017, 350HP @ 2700 RPM, 700 lb-ft Torque @ 1600 RPM, 2900 RPM Governed Speed, 350 Peak HP (Max) Includes GLOW PLUG Automatic with Indicator Light	9WAC	BUG SCREEN Mounted Behind Grille
PAINT SCHEMATIC, PT-1 Single Color, Design 100 PAINT TYPE Base Coat/Clear Coat, 1-2 Tone NOW PLOW PREP PACKAGE Includes Wiring for Roof Mounted Light GVWR WEIGHT CLASSIFICATION Class 6 (19,501-26,000 lbs) ENGINE, DIESEL {International 6.6} EPA 2017, 350HP @ 2700 RPM, 700 lb-ft Torque @ 1600 RPM, 2900 RPM Governed Speed, 350 Peak HP (Max) Includes GLOW PLUG Automatic with Indicator Light	9WAY	FRONT END Tilting, Fiberglass, with Three Piece Construction
10761 PAINT TYPE Base Coat/Clear Coat, 1-2 Tone 10WWS SNOW PLOW PREP PACKAGE Includes Wiring for Roof Mounted Light 10XAX GVWR WEIGHT CLASSIFICATION Class 6 (19,501-26,000 lbs) 12GAD ENGINE, DIESEL {International 6.6} EPA 2017, 350HP @ 2700 RPM, 700 lb-ft Torque @ 1600 RPM, 2900 RPM Governed Speed, 350 Peak HP (Max) Includes : GLOW PLUG Automatic with Indicator Light	9WBN	FENDER EXTENSIONS Painted
10WWS SNOW PLOW PREP PACKAGE Includes Wiring for Roof Mounted Light GVWR WEIGHT CLASSIFICATION Class 6 (19,501-26,000 lbs) ENGINE, DIESEL {International 6.6} EPA 2017, 350HP @ 2700 RPM, 700 lb-ft Torque @ 1600 RPM, 2900 RPM Governed Speed, 350 Peak HP (Max) Includes GLOW PLUG Automatic with Indicator Light	10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100
10XAX GVWR WEIGHT CLASSIFICATION Class 6 (19,501-26,000 lbs) ENGINE, DIESEL {International 6.6} EPA 2017, 350HP @ 2700 RPM, 700 lb-ft Torque @ 1600 RPM, 2900 RPM Governed Speed, 350 Peak HP (Max) Includes : GLOW PLUG Automatic with Indicator Light	10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
12GAD ENGINE, DIESEL {International 6.6} EPA 2017, 350HP @ 2700 RPM, 700 lb-ft Torque @ 1600 RPM, 2900 RPM Governed Speed, 350 Peak HP (Max) Includes : GLOW PLUG Automatic with Indicator Light	10WWS	SNOW PLOW PREP PACKAGE Includes Wiring for Roof Mounted Light
RPM Governed Speed, 350 Peak HP (Max) Includes : GLOW PLUG Automatic with Indicator Light	10XAX	GVWR WEIGHT CLASSIFICATION Class 6 (19,501-26,000 lbs)
: GLOW PLUG Automatic with Indicator Light	12GAD	
		: GLOW PLUG Automatic with Indicator Light

	·
Code 12TTM	<u>Description</u> FAN DRIVE Viscous Screw On Type, Rear Tether, Electronically Controlled
12VGC	AIR CLEANER Single Element, with Water Separator
12VHN	FEDERAL EMISSIONS (International 6.6) EPA, OBD and GHG Certified for Calendar Year 2020
12WGG	THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic Controlled, On/Off Switch Mounted on Dash, with Steering Wheel Button Control
12WUU	GOVERNOR Electronic Road Speed Type; with 75 MPH Default
12WZJ	EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door
12XBL	✓ BLOCK HEATER, ENGINE 120V/800W
12XZD	RADIATOR Aluminum, 3-Row, Down Flow, Front to Back System, 730 Sqln Louvered, with 578 Sqln Charge Air Cooler, Includes In-Tank Oil Cooler
13AXS	✓TRANSMISSION, AUTOMATIC {Allison 2750 RDS} 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Park Pawl, with 23,500-lb GVW and 37,500-lb GCW Max, On/Off Highway
13TLP	TRANSFER CASE {Meritor MTC-3203} 2-Speed, Gear Drive, 3,000 lb-ft Torque Rating, Less PTO Provision, Electric Shift Control
	Notes : Transfer Case Includes 40W Synthetic Lube
13WYY	SHIFT CONTROL PARAMETERS (Allison) 1000 or 2000 Series Transmissions, Performance Programming
13XAL	✓ PTO LOCATION Customer Intends to Install PTO at Left Side of Transmission
14897	DIFFERENTIAL, LOCKING Torque Proportioning Limited Slip
14AJE	AXLE, REAR, SINGLE {Dana Spicer S16-130} Single Reduction, 15,500-lb Capacity, 190 Wheel Ends . Gear Ratio: 4.30
14SAE	SUSPENSION, REAR, SINGLE 15,500-lb Capacity, Vari-Rate Springs
14WAP	SHOCK ABSORBERS, REAR (2)
14WMN	AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 1 thru 29.99 Pints
15SZN	FUEL TANK Top Draw, Plastic, Rectangular, 17" Tank Depth, 40 US Gal (151L), Includes Auxiliary Draw Port and Fuel Filler Assembly, Mounted Between Frame Rails and Behind Rear Axle
15WDZ	DEF TANK 6.75 US Gal (26L) Capacity, Frame Mounted Outside Right Rail, Under Cab
16030	CAB Conventional, Day Cab
	Includes CAB DOOR LOCKS Power Door Locks All Doors DOME LIGHT, CAB with OFF/DOOR/ON Settings; Located in Overhead Console READING LIGHT, CAB Located in Overhead Console STEP (2) One Per Door STORAGE POCKET, DOOR (2) Full Length, Driver and Passenger Door
16ACB	MIRROR, INSIDE REAR VIEW with Manual Tilt
16BBA	✓GLASS, ALL WINDOWS Solar Absorbing, Tint
16CEM	COLOR, INTERIOR Dark Ash
16HCT	✓GAUGE CLUSTER English Speedometer, Includes English Odometer; Includes 3.5" Monochromatic Display with Personalization, Warning Messages and Vehicle Information

INTERNATIONAL®

<u>Vehicle Specifications</u> 2020 CV515 SFA (CV515)

July 29, 2020

<u>Code</u> 16KVR	<u>Description</u> SEAT, DRIVER High Back with Integral Headrest, with Recline, Cloth, Manual Adjust Lumbar
16LVP	SEAT, TWO-MAN PASSENGER High Back with Integral Headrest in Outboard Position, Center Fold-Down Armrest with Storage, Cloth, with Recline
16SPS	MIRRORS (2) Manual Folding and Extending, Power Adjust, Heated, Turn Signal Indicator Located in Mirror, Black Heads and Arms, for 96" Load Width
16VCC	SEAT BELT All Orange; 1 to 3
16VKB	CAB INTERIOR TRIM Classic, for Day Cab
	Includes : SUN VISOR (2) Vinyl
16WAK	WINDOW, POWER (2) in Left and Right Doors
16XAL	KEYLESS ENTRY SYSTEM REMOTE with Panic Alarm and Horn Beep Lock Confirmation, Includes Two Key Fob Transmitters
16XCP	AIR BAG, FRONT, DRIVER SIDE
16XCR	AIR BAG, FRONT, PASSENGER SIDE
16XDE	AIR BAG, SIDE, DRIVER Seat Mounted, Outboard Side-Impact Airbag
16XDG	AIR BAG, SIDE, PASSENGER Seat Mounted, Outboard Side-Impact Airbag
16XDH	AIR BAG, SIDE CURTAIN Roof Mounted, for Front and Rear Outboard Seating Positions for Driver and Passenger Sides
16XZA	AIR CONDITIONER with Heater, Single Zone
27DTX	WHEELS, FRONT {Accuride 50180} DISC; 19.5x6.75 Rims, Powder Coat Steel, 4-Hand Hole, 8-Stud, 275mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
28DTX	WHEELS, REAR {Accuride 50180} DUAL DISC; 19.5x6.75 Rims, Powder Coat Steel, 4-Hand Hole, 8-Stud, 275mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
7779445428	(2) TIRE, FRONT 225/70R19.5 Load Range G HYBRID HD3 (CONTINENTAL), 647 rev/mile, 87 MPH, Drive
7779445428	(4) TIRE, REAR 225/70R19.5 Load Range G HYBRID HD3 (CONTINENTAL), 647 rev/mile, 87 MPH, Drive
	Services Section:
40131	WARRANTY Standard for CV515, Effective with Vehicles Built December 3, 2018 or Later, CTS-3000A



NO. 17393

• Dump Bodies (Steel & Stainless)

• Stake/Platform Bodies (Steel & Aluminum)

- Forestry Chip Bodies
- Custom Bodies Tool Boxes
- Conversion Hoists
- Product Documentation & Layout

MAKE & MODEL:
INTERNATIONAL
CV 4X4
COLOR: C.A.:
BLACK 84"
TRANSMISSION:

CLARK'S TRUCK CENTER 6 ORR ROAD JERICHO, VT 05465 ATTN: JOSH

DATE		YOUR INQUIRY NO. & DATE	F.O.B.	TERM	
08/06/2020	(518) 561-6770	, CL	HINESBURG, VT		
QUANTITY		ESCRIPTION	UNIT PRICE A	MOUNT	
1	IROQUOIS BRAVE DUMP E				
	11 FT. LONG, 89 IN. (ID) WI	DE			
	7 GA. STEEL FLOOR				
	10 GA. STEEL SIDES & FR				
	12 GA. STEEL "DOUBLE-PA				
	3" STRUCTURAL CHANNE				
	6" STRUCTURAL CHANNE				
	15" HIGH SIDES, 4 CU. YAI				
	26" HIGH "SLANTED" TAIL(
	PRO-LATCH TAILGATE RE	The state of the s			
	1/2 CAB PROTECTOR - 3/4	YD.			
	SCREEN WINDOW				
		IDE POSTS, ONE (1) FRONT POST	<u> </u>		
	BOXED TOP RAIL	MEG. CO			
	DIRT SHEDDING RAILS	1925 TM			
	CLEARANCE S. DUMP LEI	D LIGHT KIT			
	BODY SANDBLASTED				
	PAINTED BLACK & FULLY				
		. CS-620-P21-8C, DOUBLE-ACTING			
		, SAFETY BRACE, POWER TAKE (
		ROLS & COMPLETE MOUNTING K			
	HITCH PLATE WITH RECEVIER TUBE ONLY, TWO(2) SAFETY LASHING RINGS & SEVEN POLE TRAILER PLUG				
		POLE TRAILER PLUG			
	** INSTALLED		\$ 1	4,379.0	
	OPTIONS:				
		WITH MESH TARP & REAR ROLLE	ED DAD		

NO. **17393**

—QUANTITY	DESCRIPTION UNIT PRICE AMOUNT—
	INSTALLED ADD\$ 380.00
	POLY FENDERS WITH DUMP BODY MOUNTING BRACKETS
	INSTALLED ADD\$ 560.00
	FISHER 8'6" - 11' FT XLS, EXPANDABLE LENGTH SNOW PLOW
	COMPLETE WITH HALOGEN LIGHTS, PLOW GUIDES, CUTTING EDGE
	12 VOLT ELECTRIC HYDRAULIC OPERATED WITH FISH STICK CONTROL
	POWDER COAT YELLOW BLADE INSTALLED ADD\$ 8,522.00
	STAINLESS STEEL PLOW BLADE IN LIEU OF YELLOW
	ADD\$ 426.00
	9'6" FISHER XV2 STAINLESS STEEL V-PLOW, COMPLETE WITH
	HALOGEN LIGHTS, PLOW GUIDES, CUTTING EDGE, 12 VOLT
	ELECTRIC HYDRAULIC OPERATED WITH FISHSTICK CONTROL
	INSTALLED ADD\$ 7,220.00
	8' FT POLY CASTER 1.8 CU/YD SAND SALT SPREADER
	INSTALLED ADD\$ 6,457.00
	8' FT FISHER STAINLESS STEEL CASTER 2.0 CU/YD SAND SALT SPREADER
	INSTALLED ADD\$ 5,366.00

THANK YOU

INTERNATIONAL®

Financial Summary 2020 CV515 SFA (CV515)

July 29, 2020

(US DOLLAR)

Description

Price

Net Sales Price:

\$87,528.00

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:			Accepted by Purchaser:
Official Title and Date			Firm or Business Name
Authorized Signature		-	Authorized Signature and Date
This proposal is not binding upon the seller with Seller's Authorized Signature	out		
		_	Official Title and Date

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.

The limited warranties applicable to the vehicles described herein are Navistar, Inc.'s standard printed warranties which are incorporated herein by reference and to which you have been provided a copy and hereby agree to their terms and conditions.

LIMITED WARRANTY FOR MODELS

CV 515 (4X2, 4X4)

*Effective with vehicles built December 3, 2018 or later.

BASIC VEHICLE

Navistar, Inc., at its option, will repair or replace any part of this vehicle which proves defective in material or workmanship, in normal use and service, with new or ReNEWed®

parts, based on the Component Coverage's below. Exceptions are listed below:

parts, based on the component coretage's below: Exceptions are	10100 001011	
BASIC VEHICLE COVERAGE	Months	Miles/Km
Basic Vehicle Warranty (Feature Code 40131)	36	36/60
Towing (First 90 Days see below) Vehicle Down, Navistar	ю	36/60
Warrantable Failures Only (See exceptions listed below)		
*Note-items not listed in warranty exceptions follow base warranty		
Warranty Exceptions		
CHASSIS COVERAGE	Months	Miles/KM
Frame side rails	09	Unlimited
Cab/cowl structure	09	Unlimited
Cab/cowl perforation corrosion	09	Unlimited
BATTERY COVERAGE	Months	Miles/KM
Standard Batteries	12	36,000
ENGINE COVERAGE		16.
International 6.6 Engine	09	100/160
Towing (Vehicle down, International 6.6 Warrantable Engine Failures only)	09	100/160
DRIVETRAIN		
Axles	36	36/60
Transfer Case	36	36/60
MISCELLANEOUS COVERAGE	Months	Miles
Brightwork, Chassis Paint and Corrosion (other than Cab)	9	36,000
Hood/Cab Paint	12	36,000
FIRST 90 DAYS FROM DELIVERY TO USER (DTU)	(DTO)	

WHAT IS NOT INCLUDED UNDER BASIC COVERAGE

COMPONENTS / ITEMS:

 -Warranted by their respective manufacturers (e.g., non-Navistar brand engines, tires, Allison Transmissions, lubricants, etc.)

-Bodies, equipment, and accessories installed by other than authorized Navistar Truck employees at Navistar Truck manufacturing plants.

-Front and rear axle alignment.

REPAIRS & MAINTENANCE:

-Maintenance-related items/repairs, or those as a result of normal wear and tear, including tune-ups, brake/clutch linings, windshield wiper blades, tire balancing, lubrication and other similar procedures/parts required to keep vehicle in good working condition.

-Failures that are the result of poor fuel quality, water in fuel, rust, etc.

 -Vehicle misuse, negligent care, improper maintenance, improper operation, or the result of accident or collision. -Fade, runs, mismatch or damage to paint, trim items, upholstery, chrome, polished surfaces, etc., resulting from environmental causes, improper polishes, cleaners or washing solutions, or chemical and industrial fallout.

-Failure to observe published capacity or load specifications for engine, transmission, propshaft, axles (power train) and suspension.

OTHER:

-Vehicles sold and/or operated outside the United States and Canada.

-Vehicles/components which have had unauthorized alterations or modifications. -Vehicles on which the odometer reading has been altered.

-Loss of time or use of the vehicle, loss of profits, inconvenience, or other consequential or incidental damages or expenses.

-Replacement of defective parts with parts other than those provided by Navistar, Inc.

OBTAINING SERVICE

Return this vehicle to any International Truck Dealer authorized to service this model vehicle and engine.

This warranty is automatically transferred to subsequent owners at no charge. Visit your local Authorized International Truck Dealer for name and address change information. Note: The customer has 365 days and up to a maximum of 100,000 miles (160,000 km) from DTU (delivery to end user) to purchase an extended warranty on the unit. For extended

Adjustments and Maintenance (e.g. aim headlights, adjust brakes/clutch, adjust steering system, check and

Correction of loose fasteners, squeaks, rattles and unusual noises

Towing (unless specific stated coverage above)

fill coolant levels.

CTS-3000A Revised 4/2019

warranty purchases between, 181 through 365 days from DTU and <100,000 miles (160,000 km) an additional fee will be assessed. See your local International dealer for details.

DISCLAIMER

ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. THE COMPANY SPECIFICALLY DISCLAIMS WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OTHER NO WARRANTIES ARE GIVEN BEYOND THOSE DESCRIBED HEREIN. THIS WARRANTY IS IN LIEU OF REPRESENTATIONS TO THE USER/PURCHASER, AND ALL OTHER OBLIGATIONS OR LIABILITIES. THE COMPANY FURTHER EXCLUDES LIABILITY FOR INCIDENTAL AND CONSEQUENTIAL DAMAGES, ON THE PART OF THE COMPANY OR SELLER. No person is authorized to give any other warranties or to assume any liabilities on the Company's behalf unless made or assumed in writing by the Company; and no other person is authorized to give any warranties or to assume any liabilities on the seller's behalf unless made or assumed in writing by the seller.

Remedies Under State or Provincial Law: Some States and Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to the owner. This warranty gives the owner specific legal rights, and he may also have other legal rights which may vary by state or province.

RECORD OF OWNERSHIP

Upon receipt of new vehicle by original owner, complete the following:

I have read this Warranty Brochure and fully understand the warranty coverage. I acknowledge that I have received a copy of the Owner's Limited Warranty and I accept the terms described herein.

Date	City State/Prov Postal Code	Vehicle Identification Number	Engine Serial Number	Odometer Reading at Delivery
Customer Signature	Owner's Address	Truck Model	Engine Number	Date Delivered to User (DTU)

Revised 4/1/2019

Telematics Data Disclosure

your vehicle as set forth at <u>www.oncommandconnection.com</u> on behalf of yourself and data, you may suspend your subscription at <u>www.InternationalTru</u>cks.com/Opt-Out send diagnostic and system data from your vehicle and use it for various purposes as any vehicle operators and passengers. Navistar, Inc. or its affiliates will collect and Your Navistar vehicle may include an activated telematics subscription service. By accepting this Limited Warranty you consent to our collection and use of data from such as improving the uptime for your vehicle, improving our vehicles in the future, further set forth in our Privacy Policy, posted at www.oncommandconnection.com, and reducing warranty events. If you choose not to allow Navistar to access your

IMPORTANT: The information contained in this Warranty Policy explains the coverage provided on your new Navistar vehicle. This policy should be kept in the vehicle for presentation to the Dealer when you request warranty services.

CTS-3000A Revised 4/2019