APPENDIX D-4 Beneficiary Eligible Mitigation Action Certification

BENEFICIARY ELIGIBLE MITIGATION ACTION CERTIFICATION

Beneficiary State of Wyoming	
(Any authorized person with a	act on Behalf of the Beneficiary Wyoming Department of Environmental Quality delegation of such authority to direct the Trustee delivered to the sion of Authority and Certificate of Incumbency)
Action Title:	Diesel Emission Reduction Act (DERA) Matching Funds
Beneficiary's Project ID:	2020-01
Funding Request No.	(sequential) 01
Request Type: (select one or more)	■ Reimbursement □ Advance □ Other (specify):
Payment to be made to: (select one or more)	■ Beneficiary □ Other (specify):
Funding Request & Direction (Attachment A)	■ Attached to this Certification □ To be Provided Separately
	SUMMARY
Eligible Mitigation Action Action Type	Appendix D-2 item (specify): Item 10 - DERA Option (5.2.12) (specify and attach DERA Proposal):
Please see the "How Funding	equest fits into Beneficiary's Mitigation Plan (5.2.1): Request Fits into WEDQ's Mitigation Plan" section of the attached Summar
_	tion Action Item Including Community and Air Quality Benefits (5.2.2): by and Air Quality Beneficiary Certification Summary.
Estimate of Anticipated NOx	Reductions (5.2.3):
Please see the "Community and Air Qu	uality Benefits" section of the attached Beneficiary Eligible Mitigation Action Certification Summary
Mitigation Action Funds to E	al Entity Responsible for Reviewing and Auditing Expenditures of Eligible nsure Compliance with Applicable Law (5.2.7.1): uality Benefits" section of the attached Beneficiary Eligible Mitigation Action Certification Summar
Describe how the Beneficiary	will make documentation publicly available (5.2.7.2).
Please see the "Community and Air Q	uality Benefits" section of the attached Beneficiary Eligible Mitigation Action Certification Summary
Please see the "Cost Shares for	rement to be placed on each NOx source proposed to be mitigated (5.2.8). Each NOx Source Mitigated" section in the attached Beneficiary Eligible Mitigation ch school district was required to pay 75% cost share for each school bus
Describe how the Beneficiary Agencies (5.2.9).	complied with subparagraph 4.2.8, related to notice to U.S. Government
Please see the "Complia	nce with Subparagraph 4.2.8 section in the attached Summary

If applicable, describe how the mitigation action will mitigate the impacts of NOx emissions on communities that have historically borne a disproportionate share of the adverse impacts of such emissions (5.2.10).

Not Applicable; However, the program was made available to all school districts in Wyoming. The emission reduction benefits children, a sensitive population

ATTACHMENTS (CHECK BOX IF ATTACHED)

~	Attachment A	Funding Request and Direction.
V	Attachment B	Eligible Mitigation Action Management Plan Including Detailed Budget and Implementation and Expenditures Timeline (5.2.4).
v	Attachment C	Detailed Plan for Reporting on Eligible Mitigation Action Implementation (5.2.11).
	Attachment D	Detailed cost estimates from selected or potential vendors for each proposed expenditure exceeding \$25,000 (5.2.6). [Attach only if project involves vendor expenditures exceeding \$25,000.]
V	Attachment E	DERA Option (5.2.12). [Attach only if using DERA option.]
	Attachment F	Attachment specifying amount of requested funding to be debited against each beneficiary's allocation (5.2.13). [Attach only if this is a joint application involving multiple beneficiaries.]

CERTIFICATIONS

By submitting this application, the Lead Agency makes the following certifications:

- 1. This application is submitted on behalf of Beneficiary
 and the person executing this certification has authority to make this certification on behalf of the Lead Agency and Beneficiary, pursuant to the Certification for Beneficiary Status filed with the Court.
- 2. Beneficiary requests and directs that the Trustee make the payments described in this application and Attachment A to this Form.
- 3. This application contains all information and certifications required by Paragraph 5.2 of the Trust Agreement, and the Trustee may rely on this application, Attachment A, and related certifications in making disbursements of trust funds for the aforementioned Project ID.
- 4. Any vendors were or will be selected in accordance with a jurisdiction's public contracting law as applicable. (5.2.5)
- 5. Beneficiary will maintain and make publicly available all documentation submitted in

support of this funding request and all records supporting all expenditures of eligible mitigation action funds subject to applicable laws governing the publication of confidential business information and personally identifiable information. (5.2.7.2)

DATED:	June 3, 2020	Brian R Hall, Outreach Program Manager
		[NAME] [TITLE]
		Wyoming Department of Environmental Quality
		[LEAD AGENCY]
		for
		State of Wyoming
		[BENEFICIARY]

SIGNATURE OF AUTHORIZED INSTRUCTOR

Printed Name:	BRIAN R HALL
Signature:	Rel
Date:	9/21/2020

Beneficiary Eligible Mitigation Action Summary

How Funding Request Fits into WDEQ's Mitigation Plan (5.2.1)

Wyoming Department of Environmental quality is focusing efforts on seven of the ten Eligible Mitigation Actions. Details on the seven Eligible Mitigation Actions that WDEQ continues to pursue can be found in Wyoming's Beneficiary Mitigation Plan (attached). This funding request falls under Eligible Mitigation Option 10 (DERA Option) which allows beneficiaries to use Trust funds for their non-federal match or overmatch pursuant to Title VII, Subtitle G, Section 793 of the DERA program in the Energy Policy Act of 2005 (codified at 42 U.S.C. 16133). Beneficiaries may therefore use such Trust Funds for actions not specifically enumerated in Appendix D-2, but are otherwise eligible under DERA pursuant to all DERA guidance documents available through the EPA. Any matching DERA funds must be used following the DERA requirements.

The DERA option allows states to fund projects that would be ineligible under VW EMAs 1 through 9. Wyoming anticipates using Option 10 as a way to fund diesel emission reduction projects that are not engine or vehicle replacements, but will nonetheless result in significant NOx reductions. Funding requirements under DERA include a mandatory cost share that is the responsibility of the grantee. States and territories that match the base amount dollar for dollar receive an additional amount of EPA DERA funding to add to the grant (50% of the base amount). This non-federal voluntary match can be state or territorial funds, private funds, or settlement funds such as those from the beneficiary's allocation under the mitigation trust. Under the DERA option, beneficiaries may draw funds from the trust for their non-federal match on a 1:1 basis or greater than 1:1 basis.

Wyoming's DERA base allocation for fiscal year 2017 is \$222,712.00 and the State plans to overmatch these funds with Trust funds. EPA's match incentive would then be \$111,356.00. The State has identified a number of potential projects that would qualify under Option 10, and the Wyoming Department of Environmental Quality is currently coordinating with other state agencies as well as industry groups in the state to select projects likely to achieve the greatest amount of emissions reductions.

DERA grant recipients must file quarterly and final reports and any beneficiary using the DERA Option may fulfil reporting requirements by submitting reports to the trustee. Wyoming anticipates using this option to fulfil the reporting requirements of its DERA grants.

Community and Air Quality Benefits (5.2.2)

The Emissions Reduction Program works towards WDEQ's mission to keep Wyoming skies clean and clear. Under this program, WDEQ has been working with stakeholders to use multiple funding sources, including Diesel Emissions Reduction Act (DERA) funds, to reduce emissions by replacing older diesel powered equipment with newer, cleaner burning equipment. WDEQ selects projects with the priorities to reduce ozone precursor emissions in the Upper Green River Basin (UGBR) ozone nonattainment area, achieve the greatest amount of emissions reductions possible, reduce emissions among areas of high population density and sensitive populations, and to maximize health benefits with greatest reductions per dollar. In FY17 and FY18, specifically, WDEQ worked with school districts to purchase and replace old diesel powered school busses to reduce emissions and community impacts. During this funding period, school districts of Big Horn, Campbell, Lincoln, Natrona, Park, Sheridan, Sweetwater, and Uinta counties used DERA funds to help purchase new school busses.

The Upper Green River Basin ozone nonattainment area is located in Lincoln, Sublette, and Sweetwater counties. WDEQ worked with these counties in order to reduce ozone precursor emissions in and surrounding the UGBR. Lincoln County School District #1 used DERA funds to help fund two school

busses and Sweetwater County School District #1 used DERA funds to help fund 13 new school busses.

WDEQ also considered areas of high population density when funding DERA projects. These areas include Cheyenne and Casper, the only two Metropolitan Statistical Areas (MSA's) in the Wyoming. In 2016, air quality monitors in Cheyenne and Casper recorded annual PM2.5 concentrations of 12.8 micrograms per cubic meter (μ g/m3) and 11.0 μ g/m3, respectively. The annual National Ambient Air Quality Standard (NAAQS) for PM2.5 is 35.0 μ g/m3. That places Cheyenne and Casper at roughly one-third of the allowable federal standard for PM2.5. In FY17 and FY18, WDEQ was able to fund one bus in Natrona County, which contains the MSA of Casper. During future years, WDEQ will continue to work with school districts in areas of dense populations to meet priorities.

In order to consider sensitive populations within Wyoming, WDEQ uses EPA's Environmental Justice Screening and Mapping Tool (Version 2019). In comparison to the population of Wyoming as a whole, all of counties that WDEQ worked with to purchase new school busses contain areas of sensitive populations including minority, low income, less than high school education, and linguistically isolated populations. Additionally, the cities of Lovell (within Big Horn County), and Casper (within Natrona County) contain a large population over the age 64, and Afton (within Lincoln County) contains a large population under the age of 5. WEDQ successfully worked with school districts that have areas of sensitive populations and will continue to consider these populations when funding future emissions reduction projects.

Estimate of Anticipated NOx Reductions

Estimated 28.2 tons of NOx. DERA emission reductions are further detailed on attached School Bus Replacement Program spreadsheet.

Making Documentation Publically Available

Subparagraph 5.2.7.2 of the Environmental Mitigation Trust Agreement for State beneficiaries requires that Beneficiaries include in their funding requests:

A commitment by the Beneficiary to maintain and make publicly available all documentation submitted in support of the funding request and all records supporting all expenditures of Eligible Mitigation Action funds, subject to applicable laws governing the publication of confidential business information and personally identifiable information, together with an explanation of the procedures by which the Beneficiary shall make such documentation publicly available.

The Wyoming Department of Environmental Quality (WDEQ), the Lead Agency for the State of Wyoming, is committed to maintaining and making publicly available all documentation submitted in support of the funding requests and all records supporting all expenditures of Eligible Mitigation Action funds, subject to applicable laws governing the publication of confidential business information and personally identifiable information.

The public will be able to view project summaries and reporting outcomes information on the WDEQ website (https://deq.wyoming.gov/). The WDEQ will maintain these records on the Emission Reduction Program specific webpage, which can be accessed at the following link: http://deq.wyoming.gov/aqd/resources/emission-reduction-program/.

Additionally, WDEQ will publish its reporting obligations, as in accordance with the VW Environmental Mitigation Trust, on the aforementioned webpage. WDEQ will also publish project summaries and reporting outcomes for DERA on the same webpage.

The Wyoming Public Records Act (W.S. § 16-4-201 – 16-4-205) sets forth requirements for the maintenance of and accessibility of public records.

As cited in W.S. § 16-4-202 (a): "All public records shall be open for inspection by any person at reasonable times, except as provided in this act or as otherwise provided by law, but the official custodian of any public records may make rules and regulations with reference to the inspection of the records as is reasonably necessary for the protection of the records and the prevention of unnecessary interference with the regular discharge of the duties of the custodian of his office."

In accordance with W.S. 16-4-202 (d), which sets forth specific requirements for electronic public records, the general public will be able to access all records-related information by following the public records request protocol described at http://deq.wyoming.gov/admin/records-request/ and, subsequently, submitting a public records request through the Next Request portal at https://wydeq.nextrequest.com/.

All of these items will provide the general public with transparent access to the records associated with the Environmental Mitigation Trust.

This commitment by WDEQ is subject to the following Wyoming laws governing the publication of confidential business information and personally identifiable information:

The Wyoming Public Records Act (W.S. § 16-4-203(d)) and Wyoming Environmental Quality Act (W.S. § 35-11-1101(a)).

The WDEQ Public Records Policy Guidance provides further information on public records that must be withheld from release:

- Trade secrets (under the Environmental Quality Act § 35-11-1101(a));
- 2. Audit reports from the State Auditor under Wyo. Stat. Ann. § 9-1-507(k) and -512;
 - a. This does not include annual reports.
- 3. Medical, psychological, and sociological data on individual persons;
- 4. Adoption records or welfare records on individual persons;
- 5. Personnel files;
 - a. Does NOT include contracts, agreements, or salary;
 - b. Applications and performance ratings must be made available to a person requesting his or her own records.
- 6. Letters of reference;
 - a. This includes emails from DEQ employees with opinions about a person that the DEQ is considering hiring.
- 7. Trade secrets, privileged information and confidential commercial, financial, geological, or geophysical data;
 - a. NOTE trade secrets are listed as privileged under the Environmental Quality Act AND under the Public Records Act
- 8. Certain records from hospitals, school districts, and libraries;
- 9. Information related to internal personnel investigations that would be a "clearly unwarranted invasion of personal privacy" to release

- a. Consult the Attorney General's office if the DEQ receives records request related to internal personnel investigation.
- 10. Information about state information technology security systems;
- 11. Certain agricultural information;
 - a. This is mostly information that is provided to the state for the purpose of participating in state programs, with certain exceptions.
 - b. Consult the AG's Office if any agricultural owner or operator raises this exception.
- 12. Any individualized tax information;
 - a. Can release generalized information or release record after redacting individualized information.
- 13. Certain information related to worker's compensation claims.

Cost Shares for each NOx Source Mitigated (5.2.8)

DEQ provides rebates of 25% of the purchase price of each bus. Each school district selected under this rebate program will be responsible for the remaining 75% cost share for each vehicle. Cost share is calculated as follows:

Average cost of 1 bus = \$135,000

25% (rebate) of \$135,000 = \$33,750 rebate per bus


75% cost share of \$135,000 = \$101,250 provided by school district

Cost Share totals can be found in the following table:

Sum of Amount (DERA)	Fu	ınd						
Vendor Legal Name	٧V	V Match	Fe	deral DERA	Gra	and Total	# of Buses	
BIG HORN COUNTY SCHOOL DIST #3	\$	31,304.00	\$	46,956.00	\$	78,260.00		2
BIG HORN COUNTY SCHOOL DIST #4	\$	23,940.80	\$	35,911.20	\$	59,852.00		2
CAMPBELL COUNTY SCHOOL DIST #1	\$	131,517.98	\$	197,276.97	\$	328,794.95		10
LINCOLN COUNTY SCHOOL DIST #1	\$	21,736.40	\$	32,604.60	\$	54,341.00		2
NATRONA COUNTY SCHOOL DIST #1	\$	15,242.52	\$	22,863.78	\$	38,106.30		1
PARK COUNTY SCHOOL DIST #1	\$	22,276.40	\$	33,414.60	\$	55,691.00		2
SHERIDAN COUNTY SCHOOL DIST #2	\$	34,947.50	\$	52,421.25	\$	87,368.75		3
SWEETWATER CO SCHOOL DIST #1	\$	157,787.20	\$	236,680.80	\$	394,468.00		13
UINTA COUNTY SCHOOL DIST #1	\$	29,727.60	\$	44,591.40	\$	74,319.00		2
UINTA COUNTY SCHOOL DIST #4	\$	28,267.60	\$	42,401.40	\$	70,669.00		2
Grand Total	\$	496,748.00	\$	745,122.00	\$	1,241,870.00		39

Compliance with Subparagraph 4.2.8

Wyoming Attorney General's Office notified US Fish and Wildlife Service, US Department of Agriculture - US Forest Service, US Department of Interior - National Park Service on February 23rd, 2018. Each agency was given notice according to Paragraph 4.2.8 of the Volkswagen Environmental Mitigation Trust Agreement for State Beneficiaries.



Wyoming Department of Environmental Quality



Timeline and Budget Narrative Attachment B FY 17-18

Submitted by

Brian Hall

Outreach Program Manager

Project Budget Overview

	FY 2017	FY 2018
EPA Base Allocation	\$222,712	\$274,036
State or Territory Matching Funds (if applicable)	\$222,712*	\$274,036*
EPA Match Incentive (if applicable)	\$111,356	\$137,018
Mandatory Cost-Share	\$1,670,340	\$2,055,270
TOTAL Project	\$2,227,120	\$2,740,360
Additional Leveraged Resources	\$0	\$0

^{*}Volkwagen Mitigation Funds used as state match

Project Period

October 1, 2017 – September 30, 2019

Timeline

Date	Activity				
WYDEQ and WDE Project Development and Outreach					
Ongoing	Continued outreach and project evaluation as				
	they become available.				
Project selection					
November 2018	Select eligible vehicles for replacement				
December 2018	Complete Cooperative Agreement with selected school districts				
April-September 2019	After requirements have been met, reimburse for vehicle purchases				

Itemized Project Budget

	FY 2017*						
Budget Category	EPA Allocation	Voluntary Match (if applicable)	Mandatory Cost-Share (if applicable)	EPA Allocation	Voluntary Match (if applicable)	Mandatory Cost-Share (if applicable)	Total
1. Personnel							
2. Fringe Benefits							
3. Travel							
4. Supplies							
5. Equipment							
6. Contractual							
7. Program Income							
8. Other	\$334,068	\$222,712	\$1,670,340 ¹	\$411,054	\$274,036	\$2,055,270 ²	\$4,967,480
9. Total Direct Charges							
10. Indirect Charges							
Total							

¹Estimated cost of \$131,007 per bus in FY17 ²Estimated cost of \$137,018 per bus in FY18

	FY 2	2017	FY 2	2018
Budget Category	EPA	State Match	ЕРА	State Match
Other – Rebates to school districts and local government	\$334,068	\$222,712*	\$411,054	\$274,036*

^{*}state match funded with Volkswagen Mitigation Funds

Matching Funds and Cost-Share Funds

Project cost breakdown:


- EPA will fund up to 25% of each vehicle.
- Estimates are based on
 - o \$131,007 per bus in FY17
 - o \$137,018 per bus in FY18
- It is expected that costs will vary slightly.
- Each school district selected under this rebate program will be responsible for the remaining 75% cost share for each vehicle.
- Voluntary state match was made using Volkswagen Mitigation funds in both FY 2017 and FY 2018.

Key Dates and Milestones

District	Agreement Executed	Project Completed
BIG HORN COUNTY SCHOOL DIST #3	1/15/19	5/31/19
BIG HORN COUNTY SCHOOL DIST #4	10/15/18	6/20/19
CAMPBELL COUNTY SCHOOL DIST #1	9/25/18	5/14/19
LINCOLN COUNTY SCHOOL DIST #1	10/30/18	6/5/19
NATRONA COUNTY SCHOOL DIST #1	1/8/19	7/10/19
PARK COUNTY SCHOOL DIST #1	9/25/18	5/24/19
SHERIDAN COUNTY SCHOOL DIST #2	10/3/18	6/28/19
SWEETWATER CO SCHOOL DIST #1	12/10/18	7/18/19
UINTA COUNTY SCHOOL DIST #1	9/25/18	6/5/19
UINTA COUNTY SCHOOL DIST #4	10/15/18	6/14/19

PROJECTED TRUST ALLOCATIONS:

	2017	2018	2019	2020	2021
1. Anticipated Annual Project Funding Request to be paid through the Trust	\$	\$	\$	\$ 496,748	\$
2. Anticipated Annual Cost Share	\$	\$	\$	^{\$} 1,241,870	\$
3. Anticipated Total Project Funding by Year (line 1 plus line 2)	\$	\$	\$	\$ 1,738,618	\$
4. Cumulative Trustee Payments Made to Date Against Cumulative Approved Beneficiary Allocation	*o	\$ ₀	* o	\$ o	\$
5. Current Beneficiary Project Funding to be paid through the Trust (line 1)	\$	\$	\$	^{\$} 496,748	\$
6. Total Funding Allocated to for Beneficiary, inclusive of Current Action by Year (line 4 plus line 5)	\$	\$	\$	^{\$} 496,748	\$
7. Beneficiary Share of Estimated Funds Remaining in Trust	\$	\$	\$	\$ _{7,628,252}	\$
8. Net Beneficiary Funds Remaining in Trust, net of cumulative Beneficiary Funding Actions (line 7 minus line 6)	\$	\$	\$	\$ _{7,628,252}	\$



Detailed Plan for Reporting on Eligible Mitigation Action Implementation (5.2.11)

The Wyoming Department of Environmental Quality (WDEQ) will provide detailed reporting on this funding request through project summaries and semi-annual reports to the Trustee as required by subparagraph 5.3 of the Environmental Mitigation Trust Agreement for State Beneficiaries.

WDEQ Website

WDEQ maintains a webpage describing the Emissions Reduction program under the Volkswagen Diesel Emissions Environmental Mitigation Trust for State Beneficiaries. This Volkswagen Settlement webpage, which outlines mitigation actions eligible for funding, can be found at http://deq.wyoming.gov/admin/volkswagen-settlement/.

As denoted in the Beneficiary Eligible Mitigation Action Summary of this document, WDEQ will also publish project reporting, project summaries, and reporting outcomes for DERA on the same webpage. All documents will be available, as they are finalized, through the file downloader on the webpage listed above.

Semi-Annual Report to the Trustee

As required by subparagraph 5.3 of the Environmental Mitigation Trust Agreement for State Beneficiaries, WDEQ will submit a report to the Trustee within 6 months of the first disbursement and thereafter no later than January 30 and July 30 for the preceding 6-month periods. These reports will describe the progress implementing this and any other Eligible Mitigation Action ongoing during the reporting period. These reports will include a summary of all costs expended and a complete description of the status, including the actual or projected termination date, development, implementation, and any modification of the Eligible Mitigation Action. These semi-annual reports to the Trustee will be available for public access through links on the Volkswagen Settlement page on the WDEQ website.

A generic reporting template that will be modified and used is included below. This template includes fields for reporting schedules and project timelines, project cost expenses, and project reporting for each of the 10 fields of the Eligible Mitigation Actions (as applicable).

Mitigation Action Project Tracker

FFY 2017 FFY 2018

Mitigation Action Classification	County	Quantified Emission Reductions**		Mitigation Action Classification	County	~	tified eductions**
Class 4-8	Big Horn County	2.8	.24	Class 4-8	Park County	1.4	.12
Class 4-8	Campbell County	10.6	.43	Class 4-8	Sheridan County	2.1	.18
Class 4-8	Lincoln County	1.4	.12	Class 4-8	Sweetwater County	8.4	.72
Class 4-8	Natrona County	.7	.06	Class 4-8	Uinta County	2.8	.24

^{**}Represents tons per year of NOx reductions (left) and PM reductions (right)

Cumulative total E.R. for 2017:

NOx: 15.5 PM: .85 Combined: 16.35

Cumulative total E.R. for all years:

NOx: 15.5 PM: .85 Combined: 16.35

Cumulative total E.R. for 2018:

NOx: 14.7 PM: 1.26 Combined: 15.96

Cumulative total E.R. for all years:

NOx: 30.2 PM: 2.11 Combined: 32.31

FFY 2019 FFY 2020

Mitigation Action	County	Quantified	Mitigation Action	County	Quantified
Classification		Emission Reductions	Classification		Emission Reductions**

^{**}Represents tons per year of NOx reductions (left) and PM reductions (right)

Cumulative total E.R. for 2017:

Cumulative total E.R. for 2018:

NOx: PM: Combined:

NOx: PM: Combined:


Cumulative total E.R. for all years:

Cumulative total E.R. for all years:

NOx: PM: Combined:

NOx: PM:

Combined:



EEW

QUOTE

Elder Equipment Leasing of WY, Inc. P.O. Box 65 Casper, Wyoming 82602 1-800-442-3286

Quote Number Quote Date Customer Number Sales Order Number

8/18/2018 95206

TO: Big Horn County School District #3 636 14TH AVE NORTH GREYBULL, WY 82426

ATTN; BOB CAMPOS - TRANS. DIRECTOR

Terms: Shipped Via:

Pax:

	:: Item:Number: ::	Description	: :: Price:Per: :::	::: Amount::::
2	T3RE 4006	2020 BLUE BIRD ALL AMERICAN	\$123,300.00	\$246,600.00
	AND 600-00000 V 600 U - 52	REAR ENGINE 75 PASS	TO SHALL HAVE MADE AND A STORY	
-2	DISCOUNT	PREFERRED CUSTOMER DISCOUNT	(\$5,000.00)	(\$10,000.00)
	ELDER BID PRICE	ELDER BID PRICE AFTER TRADE=	\$118,300.00	
	BASE PRICE	WY STATE BID BASE BUS PRICE=	\$118,668.33	
		FRONT AIR SUSPENSION	\$2,950.00	\$5,900.00
2	RETARDER	TRANSMISSION RETARDER	\$7,920.00	\$15,840.00
	AUTO CHAINS	AUTOMATIC TIRE CHAINS	\$3,400.00	\$6,800.00
200	STEPS	HEATED STEPS	\$450.00	\$900.00
3000	PARCEL RACKS	INTERIOR PARCEL RACKS	\$2,330.00	\$4,660.00
1000	STORAGE	UNDER BUS STORAGE	\$7,125.00	\$14,250.00
	AUX. HEATER	WEBASTO FUEL FIRED HEATER	\$3,650.00	\$7,300.00
	CAMERAS	5-CAMERAS INSTD.W/ 8CH. HD	\$5,300.00	\$10,600.00
1000	AIR COND.	ROOF TOP A/C PD-1299k4k4	\$15,750.00	\$31,500.00
		INDIVIDUAL READING LIGHTS.	\$2,150.00	\$4,300.00
2009	B/U CAMERA	BACK UP CAMERA	\$1,300.00	\$2,600.00
6.00	DISC BRAKES	AIR DISC BRAKES	\$2,825.00	\$5,650.00
1,000	AIR DEF.	REAR AIR DEFLECTOR	\$970.00	\$1,940.00
2	AIR HORNS	AIR HORNS	\$400.00	\$800.00
		WE APPRECIATE YOUR BUSINESS!!		

Proudly Serving
Wyoming for 50 years

TOTAL


Sales Tax

\$349,640.00

=========

\$349,640.00

BLUE BIRD BLUE BIRD





ATTN: Bob Campos, Transportation Big Horn County School District # 3 640 8th Avenue North Greybull, Wyoming 82426

I State Truck center is prepared to provide this type of bus to the school district with these options and pricing.

1- Type D 75 pass bus with Webasto aux. heater, See II Foil, auto tire chains, 2nd heated step, Air disc brakes, under bus storage, Luggage racks, Reading Lights, Rosco Backup mirror system, A/C, and the Allison retarder transmission with hand control, 5 camera REI system installed.

Base- \$115,788.00
Webasto htr. - \$3700.00
See II Foil- \$650.00
Auto tire chains- \$2750.00
2nd heated step- \$550.00
Air Disc brakes- \$2000.00
Under bus storage- \$3500.00
Allison Retarder w/ control- \$7000.00
Tubular luggage racks- \$1500.00
Reading Lights- \$1800.00
Backup mirror system- \$1200.00
A/C- \$11,500.00
REI- \$5000.00

Total for unit = \$ 156,938.00

Please fax a purchase order confirmation to my home office at 406-252-5910 attention Nick Clayson. Thank you for your business and we look forward to serving your needs!

Nick Clawson I State Truck Center 1-800-736-5264





ATTN: Doug Zierolf, Transportation Big Horn County School District # 4 416 South Third St. Basin, Wyoming 82410

I State Truck center is prepared to provide these types of buses to the school district with these options and pricing.

1- Type D 75 pass bus with Webasto aux. heater, auto tire chains, 2nd heated step, under bus storage, Luggage racks, Reading Lights, Rosco Backup mirror system, and the Allison retarder transmission with hand control.

Base- \$115,788.00 Webasto htr.- \$3700.00 Auto tire chains- \$2750.00 2nd heated step- \$550.00 Under bus storage- \$3500.00 Allison Retarder w/ control- \$7000.00 Tubular luggage racks- \$1500.00 Reading Lights- \$1800.00 Backup mirror system- \$1200.00

Total for unit = \$ 137,788.00

1- Type C 66 pass bus with Exhaust Brake, 2nd heated step, Luggage racks, Rosco Backup mirror system

Base- \$97,582.00 Ex Brake.- \$300.00 2nd heated step- \$550.00 Tubular luggage racks- \$1500.00 Backup mirror system- \$1200.00

Total for unit = \$ 101,132.00

Total for 2 units= \$238,920.00

Please fax a purchase order confirmation to my home office at 406-252-5910 attention Nick Clawson. Thank you for your business and we look forward to serving your needs!

Nick Clawson I State Truck Center 1-800-736-5264

EEW

QUOTE

Elder Equipment Leasing of WY, Inc. P.O. Box 65 Casper, Wyoming 82602 1-800-442-3286

SOLD TO: Big Horn County School District #4

P.O. BOX 151 BASIN ,WY 82410

ATTN; DOUG ZIEROLF - TRANS. DIRECTOR

Quote Number Quote Date **Customer Number** Sales Order Number

8/15/2018 95270

Shipped Via: Fax:

	Item Number	:Description	::::Price Per :::	Amount
1	BBCV3303	2020 BBCV TYPE C 66 PASS	\$101,775.00	\$101,775.00
-1	DISCOUNT	QUANTITY DISCOUNT	(\$3,450.00)	(\$3,450.00)
	ELDER BID PRICE	ELDER BID PRICE AFTER DISCOUNT	\$98,325.00	
	BASE PRICE	WY STATE BID BASE BUS PRICE	\$98,410.67	
1	ENGINE BRAKE RACKS HEATED STEPS B/U CAMERA	VGT ENGINE EXHAUST BRAKE INTERIOR PARCEL RACKS ADDITIONAL HEATED STEPS BACK UP CAMERA	\$1,375.00 \$2,020.00 \$400.00 \$1,300.00	\$1,375.00 \$2,020.00 \$400.00 \$1,300.00
		WE APPRECIATE YOUR BUSINESS!!		
Proudly	Serving Wyomii	ing for 50 years	TOTAL Sales Tax Freight:	\$103,420.00
			Amount Due:	\$103,420.00

EEW

QUOTE

Elder Equipment Leasing of WY, Inc. P.O. Box 65 Casper, Wyoming 82602 1-800-442-3286

TO: Big Horn County School District #4 PO Box 151 Basin, WY 82410

A T T N : DOUG ZIEROLF-TRANS, DIRECTOR

Quote Number Quote Date Customer Number Sales Order Number

8/15/2018 95270

Terms: Shipped:Vis: Fax:

Quantity	::: Item:Number::::	Description	Price Per	::: Amount
1	T3RE	2020 BLUE BIRD ALL AMERICAN REAR ENGINE 75 PASS	\$123,300.00	\$123,300.00
1	DISCOUNT	QUANTITY DISCOUNT	(\$4,750.00)	(\$4,750.00)
	ELDER BID PRICE	ELDER BID PRICE AFTER DISCOUNT=	\$118,550.00	
	BASE PRICE	WY STATE BID BASE BUS PRICE=	\$118,668.33	
1	RETARDER	TRANSMISSION RETARDER	\$7,920.00	\$7,920.00
1	AUTO CHAINS	AUTOMATIC TIRE CHAINS	\$3,400.00	\$3,400.00
1	STORAGE	UNDER BUS STORAGE	\$7,125.00	\$7,125.00
1	RACKS	INTERIOR PARCEL RACKS	\$2,330.00	\$2,330.00
1	HEATER	FUEL FIRED WEBASTO HEATER	\$3,450.00	\$3,450.00
1	STEPS	HEATED STEPS	\$450.00	\$450.00
1	B/U CAMERA	REAR B/U CAMERA	\$1,300.00	\$1,300.00
		WE APPRECIATE YOUR BUSINESS!!		\$444 F0F 00

TOTAL \$144,525.00

Sales Tax Freight

Amount Due \$144,525.00

Wyoming Department of Education Pupil Transportation Office (307) 777-6984

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION

Specifications are in addition to Chapter 2 Minimum Standards Committee in addition to Chapter 3 Minimum Standards Committee in addition t

REPRESENTATIVE'S NAME 3. JERRY STOLL 1-800-442-3286	Estimated delivery date to school district from time purchase order is received: Firm where engine and chassis can be serviced or repaired and parts obtained: ELDER-CASPER, PERRYS-RIVERTON HALLER'S-CHEYENNE	72 passenger (minimum leg room) 66 passenger (maximum leg room)		Y: Front axle capacity: 1 Years 12,000 Miles ase: GVWR: 273 Iriches	MANUFACTURER 5 Years 100,000 Miles MODEL	rd: 5 6.8L V10 Warranty: 5 Years H.P.: 100,000 Miles C.L.D.:
DER EQUIPMENT LEASING OF WY, IN	ADDRESS PO BOX 65 Firm CASPER, WY 82602 Firm	MANUFACTURER: BLUE BIRD MODEL YEAR BBCV 3303 2018	Warranty: 1 Years 12,000 Miles	MANUFACTURER BLUE BIRD MODEL MODEL Warranty: YEAR Wheelbase.	MANUFACTURER FORD FORD YEAR	AUTOMATIC 2017 Speeds forward outside price is based upon payment upon delivery to the school district (without sales tax). Price to be effective until April 1, 2017.

APS=AS PER SPECIFICATION

TYPE C -- 72-66 PASSENGER PROPANE Wyoming State Price Quote Specification

Wyoming Department of Education Pupil Transportation Office (307) 777-6984

ITEM	STATE-SUPPORTED SPECIFICATIONS	A THE STATE OF THE
	Vendor must meet or exceed these specifications	VENDOR SPECIFICALLY IDENTIFY ITEM BID
Air Dryer	Heated air driver with spin-off replaced to the specified in column to right.	Price of items bid will establish the state cost.
	Service Spire of Teplaceable carridge.	Mfr. BENDIX AD-IP
Air Tanks	3,432 cu. In. minimum with automatic heated air drain on uset trank	Tank capacity
		2
Alternator	160 amp minimum capable of 60 amp output at idla	
Axle-Front	10 000 lb minimine.	mim orthur
Axle-Rear	21 000 lb. minimum with grease type drag link and tie rod ends.	Capacity 12 000
Axle Oil Seals	Front and rear. Wet design with sight along in	
Axle Ratio	Axle ratio to be chosen at award of bid Must	SCC
	1 200 CCA 12	
Battery(ies)	I. 200 CCA, 12 volt to be mounted in body battery compartment. Three commercial	Size or group GROUP 31
		Number of batteries 3
Brakes	Air. Drum. Largest available for axles hid. ABS	CCA 2850 TOTAL
Compressor		Front 16.5 X 5
Cooling System	Heavy duty, maximum capacity available with radiator chulton For the second	
	must be provided.	SHUTTERS N/A
Engine		Mfr. FORD
) j		ers
		ue 457 @
Engine Heater	installed engine manufacturer's recommended in-block heater	362 @ 4750
	bumper.	ts.
Exhaust System	To exit left (street) side of bus, in the rear.	Mir. KIM HOTSTART
		APS
Frame	258-279 inch wheelbase. 168 inch maximum rear overhand	Frame thickness
		573.7
Front Suspension	10,000 lb. minimum with parabolic taper leaf springs and heave duty doubte	ang
First Took	absorbers.	Capacity 10,000
LUCI LAIIR	ou gallon minimum.	
Fuel/Water Separator	Heated water separator with dash mounted water and fine warning lights	Capacity 60 GALLON EQUIVALENT
100000000000000000000000000000000000000	ייייכל עימינין נוסט איפווווויופן וופחוד.	Mfr. N/A

Wyoming Department of Education Pupil Transportation Office (307) 777-6984

Wyoming State Price Quote Specification TYPE C --- 72-66 PASSENGER PROPANE

1101	CHASSIS	
SWA P	30 000 IL CYANG	VENDOR SPECIFICALLY IDENTIFY ITEM BID
VAAO .	SCOUNT MINIMUM.	GVWR 34 non
High Idle and	Both shall be provided with cruise control	
Hond	Till hood with paise superstance of 15 mph.	HAW O
Hour Motor	Monthood in John Control of the Street of th	APS
	wounted in dash panel.	APS
Rear Suspension	 20,000 lb. minimum GVW air-ride suspension equipped with leveling valve(s) and heavy-duty, double-acting shock absorbers. 	Capacity 21 000
Tires, Front	Two, 11R22.5 load range G all-position or steering ayle tires	
Tires, Rear		Iread design HANKOOK AH12
,	Automatic - Allison DTS 3000 file 2001	Tread design HANKOOK 235A
l ransmission	included. FORD	Net input torque
Wheels	Six, 22.5 x 8.25 ten-hole hub piloted flange nut disc wheel	Size 22.5
Winter Front	Gulf front or seill only. MOT AVAIL and	Rim width 8.25
	I WILLIAM GILL OF GILL OF STANDARTE	☐ Full Front ☐ Grill Only
HEM	STATE SUBSCIENCE BODY	9346
Attachment	All available outdeass and but the security of	VENDOR SPECIFICALLY IDENTIFY ITEM BID
	Attition in the same and body clips to attach body to frame.	APS
Audio System	Awir Mil PA fadio with one exterior speaker and maximum interior speakers to be evenly spaced. Factory installed.	Number of speakers 8 I/S, 1 O/S
Auxiliary Fans	Two fans, six inch minimum, mounted to right and left windshield area	
Battery	Battery slide out storage tray mist be large applied to commendate the training	DCM
Compartment	specified in chassis section.	☑ Side Out □ Roll Out
Below Window Padding	Must be provided.	APS
Certificate Holder	Mounted above windshield for legal documents.	
Child Check System	System to arm after the red loading lights are used. Disarm button to be in the rear of bus. System to sound alarm (horn) and flash headlights if driver exits without disarming in the rear of bus.	APS
Dimensions	Headroom: Minimum 77 inches,	
	A metal, sealed box shall be provided for the first aid kit and the hody fluid kit. A hearth dust.	Height 77
Emergency Equipment	metal bracket shall be provided for the fire extinguisher(s). Fire extinguisher(s) shall have a drawn steel cylinder with all metal valve. Each fire extinguiser shall have a total rating of 3A40BC or greater.	APS
Emergency Exits	As per state specifications with a three-point door latch system for rear emergency door. Glass guard over bottom window of emergency door. Roof hatches shall be static vent type	Roof hatch mfr. TRANSPEC
	without opening. No seat, or portion of seat, may infrude into side emergency exit door, if so equipped.	Model # TRIPI F VALUE

APS=AS PER SPECIFICATION

Wyoming State Price Quote Specification TYPE C -- 72-66 PASSENGER PROPANE

Wyoming Department of Education
Pupil Transportation Office
(307) 777-6984

ITEM		
Floor	Aisle trim and cove molding shall be provided	VENDOR SPECIFICALLY IDENTIFY ITEM BID
	Five total. Two tront, one center, one trade one under driver's seat. Minimum outputs: Left-	APS
	driver seat heater - 12,000 B.T.U. Shut-off ball type valves at engine for sunnly and return	Right-front B.T.U. 50,000
Heaters	Goodvear High Miles have a Latter of the control of	
	Two blowers per under seat heater. Heaters to be execusible from driver's seat.	Rear B.T.U. 50,000
	EPDM hose in lieu of Goodyear High Miler hose. 50,000 BTU UNDERSEAT HEATEDS	Driver's heater B.T.U. N/A
Interior Sidewalls	Aluminized (non-painted) panels helymon bottom of the contract	Total B.T.U. 290,000
	LED for ston fail furn marker and starting in the control of the c	APS
Lighting (Exterior)		Mfr. CRS. TRUCKI ITE SOLIND DEE
Lighting (Interior)	Driver dome light on separate switch	
Mirrors, Exterior	Power controlled,	APS
Noise Kill Switch	Accessory master cut-off switch to control poles, accessory	Mfr. ROSCOE
Power Point	Driver's compartment accessible standard accessories.	APS
Seef Driver	High back, fabric insert with two (2) arm morts and it.	APS
Ocal, Divel	DRIVER'S SEAT ONLY. PAD ON LH DRIVER'S DANE!	Mfr. NATIONAL
	72 passenger (minimum leg room). 66 passenger (manimum leg room).	Model # NS 2000
Seating Capacity	Minimum leg room measurement LS=23", RS=24" ±1"	FROM FRONT OF SEAT BACK AT HIPS TO BACK
	26.5" ±1"	OF SEAT BACK AT KNEES, MEASURED FROM THE CENTER OF SEAT
Seats, Passenger	used for floor mounting. Converible spats are the bacoling of the first of the firs	
1	Air nowered nanic time done that I was in State.	AHA AHA
Service Door and Entry Way	on the right side of strings, with two	
		APS
č	Electric. "Stop" shall be in flashing LED lights. The operating mechanism on the stop arm shall be interchanged by the stop arm	
Stop Arm	no exposed wiring on the stop arm. The stop arm shall be SMI part # T7000-200-E31 to	Mfr. TRANSPEC APS
Strobe Light	neade ine electronic servo latch.	
Onone Light	Roof mounted white strobe light to meet state specifications.	- 1
Vandal Locks	Shall be provided. Mechanical. Keyed alike/one key for all accesses. All putride continued	Location 4' FROM REAR OF BUS
	sbu	APS
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Windshiald tinted All winds	APS
	The state of the s	SGA
		3

APS=AS PER SPECIFICATION

Wyoming State Price Quote Specification TYPE C -- 72-66 PASSENGER PROPANE

Wyoming Department of Education

Pupil Transportation Office

(307) 777-6984

12/12000 12/12000 Chassis APS APS APS Narranty Period Body One copy of the chassis and body manufacturer's owner's/operator's handbook or manual will Legible copy of manufacturer's line setting ticket or itemized build sheet for chassis and body ADDITIONAL REQUIREMENTS - CHASSIS AND BODY All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure All components and accessories will be installed and operational at time of delivery Manufacturer's standard warranty to include body, chassis, engine and transmission. will be delivered with each vendor's packet at the time of delivery of the bus. Check fluid levels, verify all are at recommended full levels Cleaning and service by vendor prior to delivery will include: Interior and exterior will be clean (including glass) be furnished with each bus at time of delivery. ■Minimum -34°F freeze protection coolant proper operation at time of delivery Chassis lubrication Owner's/Operator's Line Setting Ticket/ Itemized Build Service and Handbook Cleaning Warranty Sheet

60/100000

60/100000 Transmission

Engine

Wyoming Department of Education Pupil Transportation Office (307) 777-6984

Wyoming State Price Quote Specification STATE-SUPPORTED OPTIONS TYPE C

ITEM		STATE-SUPPORTED OPTIONS	VENDOR SPECIFICALLY INFALTIES ITEMS
		Vendor must meet or exceed these specifications. Item bid shall be specified in column to right	THEORY OF ESTIMATELY IDENTIFY
Air Disc Brakes	Mfr.		
Air Conditioner	Mfr.	CARRIER	Cost \$2,825.00
Air Suspension	Mfr.		Cost \$11,750.00
Automatic Tire Chains		ON SPOT	Cost N/A
Back Up Camera/Mirror Mfr.	Mfr.	ROSCOE	
Book Racks	Pios [☑ Tubular	
Flat Floor			Cost \$2,050;00
(Special Needs)			Cost INCLUDED IN
Fuel-Fired Coolant	AAfr		SPECIAL NEEDS PKG
Heater	. 1114	BTU	Cost N/A
Heated Steps	Second		
Passenger Reading Lights	Mfr.	PETORIA	
ector	Mfr.	BITE RIBD FILL WINTED	Cost \$2,180.00
	MAE	מונים מרב אוחוש	Cost \$970.00
Т	WIII.	FRENELSA OR TELMA	Cost
Engine Exhaust & Compression Brake	Mfr.		512,500.00
Thermo Glass	Mfr.	SPECTAL	
Under Bus Storage	Cubic feet 38 7	1 38 7	Cost \$240 PER WDO ASSY
7			Cost \$1,850.00

Option Package Special Needs - Lift Bus

Wyoming Department of Education Pupil Transportation Office (307) 777-6984

Michael Council.	VENDOR SPECIFICALLY IDENTIFY ITEM BID		ocation BE I WEEN FRAME RAILS	Location APS	APS		Mfr. RICON	Model # S5010 Lift 800 lb.	Tie-down Q mfr. STRAINT
STATE-SUPPORTED OPTIONS	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right		Low profile, wall mounted preferred. If heater is floor mounted it must not interfere	sating.	maintais and videos for lift and track system, including tie-downs. Driver's and technicians operation and service manuals		Location to be determined by school district		Full length 4-track system, track flooring and track mounted seats in any area where a wheelchair can legally be secured. The bus shall be fully seated. Track to be mounted to the floor using corrosion resistant fasteners. One set of automatic self tensioning, self locking tie-downs shall be provided. Seating diagram to be determined by the school district.
ITEM		Fuel Tank	Heater		Manuals	`	Power Lift	Balandari (Laura), maraka kanggapa mahanda sanggara	Track System

Check appropriate bus for this package:

Type A

\$16,900.00

Package Cost

, C acv	☐ 28/24 passenger, gas engine, dual rear wheel ☐ 28/24 passenger, diesel engine, dual rear wheel ☐ 30/24 passenger, gas engine, dual rear wheel
	☐ 30 passengerl
	☐ 60/54 passenger (Fuel tank may be installed between frame rails behind ☐ 66/60 passenger
	2 72/66 passenger PROPANE
Type D	
	72/66 passenger, FE, 36,000 GVWR
	LJ 66/60 passenger, RE, 36,000 GVWR
	31/78 passenger, RE, 36,000 GVWR

rear axle or on right hand side.)

Wyoming Department of Education Pupil sportation Office (307) 777-6984

AND OFFICIAL CE QUOTATION TYPE C -- 72-66 PASSENGER PROPANE

VENDOR'S COMPANY NAME		REPRESENTATIVE'S NAME	ENTATIVE'S NAME	ig school Buses. 40 c	C 213 /012
Harlow's Bus Sales	Calon		I ELEPHONE NUMBER	E NUMBER	からい
	o dales	Justin Hageness	ness	800-450-1767	
ADDRESS		Estimated delivery date to school dis	Estimated delivery date to school district from time purchase order is received:		120-180 days
M 1/62	25/1 Massey Avenue	Firm where engine and chaseis can	Firm where engine and chassis can be serviced or repaired and parts obtained:		Steve's Truck Repair
Shenda	Shendan, WY 82801	Firm where body can be serviced or repaired and parts obtained:	repaired and parts obtained:	Stev	Steve's Truck Repair
		BODY			
MANUFACTURER; IC		Overall vehicle length:	72 passenger (minimum leg room)	28.48R 27.49L	9t inches
MODEL	YEAR	465.9 Inches	66 passenger (maximum leg room)	31.04R 30L	inches
J.	2018	Rear body overhang:	List method used to measure these distances:		Seat center to seat center
Warranty: 5 Years	Unlimited Miles	148 Inches	Seat color: Blue Floor color: Gray	100	
1000年の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の		CHASSIS			
MANUFACTURER		Warranty:		Front axle capacity:	10,000
2 000 01	Ic corp by International	1 Years		Rear axle capacity:	21,000
MODEL	YEAR	Unlimited Miles		GVWR:	31,000
GE	2018	Wheelbase: 276 Inches	4	Rear axle ratio:	5.29
西北北方 大阪がく シグラン	TRANSMISSION			FNGINE	を できる
MANUFACTURER		Warranty:	MANUFACTURER		
1	Allison	3 Years		PSI	
MODEL	Viso	Unlimited Miles			
2500	2018	Speeds forward:	MODEL 8.8L V-8	YEAR	2018
	QUOTED PRICE			-	
Quoted price is based upon payment upon delivery to the school district		\$101,014.00 72 Passenger	Verification - 5 Years Inhimited Miles	H.P.: 270	@ 2600 RPM
(which sales tax). Fince to be effective until	\$100,794.00	\$100,794.00 66 Passenger	Salim Delining		1
April 1, 2011	Hoth	11/21/2018			
VENDOR REPRESE	VENDOR REPRESENTATIVE'S SIGNATURE	, ADATE			

Wyoming Department of Education Pupil ()sportation Office (307) 777-6984

Wyoming State Price Quote Specification TYPE C -- 72-66 PA SENGER PROPANE

	VENDOR SPECIFICALLY IDENTIFY ITEM BID	Price of items bid will establish the state cost.	Mfr. Bendix	Tank capacity		Mfr. Delco Remy	Maximum output 200 amps	Capacity 10,000	Capacity 21,000	Mifr.	5.29	Size or group 12 volt	per of batteries	1950	Front 16.5x5		APS	Mfr.	Model or liters 8.8L	Net torque 565 @ 1600 R.P.M.	270 @ 2600	ts.	Mir. Phillips	125 Width	ness	5	srhang	Capacity 10,000	Capacity 65	Mfr.
STATE-SUPPOPTED SPECIFICATIONS	Vendor must meet or exceed these specifications	Heated air dryer with spin-off replaces the contact of the contact	ילייי כי יליייכימטים כי יחושה,	3,432 cu. in. minimum with automatic heated air drain on unt track	A COUNTY OF THE PROPERTY.	160 amp minimum capable of 60 amp output at idle.	10 000 lb minimum with assess that it is	21,000 lb. minimum	design with earth along in face.	if itoni.	and gradeability formula.	1,200 CCA, 12 volt to be mounted in body battery compartment. Three commercial		Air. Drum, Largest available for ayles bid ADS	11.5	inne routed through engine air cleaner.	must be provided.				Factory installed engine manufacturer's recommended in block builting		To exit left (street) side of his in the rear		TO THE MINISTER OF THE MAXIMUM rear overhang.		10,000 lb. minimum with parabolic taper leaf springs and heavy-duty, double-acting shock	I to the second		Heated water separator with dash mounted water and fuel warning lights.
ITEM		Air Dryer		Air Tanks		Alternator	Axle-Front	Axle-Rear	Axle Oil Seals	Axle Ratio	-	Battery(ies)		Brakes	Compressor		Cooling System		Engine		Engine Heater	Ligine nealer	Exhaust System	E E E			Front Suspension	File! Tank	Fuel/Water	Separator

Wyoming Department of Education Pupil sportation Office (307) 777-6984

Wyoming State Price Quote Specification TYPE C -- 72-66 PA ENGER PROPANE

ITEM	CHASSIS STATE-SHIPPORTED SPECIFICATIONS	
GWWR	30,000 lb. GVWR minimi	DOK SPECIFICALLY
Lich Lale		GVWR 31,000
Cruise Control	pour snait de provided with cruise control programmed to meet state specifications of 75 mmh	Aps
Hood	Tit hood with noise-supraesion nookane	
Hour Mater	Mounted in dark nears	APS
	יייטמוויקע ווו חמפון הפונים.	APS
Rear Suspension	20,000 lb. minimum GVW air-ride suspension equipped with leveling valve(s) and heavy-duty, double-acting shock absorbers.	Capacity 21,000
Tires, Front	Two, 11R22.5 load range G all-position or steering axle tires.	Tread design
Tires, Rear	Four, 11R22.5 load range G traction-type tires.	Tread design
Transmission	Automatic - Allison, PTS 3000 five-speed. Oil temperature gauge and oil sensor level to be	en
	וותוועספת,	Net input HP 260
Wheels	Six, 22.5 x 8.25 ten-hole hub piloted flange nut disc wheel.	
Winter Front	Gall from the seal on the	Rim width 8.25
VVIIITEI FIORI	ruii iloni ol grii only.	Full Front Grill Only
ITEM	B00)/	
	SIAIE-SUPPORIED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID
Attachment	All available outriggers and body clips to attach body to frame.	APS
Audio System	AM/FM/PA radio with one exterior speaker and maximum interior speakers to be evenly spaced. Factory installed.	Number of speakers 8
Auxiliary Fans	Two fans, six inch minimum, mounted to right and left windshield area.	Mfr
Battery	Battery slide out storage tray must be large enough to accommodate two batteries as	
Compartment		Side Out Side Out
Below Window Padding	Must be provided.	APS
Certificate Holder	Mounted above windshield for legal documents.	APS
Child Check System	System to arm after the red loading lights are used. Disarm button to be in the rear of bus. System to sound alarm (horn) and flash headlights if driver exits without disarming in the rear of bus.	APS
Dimensions	Headroom: Minimum 77 inches.	Height 78"
Emergency Equipment	A metal, sealed box shall be provided for the first aid kit and the body fluid kit. A heavy-duty metal bracket shall be provided for the fire extinguisher(s). Fire extinguisher(s) shall have a drawn steel cylinder with all metal valve. Each fire extinguiser shall have a total rating of	APS
Emergency Exits	As per state specifications with a three-point door latch system for rear emergency door. Glass guard over bottom window of emergency door. Roof hatches shall be static vent type without opening. No seat, or portion of seat, may infrired into eithe emergency exit door, it are	Roof hatch mfr. Transpec
		Model # 1175

Wyoming Department of Education Pupil (sportation Office (307) 777-6984

Wyoming State Price Quote Specification TYPE C -- 72-66 PA ENGER PROPANE

ITEM	STATE-SUPPORTED SPECIAL CATIONS	
Floar	Aisle trim and cove molding shall be provided.	VENDOR SPECIFICALLY IDENTIFY ITEM BID
	Five total. Two front, one center, one rear, one under driver's seat. Minimum outputs: 1 eft.	Left-front B.T.U. 84,500
20,000	driver seat heater - 12 nnn B T 11 Shitt - 50,000 B.T.U., Under seat - 80,000 B.T.U., one under	Right-front B.T.U. 50,000
Sialeau	line. Two-speed motors. Must include recirculating pures at engine for supply and return	U.
	Goodyear High Miler hose. A ball valve to control cabin heat accessible from driveds sont	Rear B.T.U. 84,500
	Iwo blowers per under seat heater. Heaters to be evenly spaced.	Driver's heater B.T.U. 90,000
Interior Sidewalls	Aluminized (non-painted) panels between hottom of windows	Total B.T.U. 393,500
	LED for stop, tail, turn, marker and strabing loading lights.	APS
Lighting (Exterior)	lights can be turned on without having to open the door. Typical door operation triggering 8-way red light will still function and closing the door will still cancel lights.	Mfr. Truck Lite or Sound Off
Lighting (Interior)	Driver dome light on separate switch.	
Mirrors, Exterior	Power controlled.	APS
Noise Kill Switch	Accessory master cut-off ewitch to coated color	Mfr. Rosco
Power Point	Driver's compartment accessible standard compartment accessiones.	APS
	in spirit accessory power point plug-in.	APS
seat, Univer	High back, fabric insert with two (2) arm rests and air suspension.	Mfr. National
	72 passenger (minimum leg moom) as possessions	Model # 2000
Seating Capacity	Minimum leg room measurement Maximum leg room measurement	List method used to measure these distances: Seat Center to Seat Center
	The state of the s	
ocais, rassenger	used for floor mounting. Convertible seats are the baseline seat for all Type C buses in State.	APS
Service Door and Entry Way	Air powered panic-type door (both doors open outward). A minimum three-step entry with two full length handralls (one on the left and one on the right side of stalrwell), pebble tread, and integral, nonskid white nosing on step tread. Heated lower step, independently switched.	APS
	Electric. "Stop" shall be in flashing LED lights. The operating mechanism on the stop arm	
Stop Arm	pe	Mfr. Transpec
Strobe Light) meet state specifications	Mfr. Specially
T	Shall be provided Mechanical Keyed alikeland 1	Location Rear
CKS	must lock.	APS
	Dark Plexiglas visors installed over driver's side window and driver's windshield area	ADO
Windows	Windshield tinted. All windows, except thermal paned shall be tinted	O.K.
	יייין דיייין איייין	APS

Wyoming State Price Quote Specification TYPE C -- 72-66 PA SENGER PROPANE

		Engine	5 yr unlimited Transmission	3 vr unlimited
(manage of the control of the contro	Mariniaciurei s siandard warranty to include body, chassis, engine and transmission.	Body	5 yr limited Chassis	1 yr unlimited
Warranto		Warranty Period	eriod	
	The second of th			
	proper operation at time of delivery Reflicomponents and accessories will be installed and operational at time of delivery			
	All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure			
Cleaning	Interior and exterior will be clean (including glass)		APS	
Service and	Check fluid levels, verify all are at recommended full levers			ş(An- <u>122-32)</u>
,	■ Chassis lubrication			
-	■ Minimum -34ºF freeze protection coolant			
	Cleaning and service by vendor prior to delivery will include:			
Handbook	be furnished with each bus at time of delivery.		APS	
Owner's/Operator's	Owner's/Operator's One copy of the chassis and body manufacturer's owner's/onerator's handbook or manual will			
Sheet	will be delivered with each vendor's packet at the time of delivery of the bus.		APS	
Itemized Build	Legible copy of manufacturer's line setting ticket or itemized build sheet for chassis and body			
Line Setting Ticket/	ADDITIONAL REQUIREMENTS - CHASSIS AND BODY			
	Application Beautiful Section	Second and selections are a second second		

Wyoming State Price Quote Specification STATE-SUPPORTIONS

TYPEC

ПЕМ			STA	STATE-SUPPORTER OPTIONS	DTIONS					
		Vend	or must	Vendor must meet or exceed these specification Item bid shall be specified in column to since	xceed these specifications.	ations.		VENDC	VENDOR SPECIFICALLY IDENTIFY ITEM BID	DENTIFY ITEM BID
Air Dien Brokos	200					ignt.				
All Disc Dianes	MIT.			Bendix Spicer				, ,		
Air Conditioner	Mfr.	IC/TransAir						Cost	\$2,252	
Air Suspension	Mfr.	Infernational						Cost	\$9,000.00	
i		1000			Front	✓ Rear J Both		Cost	Included	
		Todo IIO					ပ	Cost	\$2.700.00	
Back Up Camera/Mirror Mfr.	Mfr.			Rosco				tac)	00:00:1-+	
Book Racks	Pilos	✓ Tubular						180	00:0021-6	100
Flat Floor							2	Cost	\$6,200 apen/solid	\$2,700 tubular
(Special Needs)				•			Ö	Cost	\$1,500.00	
Fuel-Fired Coolant	77.6						1			
Heater	MIT.	Espar				BTU 12,000	Ö	Cost	\$3,500.00	
Heated Steps	Second					42,000				
eading	Mfr	SMI Global					٥	Cost	\$575.00	
\top		OIMI GIODAI					<u>o</u>	Cost	\$1,950.00	Solid racks req'd
Rear Air Deflector	Mff.	SEE					ĬĞ	Cost	\$575.00	
Retarder	Mfr.							,		
	100				7	Transmission	7	Cost	2	N/A
e e	MIT.			ISB Exhaust	nust		<u>ŏ</u>	Cost	89	\$300
Thermo Glass	Mfr.	Hehr					2	taci	00 0074	
Under Bus Storage	Cubic feet				27.00			165	4400.00	per sash
7					60.18		Ŏ	Cost	\$2,600.00	



ITEM	STATE-SUPPORTED OPTIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	
Fuel Tank		Ocation
Heater	Low profile, wall mounted preferred. If heater is floor mounted, it must not interfere with a wheelchair position or track seating.	Rear W
Manuals	Manuals and videos for lift and track system, including tie-downs. Driver's and technicians operation and service manuals.	APS
Power Lift	Continuto he defermined have been allested.	Mfr. Braun/Ricon
	Eccason to be determined by school distinct.	Model # NL919/ Lift S5510 capacity lbs 800
Track System	Full length 4-track system, track flooring and track mounted seats in any area where a wheelchair can legally be secured. The bus shall be fully seated. Track to be mounted to the floor using corrosion resistant fasteners. One set of automatic self tensioning, self locking tie-downs shall be provided. Seating diagram to be determined by the school district.	Q-Straint or
		Package Cost \$14,000.00

Check appropriate bus for this package:

Type A	
(o si)	28/24 passenger, gas engine, dual rear wheel 28/24 passenger, diesel engine, dual rear wheel 30/24 passenger, gas engine, dual rear wheel
	 30 passenger 42/36 passenger 60/54 passenger 65/60 passenger 56/60 passenger 72/66 passenger
Type D	72/66 passenger, FE, 36,000 GVWR 66/60 passenger, RE, 36,000 GVWR 81/78 passenger, RE, 36,000 GVWR

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C -- 72-66 PASSENGER PROPANE

VENDOR'S COMPANY NAME		REPRESENTATIVE'S NAME TELEPHONE NUMBER	TELEPHO	TELEPHONE NUMBER	ses.		
State/ Lewis Bus Group	0	Nick Clawson/ Lance Parker	8	800-736-5	800-736-5264/ 801-364-4219	4219	
ADDRESS		Estimated delivery date to school dis	Estimated delivery date to school district from time purchase order is received:	111 2000	hilvifh	Inly if hy lan 1 2017	
4600 S Frontage rd- Billings, MT 59101	gs, MT 59101	Firm where engine and chassis can l	Firm where engine and chassis can be serviced or repaired and parts obtained:	ained:	I Str	State/Lewis	
1260 S 500 West- SLC, Utah 84101	Utah 84101	Firm where body can be serviced or repaired and parts obtained:	repaired and parts obtained;		I Ste	State/ Lewis	
		BODY					
MANUFACTURER: Thomas		Overall vehicle length:	72 passenger (minimum leg room)		27.2	inches	
MODEL 311TS YEAR	2018	447.7 Inches	66 passenger (maximum leg room)		29.6	inches	
		Rear body overhang:	List method used to measure these distances:	distances:	front of se	front of seat back to front	5.0
		148.4 Inches	Seat color: Blue	of next	seat back at	of next seat back at cushion level	
Warranty: 3 Years 50k	Wiles		Floor color: Grey				
はる間のによっておいるがです。 このまかながらしては水の	一 一 一 一 一 一 一 一 一 一 一 一 一 一 一 一 一 一 一	CHASSIS					
MANUFACTURER		Warranty.		Front axle capacity:	pacily:	10000	
Freightliner		3 Years		Rear axle capacity:	acity:	21000	
		50K Miles		GVWR:		31000	
MODEL		Wheelbase:	9 6	Rear axle ratio:	·	5 22	Γ
B2	2017	258.9 Inches			i Val	77.0	Τ
おり 大きな 一年日	TRANSMISSION	***************************************		FNGINE			
MANUFACTURER		Warranty:	MANUFACTURER				
Allison		5 Years		GM/ Clean Fuels USA	uels USA		
TOO I		unl. Miles					
20			MODEL	X.	YEAR		
PIS	2017	Speeds forward: 5	8.0L		.,	2016	
	QUOTED PRICE		Warranty:	Torque:	200	3100	RPM
Quoted price is based upon payment upon delivery to the school district	\$97,309.00	72 Passenger	1	H.P.:		4000	RPM
(without sales tax). Price to be	00 b00 26%	AR December	100K Miles	C.L.D.:	8.0L		
April 1, 2017. .		assauda assauda		-			
Mady (Varian)		9100 110/11					
VENDOR ŘEPRESENTATIVE'S SIGNATURE	'S SIGNATURE	DATE					

Wyoming State Price Quote Specification TYPE C -- 72-66 PASSENGER PROPANE

CH/S	VENDOR SPECIFICALLY IDENTIFY ITEM BID	rice of nems bid will establish the state cost.	Mfr. Bendix		4160 Tolal	Mfr. L-N	Maximum output 185 amps	Capacity 10000	Capacity 21000	Mfr. Chicago	5.2	Size or group group 31	per of batteries	CCA 2280	Size Front 15x5 Rear 16 5x7	18.7	pepnioul	Mir. GM/ Clean Fuels USA	ers	an	350 @	Watts 750	Schulps	Height 10 1/8" Width 3"	5/16"	1,479,600	Rear Overhang 148,4	Capacity 10k lb taneries f		Capacity 70 Fuel gallon capacity	Mfr. Htd with light
STATE-SUPPORTED SPECIFICATIONS	Vendor must meet or exceed these specifications.	Heated air dryer with spin-off replaceable cartridus	'BRIGHTO DISTORTING	3,432 cu. in. minimum with automatic heated air drain on wet tank.		160 amp minimum capable of 60 amp output at idle.	10,000 lb. minimum with grease type drag link and lie and godge	21,000 lb. minimum.	Front and rear. Wet design with sight place in front	Axle ratio to be chosen at award of bid. Mist comply with course at a second of bid.	A 200 COA 42	ייבטי טכא, יוב voit to be mounted in body battery compartment. Three commercial	mail rollai ca-ilee Dallenes.	Air. Drum. Largest available for axles bid ABS	- 1 -	Heavy drifty maximim constitutions in the surline routed through engine air cleaner.	must be provided.				installed engine manufacturer's recommended in-block heater	bumper.	To exit left (street) side of bus, in the rear.		258-279 inch wheelbase. 168 inch maximum rear overhang.		10,000 lb, minimim with parabolic tanger loof	absorbers.	60 gallon minimum.	ofor with don't a	separation with dash mounted water and fuel warning lights.
ITEM		Air Dryer		Air Tanks		Alleinator	Axle-Front	Axle-Rear	Axle Oil Seals	Axle Ratio		Battery(les)		Brakes	Compressor		Cooling System	Fooine) i		Engine Heater	Dubound O	Exitansi System	1	Frame			rioni Suspension	Fuel Tank	Fuel/Water	Separator

Wyoming State Price Quote Specification TYPE C -- 72-66 PASSENGER PROPANE

ITEM	STATE-SUBDODIED SPECIFICATIONS	
GVWR	30,000 lb. GVWR minimum.	DOR SPECIFICALLY
Hich Idle and	Doth chall be a selected and	GVWR 31000
Cruise Control	programmed to meet state specifications of 75 mph.	APS
Hood	Tilt hood with noise-suppression package.	APS
Hour Meter	Mounted in dash panel,	OCA
Rear Suspension	20,000 lb. minimum GVW air-ride suspension equipped with leveling valve(s) and heavy-duty, double-acting shock absorbers	Capacity Airliner 21k lh
Tires, Front	Two, 11R22.5 load range G all-position or steering axle tires.	- Colo
Tires, Rear		
	Automatic - Allison DTS 2000 6to 2004 Oil to	
Transmission	included.	Net input torque 950 max
Wheels	Six, 22.5 x 8.25 ten-hole hub piloted flange nut disc wheel.	Srill Only 22.
Minter Erect	[C.1] [S.2] [S.2] [S.2]	Rim width 8.25
winer Front	ruil ironi or gnii only.	
ITEM	STATE STATE STATES	, rejer
Attachment	SIGNED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID
אוופכוווווווווווווווווווווווווווווווווו	All available outriggers and body clips to attach body to frame.	ncluded
Audio System	AM/FM/PA radio with one exterior speaker and maximum interior speakers to be evenly spaced. Factory installed.	of spe
Auxiliary Fans	Two fans, six inch minimum, mounted to right and left windshield area.	Mire care 191 Roll Our hung fans
Battery	Battery slide out storage tray must be large enough to accommodate two hatteries as	
Compartment	specified in chassis section.	
Below Window Padding	Must be provided.	papriori
Certificate Holder	Mounted above windshield for legal documents,	Inclinded
Child Check System	System to arm after the red loading lights are used. Disarm button to be in the rear of bus. System to sound alarm (hom) and flash headlights if driver exits without disarming in the Included rear of bus.	
Dimensions	Headroom: Minimum 77 inches.	Heinht 78"
Emergency Equipment	A metal, sealed box shall be provided for the first aid kit and the body fluid kit. A heavy-duty metal bracket shall be provided for the fire extinguisher(s). Fire extinguisher(s) shall have a drawn steel cylinder with all metal valve. Each fire extinguiser shall have a total rating of 3A40BC or greater.	included
Emergency Exits	As per state specifications with a three-point door latch system for rear emergency door. Glass guard over bottom window of emergency door. Roof hatches shall be static vent type without opening. No seed or condition of the static vent type.	Roof hatch mfr. Transpec
	equipped.	Model # Trip val saft vent II

Wyoming State Price Quote Specification TYPE C - 72-66 PASSENGER PROPANE

ITEM	STATE-SUBBODIED SPECIFIC STATES	á	
Floor	Aisle trim and cove molding shall be provided.	VENDOR SPECIFICALLY IDENTIFY ITEM BID	۵
	Five total. Two front one center one	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	
	front - 90,000 B.T.U. Right-front - 50 000 B.T.U. Right-front - 50,000 B.T.U.	Harring B. I.U. 90K	
Hostor	driver seat heater - 12,000 B T II Shirt off hall the control of t	Kight-tront B.T.U. 30.6K	
	line. Two-speed motors. Must include recirculating mines. All house to supply and return	Center B.T.U. 84K	
	Goodyear High Miler hose. A ball valve to control cabin heat accessible from divided one-ply	Rear B.T.U. 84K	T
	I wo blowers per under seat heater. Heaters to be evenly spaced.	Driver's heater B.T.U. Dash	T
Interior Sidewalls	Aluminized (non-painted) panels between hollom of windows and the second	Total B.T.U. 288,600 BTU	Ī
	LED for stop, fall, firm, marker and straktic, the strain of seal rall.	mar proof walls	
Lighting (Exterior)	lights can be turned on without having to open the door. Typical door operation triggering 8-way red light will still function and closing the door.	Mfr. Included with override	
Lighting (Interior)	Driver dome light on separate switch		
Mirrors, Exterior	Power controlled	Included	Γ
Noise Kill Switch	יייייייייייייייייייייייייייייייייייייי	Mfr.	T
Doung Doint	nessory master cur-on switch to control noisy accessories.	op. fool	T
ב מאפו בחוווו	Utiver's compartment accessible standard accessory power point plug-in.		
Seat, Driver	High back, fabric insert with two (2) arm rests and air succession	Mfr	T
	יייי (ב) מייין סמיס מווח מוו סמיס מווח מווי סמיס מווח מווי סמיס מווח מווי סמיס מווח מווי סמיס מווח מווייים מיי	1-1-1	7
	72 passenger (minimum leg room). 66 passenger (maximum location)	Model # air w 2 shocks & heat	
Seating Capacity	Minimum leg room measurement27.2	of seat back to front of next seat back measured at	
	29.6	cusnion level	
Seats, Passenger	Convertible seats are the baseline seat for all Type C buses in State.	Included	T
Service Door and Entry Way	Air powered panic-type door (both doors open outward). A minimum three-step entry with two full length handrails (one on the left and one on the right side of stairwell), neithle tread, and		
	integral, nonskid white nosing on step tread. Heated lower step, independently switched.		**************************************
Stop Arm	shadule. Stop shall be in flashing LED lights. The operating mechanism on the stop arm shall be interchangeable with the crossing control arm operating mechanism. There shall be no exposed wiring on the stop arm. The stop arm shall be SMI part # T7000-200-E31 to	Mfr. SMI T7000-200-E31	
Strobe Light	Roof mounted white strobe light to meet state specifications.		T
Vandallocke	Shall be provided. Mechanical Keved alikelone bey for all accounts.	Location 4' from rear	Γ
	must lock.	Included	
	Dark Plexiglas visors installed over driver's side window and driver's windshield area.	papilod	T
SMODUIAA	Windshield tinted. All windows, except thermal paned, shall be tinted.		1
		luciuded	

Wyoming State Price Quote Specification TYPE C -- 72-66 PASSENGER PROPANE

leaning and service Minimum -34°F free Chassis lubrication Check fluid levels, v Interior and exterior All systems (electric proper operation at All components and anufacturer's standa	Whiel stoperator's one copy of the chassis and body manufacturer's owner's/operator's handbook or manual will Handbook be furnished with each bus at time of delivery.		 Minimum -34°F freeze protection coolant Chassis lubrication Check fluid levels, verify all are at recommended full levels Included All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery All components and accessories will be installed and operational at time of delivery 	Manufacturer's standard warranty to include body, chassis, engine and transmission. Body 3yr Chassis	Engine 5yr Transmission 5yr
	me copy of the chassis and body manufacturer's own	be furnished with each bus at time of delivery.	 Minimum -34°F freeze protection coolant Chassis lubrication Check fluid levels, verify all are at recommended full levels Interior and exterior will be clean (including glass) All systems (electric, air, hydrautic, mechanical and manual proper operation at time of delivery All components and accessories will be installed and opera 	lanufacturer's standard warranty to include body, chas	

Wyoming State Price Quote Specification STATE-SUPPORTED OPTIONS TYPE C

	VENDOR SPECIFICALLY IDENTIFY (TEM BID		Cost \$2,000.00	Cost \$11,000.00	Cost Included	Cost \$2,750.00	Cost \$1,200.00	Cost			Cost \$3,700.00 \$4600.00 pro heat		Cost	3		Cost \$7,800.00	Cost \$300.00			Cost \$3,000.00
STATE-SUPPORTED OPTIONS	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right	Mfr. Bendix	Mfr. Carrier/ Trans air		Mfr	Mfr Broom		Solid [2] Tubular				Second	Mfr.	Mfr. SEE II FOIL	[]	I Transmission Cost		Mfr. per window cost	Cubic feet	
ITEM		Air Disc Brakes	Air Conditioner		Š	Back Up Camera/MirrorMfr	Dook Dark	DOUK NACKS	Flat Floor (Special Needs)	olant			Passenger Reading Lights	Rear Air Deflector	Retarder		Compression Brake	Thermo Glass	Under Bus Storage	

Option Package Special Needs - Lift Bus

ITEM	STATE-SUPPORTED OPTIONS	VENDOD SDECIEICALLY IDENTIFY ITEM DID
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	THE PRINCIPLE OF THE PR
Fuel Tank		ocation left hand fill BTR
Heater	Low profile, wall mounted preferred. If heater is floor mounted, it must not interfere with a wheelchair position or track seating.	
Manuals	Manuals and videos for lift and track system, including tie-downs. Driver's and technicians operation and service manuals.	included
Power I iff	incoting to be determined by the little of	Mfr. Ricon
	Location to be determined by school district.	80
Track System		Tie-down mfr. Q Straint
	sell lockling lie-downs snall be provided. Sealing diagram to be determined by the school district.	
,		Package Cost \$14,000.00

Check appropriate bus for this package:

Type A	28/24 passenger, gas engine, dual rear wheel
	28/24 passenger, diesel engine, dual rear wheel 30/24 passenger, gas engine, dual rear wheel
Type C	30 passenger
	(60/54 passenger (Fuel tank may be installed between frame rails behind rear axle or on right hand side.) [5] 66/60 passenger
Type D	Job passanger
	72/66 passenger, FE, 36,000 GVWR 66/60 passenger, RE, 36,000 GVWR 81/78 passenger, RE, 36,000 GVWR

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION

TYPE D (RE) -- 78-75 PASSENGER
Specifications are in addition to Chapter 2. Minimum Standards for

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	ze z, millimidili orandards lor wy	TELEBRONE NILLER	
I State Truck/ Lewis Bus group	Nick Clawson/ Lance Parker		16LEPHONE NUMBER 800-736-5964/ 877-79	96 6997
ADDRESS	Estimated delivery date to school dis	Estimated delivery date to school district from time purchase order is received:	000-100-0204/	00-028/
4600 S Frontage rd- Billings, MT 59101	Firm where engine and chassis can	Firm where engine and chassis can be serviced or repaired and parts obtained:		July if by Jan. 1,2017
1260 S 500 West- SLC, Utah 84101	Firm where body can be serviced or repaired and parts obtained:	repaired and parts obtained:		State/ Lewis
一方 とうない こうしゅうかい 一方 かいしょう	RODV		18	State/ Lewis
MANUFACTURER: Thomas	Overall vehicle length:	78 passenger (minimum leg room)	26.5	inches
MODEL 141YS YEAR 2018	475.4 Inches	75 passenger (maximum leg room)	29.8	
	Rear body overhang:	List method used to measure these distances:	0.000	front of seat back to front
	115.4 Inches	Seat color: Blue	of next at cushion level	shion level
Warranty: 1 Years unl Miles		Floor color: Grey		
	CHASSIS	S	The state of the s	
	Warranty:		Front axle capacity:	13200
	rears Miles		Rear axle capacity:	23000
MODEL	Wheelbase:		Rear axle ratio	50200
141YS 2017	277 Inches			0.20
TRANSMISSION	250		ENGINE	
MANOPACIOREX	Warranty:	MANUFACTURER		
Allison	100		Cummins	
MODEL YEAR	Mies	MODEL	YEAR	
	Speeds forward: 6	ISL9	WIANG	2017 EPA
QUOTED PRICE Quoted price is based upon payment \$115.938.00	\$115.938.00 78 Passenger			1400
to the school district	o rassenger	5 Years 100K Miles	H.P.: 300 C.I.D.: 8.9	@ 2200 RPM
effective until \$115,788.00 April 1, 2017.	\$115,788.00_75 Passenger			
Willy Bran	905/15/11			
VÉNDOR REPRESENTATIVE'S SIGNATURE	DATE			

Wyoming State Price Quote Specification TYPE D (RE) -- 78-75 PASSENGER

	GVWR	Separator	Fuel/Water	tromuce coall based			Frame		in garde	Engine Heater		Engine)		Cooling System	Compressor	Brakes		Battery(les)		Axle Ratio	Axle Oil Seals	Axle-Rear	Axle-Front		Allemator		Air Tanks		Air Dryer		ITEM
	36,000 lb. GVWR minimum.	dash mounted water and fuel warning lights.		100 gallon minimum.		F70-300 III. WILEBIDESE.			i actory installed engine manufacturer's recommended in-block heater. Body plug on cowl.	and sampipo.	у	- o		,	Heavy duty maximum capacity Capacity Capacity		Front - 16.5 x 6 Rear - 16.5 x 8.62		Two-8D on roller bearing tray, 12 volt to be mounted in hardy hatteny compared	in gradeability formula.		Front and rear. Wet design with sight place in front	23,000 lb. minimum.	13,200 lb. minimum with grease type drag link and tie rod ends	270 allip minimum, capable of 120 amp output at idle.	970		4,740 cu. In. minimum with automatic heated air drain on wet tank	CHAIR CONTRACTOR OF THE CONTRA	Heated air dryer with spin-off replaceable cardidos	Vendor must meet or exceed these specifications.	STATE-SUPPORTED SPECIFICATIONS
OVYV	CYMAID	Mfr.	Capacity	Kear Overhang	RBM rating	Frame thickness	Height 10	Mfr.	Watts		Net torque 860	Model or liters	Mfr	Capacity in quarts	Cubic feet	Size	CCA	Number of batteries	Size or group		Mfr.	Capacity	Capacity	Maximum output	Mír.		1 2		Mfr.	C Swell to early		VENDOR SPEC
36200	ig is	included w/ light	100 Gallon	115.93"	110,000 psi	1/4"	Width 3.5	Phillips	1500	2200	@ 1400 R P M	Continuity		42 f	_,	16.5X6, 16.5x85/8	2250	two	8-D	5.29	AAC	23000	13200	270 amps	leece- Neville	6480 Total	3 4 5	Tank capacity	Bendix	rice of items bid will establish the state cost.	District Control of the BID	

Wyoming State Price Quote Specification TYPE D (RE) --- 78-75 PASSENGER

	Floor	Emergency Exits	Emergency Equipment	Dimensions	Child Check System	Certificate Holder	Padding	Refow Window	Audio System	- R		Wheels		Transmission	lires	Rear Suspension		Hour Meter	Cruise Control	ITEM High Idle and
in and were morally stall be provided.		As per state specifications with a three-point door latch system for side emergency door. Glass guard over bottom window of emergency door. Roof hatches shall be static vent type without opening. No seat, or portion of seat, may intrude into side emergency exit door, if so equipped.	A metal, sealed box shall be provided for the first aid kit and the body fluid kit. A heavy-duty metal bracket shall be provided for the fire extinguisher(s). Fire extinguisher(s) shall have a drawn steel cylinder with all metal valve. Each fire extinguiser shall have a total rating of 3A40BC or greater.	1	System to arm after the red loading lights are used. Disarm button to be in the rear of bus. System to sound alarm (horn) and flash headlights if driver exits without disarming in the rear of bus.	Mounted above windshield for legal documents.	Must be provided.	I WO lans, six inch minimum, mounted to right and left windshield area.	akers to be evenly	STATE-SUPPORTED SPECIFICATIONS		Six, 22.5 x 8.25 center hub piloted disc wheels. 7,300 lb. minimum load rating.		Automatic - PTS 3000 six-speed. Oil level sensor to be included.	Six, 11R22.5 load range H. Front - Highway tread. Rear - Traction tread.	eveling valves and	23 000 lb minimum CVW six six	Mounted in dash panel	programmed to meet state specifications of 75 mnh	STATE-SUPPORTED SPECIFICATIONS Both shall be provided with statics control
included		Roof hatch mfr. Transpec Trip Value safT vent	included	Height 78"	in the included	included	padded shoulder rail	Mfr. two fans	Number of speakers 8	VENDOR SPECIFICALLY IDENTIFY ITEM BID	Kim width 8.25	22.	Net input HP 300 max	Net Input torque 950 max	Tread design steer/ traction	Capacity Hendrickson 23k LB air suspension	included		included	VENDOR SPECIFICALLY IDENTIFY ITEM BID

Wyoming State Price Quote Specification TYPE D (RE) -- 78-75 PASSENGER

	Windows	Visors	Vandal Locks	Strobe Light	Stop Arm	Service Door and Entry Way	Seats, Passenger		Seat, Driver	rower roint	Noise Kill Switch	Mirrors, Exterior	Lighting (Interior)	Lighting (Exterior)		Interior Sidewalls			neaters				ITEM
		Dark Plexiglas visors installed over driver's side window and driver's windshield and	must lock.	 Roof mounted white strobe light to meet state specifications.	shall be interchangeable with the crossing control arm operating mechanism on the stop arm no exposed wiring on the stop arm. The stop arm shall be SMI part # T7000-200-E31 to include the electronic servo latch.	⊒g two	Convertible seats are the baseline seat for all Type D buses in State.	п).		Power point socket installed in driver's switch panel. 12 volt.	(r)		Driver dome light on separate switch.	lights can be turned on without having to open the door. Typical door operation triggering 8-way red light will still function and closing the door will still cancel lights.	ED for ston, toll the seat rail.	Aluminized (non-painted) panels hetween bottom of mindon	ment accessible noin driver's seat. Heaters to be evenly spaced.	valve to control cable heat accessible for a supply Goodyear High Miler hose. A ball	fans and two blowers. Must include recirculating pump. Shut-off ball type valves at engine	seat heaters, one under driver's seat heater - 12,000 B.T.U. All heaters to have two special	One, 90,000 B.T.U. minimum front heater/defrester Three go non B.T.I.	SIAIE-SOPPORIED SPECIFICATIONS	STATE SUBSCIENCE BODY
Hichaged	included		ided	 Location 2nd sec from rear	Mír. SMI T7000-200-E31	included	included	air w/ 2 shocks & heat custine air w/ 2 shocks & heat custances from or seat back to front of seat back at cushion level		included	MIT. Rosco	included		Mfr. Included w/ override	mar proof walls	Total B.T.U. 357,000	Driver's heater B.T.U. 15000	Rear B.T.U. 84000	Center B.T.U. 84000	Right-front B.T.U. 84000	Left-front B.T.U. 90000	VENDOR SPECIFICALLY IDENTIFY ITEM BID	

Wyoming State Price Quote Specification TYPE D (RE) -- 78-75 PASSENGER

		Warranty			Cleaning	Service and				Handbook	Owner's/Operator's	Sheet		Line Setting Ticket/	
	manager a standard warrainty to include body, chassis, engine and transmission.	Manufacturer's standard increase in include the	proper operation at time of delivery	All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure	Interior and exterior will be clean (including glass)	Check fluid levels, verify all are at recommended full levels	Chassis lubrication	Minimum -34°F freeze protection coolant	Cleaning and service by vendor prior to delivery will include:	be furnished with each bus at time of delivery.	Owner's/Operator's One copy of the chassis and body manufacturer's owner's/operator's handbook or manual will	will be delivered with each vendor's packet at the time of delivery of the bus.	Legible copy of manufacturer's line setting licket or itemized build sheet for chassis and body	Control of the second of the s	ADDITIONAL REQUIREMENTS - CHASSIS AND BODY
Engine byr		Warranty Period													
Transmission	1				included					included		inciuded	-		2
5yr	1уг														

Wyoming State Price Quote Specification STATE-SUPPORTED OPTIONS TYPE D

	Under Bus Storage Cubic feet		Ke	Engine Exhaust & Mfr	Retarder Mfr.	Rear Air Deflector Mfr.		Passenger Reading Mfr	Heated Steps [기 Second	Fuel-Fired Coolant Mfr.		Fiat Floor	Crossing Arm Mfr.	Book Racks Solid	Backup Camera/Mirror Mfr.	Automatic Tire Chains Mfr.	Air Suspension Mfr.	All Coriationer Mir.				ITEM	160
	129	Per window	i urbo Exnaust brake		Allison	See II Foil	raggiacks required			Webasto/ Pro heat is \$900 add on 45K BTU	From front wheelhouses to rear.	78300	SMC	✓ Tubular	Rosco		Neway	Carrier/Transair SUTRAK A/C, Heat System	Bendix	Item bid shall be specified in column to right.	Vendor must meet or exceed these specifications.	STATE-SUPPORTED OPTIONS	
COS(\$0,500,00		Cost \$250.00	Cost \$300.00	#1,000.00	Cont	Cost \$650.00	Cost \$1,800.00	Cost \$550.00		Cost \$3,700.00 \$4500.00 00 00 000	Cost \$13,000.00	Cost sscroo	Cost \$1,500.00	\$1,2	ale.			\$44 500 00	Cost \$2 nnn nn		VENDOR SPECIFICALLY IDENTIFY ITEM BID		

Special Needs - Lift Bus **Option Package**

AND OFFICIAL PRICE QUOTATION VEHICLE DATA SHEET

Specifications are in addition to Chapter 2 Minimum Standards

VENDOR'S COMPANY NAME	Specifications are in addition to Chapter 2, Minimum Standards for Wyoming School Buses.	r 2, Minimum Standards for Wyo	ming School B	Buses.		
NT LEASING OF WY, INC	REPRESENTATIVE'S NAME JERRY STOLL	TELEPHO	TELEPHONE NUMBER	000		ĺ
ADDRESS	Estimated delivery date to code	of the first free free free free free free free fre		1-800-442-3286		
	בסווויומוכת תבוואפול תפופ זון צמונסטן מו	commission delivery date to scribbl district from time purchase order is received:	seived:	180-210 DAYS AFTER RECIEPT OF ORDER	ER RECIEPT OF	ORDE
CO BOX 63	Firm where engine and chassis can	where engine and chassis can be serviced or repaired and parts obtained:	blained:	LOCAL	LOCAL DEALER	
CASPER, WY 82602	Firm where body can be serviced or repaired and parts obtained;	r repaired and parts obtained;				
の 多 ののとはのなっちののではないというというのはない	RODY			ELDER-CASPER, PERRY'S-RIVERTON HALLER'S-CHEYENNE	PERRY'S-RIVE	TENNE
MANUFACTURER: BLUE BIRD		78 monocond / July 1				
MODE	Overall venicle length:	o bassender (minimum leg room)		LS=24", RS=23"	inches	+
TEAK	489.25 Inches	75 passenger (maximum leg room)		LH=24", RS=25.5"	inches	#1"
T3RE 4006 2018	Rear body overhang:	List method lised to measure these distancers	dietancor.	FROM FRONT OF SEAT BACK AT	OF SEAT BAC	X AT
	122 Inches	Seat color. GREY	HIPS	HIPS TO BACK OF SEAT BACK AT	AT BACK AT	
Warranty: 1 Years 12000 Miles			KNEES, ME	KNEES, MEASURED FROM CENTER OF SEAT	CENTER OF	FAT
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	CHARRIE		1			
MANUFACTURER			-			X
COR	Warranty.		Front axle capacity:	apacity:	13,200	
	1 Years		Rear axle capacity:	apacity:	23,000	
	12,000 Miles		GVWB.		36 200	
MODEL	Wheelbase			ı	30,200	
T3RE 4006 2018	273 Inches		Kear axie ratio:	III.	5.29	
TRANSMISSION	1000		1			
MANUFACTURER	Warranty:	MANUFACTURER	ENGINE			
ALLISON	C Legis					
MODEL	ONLIMITED MILES	MODEL	COM	COMMINS		
PTS 3000 2017	Speeds forward: 6	67		TEAK 2(2017	
QUOTED PRICE		Warranty:	Torque:	96n @	1400	RPM
Quoted price is based upon payment upon delivery to the school	\$123,500.00 78 Passenger	5 Years	H.P.		2000	RPM
	\$123,300.00 75 Passenger	100,000 Miles	CID:	506	1	
*81 Passeng	available.		-			
10.0	11-14-11					
VENION REPRESENTATIVE'S SIGNATURE	DATE					

Wyoming State Price Quote Specification TYPE D (RE) -- 81-78 PASSENGER

ITEM	STATE-SUPPORTED EDECITION STATES	
	Vendor must meet or exceed these specifications	VENDOR SPECIFICALLY IDENTIFY ITEM BID
Air Drver	Healed air dayer with the control of the specified in column to right.	Price of items bid will establish the state cost.
	Todas di ayei will spin-on replaceable cartridge.	Mfr.
Air Tanks	4,740 cu. in. minimum with automatic heated air drain on most to-1	Tank
	wet lank,	2
Alternator	270 amp minimum, capable of 120 amp output at idia	
Axle-Front	13.200 lb minimum with acceptance of the company of	imum outout
Axle-Rear	23.000 lh minimum	
Axle Oil Seals	design with eight alean	
Axle Ratio	Axle ratio to be chosen at award of hid - Mind - 11.	SCC
	with power and gradeability formula	5.29 WITH
Battery(ies)	Two-8D on roller bearing tray, 12 volt to be mounted in hady hattery commended.	Size or group 8D
	Tuewing from the state of the s	Number of batteries 2
Brakes	Front - 16,5 x 6 Rear - 16.5 x 8.62	CCA 2600
Compressor	13.5 cu. ft. minimum.	Size
Cooling System	Heavy duty, maximum capacity. Fan clutch I one life confirm	c feet
	Piesel - 300 LD minimus on	APS
Engine	System canable of chading at 80 c.	Mfr. CUMMINS
)	factoring expensions and the Engine temperature controlled by thermostat and/or by	ers
	in the situation of 2013 EPA certified and compliant as measured from the tailpipe.	lue 860 @ 1
Engine Heater	Factory installed engine manufactured	300 @ 2000
		vvaits 1000
ا		Height 9 5/8" Width 3"
гате	270-303 inch wheelbase.	thickness 75"
		980,000 IN LB PE
Fuel Tank	100 gallon minimum.	Rear Overhang
Fuel/Water	To come backed	Capacity 100 GALLON
Separator	second water separator with dash mounted water and fuel warning lights.	Mfr. RACOR
Y4440	SO, UUD ID. GVWK MINIMUM,	GVWR

Wyoming State Price Quote Specification TYPE D (RE) -- 81-78 PASSENGER

The state of the s		
ITEM	STATE-SUPPORTED SPECIFICATIONS	TATALAN CANADA
High Idle and	Both shall be provided with cruise control	VENDOR SPECIFICALLY IDENTIFY ITEM BID
Cinise Control	programmed to meet state specifications of 75 mph.	APS
Tour IMeter	Wounted in dash panel.	ADS
Rear Suspension	23,000 lb. minimum GVW air-ride suspension equipped with one or two leveling valves and heavy-duty, double-acting shock absorbers.	Capacity 23.000
Tires	Six, 11R22.5 load range H. Front - Highway tread. Rear - Traction tread.	sign
Transmission	Automatic - PTS 3000 six-speed. Oil level sensor to be included.	ent
Wheels	Six, 22.5 x 8.25 center hub piloted disc wheels. 7,300 lb. minimum load rating	Net Input HP 300 Size 22.5
	BODY	Rim width 8.25
ITEM	RED SPECIFICA	VENINOB SPECIFICALLY INTERESTINATION
Audio System	AM/FM/PA radio with one exterior speaker and maximum interior speakers to be evenly spaced. Factory installed.	Number of speakers 8 1/S 1 0/S
Auxiliary Fans	Two fans, six inch minimum, mounted to right and left windshield area	
Below Window Padding	Must be provided.	DCM APS
Certificate Holder	Mounted above windshield for legal documents	
Child Check System	System to arm after the red loading lights are used. Disarm button to be in the rear of bus. System to sound alarm (horn) and flash headlights if driver exits without disarming in the APS rear of bus.	APS
Dimensions	Headroom: Minimum 77 inches.	
Emergency Equipment	A metal, sealed box shall be provided for the first aid kit and the body fluid kit. A heavy-duty metal bracket shall be provided for the fire extinguisher(s). Fire extinguisher(s) shall have a drawn steel cylinder with all metal valve. Each fire extinguiser shall have a total rating of 3A40BC or greater.	APS
	As per state specifications with a three-point door latch system for side emorganic door	
Emergency Exits	Glass guard over bottom window of emergency door. Roof hatches shall be static vent type without opening. No seat, or portion of seat, may intrude into side emergency exit door, if so equipped.	Roof hatch mfr. TRANSPEC TRIPLE VALUE Model #
Floor	and cove molding shall be provided	Ç
		APS

APS=AS PER SPECIFICATION

Wyoming State Price Quote Specification TYPE D (DE)

Wyoming Department of Education Pupil Transportation Office (307) 777-6984	Wyoming State Price Quote Specification TYPE D (RE) 81-78 PASSENGER	APS≃AS PER SPE
And the second s	Street, Co.	
	The second secon	

Left-front B.T.U. 50 000
T.U.
Rear B.T.U. 100,000
iter B.T.U.
Total B.T.U. 352,000
APS Mfr. GRS TRIICKLITE SOLIND OFF
APS
Mfr. MIRROR LITE
APS
IN DRIVER'S AREA MATIONAL
Model # NS 2000
FROM FRONT OF SEAT BACK AT HIPS TO BACK OF SEAT BACK AT KNEES MEASURED FROM
CENTER OF SEAT.
APS
APS
Mfr. SMI
ocation 4' FROM REAR OF BUS
APS
APS

APS=AS PER SPECIFICATION

Wyoming State Price Quote Specification TYPE D (RE) -- 81-78 PASSENGER

· Wyoming Department of Education

Pupil Transportation Office

(307) 777-6984

12/12000 12/12000 Chassis APS APS APS Narranty Parrod Body One copy of the chassis and body manufacturer's owner's/operator's handbook or manual will Legible copy of manufacturer's line setting ticket or itemized build sheet for chassis and body ADDITIONAL REQUIREMENTS - CHASSIS AND BODY All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure All components and accessories will be installed and operational at time of delivery Manufacturer's standard warranty to include body, chassis, engine and transmission. will be delivered with each vendor's packet at the time of delivery of the bus. Check fluid levels, verify all are at recommended full levels Cleaning and service by vendor prior to delivery will include: Interior and exterior will be clean (including glass) be furnished with each bus at time of delivery. ■Minimum -34°F freeze protection coolant proper operation at time of delivery Chassis lubrication Line Setting Ticket/ Owner's/Operator's Itemized Build Service and Handbook Cleaning Sheet Warranty

60/UNL

60/100000 Transmission

Engine

Wyoming State Price Quote Specification STATE-SUPPORTED OPTIONS TYPE D

STATE STIDEOPATES CARROLL STATES	Vendor must meet or exceed these specifications. Item bid shall be specified in ordinary.	Mfr. BENDIX		Mir. CARRIER	Mfr. HENDRICKSON	Mfr.		File:		Mir. SMI Model # VARIES Cost	From front wheelhouses to rear.	Mfr. WEBASTO	S3,650.00		Mfr. PRETORIA	Mfr. BLUE BIRD FULL WIDTH		П	ike Mit. Cost Stranger	Mfr. SPECTAL	Г		Cubic feet 154
		Mfr.		MIT.	Mfr.		Mfr	Collet		MIT	From fron	Mfr.	Second		Mfr.	Mfr.	Mfr.		Mfr.	Mfr.	P. Pla face	1701	Jane Sign
ITEM		Air Disc Brakes	Air Conditioner	Ail Coliminoner	Air Suspension	Automatic Tire Chains	Back Up Camera/Mirror Mfr.	Book Racks	Crossing Arm	Clossing Alm	Flat Floor (Special Needs)	Fuel-Fired Coolant Heater	Heated Sleps	Passenger Reading	Lights	Rear Air Deflector	Retarder	Engine Exhaust &	Compression Brake	Thermo Glass	Under Bus Storage		Shows and the

APS=AS PER SPECIFICATION

Special Needs - Lift Bus **Option Package**

You mild Department or Education Pubil Transportation Office	Option Package	APS=AS PER SP
(307) 777-6984	Special Needs - Lift Bus	

ITEM	STATE-SUPPORTED OPTIONS	VENDOD ODFORMATIVE AND
	Vendor must meet or exceed these specifications.	VENDOR SPECIFICALLY IDENTIFY ITEM BID
Fuel Tank		
Heater	Low profile, wall mounted preferred. If heater is floor mounted, it must not interfere	DE I WEEN FI
	Manuale and videon for life and videon for lif	Location
Manuals	regions and videos for fit and track system, including tie-downs. Driver's and technicians operation and service manuals.	APS
-		
Power Lift	Location to be determined by school district	Mfr. RICON
		Model# S5010 Lift 800
	Full length 4-track system track flooring and track mounted and its	capacity
	wheelchair can legally be secured. The bus shall be fully seated. Track to be mounted	
Track System	to the floor using corrosion resistant fasteners. One set of automatic self tensioning.	Tie-down Q
-	self locking tie-downs shall be provided. Seating diagram to be determined by the	mfr. STRAINT
	school district.	
		Package Cost \$14,850.00

Check appropriate bus for this package:

•	q	ľ
	d	7
	č	
	5	
Ì	_	

Tvne	LJ 20/24 passenger, gas engine, dual rear wheel 28/24 passenger, diesel engine, dual rear wheel 30/24 passenger, gas engine, dual rear wheel	
	 □ 30 passenger □ 42/36 passenger □ 66/59 passenger □ 66/60 passenger □ 72/66 passenger 	on right hand side.)
Туре D	☐ 72/66 passenger, FE, 36,000 GVWR ☐ 66/60 passenger, RE, 36,000 GVWR	etti, sast

VEHICLE DATA SHEET AND OFFICIAL R. E QUOTATION

TYPE D (RE) -- 81-78 PASSENGER

RPM RPM 4055 Seat center to seat center Steve's Truck Repair 14,000 Steve's Truck Repair 23,000 37,000 5.57 2000 1300 90% 120-180 days inches Inches 2018 0 0 28.98R 28.75L 800-450-1767 31.2R 28.75L 300 880 Front axle capacity: Rear axle capacity: YEAR Cummins Specifications are in addition to Chapter 2, Minimum Standards for Wyoming School Buses. Rear axle ratio: ENGINE TELEPHONE NUMBER GVWR: Torque: ist method used to measure these distances; C.I.D.: H.P. Firm where engine and chassis can be serviced or repaired and parts obtained: Estimated delivery date to school district from time purchase order is received: 60 passenger (maximum leg room) 66 passenger (minimum leg room) Years Unlimited Miles L9 300 Firm where body can be serviced or repaired and parts obtained; S Gray Blue MANUFACTURER Seat color. Floor color. Warranty: MODEL Justin Hageness CHASSIS BODY Inches Inches 9 Years Inches Years Unlimited Miles Unlimited Miles REPRESENTATIVE'S NAME 407/17 DATE Overall vehicle length: 506 120 303 Rear body overhang: e Speeds forward: \$116,917.00 78 Passenger \$117,008.00 81 Passenger Wheelbase: Warranty: Warranty: VENDOR REPRESENTATIVE'S SIGNATURE QUOTED PRICE TRANSMISSION Miles 2018 2018 2018 IC Corp by International 2571 Massey Avenue Sheridan, WY 82801 Unlimited Harlow's Bus Sales YEAR YEAR Allison Quoted price is based upon payment upon delivery to the school district 5 Years (without sales tax). Price to be effective until VENDOR'S COMPANY NAME 3000 MANUFACTURER: IC 띪 뿞 MANUFACTURER MANUFACTURER April 1, 2016. Warranty: ADDRESS MODEL MODEL MODEL

Wyoming State Price Quote Specification TYPE D (RE) -- 8 8 PASSENGER

ITEM	STATE-SUPPORTED SPECIFICATIONS	
-	Vendor must meet or over 1	VENDOR SPECIFICALLY IDENTIFY ITEM BID
Z-14	Item bid shall be specified in column to right.	Price of items bid will establish the state cost.
Air Diyer	Heated air dryer with spin-off replaceable cartridge.	Mfr. Bendiy AD-19
Air Tanks	4.740 cu. in. minimim with automotic hooted of decired	Tank
	will adjoin the feet all drain on wet tank.	2
Alternatur	7000	3783 1000
lorginos, ,	amp minimum, capable of 120 amp output at idle.	
Axle-Front	13,200 lb. minimum with grease type drag link and tie rod ende	n output
Axle-Rear	23,000 lb. minimum.	
Axle Oil Seals	Front and rear. Wet design with sight glass in fact	Capacity 23,000
Axle Ratio	Axie ratio to be chosen at award of his Minsternation.	Mfr. Stemco
	wind bower and gradeability formula.	APS
Battery(ies)	Two-8D on roller bearing tray, 12 volt to be mounted in body battery compartment.	Size or group 12 Volt 8D
		od of Datieries
Brakes	Front - 16.5 x 6 Rear - 16.5 x 8 62	
Compressor	E E	Size Frt - 16.5x6 Rr - 16.5x8
Cooling System	n repositiv Englater	Cubic feet 13.2
	Tong life coolant must be provided.	acity in quarts 36
1 2 3 3 3	Diesel - 300 HP minimum, 860 lbs. feet torque minimum, in-line six cylinder, cold starting	Mfr. Cummins
ב ב	system capable of starting at 0°F. Engine temperature controlled by thermostat and/or by	Model or liters L9 300
	ran. Engine shall be 2013 EPA certified and compliant as measured from the tailpipe.	que 860 @ 1300
Engine Heater	Factory installed engine manufacturer's recommended in-block heater. Body alice and	Wet HP 300 @ 2000 R.P.M. Watts 1000
	Court House Street Court	Mfr. Cummins
, in the second		.125 Widt
0	Z/U-3U3 inch wheelbase,	Frame thickness
		RBM rating 50,000
Fuel Tank	100 gallon minimum.	Rear Overhang 120
Fuel/Water		Capacity 105
Separator	Heated water separator with dash mounted water and fuel warning lights.	Mfr. Cummins
GVWR	36,000 lb. GVWR minimum.	
		GVWR 36,220

Wyoming State Price Quote Specification TYPE D (RE) - 8 8 PASSENGER

ITEM	CHASSIS STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY INFARTIEV ITEM BID
High Idle and Cruise Control	with cruise control ate specifications of	APS
	Mounted in dash panel.	Sdy
Rear Suspension	23,000 lb. minimum GVW air-ride suspension equipped with one or two leveling valves and heavy-duty, double-acting shock absorbers.	Capacity 23,000
	Six, 11R22.5 load range H. Front - Highway tread. Rear - Traction tread.	Tread design Hwy Frt/Traction Rear
Transmission	Automatic - PTS 3000 six-speed. Oil level sensor to be included.	Net input torque 860
	Six, 22.5 x 8.25 center hub piloted disc wheels. 7,300 lb. minimum load rating.	22.5
	AGOS	Rim width 8.25
┰		VENDOR SPECIFICALLY IDENTIFY ITEM BID
Audio System	shows wire station with one exterior speaker and maximum interior speakers to be evenly spaced. Factory installed,	Number of speakers 8
	Two fans, six inch minimum, mounted to right and left windshield area.	Mfr. Berastrom
Below Window Padding	Must be provided.	AP
Certificate Holder	Mounted above windshield for legal documents.	SAA
Child Check System	System to arm after the red loading lights are used. Disarm button to be in the rear of bus. System to sound alarm (horn) and flash headlights if driver exits without disarming in the rear of bus.	APS
Dimensions	Headroom: Minimum 77 inches.	Height 78"
Emergency r Equipment	A metal, sealed box shall be provided for the first aid kit and the body fluid kit. A heavy-duty metal bracket shall be provided for the fire extinguisher(s). Fire extinguisher(s) shall have a drawn steel cylinder with all metal valve. Each fire extinguiser shall have a total rating of 3A40BC or greater.	APS
Emergency Exits	As per state specifications with a three-point door latch system for side emergency door. Glass guard over bottom window of emergency door. Roof hatches shall be static vent type without opening. No seat, or portion of seat, may intrude into side emergency exit door, if so equipped.	Roof hatch mfr. Transpec #1175
	Aisle trim and cove molding shall be provided.	APS

Wyoming State Price Quote Specification TYPE D (RE) - 8 8 PASSENGER

ITEM	STATE-SUPPORTED SPECIEICATIONS	
Heaters	One, 90,000 B.T.U. minimum front heater/defroster. Three, 80,000 B.T.U. minimum under seat heaters, one under driver's seat heater - 12,000 B.T.U. All heaters to have two-speed fans and two blowers. Must include recirculating pump. Shut-off ball type valves at engine for supply and return lines. All heater hose to be one-ply Goodyear High Miler hose. A ball valve to control cabin heat accessible from driver's seat. Heaters to be evenly spaced.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Left-front B.T.U. 84500 Right-front B.T.U. 50000 Center B.T.U. 84500 Driver's heater B.T.U. 14000
Interior Sidewalls	Aluminized (non-painted) panels between bottom of windows and top of seat rail.	Total B.T.U. APS
Lighting (Exterior)	lights can be turned on without having to open the door. Typical door operation triggering 8-way red way red light will still function and closing the door will still cancel lights.	Mfr. Truck Lite and Sound Off
Mirrors, Exterior	Driver dome light on separate switch. Power controlled	APS
Noise Kill Switch		Mfr. Rosco
Power Point	Power point socket installed in driver's switch panel. 12 volt.	APS
Seat, Driver	High back, fabric insert with two (2) arm rests and air suspension.	Mfr. National
Seating Capacity	81 passenger (minimum leg room), 78 passenger (maximum leg room). Minimum leg room measurement Maximum leg room measurement	Model # 2000 List method used to measure these distances: Seat center to seat center
Seats, Passenger	Kick panel mounted below right front barrier. Fire block upholstery. Corrosion resistant bolts used for floor mounting.	APS
Service Door and Entry Way	Air powered panic-type door (both doors open outward). A minimum three-step entry with two full length handrails (one on the left and one on the right side of stairwell), pebble tread, and integral, nonskid white nosing on step tread. Heated lower step, independently switched.	APS
Stop Arm	Electric. "Stop" shall be in flashing LED lights. The operating mechanism on the stop arm shall be interchangeable with the crossing control arm operating mechanism. There shall be no exposed wiring on the stop arm. The stop arm shall be SMI part # 17000-200-E31 to include the electronic servo latch.	Mfr. Transpec/Specialty
Strobe Light	o meet state specifications.	Location Rear
Vandal Locks	Shall be provided. Mechanical. Keyed alike/one key for all accesses. All outside openings must lock.	off. Speciality
	Dark Plexiglas visors installed over driver's side window and driver's windshield area.	O T. C
AVINDOWS	Windshield tinted. All windows, except thermal paned, shall be tinted.	APS

Wyoming State Price Quote Specification TYPE D (RE) -- 8 / 8 PASSENGER

line Cotting Tieles	ADDITIONAL REQUIREMENTS - CHASSIS AND BODY			
Line Setung Ticker Itemized Build Sheet	Itemized Build Legible copy of manufacturer's line setting ticket or itemized build sheet for chassis and body will be delivered with each vendor's packet at the time of delivery of the bus.		APS	
Owner's/Operator's Handbook	Owner's/Operator's One copy of the chassis and body manufacturer's owner's/operator's handbook or manual will Handbook be furnished with each bus at time of delivery.		APS	
	Cleaning and service by vendor prior to delivery will include:			
	■ Minimum -34°F freeze protection coolant			
	Chassis lubrication			
Service and	Check fluid levels, verify all are at recommended full levels			
Cleaning	■ Interior and exterior will be clean (including glass)		APS	
	Manual Manual (electric, air, hydraulic, mechanical and manual) be inspected to ensure			
	proper operation at time of delivery			
	MAII components and accessories will be installed and operational at time of delivery			
Warranti		Warranty Period	Period	
THEIR	manuaciurer's standard warranty to include body, chassis, engine and transmission.	Body	5 yr limited Chassis	1 yr unlimited
		Engine	5 yr unlimited Transmission	3 yr unlimited
				,

Wyoming State Price Quote Specification STATE-SUPPO FED OPTIONS TYPE D

TEM		STA	STATE-SUPPORTED OPTIONS	OPTIONE				
***************************************		Vendor must	Vendor must meet or exceed these specifications.	these specific	ations.	N N	VENDOR SPECIFICALLY IDENTIFY ITEM BID	ENTIFY ITEM BID
		Item bid st	Item bid shall be specified in column to right.	n column to r	ight			
Air Uisc Brakes	Mfr.							
Air Conditioner	Mfr.	IC/TransAir				Cost	N/A	
Air Suspension	Mf	Hendrickson Aldet				Cost	\$17,000.00	
Automatic Tire Chains	Mfr	On Snot Chains		Font	☐ Rear ☐ Both	Cost	\$600.00	Rear Air included
Back Up Camera/Mirror Me-		Siliano sego:				Cost	\$2,700.00	
Book Racke			Rosco			Cost	\$1,200,00	
Crossing Arm		(1) Tubular	,			Cost	\$6,600 open/solid	\$3,800 tubular
THE BURSON	WIIT.				Model #	Cost	N/A	
(Special Needs)	From front wh	From front wheelhouses to rear.				Cost	AW	
Fuel-Fired Coolant								
Heater	WIII.	Espar			BTU	Cost	\$2,200.00	
Heated Steps	Second				17,000			
Passenger Reading	Mfr. S	SMI Global				Sost	N/A	
						Cost	\$2,450.00	
Rear Air Deffector	Mfr. SE	SEE II				Cost	\$575.00	
Retarder	Mfr.							
Engine Exhaust &	Mfr				Linveline Transmission	Cost	NIA	
Compression Brake			Cum	Cummins		Cost	0000	- 00
I hermo Glass	Mfr. He	Hehr				Cost	\$400 OO	1
Under Bus Storage	Cubic feet			143			00:001	bei sasn
				24.		Cost	\$4,600.00	

Option Ckage Special Needs - Lift Bus

ITEM	STATE-SUPPORTED OPTIONS	VENDOR SPECIFICALLY IDENTIFY ITEM RID
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	
Fuel Tank		Location BTR
Heater	Low profile, wall mounted preferred. If heater is floor mounted, it must not interfere with a wheelchair position or track seating.	Location Floor Mounted
Manuais	Manuals and videos for lift and track system, including tie-downs. Driver's and technicians operation and service manuals.	APS
Dower I if	in the designation of the second seco	Mfr. Braun/Ricon
	coaron to be deferringed by school district.	Model # NL919/ Lift 800
Track System	Full length 4-track system, track flooring and track mounted seats in any area where a wheelchair can legally be secured. The bus shall be fully seated. Track to be mounted to the floor using corrosion resistant fasteners. One set of automatic self tensioning, self Tie-down mfr. locking tie-downs shall be provided. Seating diagram to be determined by the school district.	O-Straint o
		Package Cost \$15,000.00

Check appropriate bus for this package:

Type A

D 28/24 passenger, diesel engine, dual rear wheel ☐ 30/24 passenger, gas engine, dual rear wheel ☐ 30 passenger Type C

☐ 28/24 passenger, gas engine, dual rear wheel

(Fuel tank may be installed between frame rails behind rear axle or on right hand side.) ☐ 60/54 passenger O 42/36 passenger

☐ 66/60 passenger

☐ 72/66 passenger

Type D

☐ 72/66 passenger, FE, 36,000 GVWR

66/60 passenger, RE, 36,000 GVWR
 81/78 passenger, RE, 36,000 GVWR





Prepared For:

UINTA COUNTY SCHOOL DISTRICT #4
129 2ND STREET

MOUNTAIN VIEW, WY 82939

Prepared By: LANCE PARKER 801-232-5495 LANCE@LEWISBUSGROUP.COM

Quote Number:Quote Date:Customer Order No:3459838/15/2018Uinta #4 HDX ROUTE

Model Profile: Saf-T-Liner HDX 141YS

Product Type: School Transportation

Year: 2019
Chassis Model: CHSY
Chassis MFG: THOMAS
GVWR: GVWR
Passenger Capacity: 75
Headroom: 78
Wheelbase: 277

Brake Type: AIR W/REAR AIR SUSPENSION (23K

Engine Type: CUMMINS L9 300 DIESEL, 6 Cyl, 300 HP, 2200 RPM

Fuel Type: DIESEL Fuel Tank Capacity: 100

Transmission Type: ALLISON PTS 3000R Axle, Front: 13200-lb Capacity Axle, Rear: 23000-lb Capacity

Tires, Front: MICHELIN 11R22.5 16(H) PLY XZE2
Tires, Rear: MICHELIN 11R22.5 16(H) PLY XDN2

Suspension Front: 13,200

Suspension Rear: AIRLINER 23,000 LB. REAR SUSPENSION

Total for 1 complete unit(s): WYOMING BASE PRICE \$115,788.00

Delivery Cost:

Includes the Following Equipment:

BODY

ACCESSORIES

- 1 [B241000000] ACRYLIC VISOR LEFT SIDE
- 1 [B552300000] PROP ROD ACCESS DOOR ABOVE WINDSHIELD
- 1 [B591000141] LUGGAGE RACKS BOTH SIDES
- 1 [B591002000] LUGGAGE RACK PAD WOLF BLACK UPHOLSTERY
- 1 [B598800002] SKIRT MTD STORAGE COMP W/LOCK-RIGHT SIDE,FRT OF REAR AXLE
- 1 [G100015000] Device-Rear Deflection Wing Yellow

CERTIFICATION/SAFETY

- 1 [B2050WY000] KIT FIRST AID, 24 UNIT, COMPLIES W/WYOMING STATE SPECS
- 1 [B2060WY000] KIT BODY FLUID CLEAN-UP, COMPLIES WITH WYOMING SPECS
- 1 [B209004000] REFLECTORIZED TRIANGLES-(3) IN OVERHEAD STORAGE COMPARTMENT
- 1 [B287599999] CROSSVIEW MIRROR INCLUDED IN REARVIEW MIRROR ASSEMBLY
- 1 [B289903000] ROSCO INTEGRATED STYLE REMOTE CONTROL HEATED MIRROR
- 1 [B294272E21] SIGN-STOP, ELECTRIC FRONT #T7000-200-E21 LED
- 1 [B525240002] RF HATCH-TRANSPEC,LO PRO"TRIPLE VALUE" W/STAT VNT, WH,EN(2)
- 1 [B583175000] LABEL U.S. CERTIFICATION
- 1 [B599900001] APPLICATION SCHOOL
- 1 [D622300000] LABEL-GHG CERTIFICATION ENGLISH

DOORS

- 1 [B501007000] PADDING SIDE EMERGENCY DOOR HEADER, 24"
- 1 [B503002000] EXTERIOR DOOR HANDLE
- 1 [B504600502] 141Y28_LI-24-S000
- 1 [B505500000] RIGHT SIDE DOOR NONE
- 1 [B515500000] 24" SIDE EMERGENCY DOOR LS

- 1 [B518206000] VANDALOCK AIR-OPERATED OUTWARD OPENING ENTRANCE DOOR
- 1 [B518602000] VANDALOCK SIDE EMERGENCY DOOR WITH INTERLOCK & BARREL BOLT
- 1 [B518800000] VANDALOCK REAR PUSHOUT WINDOW, WITH DAVENPORT SHELF
- 1 [B520006000] 3-POINT LATCH SIDE EMERGENCY DOOR, LEFT SIDE
- 1 [B548400000] CORROSION RESISTANT SEALER, REAR DOOR
- 1 [C340202000] STEPWELL GUARD (HDX)

ELECTRICAL - BODY

- 1 [B200102000] PASSENGER ADVISORY SYSTEM HORN ACTIVATION
- 1 [B216010000] TWO(2)DEFROSTER FANS MOUNTED OVER CENTER WINDSHIELD
- 1 [B231015000] BACKING ALARM HEAVY DUTY 112DB
- 1 [B258001400] OUTSIDE SPEAKER HORN CHASSIS-MOUNTED (TRANSIT)
- 1 [B259111000] PRE-WIRE FOR CUSTOMER INSTALLED 2-WAY RADIO/VIDEO CAMERA
- 1 [B259119001] GPS ZONAR SYSTEM, HDX
- 1 [B259205000] CELLULAR PHONE POWER OUTLET REAR WALL OF SWITCH CABINET
- 1 [B260300008] SPEAKERS EIGHT (8)
- 1 [B260405001] RADIO AM/FM DEA510 DELPHI, TRANSIT W/PAGE
- 1 [B307202000] COURTESY LIGHT EXTERIOR ELECTRICAL ACCESS DOOR
- 1 [B320302141] ADDITIONAL DOME LAMPS HDX
- 1 [B323001000] DELUXE DRIVER'S DOME LIGHT
- 1 [B326002000] RHEOSTAT DIMMER SWITCH FOR DRIVER'S COMPARTMENT DOME LIGHT
- 1 [B327902000] INTER EMERG DR LHT-LED, 1/2" DIAMETER, LOCTD OVER RR P/O HATC
- 1 [B327903000] INTER EMERG DR LHT-LED, 1/2" DIAMETER, LOCTD OVER LS EMERG DR
- 1 [B329001002] ENTRANCE DOOR LIGHT HOODED
- 1 [B329100000] HOODED STEP LIGHT
- 1 [B333108000] 7" LED DIRECTIONAL LIGHTS FRONT
- 1 [B336002000] LAMPS-STOP/TAIL/DIRECTIONAL AMBER/REVERSE LED
- 1 [B339302000] LAMPS-STOP/TAIL 4"FLUSH-MOUNT LED
- 1 [B342200004] SIDE DIRECTIONAL-LED AMBER TURN, REAR OF FTRON WHEEL
- 1 [B342200020] SIDE DIRECTIONAL-LED RED TURN,REAR
- 1 [B349501000] FOUR (4) ENGINE COMPARTMENT LIGHTS
- 1 [B357605000] STROBE LGT(S) OPERATIONS W/IGNITION&SWITCH
- 1 [B358028006] LED WARNING LIGHTS STROBE, FOUR (4) AMBER & FOUR (4) RED LENS
- 1 [B358208000] HALOGEN 8-LIGHT WARNING SYSTEM
- 1 [B364039000] ID LAMPS LED
- 1 [B364040000] MARKER LAMPS LED
- 1 [B364041000] MID-MARKER LAMPS LED
- 1 [B371501005] STROBE LIGHT CLEAR, 135" FROM REAR HOOD, CENTERED
- 1 [B371600000] STROBE LIGHT GUARD
- 1 [B380022000] CONVOLUTED CONDUIT FOR WIRING BACKUP ALARM
- 1 [B380504000] RECEPTACLE REAR, ENGINE HEATER (HDX)
- 1 [B381300000] PRE-WIRE FOR GPS WITH TELEMATICS
- 1 [B382201000] MANUAL WARNING LIGHT ACTIVATION SWITCH
- 1 [B383300000] NOISE SUPPRESSION SWITCH
- 1 [B599000005] BATTERY HOLD DOWN BRACKET 8D BATTERY
- 1 [B599065000] BATTERY BOX LARGE W/STAINLESS STEEL TRAY
- 1 [D901600001] ELEC-PEDESTAL, HEATED SEAT NAT

EXTERIOR

- 1 [B230000000] AIR HORN BENEATH FLOOR
- 1 [B519015000] LATCH-LOCK DEF ACCESS DOOR
- 1 [B537000000] COVER LOCK
- 1 [B537003000] LOCK BATTERY BOX DOOR
- 1 [B542002000] 20 GAUGE SMOOTH SIDE SHEETS
- 1 [B544300000] GUARD RAILS FOR LIFT OR SIDE EMERGENCY DOOR
- 1 [B548300141] SEVERE SERVICE PACKAGE FOR BODY
- 1 [B548301000] SIDE EMERGENCY DOOR JAMB REINFORCEMENT
- 1 [B548801000] BRACKET MOUNTING, LICENSE PLATE, FRONT
- 1 [B560000000] SEALING, EXTERIOR JOINT EDGE
- 1 [B566001000] MUD FLAPS FRONT, RUBBER, 15"W WITH LOGO
- 1 [B566005000] REAR RUBBER MUD FLAPS 22.5W W/LOGO
- 1 [B571001000] FENDERETTES FOUR (4)
- 1 [D505302141] UNDERCOATING-UNDERGUARD

HVAC

- 1 [B403004000] HEATER 15,000 BTU DRIVER'S COMPARTMENT
- 1 [B411203000] GROCO CENTRIFUGAL BOOSTER PUMP

- 1 [B411330000] HEATER SHUT-OFF VALVES BALL TYPE ENGINE COMPARTMENT
- 1 [B412005050] 84,000 BTU HEATER 5TH SECTION LEFT SIDE
- 1 [B412008050] 84,000 BTU HEATER 8TH SECTION LEFT SIDE
- 1 [B412016050] 84,000 BTU HEATER AGAINST REAR WALL, RIGHT SIDE
- 1 [B412107000] SERIES HEATER CONNECTION REAR HEATERS THREE(3)
- 1 [B415101000] SERIES HEATER CONNECTION REAR HEATER ONE(1)
- 1 [B415416000] HEATER HOSE HI-MILER, RIGHT SIDE, REAR HEATER
- 1 [B416511000] FUEL BURNING HEATER 45,000 BTU WEBASTO W/LOCKING BOX, LS
- 1 [B420507000] PLUMBING AT SIDE DOOR WITH PLYWOOD FLOOR
- 1 [B420603000] CONSTANT TORQUE CLAMPS THREE (3) REAR UNDERSEAT HEATERS
- 1 [B421617141] GATES GREEN STRIPE HOSE-FRONT CENTER HEATER
- 1 [B429001000] SIDE EMERGENCY DOOR RAMP 24" WIDE DOOR

INTERIOR

1 [B150001000] FLOOR STEP NOSING

1 [B150201000] ELECTRICALLY HTED STEP TREAD-FRT ENT DR(CONV,HDX)

- 1 [B150605032] GRAY KORSEAL STEP TREADS OUTWARD OPENING ENTRANCE DOOR
- 1 [B152400141] ALUMINUM AISLE STRIPS
- 1 [B153520141] DARK GRAY VINYL FLOOR WITH 13" CENTER AISLE
- 1 [B158000141] PLYWOOD FLOOR 5/8" THICKNESS

1 [B231020000] MIRROR - INTERIOR 6" X 30" BACK UP CAMERA

- 1 [B531000141] 78" HEADROOM
- 1 [B532013000] SPECIAL URETHANE FOAM INSULATION
- 1 [B533101000] POLYESTER INSULATION RAFTER CAVITIES
- 1 [B533603141] ACOUSTIC HEADLINING COMPLETE WITH POLYESTER INSULATION
- 1 [B560600000] SEALANT PLYWOOD FLOOR EDGES
- 1 [B574127141] PADDED RAILS BLACK FIRE BLOCK UPHOLSTERY
- 1 [B575515001] ASSIST RAIL LEFT SIDE, EXTRA (SAF-T-LINER ER,HD)
- 1 [B575603000] ASSIST RAIL RIGHT SIDE, HDX (A.D.A.)

MISC

- 1 [A200100000] PDI IDENTIFIER-DEALER PERFORMED
- 1 [B599334000] BODY ADJUSTMENT-HDX 2010 EPA
- 1 [B599348000] BODY ADJUSTMENT-HDX 2013 EPA
- 1 [TB-001-314] SAF-T-LINER HDX

PAINT/LETTERING

- 1 [A000000058] DECAL-UNITED AUTO WORKERS
- 1 [B132401000] PAINT STANDARD SASH FLAT BLACK
- 1 [B134000000] RED HANDLE EMERGENCY DOOR(S)
- 1 [B144200000] LABEL DIESEL EXHAUST FLUID (DEF) ENGLISH
- 1 [B145005000] BATTERY BOX LETTERING
- 1 [B145505000] LABEL 2010 EPA EXHAUST REGENERATION ENGLISH
- 1 [B147502100] YELLOW REFLEXITE 2", PERIMETER OF REAR BUS BODY
- 1 [B147503000] YELLOW "SCHOOL BUS" SIGN FRONT HOOD
- 1 [B147504000] YELLOW "SCHOOL BUS" SIGN REAR HOOD
- 5 [B147508000] YELLOW REFLEXITE-PERIMETER OF PUSHOUT SASH (28.5" HIGH SASH)
- 1 [B147511000] YELLOW REFLEXITE PERIMETER OF EMERG DOOR, 24" W (78" HR)
- 1 [B147513000] YELLOW REFLEXITE PERIMETER OF REAR PUSHOUT WINDOW
- 1 [B147603141] YELLOW REFLEXITE-2", ABOVE FLOOR LINE-BOTH SIDES OF BUS BODY
- 1 [B151800000] TUFFCOAT ENTRANCE DOOR STEPWELL
- 1 [D50601F141] PAINT-EXTERIOR ROOF WHITE 6"
- 1 [D5061SC141] PAINT-EXT WDO AREA SAME AS BODY
- 1 [D506347000] PAINT-EXT GRD RAIL @ WINDOW BLACK
- 1 [D506447000] PAINT-EXT GRD RAIL @ SEAT BLACK
- 1 [D506547000] PAINT-EXT GRD RAIL @ FLOOR BLACK
- 1 [D506647000] PAINT-EXT GRD RAIL @ SKRT BLACK
- 1 [D506747002] PAINT-EXT BUMPERS FRT/RR BLACK
- 1 [D510646141] PAINT-SOLID COLOR YELLOW

SEATS

- 1 [A000000051] 30-INCH CLEAR AISLE SIDE EMERGENCY DOOR
- 1 [B152700000] SEALING FLOOR COVERING
- 1 [B214501000] SEAT BELT CUTTER TIE TECH
- 1 [B610000095] BELT-ELR SHOULDER/PUSH BUTTON LAP
- 1 [B620000078] BARRIER STORAGE POUCH TWO (2)
- 1 [B620000079] LEFT SIDE BARRIER IMMEDIATELY BEHIND DRVR MOVED REARWARD 2"
- 1 [B620001077] BARRIER STORAGE POUCH, RIGHT SIDE AT ENTRANCE DOOR

- 1 [B620039090] KICK PLATE/MODESTY PANEL-39"VERT, WALL-MTD BARRIER,RT SIDE
- 1 [B621000076] ASSIST RAIL (ADA)
- 1 [B640139107] 39" BARRIER VERTICAL, WALL MOUNT 45" H LS
- 1 [B640139200] 39" BARR-VERT, WALL MT 45"H RS 2009
- 1 [B640239000] 39"8DEG BARR-REV. WALL-MT 45"H 2009
- 3 [B660025121] PROFORM EDO GRAY UPHOLSTERY-45"HIGH RECESSED BARRIER
- 1 [D900104001] SEAT-DRIVER NATIONAL W/HEAT
- 1 [D900302001] ARMREST NATIONAL DRVR'S ST. BOTH SIDES
- 1 [D900403004] UPH DR.ST.BLACK FABRIC INSERT KEVLAR TRIM NATIONAL
- 1 [D900503007] PEDESTAL-NATIONAL AIR W/2 SHOCKS
- 1 [D900602001] COVER PEDASTAL NATIONAL NONE
- 1 [D900802002] RETAINER NATIONAL DR.ST.BELT
- 1 [D900902001] POUCH-DR.ST.STORAGE NONE
- 1 [D901200003] RISER-DRIVERS SEAT, NATIONAL NONE
- 11 [D980139000] SC3 39"LS 3-PASSENGER WALL MOUNT
- 12 [D980239000] S3C 39"RS 3-PASSENGER WALL MOUNT
- 23 [D980425166] FIREBLOCK GREY UPHOLSTERY S3C PASSENGER SEAT
- 1 [D980425266] FIREBLOCK GREY UPH S3C DAVENPORT
- 1 [D980539039] S3C 39"/39" DAVENPORT
- 23 [D989002000] S3C WALL MOUNT HARDWARE TRANSIT

WINDOWS/GLASS

- 1 [B161101141] TINTED TEMPERED GLASS COMPLETE
- 1 [B162009000] TINTED WINDSHIEDL WITH 5" BAND FOR MVP-ER, ER TRANSIT
- 2 [B164410000] TINTED TEMPERED PUSHOUT-LEFT SIDE, VERTICAL HINGE
- 3 [B164411000] TINTED TEMPERED PUSHOUT-RIGHT SIDE, VERTICAL HINGE
- 1 [B170001000] STORM GLASS (TEMPERED) DRIVER'S WINDOW
- 1 [B172105000] THERMOPANE GLASS OUTWARD OPENING ENTRANCE DOOR, UPPER/LOWE
- 10 [B173108000] STORM GLASS (TINTED TEMPERED)-RIGHT SIDE
- 1 [B173110000] STORM(TINTED TEMPERED)-RIGHT SIDE,+10" SECT
- 10 [B175107000] STORM GLASS (TINTED TEMPERED)-LEFT SIDE
- 1 [B175109000] STORM(TINTED TEMPERED)-LEFT SIDE,+10" SECT
- 1 [B700701002] TINT TEMP GLASS-COMP (28.5")
- 1 [B700900003] WINDOW STOPS (12")

OTHER

1 [D900702001] SLIDE STOP NATIONAL DR.ST. NONE

CHASSIS

AXLES AND SUSPENSIONS

- 1 [C145122000] AXLE REAR, DANA 22060S, 5.29 RATIO
- 1 [C386006000] SYNTHETIC LUBE STANDARD W/FRONT AXLE
- 1 [C443000000] HENDRICKSON "COMFORT AIR" SINGLE AXLE AIR SUSPENSION-23K AXL

BRAKES

- 1 [C207035000] ANTILOCK BRAKES MERITOR/WABCO (HDX)
- 1 [C207037000] AIR ANTI-LOCK DISC BRAKES
- 1 [C600001000] PARKING BRAKE INTERLOCK

CHASSIS EQUIPMENT

- 1 [C114400000] SCHRAEDER VALVE LOCATED IN ENGINE COMPARTMENT (5,K)
- 1 [C115104000] AUTO AIR TANK DRAIN HEATED (4) HDX
- 1 [C117504000] RELOCATE AIR TANKS HDX

1 [C222800000] ADJUSTABLE PEDAL SYSTEM - HDX

- 1 [C336504000] 100 GALLON FUEL TANK, BETWEEN THE RAILS, RIGHT HAND FILL
- 1 [C340006277] CHASSIS FRAME RAIL HIGH STRENGTH (110KSI) HDX (277"WB)
- 1 [C340500000] TOW HOOKS, FRONT TWO (2)
- 1 [C343000000] ENGINE SKID BAR
- 1 [C343001000] PROTECTIVE PLATE- ENG OIL PAN

ELECTRICAL - CHASSIS

- 1 [C136700000] LEECE-NEVILLE 270 AMP ALTERNATOR- PAD MOUNTED HDX
- 1 [C183200000] DUAL 12-VOLT 8D BATTERIES HDX
- 1 [C362302000] SOLID STATE ELECTRONIC FLASHER FOR HAZARD LIGHTS
- 1 [C367103000] IGNITION KEYED ALIKE (HDX)
- 1 [C367621000] AUDIBLE ALARM-HEADLIGHTS/ MARKER LIGHTS ON (HDX)

ENGINE AND EQUIPMENT

- 1 [B817002000] ANTIFREEZE-34F, EXTENDED LIFE COOLANT (HDX)
- 1 [C116500000] AIR DRYER BENDIX AD IP WITH HEATER HDX

- 1 [C207800998] EXHAUST BRAKE NONE
- 1 [C221112000] CRUISE CONTROL HDX (CUM ISL)
- 1 [C221270000] VEHICLE SPEED LIMITING(70 MILES PER HOUR SETTING)
- 1 [C230541000] FUEL PRO 382-C DAVCO FUEL WATER SEPARATOR HDX
- 1 [C230605000] COOLANT RECOVERY BOTTLE HDX
- 1 [C231610000] 6' BLOCK HEATER ELECTRIC CORD FRONT/REAR RECEPTACLE
- 1 [C231812000] BLOCK HEATER HDX (CUM ISL)
- 1 [C232112000] WATER FILTER HDX (CUMMINS ISL)
- 1 [C242600300] CUMMINS L9-300 ENGINE (HDX) 2013 EPA
- 1 [C362900000] MULTI-FUNCTION GAUGE-REAR PANEL HDX
- 1 [C599305000] CUMMINS 2017 MODEL YEAR

TRANSMISSION AND EQUIPMENT

1 [C602809318] ALLISON 3000 PTS TRANSMISSION W/RETARDER-CUM ISL-300 2013

\$145,243.00

Date:

- 1 [C602911318] 6 SPEED SHIFT CONTROL 3000R PTS
- 1 [C603803000] HAND CONTROL VALVE FOR RETARDER HDX
- 1 [C605000101] ALLISON FUEL SENSE-BASIC, DSS MED

WHEELS AND TIRES

- 4 [C531151000] MICHELIN 11R22.5 16(H) PLY XDN2
- 2 [C531603000] MICHELIN 11R22.5 16(H) PLY XZE2
- 1 [C597100000] TIRE BALANCING
- 6 [C656007000] DISC WHEEL 8.25 X 22.5, 5H (BLACK)
- 1 [C656701000] HUB-PILOTED WHEEL EQUIPMENT 23K (HDX)

OTHER TYPE

PDI

Delivery Cost:

• 1 [A000000161] ALERT-PDI INSTALLATION

Meets all FMVSS requirements in effect at the time of manufacture.

Total for 1 complete unit(s): **TOTAL PRICE WITH OPTIONS**

Additional Options You Selected: AIR DISC BRAKES \$2000.00 **AUTOMATIC CHAINS** \$2750.00 **CAMERA MIRROR** \$1200.00 **BOOK RACKS** \$1500.00 **WEBASTO HEATER** \$3700.00 **HEATED STEPS** \$550.00 REAR AIR FOIL \$650.00 RETARDER TRANSMISSION \$7000.00 THERMPANE WINDOWS COMPLETE \$4500.00 24/7 CAMERA SYSTEM 5 INSIDE 1 STOP ARM INSTALLED \$4450.00 **MOTOROLA 2 WAY RADIO INSTALLED** \$895.00 **ZONAR SYSTEM INSTALL** \$260.00 NC **INSTALL DOOR CYLINDER HEAT ELEMENT** ADDITIONAL FRONT STORAGE COMPARTMENT NC **Terms and Conditions: Quote Expires:**

Customer Signature:

AttachedDetail

Dealer Signature:





Prepared For:

UINTA COUNTY SCHOOL DISTRICT #4 129 2ND STREET MOUNTAIN VIEW, WY 82939 LANCE PARKER 801-232-5495

Prepared By:

LANCE@LEWISBUSGROUP.COM

Quote Number: Quote Date: Customer Order No: 346002 8/14/2018 Uinta #4 NO A/C

Model Profile: Saf-T-Liner HDX 141YS

Product Type: School Transportation

Year: 2019
Chassis Model: CHSY
Chassis MFG: THOMAS
GVWR: GVWR
Passenger Capacity: 75
Headroom: 78
Wheelbase: 277

Brake Type: AIR W/REAR AIR SUSPENSION (23K

Engine Type: CUMMINS L9 300 DIESEL, 6 Cyl, 300 HP, 2200 RPM

Fuel Type: DIESEL Fuel Tank Capacity: 100

Transmission Type: ALLISON PTS 3000R
Axle, Front: 13200-lb Capacity
Axle, Rear: 23000-lb Capacity

Tires, Front: MICHELIN 11R22.5 16(H) PLY XZE2
Tires, Rear: MICHELIN 11R22.5 16(H) PLY XDN2

Suspension Front: 13,200

Suspension Rear: AIRLINER 23,000 LB. REAR SUSPENSION

Total for 1 complete unit(s): WYOMING BASE PRICE ONLY \$115,788.00

Delivery Cost:

Includes the Following Equipment:

BODY

ACCESSORIES

- 1 [B241000000] ACRYLIC VISOR LEFT SIDE
- 1 [B552300000] PROP ROD ACCESS DOOR ABOVE WINDSHIELD
- 1 [B591000141] LUGGAGE RACKS BOTH SIDES
- 1 [B591002000] LUGGAGE RACK PAD WOLF BLACK UPHOLSTERY
- 1 [B596800000] LUGGAGE COMPARTMENT THROUGH, DELUXE, 125"
- 1 [B598800002] SKIRT MTD STORAGE COMP W/LOCK-RIGHT SIDE,FRT OF REAR AXLE
- 1 [G100015000] Device-Rear Deflection Wing Yellow

CERTIFICATION/SAFETY

- 1 [B2050WY000] KIT FIRST AID, 24 UNIT, COMPLIES W/WYOMING STATE SPECS
- 1 [B2060WY000] KIT BODY FLUID CLEAN-UP, COMPLIES WITH WYOMING SPECS
- 1 [B209004000] REFLECTORIZED TRIANGLES-(3) IN OVERHEAD STORAGE COMPARTMENT
- 1 [B287599999] CROSSVIEW MIRROR INCLUDED IN REARVIEW MIRROR ASSEMBLY
- 1 [B289903000] ROSCO INTEGRATED STYLE REMOTE CONTROL HEATED MIRROR
- 1 [B294272E21] SIGN-STOP, ELECTRIC FRONT #T7000-200-E21 LED
- 1 [B525240002] RF HATCH-TRANSPEC,LO PRO"TRIPLE VALUE" W/STAT VNT, WH,EN(2)
- 1 [B583175000] LABEL U.S. CERTIFICATION
- 1 [B599900001] APPLICATION SCHOOL
- 1 [D622300000] LABEL-GHG CERTIFICATION ENGLISH

DOORS

- 1 [B501007000] PADDING SIDE EMERGENCY DOOR HEADER, 24"
- 1 [B503002000] EXTERIOR DOOR HANDLE
- 1 [B504600502] 141Y28_LI-24-S000
- 1 [B505500000] RIGHT SIDE DOOR NONE

- 1 [B515500000] 24" SIDE EMERGENCY DOOR LS
- 1 [B518206000] VANDALOCK AIR-OPERATED OUTWARD OPENING ENTRANCE DOOR
- 1 [B518602000] VANDALOCK SIDE EMERGENCY DOOR WITH INTERLOCK & BARREL BOLT
- 1 [B518800000] VANDALOCK REAR PUSHOUT WINDOW, WITH DAVENPORT SHELF
- 1 [B520006000] 3-POINT LATCH SIDE EMERGENCY DOOR, LEFT SIDE
- 1 [B548400000] CORROSION RESISTANT SEALER, REAR DOOR
- 1 [C340202000] STEPWELL GUARD (HDX)

ELECTRICAL – BODY

- 1 [B307202000] COURTESY LIGHT EXTERIOR ELECTRICAL ACCESS DOOR
- 1 [B308004012] COMPARTMENT LIGHTS(4)-69"/95"/125" THROUGH, DELUXE COMPART
- 1 [B200102000] PASSENGER ADVISORY SYSTEM HORN ACTIVATION
- 1 [B216010000] TWO(2)DEFROSTER FANS MOUNTED OVER CENTER WINDSHIELD
- 1 [B231015000] BACKING ALARM HEAVY DUTY 112DB
- 1 [B258001400] OUTSIDE SPEAKER HORN CHASSIS-MOUNTED (TRANSIT)
- 1 [B259111000] PRE-WIRE FOR CUSTOMER INSTALLED 2-WAY RADIO/VIDEO CAMERA

1 [B259119001] GPS - ZONAR SYSTEM, HDX

- 1 [B259205000] CELLULAR PHONE POWER OUTLET REAR WALL OF SWITCH CABINET
- 1 [B260300008] SPEAKERS EIGHT (8)
- 1 [B260405001] RADIO AM/FM DEA510 DELPHI, TRANSIT W/PAGE
- 1 [B307202000] COURTESY LIGHT EXTERIOR ELECTRICAL ACCESS DOOR
- 1 [B320302141] ADDITIONAL DOME LAMPS HDX
- 1 [B323001000] DELUXE DRIVER'S DOME LIGHT
- 1 [B326002000] RHEOSTAT DIMMER SWITCH FOR DRIVER'S COMPARTMENT DOME LIGHT
- 1 [B327902000] INTER EMERG DR LHT-LED, 1/2" DIAMETER, LOCTD OVER RR P/O HATC
- 1 [B327903000] INTER EMERG DR LHT-LED, 1/2" DIAMETER,LOCTD OVER LS EMERG DR
- 1 [B329001002] ENTRANCE DOOR LIGHT HOODED
- 1 [B329100000] HOODED STEP LIGHT
- 1 [B333108000] 7" LED DIRECTIONAL LIGHTS FRONT
- 1 [B336002000] LAMPS-STOP/TAIL/DIRECTIONAL AMBER/REVERSE LED
- 1 [B339302000] LAMPS-STOP/TAIL 4"FLUSH-MOUNT LED
- 1 [B342200004] SIDE DIRECTIONAL-LED AMBER TURN, REAR OF FTRON WHEEL
- 1 [B342200020] SIDE DIRECTIONAL-LED RED TURN, REAR
- 1 [B349501000] FOUR (4) ENGINE COMPARTMENT LIGHTS
- 1 [B357605000] STROBE LGT(S) OPERATIONS W/IGNITION&SWITCH
- 1 [B358028006] LED WARNING LIGHTS STROBE, FOUR (4) AMBER & FOUR (4) RED LENS
- 1 [B358208000] HALOGEN 8-LIGHT WARNING SYSTEM
- 1 [B364039000] ID LAMPS LED
- 1 [B364040000] MARKER LAMPS LED
- 1 [B364041000] MID-MARKER LAMPS LED
- 1 [B371501005] STROBE LIGHT CLEAR, 135" FROM REAR HOOD, CENTERED
- 1 [B371600000] STROBE LIGHT GUARD
- 1 [B380022000] CONVOLUTED CONDUIT FOR WIRING BACKUP ALARM
- 1 [B380504000] RECEPTACLE REAR, ENGINE HEATER (HDX)
- 1 [B381300000] PRE-WIRE FOR GPS WITH TELEMATICS
- 1 [B382201000] MANUAL WARNING LIGHT ACTIVATION SWITCH
- 1 [B383300000] NOISE SUPPRESSION SWITCH
- 1 [B599000005] BATTERY HOLD DOWN BRACKET 8D BATTERY
- 1 [B599065000] BATTERY BOX LARGE W/STAINLESS STEEL TRAY
- 1 [D901600001] ELEC-PEDESTAL, HEATED SEAT NAT

EXTERIOR

1 [B165002000] GAS SPRINGS - EIGHT (8)

- 1 [B230000000] AIR HORN BENEATH FLOOR
- 1 [B519015000] LATCH-LOCK DEF ACCESS DOOR
- 1 [B537000000] COVER LOCK
- 1 [B537003000] LOCK BATTERY BOX DOOR
- 1 [B542002000] 20 GAUGE SMOOTH SIDE SHEETS
- 1 [B544300000] GUARD RAILS FOR LIFT OR SIDE EMERGENCY DOOR
- 1 [B548300141] SEVERE SERVICE PACKAGE FOR BODY
- 1 [B548301000] SIDE EMERGENCY DOOR JAMB REINFORCEMENT
- 1 [B548801000] BRACKET MOUNTING, LICENSE PLATE, FRONT
- 1 [B560000000] SEALING, EXTERIOR JOINT EDGE
- 1 [B566001000] MUD FLAPS FRONT, RUBBER, 15"W WITH LOGO
- 1 [B566005000] REAR RUBBER MUD FLAPS 22.5W W/LOGO
- 1 [B571001000] FENDERETTES FOUR (4)
- 1 [D505302141] UNDERCOATING-UNDERGUARD

HVAC

- 1 [B403004000] HEATER 15,000 BTU DRIVER'S COMPARTMENT
- 1 [B411203000] GROCO CENTRIFUGAL BOOSTER PUMP
- 1 [B411330000] HEATER SHUT-OFF VALVES BALL TYPE ENGINE COMPARTMENT
- 1 [B412005050] 84,000 BTU HEATER 5TH SECTION LEFT SIDE
- 1 [B412008050] 84,000 BTU HEATER 8TH SECTION LEFT SIDE
- 1 [B412016050] 84,000 BTU HEATER AGAINST REAR WALL, RIGHT SIDE
- 1 [B412107000] SERIES HEATER CONNECTION REAR HEATERS THREE(3)
- 1 [B415101000] SERIES HEATER CONNECTION REAR HEATER ONE(1)
- 1 [B415416000] HEATER HOSE HI-MILER, RIGHT SIDE, REAR HEATER
- 1 [B416511000] FUEL BURNING HEATER 45,000 BTU WEBASTO W/LOCKING BOX, LS
- 1 [B420507000] PLUMBING AT SIDE DOOR WITH PLYWOOD FLOOR
- 1 [B420603000] CONSTANT TORQUE CLAMPS THREE (3) REAR UNDERSEAT HEATERS
- 1 [B421617141] GATES GREEN STRIPE HOSE-FRONT CENTER HEATER
- 1 [B429001000] SIDE EMERGENCY DOOR RAMP 24" WIDE DOOR

INTERIOR

- 1 [B150001000] FLOOR STEP NOSING
- 1 [B150201000] ELECTRICALLY HTED STEP TREAD-FRT ENT DR(CONV,HDX)
- 1 [B150605032] GRAY KORSEAL STEP TREADS OUTWARD OPENING ENTRANCE DOOR
- 1 [B152400141] ALUMINUM AISLE STRIPS
- 1 [B153520141] DARK GRAY VINYL FLOOR WITH 13" CENTER AISLE
- 1 [B158000141] PLYWOOD FLOOR 5/8" THICKNESS
- 1 [B231020000] MIRROR INTERIOR 6" X 30" BACK UP CAMERA
- 1 [B531000141] 78" HEADROOM
- 1 [B532013000] SPECIAL URETHANE FOAM INSULATION
- 1 [B533101000] POLYESTER INSULATION RAFTER CAVITIES
- 1 [B533603141] ACOUSTIC HEADLINING COMPLETE WITH POLYESTER INSULATION
- 1 [B560600000] SEALANT PLYWOOD FLOOR EDGES
- 1 [B574127141] PADDED RAILS BLACK FIRE BLOCK UPHOLSTERY
- 1 [B575515001] ASSIST RAIL LEFT SIDE, EXTRA (SAF-T-LINER ER,HD)
- 1 [B575603000] ASSIST RAIL RIGHT SIDE, HDX (A.D.A.)

MISC

- 1 [A200100000] PDI IDENTIFIER-DEALER PERFORMED
- 1 [B599334000] BODY ADJUSTMENT-HDX 2010 EPA
- 1 [B599348000] BODY ADJUSTMENT-HDX 2013 EPA
- 1 [TB-001-314] SAF-T-LINER HDX

PAINT/LETTERING

- 1 [A000000058] DECAL-UNITED AUTO WORKERS
- 1 [B132401000] PAINT STANDARD SASH FLAT BLACK
- 1 [B134000000] RED HANDLE EMERGENCY DOOR(S)
- 1 [B144200000] LABEL DIESEL EXHAUST FLUID (DEF) ENGLISH
- 1 [B145005000] BATTERY BOX LETTERING
- 1 [B145505000] LABEL 2010 EPA EXHAUST REGENERATION ENGLISH
- 1 [B147502100] YELLOW REFLEXITE 2", PERIMETER OF REAR BUS BODY
- 1 [B147503000] YELLOW "SCHOOL BUS" SIGN FRONT HOOD
- 1 [B147504000] YELLOW "SCHOOL BUS" SIGN REAR HOOD
- 5 [B147508000] YELLOW REFLEXITE-PERIMETER OF PUSHOUT SASH (28.5" HIGH SASH)
- 1 [B147511000] YELLOW REFLEXITE PERIMETER OF EMERG DOOR, 24" W (78" HR)
- 1 [B147513000] YELLOW REFLEXITE PERIMETER OF REAR PUSHOUT WINDOW
- 1 [B147603141] YELLOW REFLEXITE-2", ABOVE FLOOR LINE-BOTH SIDES OF BUS BODY
- 1 [B151800000] TUFFCOAT ENTRANCE DOOR STEPWELL
- 1 [D50601F141] PAINT-EXTERIOR ROOF WHITE 6"
- 1 [D5061SC141] PAINT-EXT WDO AREA SAME AS BODY
- 1 [D506347000] PAINT-EXT GRD RAIL @ WINDOW BLACK
- 1 [D506447000] PAINT-EXT GRD RAIL @ SEAT BLACK
- 1 [D506547000] PAINT-EXT GRD RAIL @ FLOOR BLACK
- 1 [D506647000] PAINT-EXT GRD RAIL @ SKRT BLACK
- 1 [D506747002] PAINT-EXT BUMPERS FRT/RR BLACK
- 1 [D510646141] PAINT-SOLID COLOR YELLOW

SEATS

- 1 [A000000051] 30-INCH CLEAR AISLE SIDE EMERGENCY DOOR
- 1 [B152700000] SEALING FLOOR COVERING
- 1 B214501000 SEAT BELT CUTTER TIE TECH
- 1 [B610000095] BELT-ELR SHOULDER/PUSH BUTTON LAP

- 1 [B620000078] BARRIER STORAGE POUCH TWO (2)
- 1 [B620000079] LEFT SIDE BARRIER IMMEDIATELY BEHIND DRVR MOVED REARWARD 2"
- 1 [B620001077] BARRIER STORAGE POUCH, RIGHT SIDE AT ENTRANCE DOOR
- 1 [B620039090] KICK PLATE/MODESTY PANEL-39"VERT, WALL-MTD BARRIER,RT SIDE
- 1 [B621000076] ASSIST RAIL (ADA)
- 1 [B640139107] 39" BARRIER VERTICAL, WALL MOUNT 45" H LS
- 1 [B640139200] 39" BARR-VERT, WALL MT 45"H RS 2009
- 1 [B640239000] 39"8DEG BARR-REV. WALL-MT 45"H 2009
- 3 [B660025121] PROFORM EDO GRAY UPHOLSTERY-45"HIGH RECESSED BARRIER
- 1 [D900104001] SEAT-DRIVER NATIONAL W/HEAT
- 1 [D900302001] ARMREST NATIONAL DRVR'S ST. BOTH SIDES
- 1 [D900403004] UPH DR.ST.BLACK FABRIC INSERT KEVLAR TRIM NATIONAL
- 1 [D900503007] PEDESTAL-NATIONAL AIR W/2 SHOCKS
- 1 [D900602001] COVER PEDASTAL NATIONAL NONE
- 1 [D900802002] RETAINER NATIONAL DR.ST.BELT
- 1 [D900902001] POUCH-DR.ST.STORAGE NONE
- 1 [D901200003] RISER-DRIVERS SEAT, NATIONAL NONE
- 11 [D980139000] SC3 39"LS 3-PASSENGER WALL MOUNT
- 12 [D980239000] S3C 39"RS 3-PASSENGER WALL MOUNT
- 23 [D980425166] FIREBLOCK GREY UPHOLSTERY S3C PASSENGER SEAT
- 1 [D980425266] FIREBLOCK GREY UPH S3C DAVENPORT
- 1 [D980539039] S3C 39"/39" DAVENPORT
- 23 [D989002000] S3C WALL MOUNT HARDWARE TRANSIT

WINDOWS/GLASS

- 1 [B161101141] TINTED TEMPERED GLASS COMPLETE
- 1 [B162009000] TINTED WINDSHIEDL WITH 5" BAND FOR MVP-ER, ER TRANSIT
- 2 [B164410000] TINTED TEMPERED PUSHOUT-LEFT SIDE, VERTICAL HINGE
- 3 [B164411000] TINTED TEMPERED PUSHOUT-RIGHT SIDE, VERTICAL HINGE
- 1 [B170001000] STORM GLASS (TEMPERED) DRIVER'S WINDOW
- 1 [B172105000] THERMOPANE GLASS OUTWARD OPENING ENTRANCE DOOR, UPPER/LOWE
- 10 [B173108000] STORM GLASS (TINTED TEMPERED)-RIGHT SIDE
- 1 [B173110000] STORM(TINTED TEMPERED)-RIGHT SIDE,+10" SECT
- 10 [B175107000] STORM GLASS (TINTED TEMPERED)-LEFT SIDE
- 1 [B175109000] STORM(TINTED TEMPERED)-LEFT SIDE,+10" SECT
- 1 [B700701002] TINT TEMP GLASS-COMP (28.5")
- 1 [B700900003] WINDOW STOPS (12")

OTHER

1 [D900702001] SLIDE STOP NATIONAL DR.ST. NONE

CHASSIS

AXLES AND SUSPENSIONS

- 1 [C145122000] AXLE REAR, DANA 22060S, 5.29 RATIO
- 1 [C386006000] SYNTHETIC LUBE STANDARD W/FRONT AXLE
- 1 [C443000000] HENDRICKSON "COMFORT AIR" SINGLE AXLE AIR SUSPENSION-23K AXL

BRAKES

- 1 [C207035000] ANTILOCK BRAKES MERITOR/WABCO (HDX)
- 1 [C207037000] AIR ANTI-LOCK DISC BRAKES
- 1 [C600001000] PARKING BRAKE INTERLOCK

CHASSIS EQUIPMENT

- 1 [C114400000] SCHRAEDER VALVE LOCATED IN ENGINE COMPARTMENT (5,K)
- 1 [C115104000] AUTO AIR TANK DRAIN HEATED (4) HDX
- 1 [C117504000] RELOCATE AIR TANKS HDX
- 1 [C222800000] ADJUSTABLE PEDAL SYSTEM HDX
- 1 [C336504000] 100 GALLON FUEL TANK, BETWEEN THE RAILS, RIGHT HAND FILL
- 1 [C340006277] CHASSIS FRAME RAIL HIGH STRENGTH (110KSI) HDX (277"WB)
- 1 [C340500000] TOW HOOKS, FRONT TWO (2)
- 1 [C343000000] ENGINE SKID BAR
- 1 [C343001000] PROTECTIVE PLATE- ENG OIL PAN

ELECTRICAL - CHASSIS

- 1 [C136700000] LEECE-NEVILLE 270 AMP ALTERNATOR- PAD MOUNTED HDX
- 1 [C183200000] DUAL 12-VOLT 8D BATTERIES HDX
- 1 [C362302000] SOLID STATE ELECTRONIC FLASHER FOR HAZARD LIGHTS
- 1 [C367103000] IGNITION KEYED ALIKE (HDX)
- 1 [C367621000] AUDIBLE ALARM-HEADLIGHTS/ MARKER LIGHTS ON (HDX)

ENGINE AND EQUIPMENT

- 1 [B817002000] ANTIFREEZE-34F, EXTENDED LIFE COOLANT (HDX)
- 1 [C116500000] AIR DRYER BENDIX AD IP WITH HEATER HDX
- 1 [C207800998] EXHAUST BRAKE NONE
- 1 [C221112000] CRUISE CONTROL HDX (CUM ISL)
- 1 [C221270000] VEHICLE SPEED LIMITING(70 MILES PER HOUR SETTING)
- 1 [C230541000] FUEL PRO 382-C DAVCO FUEL WATER SEPARATOR HDX
- 1 [C230605000] COOLANT RECOVERY BOTTLE HDX
- 1 [C231610000] 6' BLOCK HEATER ELECTRIC CORD FRONT/REAR RECEPTACLE
- 1 [C231812000] BLOCK HEATER HDX (CUM ISL)
- 1 [C232112000] WATER FILTER HDX (CUMMINS ISL)
- 1 [C242600300] CUMMINS L9-300 ENGINE (HDX) 2013 EPA
- 1 [C362900000] MULTI-FUNCTION GAUGE-REAR PANEL HDX
- 1 [C599305000] CUMMINS 2017 MODEL YEAR

TRANSMISSION AND EQUIPMENT

- 1 [C602809318] ALLISON 3000 PTS TRANSMISSION W/RETARDER-CUM ISL-300 2013
- 1 [C602911318] 6 SPEED SHIFT CONTROL 3000R PTS
- 1 [C603803000] HAND CONTROL VALVE FOR RETARDER HDX
- 1 [C605000101] ALLISON FUEL SENSE-BASIC, DSS MED

WHEELS AND TIRES

- 4 [C531151000] MICHELIN 11R22.5 16(H) PLY XDN2
- 2 [C531603000] MICHELIN 11R22.5 16(H) PLY XZE2
- 1 [C597100000] TIRE BALANCING
- 6 [C656007000] DISC WHEEL 8.25 X 22.5, 5H (BLACK)
- 1 [C656701000] HUB-PILOTED WHEEL EQUIPMENT 23K (HDX)

OTHER TYPE

Terms and Conditions: Quote Expires:

PDI

1 [A000000161] ALERT-PDI INSTALLATION

Meets all FMVSS requirements in effect at the time of manufacture.

Total for 1 complete unit(s): TOTAL PRICE WITH OPTIONS \$148,743.00 Delivery Cost:

Additional Options You Selected:

AIR DISC BRAKES	\$2000.00
AUTOMATIC CHAINS	\$2750.00
CAMERA MIRROR	\$1200.00
BOOK RACKS	\$1500.00
WEBASTO HEATER	\$3700.00
HEATED STEPS	\$550.00
REAR AIR FOIL	\$650.00
RETARDER TRANSMISSION	\$7000.00
UNDERBODY LUGGAGE	\$3500.00
THERMPANE WINDOWS COMPLETE	\$4500.00
24/7 CAMERA SYSTEM 3 INSIDE 1 STOP ARM INSTALLED	\$4450.00
MOTOROLA 2 WAY RADIO INSTALLED	\$895.00
ZONAR SYSTEM INSTALL	\$260.00
INSTALL DOOR CYLINDER HEAT ELEMENT	NC
ADDITIONAL FRONT STORAGE COMPARTMENT	NC

Customer Signature:	Date:

Dealer Signature:	 Date:	

AttachedDetail





Prepared For:

LINCOLN COUNTY SCHOOL DISTRICT #1 11 ADAVILLE ROAD DIAMONDVILLE, WY 83116 Prepared By: LANCE PARKER 801-232-5495

LANCE@LEWISBUSGROUP.COM

Quote Number:Quote Date:Customer Order No:3471839/7/2018Lincoln 1 C-2

Model Profile: Saf-T-Liner C2 311TS

Product Type: School Transportation

Year: 2020 Chassis Model: B2 106

Chassis MFG: FREIGHTLINER

GVWR: GVWR
Passenger Capacity: 72
Headroom: 78
Wheelbase: 259
Brake Type: AIR

Engine Type: CUMMINS B6.7 260 DIESEL, 6 Cyl, 260 HP, 2600 RPM

Fuel Type: DIESEL Fuel Tank Capacity: 100

Transmission Type: ALLISON PTS 3000
Axle, Front: 10000-lb Capacity
Axle, Rear: 21000-lb Capacity

Tires, Front: RADIAL FRONT TIRE, MICHELIN XZE2,11R22.5 16 PLY

Tires, Rear:

Suspension Front:

10,000 LB. TAPERLEAF FRONT SUSPENSION

Suspension Rear:

AIRLINER 23,000 LB. REAR SUSPENSION

Total for 1 complete unit(s): TOTAL PRICE \$108,682.00

Delivery Cost:

Includes the Following Equipment:

BODY

ACCESSORIES

- 1 [D106104000] LOC-1ST.SEAT DRVRSIDE REFL TRIANGLE
- 1 [D106400001] VISOR-TINTED DRIVER'S SIDE WINDOW 6"X18"
- 1 [D130900000] LOC-HDR.CERT.HOLDER.FRT BULKHEAD
- 1 [D131100001] LOCKS-KEYED ALIKE #CH545
- 1 [D133600000] METHOD-FASTENER SCREWS
- 1 [D607500000] HOLDER-CERTIFICATE 4"X 6"
- 1 [G100015000] Device-Rear Deflection Wing Yellow

CERTIFICATION/SAFETY

- 1 [D102200002] REFLECTTAPE-RR END YEL 2"
- 4 [D102500000] REFLECTTAPE-P/O WDO YEL
- 1 [D102901000] REFLECTIVE TAPE-EMERGENCY DOOR REAR YELLOW
- 1 [D103500311] REFLECTTAPE-SI 2" ABV FLR YEL
- 1 [D103900000] FIRE EXTINGUISHER-5 3A-40BC
- 1 [D107000000] REFLECTORS-AMBER(2) MID BDY 3"
- 1 [D107100000] REFLECTORS-RED (4) RR/RR SI 3"
- 1 [D107300002] HATCH-RF ESC MODEL 1100 ENG(2)
- 1 [D107700003] ELECTRICAL-ROOF ESCAPE HATCH POS 3
- 1 [D108700002] HANDLES-W/S SERVICE, BLACK
- 1 [D110024WYG] KIT, FIRST AID 24 UNIT WYOMING
- 1 [D110101WYG] KIT,BODY FLUID CLEAN UP WY.
- 1 [D110300000] SWITCH-ROCKER CROSSING ARM DEACTIVATION
- 1 [D110600000] LABEL-PASS ADVISOR INSTRUCTION
- 1 [D111700000] FE-5 3A-40BC ADDITIONAL
- 1 [D115900001] LOC-O/H STOR LS 10 UNIT B.F.C

- 1 [D116000002] LOCATION-OVERHEAD STORAGE RIGHT SIDE 5LB. FIRE EXTINGUISHER
- 1 [D118900004] LOC-FLR.CURB SIDE RR,BEHIND SEAT 5LB FE
- 1 [D122201000] CUTTER-SEAT BELT W/HAND GRIP
- 1 [D122400000] TRIANGLES-REFL. 3 W/BOX
- 1 [D124200003] MOTOR-XING ARM ELEC., SPECIALTY
- 1 [D127300001] LOC-RR BULKHEAD CURB SIDE 24 FAK
- 1 [D130301000] BRACKET-XING ARM STOWAGE 1/4" BUMP
- 1 [D140024WYG] KIT, FIRST AID 24 UNIT WYOMING ADDITIONAL
- 1 [D500003000] OPEN VIEW ES, HEATED, REMOTE
- 1 [D500301000] MIRROR-B EXTERIOR CROSSVIEW HEATED BLACK BRACKET
- 1 [D500602020] SIGN-STOP, ELEC FRT #T7000-E21 LED
- 1 [D602200007] MIRROR-INT 6"X30" CAMERA
- 1 [D602400000] LABEL-VEHICLE CERTIFICATION
- 1 [FL-31X-020] FRONT BUMP MT CROSS ARM W/DEACTIVATION SWITCH-ELECTRIC

DOORS

• 1 [D109400000] MAT-HEATER STEP TREAD ALL FRONT ENTRANCE DOOR

- 1 [D200301004] STEP-RS ALUM.ENT.DR W/HTR 8.75"RISER
- 1 [D300300000] HANDLE-EXTERIOR REAR DOOR WITH RECCESS
- 1 [D300800000] LATCH-DOOR INTERIOR STORAGE OVER WINDSHIELD
- 1 [D302000000] VANDALOCK-REAR DOOR W/BOLT
- 1 [D302305003] DOOR-ENT AG2 STORM TEMP LOCK
- 1 [D302404000] POWER SYSTEM-AG2 AIR ENTRANCE DOOR
- 1 [D302503000] ELEC-AG2 AIR OPERATED ENTRANCE DOOR
- 1 [D302901000] LATCH- 3-POINT, RR EMERG DOOR
- 1 [D303911000] VANDALOCK-ALUM.ENT.DR.CYLINDER W/KEY
- 1 [D304000002] PULL-ENTRANCE DOOR, EXTERNAL ALUMINUM
- 1 [D305300000] DOOR GLASS GUARD
- 1 [D311500000] KEY-VANDALOCK REAR DOOR NONE
- 1 [D311900000] TRIM-ENTRANCE DOOR INTERIOR
- 1 [D603000000] PAD-DR HEADER, RR EMER 36"W
- 1 [D608501006] TREAD-STP ALUM.ENT DR GRAY KSEAL W/PEBBLE NOSING
- 1 [D611000000] RAIL-ASSIST FRONT ENTRANCE DOOR RIGHT SIDE 1"OD
- 1 [D611801002] CVR-KICK PLATE ENT DR-W/HTR LO

ELECTRICAL - BODY

- 1 [D105400001] FAN-CIRC MID W/S HDR BLACK
- 1 [D105500001] ELEC-FAN MID W/S HDR
- 1 [D105600000] FAN-CIRC DRV'S WDO HDR BLACK
- 1 [D105700000] ELECTRICAL-FAN DRIVER'S WINDOW HEADER
- 1 [D106600003] HORN-SPEAKER LS COWL LEG
- 1 [D106902000] RADIO-AM/FM DEA510 W/PAGE
- 1 [D115000003] OPER-AUTOMATIC FAST IDLE

1 [D130706000] ELEC-ZONAR STANDARD MONITORING

- 1 [D133800001] KIT-ANTENNA GPS
- 1 [D301100001] ELEC-PWR CELL PHONE OUTLET LS
- 1 [D303104002] OPER-DOOR AIR ENT.W/ BAT.2 POS.
- 1 [D400200000] MONITOR-LAMPS WARNING/STOP/TAIL/TURN
- 1 [D400400001] LPS-DOME OVER DRIVER & STEPWELL
- 1 [D400600001] ELEC-DRIVER'S DOME LPS & STEPWELL

1 [D400704311] LPS-DOME PASS MEDIUM LED () 311T

- 1 [D400804311] ELEC-PASS DOME LPS MEDIUM 311T
- 1 [D400900002] SWITCH-RKR DOME LPS FRT/RR
- 1 [D401000001] MODULE-PWR.DIST.ELEC.SYS.
- 1 ID4022000011 LPS-EXT AFT OF ENT DOOR, SHIELDED
- 1 [D402300001] ELEC-LPS EXT AFT OF ENT DOOR
- 1 [D402400001] OPER-STPWLL LPSW/PARKLPS&ENT DR.
- 1 [D402501000] LPS-STPWLL W/ HOOD (1)
- 1 [D402801002] LPS-STP/TAIL/DIR AMBER/REV LED
- 1 [D402904311] ELEC-LPS STOP/TAIL/TURN/REV
- 1 [D403000000] ADVISORY-PASSENGER BUZZER ACTIVATION, WITH SWITCH
- 1 [D404300001] ELEC-PWR, GND, NETWORK, BUZZ
- 1 [D405401000] OPER-LPS,DOME SPECIAL ACT.BUZ.W/O VANDALOCK
- 1 [D405600000] LAMPS-PILOT POST TRIP INSPECTION RED
- 1 [D406000002] LAMPS-SIDE DIRECTIONAL AMBER FRONT 2 CP LED
- 1 [D406212008] LPS-WARNING LED STROBE (8)
- 1 [D406601008] OPERATION-LAMPS WARNING (8) PACKAGE 8

- 1 [D406700000] OPERATION-LAMPS REVERSE WITH REAR EMERGENCY DOOR OPEN
- 1 [D406900006] LPS-ID AMB/RED LED
- 1 [D407000002] LPS-MKR ROOF FRT/RR LED WELDON
- 1 [D407100002] LAMPS-MARKER ROOF MID LED WELDON
- 1 [D407507311] ELEC-LPS ID/MKR PARK/SWITCH
- 1 [D408300003] STROBE-CLR 4.9"H 4' FROM REAR
- 1 [D408400001] STROBE LAMP GUARD (1)
- 1 [D408901000] LPS- STOP/TAIL 4" FLS.MT L.E.D.
- 1 [D409000000] SWITCH-ROCKER FAN DEFROST WINDSHIELD
- 1 [D409400001] SWITCH-ROCKER NOISE SUPPRESSION ON/OFF
- 1 [D410801003] LPS-SI DIR AMB LED GRD RR.AXLE
- 1 [D411000000] SWITCH-ROCKER STROBE LAMPS
- 1 [D412200000] LAMPS-PILOT WARNING LIGHTS RED
- 1 [D412300000] LAMPS-PILOT WARNING LIGHTS AMBER
- 1 [D412800003] SWITCH-WARN LPS ON/AMB ACT. (BLK)
- 1 [D413500000] LAMPS-PILOT WARNING LIGHTS MASTER GREEN
- 1 [D413807000] OPERATION-LAMP STROBE, IGNITION & SWITCH ACTIVATED
- 1 [D414700002] ELEC-CABLE PRIM PWR & GND-CUSTOMER ACCESS
- 1 [D416100000] OPERATION-LAMPS SIDE DIRECT.ONLY
- 1 [D416200000] ELEC-LPS, DOME SPECIAL ACT. BUZ. W/O VANDALOCK
- 1 [D416400000] BLOCK-FUSE CUSTOMER ACCESS
- 1 [D418600002] OPER-PRE-TRIP INSPECTION
- 1 [D419601001] ELEC-SEAT BELT PILOT LAMP
- 1 [D419700001] OPER-SEAT BELT PILOT LAMP
- 1 [D419900000] LAYOUT-ROCKER SWITCH STANDARD
- 1 [D421300001] GPS-ZONAR V3
- 1 [D500800007] ELEC-ELECTRIC STOP SIGN FRT
- 1 [D602001311] SPEAKERS-INT. 30 WAT.(6) 311T
- 1 [D602103311] ELEC- (6) INT SPKERS&HORN311T
- 1 [D609700000] SWITCH-RKR HTR BOOST PUMP
- 1 [D613400002] DOME LPS MEDIUM
- 1 [D619600000] ELEC-HTR ENT DOOR STEPWELL
- 1 [D622700001] BRACKET-ZONAR GPS
- 1 [D901600000] ELEC-PEDESTAL, HEATED SEAT
- 1 [FL-32C-008] PASS DOME LPS,FWD/REAR SWITCH SPECIAL ACTIVATION
- 1 [FL-721-029] 112DB BACKUP ALARM

EXTERIOR

- 1 [D105800001] HORN-AIR, UNDER FLOOR
- 1 [D108800002] FLAPS-MUD, REAR 22.5"W
- 1 [D108900001] FLAPS-MUD, FRONT 16"W X 12"H
- 1 [D110500000] STEPS-EXT W/S SERVICE
- 1 [D200200002] FENDER-QUARTER 24" BATTERY BOX DOOR
- 1 [D200600000] BODY ADJUSTMENT-FREIGHTLINER, BTR RS FUEL FILL LOCATION
- 1 [D201900003] REINFORCEMENT-FRAME STD 24" BATTERY BOX DOOR
- 1 [D202600000] CAP-ENTRANCE DOOR STANDARD
- 1 [D202800001] FLOOR-NON ADA
- 1 [D502600000] BUMPER-REAR 2 BRACES NO EXHAUST HOLE
- 1 [D502900004] SKT.FWD.STPWLL LO DEF
- 1 [D503302000] CAP-FRT ROOF VENT W/WARN.LPS.
- 1 [D503402000] CAP-REAR ROOF W/WARN.LPS.
- 1 [D503902311] GUSSET-21"H LWR SIDE SHEET
- 1 [D504006311] SHEET-LWR, L MID 20G,21"
- 1 [D504106311] SHEET-LWR,L RR 20G,21"
- 1 [D504206311] SHEET-LWR,R MID 20G,21"
- 1 [D504306311] SHEET-LWR,R RR 20G,21"
- 1 [D504402008] VISOR-EXT.@ WARN LPS (8)
- 1 [D504500003] DOOR-U/B L BATTERY 24"
- 1 [D505600000] DOOR-FUEL FILL ACCESS BTR
- 1 [D505701021] FENDERETTE-STL/RBR 21" SKIRT
- 1 [D507400003] LATCH-BATT DOOR LOCKING
- 1 [D507601000] LATCH-FUEL FILL ACCESS W/LOCK
- 1 [D510900000] VENT-STATIC PRESENT
- 1 [D511501700] PILASTER 311T, 700
- 1 [D511800001] LATCH-LOCKING DEF ACCESS DOOR
- 1 [D512900000] RAIL-SNOW RAIL PRESENT

1 [D515100311] HARDWARE-MOUNTING CLIPS STANDARD

HVAC

- 1 [D112400012] AIR COND NONE
- 1 [D603704084] HEATER-UNDERSEAT LEFT SIDE 84,000 BTU LOCATION 4
- 1 [D604209084] HTR-U/S LS 84,000 BTU LOC 9
- 1 [D6047091HM] HOSE-HTR HIMILER W/ W/H POS 9
- 1 [D604800000] HEATER-ENTRANCE DOOR STEPWELL
- 1 [D605200001] CLAMPS-PLUMBING HEATER CONSTANT TORQUE
- 1 [D605301000] CLAMPS-UNDERSEAT HEATER CONSTANT TORQUE
- 1 [D605803002] CONNECTION-HEATER(1) CONSTANT TORQUE/HI MILER
- 1 [FL-130-998] NO AIR CONDITIONING COMPRESSOR

INTERIOR

- 1 [D106500000] VISOR-WINDSHIELD SUN 6"X30" TINTED
- 1 [D109300001] ARM ASM-W/S WIPER WINTER (2)
- 1 [D123000002] DOOR-STORAGE BOX W/O GLASS
- 1 [D133300005] TRIM-LOWER REAR HEATER NO A/C
- 1 [D300601000] DOOR-ACC WITH WINDOW
- 1 [D309001001] LATCH-DR INT STOR OVR DRVRSHDR
- 1 [D510800001] BTR FUEL FILL RECESS, W/DOOR
- 1 [D600801001] COVER-TRIM DRVS HDR W/STORAGE
- 1 [D600901000] COVER-TRIM FRT END W/S HEADER
- 1 [D601003003] COVER-TRIM FRT ENT.ALUM.DR HDR.AIR.OP.
- 1 [D601402311] STRIPS-AISLE, GALVALUME 311T
- 1 [D601510311] FLR-GRY VINYL W/13" CTR AISLE
- 1 [D601600006] FLR-BLK WHEELHOUSE AND HEATER
- 1 [D601700311] FLR-PLYWOOD 5/8" 311T
- 1 [D607904700] LINING-SIDE INT.
- 1 [D608600000] TRIM-STEPWELL HORIZONTAL WITH DIAMONETTE NOSE
- 1 [D609901002] INSULATION-FRT BULKHEAD W/ACRSY 2"POLY
- 1 [D610403311] H/L-PASS AREA ACOUS GREY 311T
- 1 [D610600311] INSULATION RAFTER CAVITY 311T
- 1 [D610700002] SOUND ABATEMENT-STEPWELL WITH HEATER 2.25"
- 1 [D610800000] INSULATION URETHANE
- 1 [D610900700] PAD-SHDR RAIL, 42 OZ WOLF BLK
- 1 [D616800311] SEALANT-PLYWOOD FLOOR EDGES
- 1 [D617000000] SEALING-FLOOR COVERING
- 1 [D620600000] HOLDER-STORAGE, CLIP BOARD
- 1 [D801000000] TUBE-FILL BTR & OVERFLOW HOSE
- 1 [D801100000] CAP-FUEL FILL BTR NON-LOCKING

MISC

- 1 [A200100001] PDI IDENTIFIER FACTORY PERFORMED
- 1 [D125200000] MANUAL-DRVR'S/MAINT.ENGLISH
- 1 [D201600000] APPLICATION SCHOOL
- 1 [FL-141-998] NO COOLANT HEATER GAS/DIESEL
- 1 [FL-185-108] NO CLUTCH PEDAL WITH ADJUSTABLE SUSPENDED BRAKE&ACCELERATOR
- 1 [FL-657-1AJ] ALL UNIT(S) KEYED ALIKE WITH CUSTOMER SPECIFIED KEY #FT1001
- 1 [FL-702-998] NO A/C PLUMBING MAIN
- 1 [TB-001-310] SAF-T-LINER C2

PAINT/LETTERING

- 1 [A000000058] DECAL-UNITED AUTO WORKERS
- 1 [D100500000] LETTERING-"BATTERY" ON DOOR 2"
- 1 [D100600002] LABEL-P/O WDO EMER EXIT 2" BLACK
- 1 [D101502001] LABEL-ENGLISH AG2.AIR.ENT DR
- 1 [D126200000] LETTER OVERHEAD STORAGE BOX "SAFETY EQUIP"
- 1 [D127400000] DECAL-BACKING ALARM
- 1 [D130200000] DECAL-LOW SULFUR FUEL
- 1 [D132200010] LABEL-RR DR EMERGENCY DOOR 2"HIGH
- 1 [D132600000] DECAL-ENTRANCE DOOR VANDALOCK ENGLISH
- 1 [D134200000] LABEL-RR EMERGENCY DOOR INSTRUCTION
- 1 [D134600000] LABEL-"DEF ONLY"
- 1 [D134901000] LABEL-REGENERATION WARNING 2010/2013 EPA ENGLISH
- 1 [D300101001] HANDLE-INT RR DR RED
- 1 [D502513000] PAINT-EXT HNDLE(S) BLACK
- 1 [D503104001] DECAL-REFL FRT CAP "SCHOOL BUS"

- 1 [D503204001] DECAL-REFL RR CAP "SCHOOL BUS"
- 1 [D505500001] DECAL-"DIESEL"

1 [D50601E311] PAINT-EXTERIOR ROOF WHITE 311T

- 1 [D506114311] PAINT-EXT WINDOW AREA BLACK
- 1 [D506347000] PAINT-EXT GRD RAIL @ WINDOW BLACK
- 1 [D506447000] PAINT-EXT GRD RAIL @ SEAT BLACK
- 1 [D506547000] PAINT-EXT GRD RAIL @ FLOOR BLACK
- 1 [D506647000] PAINT-EXT GRD RAIL @ SKRT BLACK
- 1 [D506747001] PAINT-EXT BUMPER REAR BLACK
- 1 [D506900000] PAINT-BLACK TRIM-FRONT/REAR ROOF CAPS
- 1 [D510646311] PAINT-SOLID COLOR YELLOW
- 1 [D601100011] HEADLINING-VESTIBULE ACOUSTIC, GRAY,W/ DRIVE/ENTRANCE LAMPS
- 1 [FL-065-196] PAINT: ONE SOLID COLOR, BASE/CLEARCOAT
- 1 [FL-980-6MJ] CAB COLOR A:L5898EB SCHOOL BUS YELLOW ELITE BC
- 1 [FL-981-998] CAB COLOR B NONE
- 1 [FL-982-998] CAB COLOR C: NONE
- 1 [FL-98A-998] NO GRILLE PAINT

SEATS

- 1 [B610000095] BELT-ELR SHOULDER/PUSH BUTTON LAP
- 1 [B620000078] BARRIER STORAGE POUCH TWO (2)
- 1 [B620001077] BARRIER STORAGE POUCH, RIGHT SIDE AT ENTRANCE DOOR
- 1 [B640139200] 39" BARR-VERT,WALL MT 45"H RS 2009
- 1 [B640239000] 39"8DEG BARR-REV. WALL-MT 45"H 2009
- 2 [B660010121] PROFORM EDO BLUE UPHOLSTERY-45"HIGH RECESSED BARRIER
- 1 [D610339002] RAIL-ASSIST FRT ENT DR 39"W
- 1 [D900104001] SEAT-DRIVER NATIONAL W/HEAT
- 1 [D900302001] ARMREST NATIONAL DRVR'S ST. BOTH SIDES
- 1 [D900403005] UPH DR.ST.BLUE FABRIC INSERT KEVLAR TRIM NATIONAL
- 1 [D900503007] PEDESTAL-NATIONAL AIR W/2 SHOCKS
- 1 [D900602000] COVER PEDASTAL NATIONAL DR.ST.
- 1 [D900802002] RETAINER NATIONAL DR.ST.BELT
- 1 [D900902001] POUCH-DR.ST.STORAGE NONE
- 1 [D901039000] KICKPLATE-MOD.PANEL RS 39"
- 1 [D901200002] RISER-DRIVERS SEAT, NATIONAL
- 1 [D901700001] Haptics-Not Present
- 12 [D980139000] SC3 39"LS 3-PASSENGER WALL MOUNT
- 12 [D980239000] S3C 39"RS 3-PASSENGER WALL MOUNT
- 24 [D980410166] FIREBLOCK BLUE UPHOLSTERY S3C PASSENGER SEAT
- 1 [D989003000] S3C WALL MOUNT HARDWARE C2

WINDOWS/GLASS

- 1 [D700000001] GLASS-WINDSHIELD ONE PIECE WITH TINTED BAND
- 1 [D700101001] GLASS-RS FT STAT CLR TEM STORM
- 1 [D700201001] GLASS-LS FRT STAT CLR TEM STOR
- 1 [D700300000] GLASS-REAR STAT CLEAR TEMPERED
- 1 [D700400002] GLASS-RR SIDE STAT TINTED TEMP
- 1 [D700500000] FRAME-WDO SPLIT
- 12 [D700530000] FRAME-WDO SPLIT 30"W
- 2 [D700540000] FRAME-WDO SPLIT 40"W
- 2 [D700600L01] FRAME-WDO P/O VERT TEMP TNT LS
- 2 [D700600R01] WDO P/O VERT TEMP TNT RS
- 12 [D700730002] GLASS-WDO TINT TEMP 30"
- 2 [D700740002] GLASS-WDO TINT TEMP 40"
- 1 [D700830L00] GLASS-WDO STORM TEMP 30" L
- 1 [D700830R00] GLASS-WDO STORM TEMP 30" R
- 1 [D700900003] STOPS-WDO 12"
- 1 [D701202000] GLASS-LOWER REAR DOOR LAMINATED CLEAR STORM
- 1 [D701302000] GLASS-UPPER REAR DOOR LAMINATED CLEAR STORM
- 1 [D701600010] WDO-DRIVER'S STORM TEMP

OTHER

- 1 [D100200002] LOGO-FRT RS & RR
- 1 [D100300000] LOGO-THOMAS DECALS YELLOW
- 1 [D104000000] SWITCH-ROCKER AIR HORN
- 1 [D108200008] ELECTRICAL-ROOF ESCAPE HATCH POSITION 8
- 1 [D110200000] ELECTRICAL-ROOF HATCH OR P/O WINDOW (DASH)

- 1 [D110800000] OPER-FAN W/S HDR
- 1 [D110900000] OPER-FAN DRV'S WDO HDR
- 1 [D111000000] OPER-ALARM BACKING W/REV.
- 1 [D111100000] OPERATION-AIR HORN, LEFT SIDE PANEL SWITCH ACTIVATION
- 1 [D111400000] OPER-SPEAKER INT/EXT
- 1 [D113200000] OPER-RF HATCH BUZZER
- 1 [D119200003] LOCATION-OVERHEAD STORAGE CENTER 24 F.A.K.
- 1 [D119700001] AC DUCT-NOT PRESENT NO SIDE EVAP
- 1 [D123300000] CONDENSER ALERT NONE
- 1 [D123400000] EVAPORATOR QTY NONE
- 1 [D123600000] OPER-XING ARM DEACTIVATION
- 1 [D123800000] ANTENNA RADIO SWIVEL BASE
- 1 [D124000000] ELEC-ANTENNA RADIO COAXIAL
- 1 [D124100000] KIT-RADIO ANTENNA MOUNTING @ DRIVER'S HEADER
- 1 [D200000700] 311T30_N
- 1 [D200100000] TRIM-A POST
- 1 [D200700000] WHEELHOUSES-REAR L&R
- 1 [D200800311] STRINGER-ROOF 311T
- 1 [D201000000] FRONT END FRAME
- 1 [D201100000] FRT END FRAME MTG KIT
- 1 [D201200000] REAR END FRAME-28.68"DEEP
- 1 [D201300311] FLOOR-GALVALUME STEEL MID BODY
- 1 [D201400704] LOC-40" RAF SP 10TH 311T
- 1 [D201500000] RS TANK ALERT NONE
- 1 [D300700000] DOOR ALERT LS ENT NONE
- 1 [D301400000] TRIM-REAR DOOR
- 1 [D302800000] HINGES-REAR DOOR PIN TYPE
- 1 [D303000000] STOP-DOOR REAR EMERGENCY, 1-POS
- 1 [D303200000] OPERATION-VANDLOCK ENTRANCE/EMERGENCY DOOR(S)
- 1 [D306400000] OPER-DR.RR.EMG.W/BUZ
- 1 [D306500700] ELEC-EMERGENCY/EXIT DOOR(S)
- 1 [D307100000] DOOR-LS ENT RS EXIT -NONE REQD
- 1 [D307700000] INT COLOR -RR DOOR GRAY
- 1 [D308101000] VANDALOCK-NONE REQUIRED RS
- 1 [D308201000] VANDALOCK-NONE REQUIRED LS
- 1 [D308300000] DOOR ALERT RS EXIT NONE
- 1 [D308600001] SWITCH-PADDLE-TYPE ENTRANCE DOOR AIR
- 1 [D309200000] DOOR, REAR EMERGENCY
- 1 [D310501000] THRESHOLD REAR EMGERGENCY DOOR
- 1 [D400300000] OPERATION-MONITOR WARNING/STOP/TAIL/TURN
- 1 [D403100311] ELEC-PASSENGER ADVISORY 311T
- 1 [D403200002] OPER-PASS ADV IGN/WARN/BUZZER
- 1 [D403700000] SWITCH-RKR FAN DEFROST L.S.
- 1 [D404100001] BUZZER-SWITCH PANEL 1 TONE
- 1 [D404500000] OPERATION-NOISE SUPPRESSION
- 1 [D404608311] ELECTRICAL-LAMPS WARNING,8 LAMPS 311T
- 1 [D405800000] OPER-LPS BODY TAIL W/PARK SW.
- 1 [D405900000] LAMPS-LICENSE PLATE ILLUMINATION
- 1 [D406100311] ELECTRICAL-LAMPS SIDE DIRECTIONAL 311T
- 1 [D407600000] SWITCH-ROCKER DOME LAMPS DRIVER ON/OFF
- 1 [D408602311] ELECTRICAL-LAMPS STROBE 4' FROM REAR
- 1 [D410300000] OPER-DRVR'S DOME LPS ON/OFF
- 1 [D410400000] OPER-HTR BOOSTER PUMP OPER WITH SWITCH
- 1 [D410501000] OPERATION-LAMPS INTERIOR/EXTERIOR RIGHT FRONT ENTRANCE DOOR
- 1 [D410600000] OPER-LPS SERVICE BRAKE
- 1 [D410900005] OPERATION-SWITCH ID/MARKER LAMPS WITH PARK
- 1 [D411400002] OPER-LPS DOME (2)ON/OFF
- 1 [D411700000] OPER-LPS REVERSE
- 1 [D411900003] ELEC-(3) SWITCH BANKS
- 1 [D412000000] SWITCH-RKR SPEAKER INT/EXT.W/HORN
- 1 [D412600001] SWITCH-ROCKER WARNING LAMPS OVERRIDE ON/OFF
- 1 [D414500311] ELEC-HARNESS COMP ASM 311T
- 1 [D414600000] ELEC-ELECTRONIC COMP ASM
- 1 [D414900000] OPER-LPS DIR./HAZ.
- 1 [D415200000] SWITCH-ROCKER HEATED STEP TREAD

- 1 [D500100000] SWITCH-RKR MIRROR HTR.
- 1 [D500200001] ELEC-MIR A HTD & RC
- 1 [D501400311] RAIL-EXTERIOR GUARD @ WINDOW, SEAT, FLOOR, SKIRT
- 1 [D501500000] RAIL-EXT GRD @ SEAT FRT END LS
- 1 [D501901000] RAIL-EXT GRD@ FLOOR, NONE
- 1 [D502800000] TRIM-FRT CAP RS/LS
- 1 [D503500000] PANELS-EXTERIOR REAR
- 1 [D503600000] SHEET-DRIVERS EXTERIOR 20 GA.
- 1 [D503700700] SHEET-UPPER SIDE EXTERIOR
- 1 [D504600000] OPER-MIRRORS EXT HTD.
- 1 [D505300311] UNDERCOATING-ASPHALT EMULSION
- 1 [D505800704] HEADERS-WINDOW INTERIOR 311T
- 1 [D506800001] PAINT-EXT ENT DOOR NONE
- 1 [D507001001] PANELS-EXTERIOR REAR SIDE LONG W/STATIONARY GLASS
- 1 [D507100000] LS STORAGE BOX 1 NONE
- 1 [D507300000] LS STORAGE BOX 2 NONE
- 1 [D508100081] ROOF SHEETS-(2)HATCH 311T
- 1 [D508200000] RS STORAGE BOX 1 NONE
- 1 [D508300000] RS STORAGE BOX 2 NONE
- 1 [D508400000] RS STORAGE BOX ROH NONE
- 1 [D508500000] LS STORAGE BOX ROH NONE
- 1 [D600100000] PANELS-REAR END INTERIOR REAR GALVALUME
- 1 [D600201000] PANELS-RR END INT SI LONG W/ST
- 1 [D600300000] BULKHEAD-RR END INT.GRY
- 1 [D600400002] PANELS-ACCESS RR GRAY PASS ADVISORY
- 1 [D600500311] COVER-HARNESS ACCESS@HDR
- 1 [D600600000] COVER-ACCESS RR END HARNESS
- 1 [D600700000] COVER-ACCESS FRT END HARNESS
- 1 [D601200001] HEADLINING-REAR LONG SMOOTH, GRAY
- 1 [D601800001] COVER-FUEL SENDING INSPECTION
- 1 [D601900311] MOLDING-SHOE 311T
- 1 [D605000000] SWITCH-ROCKER HEATER STEPWELL
- 1 [D605600000] LUGGAGE RACK ALERT NONE
- 1 [D605900000] SWITCH-ROCKER HEATER LEFT 1ST
- 1 [D606000000] SWITCH-ROCKER HEATER LEFT 2ND
- 1 [D606500004] ELEC-HTR U/ SEAT POS 4
- 1 [D607000009] ELECTRICAL-HEATER UNDERSEAT POSITION 9
- 1 [D607600700] RAIL-SEAT
- 1 [D607700000] LAYOUT-SEAT RAIL HOLES RS
- 1 [D607800000] LAYOUT-SEAT RAIL HOLES LS
- 1 [D608100000] CABINET-SW, FWD
- 1 [D608200000] CABINET-SWITCH, LOWER WITHOUT POCKET
- 1 [D608300000] CABINET-SWITCH, UPPER
- 1 [D608400001] CABINET-TOP PLATE (3 BANK)
- 1 [D609000000] OPER-HTR U/ SEAT LS FWD
- 1 [D609100000] PANEL-ACCESSORY MOUNTING SAFTEY EQUIPMENT
- 1 [D609201001] OPERATION-HEATER STEPWELL & STEP TREAD
- 1 [D609500000] INSULATION-VEST HEADLINING 2"
- 1 [D609600700] INSULATION-SIDELINING 2" POLY
- 1 [D609800000] INSULATION-RR BULKHEAD 2" POLY
- 1 [D610000000] OPER-HTR U/ SEAT LS AFT
- 1 [D610500311] HEADERS-WINDOW EXTERIOR 311T
- 1 [D613100000] HARNESS COVER COLOR GRAY
- 1 [D613200001] SPEAKER ALERT PRESENT
- 1 [D613500000] HEADLINING COLOR GREY
- 1 [D613600001] HEADLINING TYPE ALL ACOUSTIC
- 1 [D613800000] MAT, FLOOR VESTIBULE
- 1 [D614000000] TRIM-INTERIOR DASH FORWARD
- 1 [D616100001] INSTALLATION-PARK BRAKE NONE
- 1 [D616900002] INSULATION-INT LONG REAR WDO
- 1 [D617100000] LUGGAGE RACK ALERT NONE
- 1 [D701500000] OPER-WDO P/O
- 1 [D900702001] SLIDE STOP NATIONAL DR.ST. NONE
- 1 [FL-157-002] VANDALOCK,STARTER DISABLE W/ANY LOCKED EMER DR(S), NO PILOT
- 1 [FL-168-002] LOWER RADIATOR GUARD

- 1 [FL-202-003] REINFORCED NYLON FUEL LINES
- 1 [FL-216-001] SINGLE SUCTION AND RETURN FUEL LINES
- 1 [FL-231-006] FUEL TANK MOUNTED BETWEEN RAILS, AFT OF REAR AXLE, WITH CAGE
- 1 [FL-267-001] REMOTE-MOUNTED SURGE TANK
- 1 [FL-275-034] PAGE SYSTEM W/CHASSIS MTD EXTERNAL SPEAKER
- 1 [FL-280-001] BASIC WIRING SCHEMATIC, UNMOUNTED, 12-VOLT NEGATIVE GROUND SYS
- 1 [FL-289-006] PAINTED BATTERY PANEL COVER
- 1 [FL-290-017] BATTERY BOX FRAME MOUNTED
- 1 [FL-298-039] INTEGRAL ELECTRONIC TURN SIGNAL FLASHER
- 1 [FL-302-068] BATT ENABLED 3 AMBER INBOARD ID LAMPS,2 AMBER OUTBOARD MARKE
- 1 [FL-317-006] STROBE LAMP, IGNITION SWITCH OR LH DASH SWITCH ACTIVATED
- 1 [FL-31C-063] L.E.D. WARNING SYSTEM LAMPS W/PULSING FEATURE
- 1 [FL-31T-050] STANDARD BODY VISUAL WARNING, LOWER RR, REV LAMPS ON DR/OPEN
- 1 [FL-320-004] STANDARD WIRING
- 1 [FL-324-1AB] DRIVER'S IGNITION OPERATED DOME LP WITH ON/OFF SW
- 1 [FL-325-066] PASSENGER COMPARTMENT DOME LAMPS, IGNITION ACTIVATED
- 1 [FL-32H-005] STEPWELL LAMP ON WITH DOOR OPEN AND MARKER LAMPS ON
- 1 [FL-33A-020] EIGHT LAMP WARNING SYSTEM, LH DASH SWITCH(S), PACKAGE 8
- 1 [FL-393-001] DRIVELINE GUARD
- 1 [FL-403-002] NON-ASBESTOS FRONT BRAKE LININGS
- 1 [FL-410-001] FRONT SHOCK ABSORBERS
- 1 [FL-433-002] NON-ASBESTOS REAR BRAKE LININGS
- 1 [FL-435-998] NO DRIVELINE PARKING BRAKE
- 1 [FL-524-998] NO POLISHED FRONT WHEELS
- 1 [FL-525-998] NO POLISHED REAR WHEELS
- 1 [FL-534-015] TWO QUART SEE THRU POWER STEERING RESERVOIR
- 1 [FL-539-003] POWER STEERING PUMP
- 1 [FL-551-006] ZINC-PLATED HEXHEAD CHASSIS FASTENERS
- 1 [FL-552-141] 3675MM (145") REAR FRAME OVERHANG
- 1 [FL-553-001] SQUARE END OF FRAME
- 1 [FL-574-001] BUMPER MOUNTING FOR SINGLE LICENSE PLATE
- 1 [FL-57W-014] COMBINATION S/T/T/R LAMPS, LED
- 1 [FL-59T-006] REAR EMERGENCY DOOR, IGNITION CONTROL, BUZZER ON W/DOOR OPEN
- 1 [FL-619-005] MAINTENANCE-FREE RUBBER BUSHINGS FRONT SUSPENSION
- 1 [FL-650-021] CAB MOUNTING FOR HOOD AND COWL CHASSIS
- 1 [FL-655-013] MANUAL ENT DOOR LOCK/BUZZER ON W/EMERGENCY DOORS UNLATCHED
- 1 [FL-659-003] ONE GALLON WINDSHIELD WASHER RESERVOIR
- 1 [FL-660-008] SINGLE ELECTRIC WINDSHIELD WIPER MOTOR W/DELAY
- 1 [FL-680-006] GRAY/CHARCOAL FLAT DASH
- 1 [FL-698-998] NO AIR CONDITIONER CONDENSER
- 1 [FL-700-001] HEATER AND DEFROSTER
- 1 [FL-701-001] STANDARD HVAC DUCTING
- 1 [FL-703-009] MAIN HVAC CONTROLS WITHOUT RECIRCULATION SWITCH, & NOISE SUPP
- 1 [FL-716-014] WINDSHIELD FAN,(1) HEADER MOUNTED
- 1 [FL-718-008] DRIVER'S FAN,(1) MOUNTED ABOVE SIDE WINDOW
- 1 [FL-71P-003] AUX BODY HEATER, UNDER SEAT, FWD
- 1 [FL-71V-001] AUXILIARY BODY HEATER, UNDER SEAT, AFT
- 1 [FL-732-004] GRAY INSTRUMENT PANEL-DRIVER
- 1 [FL-74B-088] BODY SUPPLIED HEATED MIRRORS
- 1 [FL-756-801] AIR PROVISIONS FOR CUSTOMER FURN DRIVERS AIR RIDE SEAT
- 1 [FL-778-004] ROOF MOUNTED VENT/ESCAPE HATCH
- 1 [FL-77Z-800] PUSH OUT BODY SIDE WINDOWS, BUZZER WITH WINDOW UNLATCHED
- 1 [FL-814-003] WARNING/REAR LAMP MONITOR
- 1 [FL-81B-001] STANDARD PANEL LAMP DIMMER
- 1 [FL-829-043] CHASSIS COWL AND HOOD ONLY
- 1 [FL-877-002] STANDARD BRAKE WIRING
- 1 [FL-964-020] BUMPER: BLACK
- 1 [FL-96F-998] NO SPARE WHEEL PAINT
- 1 [FL-986-019] CHASSIS: VENDOR BLACK
- 1 [FL-A63-99D] EXPECTED GROSS VEHICLE WEIGHT CAPACITY
- 1 [FL-A66-99D] EXPECTED FRONT AXLE(S) LOAD
- 1 [FL-A68-99D] EXPECTED REAR DRIVE AXLE(S) LOAD
- 1 [FL-A85-017] SCHOOL BUS SERVICE
- 1 [FL-AA1-006] COWL CHASSIS CONFIGURATION COMPLIES WITH SBMTC
- 1 [FL-AA3-028] BUS BODY WITH WHEELWELL

- 1 [FL-AA4-014] PASSENGER COMMODITY
- 1 [FL-AA6-001] DOMICILED USA 50 STATES (CALIFORNIA)
- 1 [FL-AF2-050] DOMICILED WYOMING
- 1 [FL-AF3-1BP] THOMAS BUILT SCHOOL BUS 311T

CHASSIS

AXLES AND SUSPENSIONS

- 1 [A000000117] ALIGNMENT-4-WHEEL SAF-T-LINER C2
- 1 [FL-400-1A5] DA-F-10-3 10,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE
- 1 [FL-409-021] CHICAGO RAWHIDE SCOTSEAL PLUS XL FRONT OIL SEAL
- 1 [FL-40T-002] SYNTHETIC 75W-90 FRONT AXLE LUBE
- 1 [FL-418-018] CON-MET ALUMINUM FRONT HUBS WITH PRE-SET BEARINGS
- 1 [FL-41T-002] SYNTHETIC 75W-90 REAR AXLE LUBE
- 1 [FL-420-1C8] DA-RS-21-4 21K R-SERIES SINGLE REAR AXLE
- 1 [FL-421-522] 5.22 AXLE RATIO
- 1 [FL-424-001] IRON REAR AXLE CARRIER HOUSING
- 1 [FL-439-004] REAR SHOCK ABSORBERS ONE AXLE
- 1 [FL-440-021] CHICAGO RAWHIDE SCOTSEAL PLUS XL REAR OIL SEAL
- 1 [FL-450-018] CON-MET ALUMINUM REAR HUBS WITH PRE-SET BEARINGS
- 1 [FL-620-062] 10,000 LB. TAPERLEAF FRONT SUSPENSION
- 1 [FL-622-216] AIRLINER 23,000 LB. REAR SUSPENSION
- 1 [FL-62G-004] COMFORT-TEC SUSPENSION
- 1 [FL-910-001] SINGLE AIR SUSPN LEVELING VALVES

BRAKES

- 1 [FL-018-002] AIR BRAKE PACKAGE
- 1 [FL-402-083] BENDIX ADB22X-V AIR DISC FRONT BRAKES
- 1 [FL-404-1BB] AIR DISC LONGSTROKE CENTER PORT FRONT BRAKE CHAMBERS
- 1 [FL-405-030] FRONT AIR DISC BRAKE INTERNAL ADJUSTERS
- 1 [FL-419-004] DISC BRAKE FRONT ROTORS FOR HYDRAULIC BRAKES
- 1 [FL-423-083] BENDIX ADB22X-V AIR DISC REARBRAKES
- 1 [FL-426-1AH] AIR DISC LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS
- 1 [FL-428-030] REAR AIR DISC BRAKE INTERNAL ADJUSTERS
- 1 [FL-451-005] REAR DISC BRAKE ROTORS
- 1 [FL-460-008] STEEL AIR BRAKE RESERVOIRS INSIDE FRAME RAILS
- 1 [FL-477-060] BW DV-2 AUTO DRN VLV W/HTR ON WET TANK, PETCOCK OTHER
- 1 [FL-480-034] BENDIX AD-IP AIR DRYER WITH HEATER
- 1 [FL-485-002] EXTERNAL CHARGING SCHRADER VALVE
- 1 [FL-490-101] WABCO 4S/4M ABS W/TRACTION CONTROL
- 1 [FL-882-023] ONE-VALVE PARKING BRAKE SYSTEM WITH WARNING

CHASSIS EQUIPMENT

- 1 [D800008311] EXHAUST-LS TURNDWN, BELOW BMPR
- 1 [D800600003] ANTI-FREEZE, OAT -34 DEGREE
- 1 [D800700000] WINTERFRONT-CHASSIS GRILLE WHITE
- 1 [D801200000] SHIELD-EXHAUST PIPE
- 1 [FL-001-310] B2 106 CONVENTIONAL CHASSIS
- 1 [FL-002-004] SET-BACK AXLE TRUCK
- 1 [FL-132-004] ELECTRIC GRID AIR INTAKE WARMER
- 1 [FL-155-057] DELCO 12V 29MT STARTER WITH INTEGRATED M
- 1 [FL-198-025] INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS
- 1 [FL-205-010] RIGHT HAND SIDE-FILL FUEL TANK CAP
- 1 [FL-230-003] 100GALLON/378 LITER STEEL RECTANGULAR FUEL TANK, BETWEEN RAIL
- 1 [FL-237-072] HORIZ TAILPIPE, EXIT LH REAR
- 1 [FL-23U-004] 11.5 GALLON DEF TANK
- 1 [FL-264-029] AIR HORN, LH MOMENTARY DASH SWITCH ACTIVATED
- 1 [FL-341-018] MAGNETIC ENGINE DRAIN, REAR AXLE DRAIN & FILL PLUG
- 1 [FL-35W-001] EXHAUST MITIGATION DEVICE FTL 4" ID SLIP
- 1 [FL-452-998] NO TRACTION STABILIZER
- 1 [FL-46A-032] 700 CUBIC INCH MINIMUM AUXILIARY AIR
- 1 [FL-532-002] ADJUSTABLE STEERING COLUMN
- 1 [FL-536-050] TRW THP-60 POWER STEERING
- 1 [FL-540-015] 450MM(18") LK FOUR-SPOKE CHARCOAL STEERING WHEEL
- 1 [FL-545-657] 6575MM (259") WHEELBASE
- 1 [FL-546-1AJ] 5/16" X 3" X 10-1/8" STEEL FRAME 120,000 PSI YIELD
- 1 [FL-556-1DF] 1-PIECE 14" PTD STL 1/4" HD BUMPER JACK PROVISION
- 1 [FL-558-001] FRONT FRAME-MOUNTED TOW HOOKS

- 1 [FL-587-003] REAR TOW HOOKS
- 1 [FL-644-069] FIBERGLASS HOOD WITH SOFT OPEN AND CLOSE MECHANISM
- 1 [FL-646-023] HOOD MTD CHROMED PLASTIC GRILLE
- 1 [FL-647-001] WHITE WINTERFRONT
- 1 [FL-65X-003] CHROME HOOD MOUNTED AIR INTAKE GRILLE
- 1 [FL-690-007] HOOD LINER INSULATION WITH SINGLE FIREWALL INSULATION
- 1 [FL-727-036] VALVE & PLUMBING FOR CUSTOMER FURNISHED AIR HORN
- 1 [FL-742-007] (2) CUPHOLDERS, LEFT HAND AND RIGHT HAND DASH
- 1 [FL-871-001] REINFORCED NYLON, FABRIC AND WIRE BRAID CHASSIS AIR LINES

ELECTRICAL - CHASSIS

- 1 [FL-124-1F3] LN 12V 240 AMP AVI PAD MOUNT ALTERNATOR
- 1 [FL-148-084] PROG RPM CTRL W A/C OR 12.75V LOW VOLT AUTO HI IDLE, DASH SW
- 1 [FL-149-013] CRUISE CONTROL-ELEC ENG,W/SWITCHES IN LH SWITCH PANEL
- 1 [FL-160-025] DIAGNOSTIC INTERFACE CONNECTOR,9-PIN, S
- 1 [FL-162-002] IGNITION SWITCH CONTROLLED ENGINE STOP
- 1 [FL-273-037] WARNER ELECTRIC ELECTRO-MAGNETIC ON/OFF
- 1 [FL-284-095] 12VOLT POWER SUPPLY LH PANEL
- 1 [FL-285-020] SOLID STATE CIRCUIT PROTECTION, PDMS WIT
- 1 [FL-292-1D7] (3) ALLI MODEL 1131, GROUP 31, 12V 2775CCA STUD BATTERIES

1 [FL-293-070] COLE HERSEE BATTERY CUT-OFF SWITCH, BATTERY BOX MOUNTED

- 1 [FL-299-013] SELF CANCEL TURN SIGNAL SWITCH W/DIM/WASH&HAZZARD IN HANDLE
- 1 [FL-300-015] STANDARD FRONT TURN SIGNAL LIGHTS
- 1 [FL-304-027] PARK LMP SW INTGRAL W/HL SWITCH, ID/MARKER/CLEARANCE/PARK ON
- 1 [FL-30B-998] NO FENDER MTD TURN/MARK COMBO LPS
- 1 [FL-30E-008] AMBER LED MIDSHIP TURN SIGNALS
- 1 [FL-30F-007] RED LED OVER REAR WHEELS MTD TURN SIGNALS GUARD
- 1 [FL-311-009] DAYTIME RUNNING LIGHTS SET @ 100% & EXTERIOR LAMPS W/ENG RUN
- 1 [FL-312-038] INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH CHROME BEZEL
- 1 [FL-31L-083] STOP SIGN PRESENT
- 1 [FL-322-998] NO BAGGAGE COMPARTNENT LAMP
- 1 [FL-32F-998] NO BODY MTD INT SPOT/WORK LAMP
- 1 [FL-49B-004] ELECTRONIC STABILITY CONTROL
- 1 [FL-653-023] AIR OPERATED BATTERY CONTROLLED RH FRONT ENTRANCE DOOR
- 1 [FL-66W-001] BATT POWERED 2-POS INTERNAL DOOR CONTROL SWITCH
- 1 [FL-726-006] DUAL ELEC HORN, PASSENGER ADVISORY BUZZER ON W/IGN AND WARN
- 1 [FL-736-998] NO OBSTACLE DETECTION SYSTEM
- 1 [FL-73H-998] NO CAMERA/VIDEO/IMAGING SYSTEM
- 1 [FL-746-803] C/F J1939 RADIO W/PA
- 1 [FL-763-801] FASTEN SEAT BELT INDICATOR FOR CUSTOMER SUPPLIED SEAT BELT
- 1 [FL-786-1A0] LOCATING SYSTEM WITH VEHICLE MONITORING
- 1 [FL-810-027] ELECTRONIC SPEEDOMETER WITH SECONDARY KPH SCALE, NO ODOMETER
- 1 [FL-811-042] ICU3S, 132x48 Display w/Diagnostics, 28 LED Warn Lamps
- 1 [FL-813-115] TBB ZONAR DASH MOUNTED
- 1 [FL-81Y-001] PRE/POST TRIP SYSTEM TEST
- 1 [FL-830-017] ENGINE AND HOUR METERS INTEGRAL WITH DRIVER DISPLAY
- 1 [FL-836-015] DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY
- 1 [FL-840-002] PRIMARY AND SECONDARY AIR PRESSURE GAUGES
- 1 [FL-844-001] ELECTRIC FUEL GAUGE
- 1 [FL-846-001] AMMETER
- 1 [FL-852-002] ELECTRIC ENGINE OIL PRESSURE GAUGE
- 1 [FL-856-001] ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE
- 1 [FL-864-001] TRANSMISSION OIL TEMPERATURE GAUGE

ENGINE AND EQUIPMENT

- 1 [FL-101-21V] CUM B6.7 260 HP @ 2400 RPM, 2600 GOV, 660 LB/FT @ 1600 RPM
- 1 [FL-103-039] ANTI-FREEZE TO -34F, OAT (NITRITE AND SILICATE FREE)EXT LIFE
- 1 [FL-105-001] ENGINE-MOUNTED OIL CHECK AND FILL
- 1 [FL-107-032] CUMMINS 18.7 CFM COMPRESSOR
- 1 [FL-110-003] CUMMINS SPIN ON FUEL FILTER
- 1 [FL-111-001] STANDARD ENGINE OIL
- 1 [FL-118-001] FULL FLOW OIL FILTER
- 1 [FL-120-011] FLEETGUARD COOLANT FILTER PLAIN, RAIL-MOUNTED
- 1 [FL-122-1H8] DAVCO 245 FUEL/WATER SEPARATORW/12V HEAT & WIF
- 1 [FL-128-076] CUMMINS INTEGRAL EXHAUST BRAKE WITH VARIABLE TURBO
- 1 [FL-134-001] ALUMINUM FLYWHEEL HOUSING
- 1 [FL-138-010] PHILLIPS 750 WATT/115 VOLT BLOCK HEATER

- 1 [FL-13E-001] STANDARD OIL PAN
- 1 [FL-140-039] ENGINE HEATER RECEPTACLE MOUNTED FACE OF BUMPER, LEFT SIDE
- 1 [FL-152-040] ELECTRONIC ENGINE, INTEGRAL WARNING & DERATE PROTECTION SYST
- 1 [FL-170-041] ADDL AUX LINES W/MANIFOLD PLUMBING AND COMBINED SHUTOFF
- 1 [FL-171-007] GATES BLUE STRIPE COOLANT HOSES
- 1 [FL-172-016] CONSTANT TORQUE BREEZE CLAMPS ON 1" IN DIA GREATER, SS C
- 1 [FL-174-001] CAST BOOSTER PUMP

1 [FL-175-003] STEPWELL TREAD HTD MAT W/53K BTU STEP HEATER, RH FRT ENT DR

- 1 [FL-190-001] DONALDSON ONE-STAGE AIR CLEANER
- 1 [FL-266-1AH] 750 SQUARE INCH DOWN FLOW RADIATOR
- 1 [FL-268-001] PNEUMATIC RADIATOR SHUTTERS
- 1 [FL-386-082] 1710 DANA SPICER MAIN DRIVELINE WITH HALF ROUND YOKES
- 1 [FL-79A-075] 75 MPH ROAD SPEED LIMIT
- 1 [FL-79G-998] NO IDLE SHUTDOWN CONFIGURATION
- 1 [FL-812-001] ELECTRONIC TACHOMETER 3000 RPM

TRANSMISSION AND EQUIPMENT

- 1 [FL-342-1K8] ALLISON 3000 PTS AUTOMATIC TRANSMISSION
- 1 [FL-343-342] ALLISON VOCATIONAL PACKAGE 226 FIFTH GEN
- 1 [FL-345-082] 5 GEN PUSH BUTTON ELEC SHIFTER W/REMOTE MTD ECU
- 1 [FL-346-003] TRANSMISSION OIL CHECK AND FILL W/ELECTRONIC OIL LEVEL CHECK
- 1 [FL-35T-001] SYNTHETIC 50W TRANSMISSION LUBE (TES-295 COMPLIANT)
- 1 [FL-370-011] WATER TO OIL TRANSMISSION COOLER FRAME MOUNTED
- 1 [FL-84C-022] PRIMARY MODE GEARS, 5 FORWARD
- 1 [FL-84L-017] DSS, ARM, FS; DSS-DISABLED, ARM-DISABLED, FS-DISABLED
- 1 [FL-84U-998] NO MODE SWITCH

WHEELS AND TIRES

- 1 [FL-093-1AX] RADIAL FRONT TIRE, MICHELIN XZE2,11R22.5 16 PLY
- 1 [FL-094-0GP] REARMICHELIN XDN2 11R22.5 16 PLY RADIAL
- 1 [FL-489-998] NO TIRE PRESSURE CONTROL/SENSOR
- 1 [FL-502-523] MAXION 90262 22.5 X 8.25 10 HOLE HUB PILOT 5-HAND
- 1 [FL-505-523] MAXION 90262 22.5 X 8.25 10 HOLE HUB PILOT 5-HAND
- 1 [FL-52M-003] TIRE/WHEEL BALANCING-LEAD FREE WEIGHTS
- 1 [FL-962-976] ACCURIDE PK-BLACK21 POWDER BLACK WHEEL (N0001H)- FRONT
- 1 [FL-966-976] ACCURIDE PKBLK21 POWDER BLACK WHEEL (N0001H) REAR

OTHER TYPE

PDI

- 1 [A000000161] ALERT-PDI INSTALLATION
- 1 [A000000164] ALERT-ENHANCED STABILITY CONTROL

DEALER ADD On's

•

Meets all FMVSS requirements in effect at the time of manufacture.

Total for 1 complete unit(s): TOTAL PRICE \$108,682.00 Delivery Cost:

Additional options you may want to consider:

AUTOMATIC TIRE CHAINS \$2700.00
HEATED STEP TREADS \$550.00
AIR DISC BRAKES \$2000.00
REAR AIR FOIL \$650.00
CAMERA MIRROR \$1200.00
24/7 8 CAMERA SYSTEM INSTALLED \$3650.00

NOTE: ADDITIONAL OPTION AVAILABLE

360 BUS WISE & MOBILE EYE SYSTEM \$3600.00

Terms and Conditions:

Quote Expires:		
Customer Signature:	Date:	
Dealer Signature:	Date:	

AttachedDetail





Prepared For:

UINTA COUNTY SCHOOL DISTRICT #1

537 TENTH ST.

EVANSTON, WY 82930

Prepared By: LANCE PARKER 801-232-5495

LANCE@LEWISBUSGROUP.COM

Quote Number: Quote Date: Customer Order No: 345680 7/25/2018 Uinta #1 DERA GRANT (2) BUSES TOTAL

Model Profile: Saf-T-Liner HDX 141YS

Product Type: School Transportation

Year: 2019
Chassis Model: CHSY
Chassis MFG: THOMAS
GVWR: GVWR
Passenger Capacity: 75
Headroom: 78
Wheelbase: 277

Brake Type: AIR W/REAR AIR SUSPENSION (23K

Engine Type: CUMMINS L9 300 DIESEL, 6 Cyl, 300 HP, 2200 RPM

Fuel Type: DIESEL Fuel Tank Capacity: 100

Transmission Type: ALLISON PTS 3000R Axle, Front: 13200-lb Capacity Axle, Rear: 23000-lb Capacity

Tires, Front: MICHELIN 11R22.5 16(H) PLY XZE2
Tires, Rear: MICHELIN 11R22.5 16(H) PLY XDN2

Suspension Front: 13,200

Suspension Rear: AIRLINER 23,000 LB. REAR SUSPENSION

Total for 1 complete unit(s): WYOMING BASE PRICE ONLY \$115,788.00

Delivery Cost:

Includes the Following Equipment:

BODY

ACCESSORIES

- 1 [B241000000] ACRYLIC VISOR LEFT SIDE
- 1 [B552300000] PROP ROD ACCESS DOOR ABOVE WINDSHIELD
- 1 [B591000141] LUGGAGE RACKS BOTH SIDES
- 1 [B591002000] LUGGAGE RACK PAD WOLF BLACK UPHOLSTERY
- 1 [B596800000] LUGGAGE COMPARTMENT THROUGH, DELUXE, 125"
- 1 [G100015000] Device-Rear Deflection Wing Yellow

CERTIFICATION/SAFETY

- 2 [B202001000] FIRE EXTINGUISHER 5 LB.
- 2 [B202200000] FIRE EXTINGUISHER MOUNTING BRACKET FRICTION TYPE
- 1 [B2050WY000] KIT FIRST AID, 24 UNIT, COMPLIES W/WYOMING STATE SPECS
- 1 [B2060WY000] KIT BODY FLUID CLEAN-UP, COMPLIES WITH WYOMING SPECS
- 1 [B209004000] REFLECTORIZED TRIANGLES-(3) IN OVERHEAD STORAGE COMPARTMENT
- 1 [B287599999] CROSSVIEW MIRROR INCLUDED IN REARVIEW MIRROR ASSEMBLY
- 1 [B289903000] ROSCO INTEGRATED STYLE REMOTE CONTROL HEATED MIRROR
- 1 [B294272E21] SIGN-STOP, ELECTRIC FRONT #T7000-200-E21 LED
- 1 [B525240002] RF HATCH-TRANSPEC,LO PRO"TRIPLE VALUE" W/STAT VNT, WH,EN(2)
- 1 [B583175000] LABEL U.S. CERTIFICATION
- 1 [B599900001] APPLICATION SCHOOL
- 1 [D622300000] LABEL-GHG CERTIFICATION ENGLISH

DOORS

- 1 [B501007000] PADDING SIDE EMERGENCY DOOR HEADER, 24"
- 1 [B503002000] EXTERIOR DOOR HANDLE
- 1 [B505500000] RIGHT SIDE DOOR NONE

- 1 [B515500000] 24" SIDE EMERGENCY DOOR LS
- 1 [B518206000] VANDALOCK AIR-OPERATED OUTWARD OPENING ENTRANCE DOOR
- 1 [B518602000] VANDALOCK SIDE EMERGENCY DOOR WITH INTERLOCK & BARREL BOLT
- 1 [B519008014] CYLINDER LOCK-LUGGAGE COMPARTMENT DR (4)-THRU,DEL 95"/125"
- 1 [B520006000] 3-POINT LATCH SIDE EMERGENCY DOOR, LEFT SIDE
- 1 [B548400000] CORROSION RESISTANT SEALER, REAR DOOR
- 1 [C340202000] STEPWELL GUARD (HDX)

ELECTRICAL - BODY

- 1 [A305000000] ALERT-READING LIGHT WIRING
- 1 [B200102000] PASSENGER ADVISORY SYSTEM HORN ACTIVATION
- 1 [B216010000] TWO(2)DEFROSTER FANS MOUNTED OVER CENTER WINDSHIELD
- 1 [B231015000] BACKING ALARM HEAVY DUTY 112DB
- 1 [B258001400] OUTSIDE SPEAKER HORN CHASSIS-MOUNTED (TRANSIT)
- 1 [B259111000] PRE-WIRE FOR CUSTOMER INSTALLED 2-WAY RADIO/VIDEO CAMERA
- 1 [B259119001] GPS ZONAR SYSTEM, HDX
- 1 [B259205000] CELLULAR PHONE POWER OUTLET REAR WALL OF SWITCH CABINET
- 1 [B260300008] SPEAKERS EIGHT (8)
- 1 [B260405001] RADIO AM/FM DEA510 DELPHI, TRANSIT W/PAGE
- 25 [B305000000] READING LIGHT
- 1 [B307202000] COURTESY LIGHT EXTERIOR ELECTRICAL ACCESS DOOR
- 1 [B308004012] COMPARTMENT LIGHTS(4)-69"/95"/125" THROUGH, DELUXE COMPART
- 1 [B320302141] ADDITIONAL DOME LAMPS HDX
- 1 [B323001000] DELUXE DRIVER'S DOME LIGHT
- 1 [B326002000] RHEOSTAT DIMMER SWITCH FOR DRIVER'S COMPARTMENT DOME LIGHT
- 1 [B327902000] INTER EMERG DR LHT-LED, 1/2" DIAMETER, LOCTD OVER RR P/O HATC
- 1 [B327903000] INTER EMERG DR LHT-LED, 1/2" DIAMETER, LOCTD OVER LS EMERG DR
- 1 [B329001002] ENTRANCE DOOR LIGHT HOODED
- 1 [B329100000] HOODED STEP LIGHT
- 1 [B333108000] 7" LED DIRECTIONAL LIGHTS FRONT
- 1 [B336002000] LAMPS-STOP/TAIL/DIRECTIONAL AMBER/REVERSE LED
- 1 [B339302000] LAMPS-STOP/TAIL 4"FLUSH-MOUNT LED
- 1 [B342200001] SIDE DIRECTIONAL-LED AMBER TURN, CENTER FRONT WHEEL
- 1 [B349501000] FOUR (4) ENGINE COMPARTMENT LIGHTS
- 1 [B357605000] STROBE LGT(S) OPERATIONS W/IGNITION&SWITCH
- 1 [B358028006] LED WARNING LIGHTS STROBE, FOUR(4) AMBER & FOUR (4) RED LENS
- 1 [B358208000] HALOGEN 8-LIGHT WARNING SYSTEM
- 1 [B364039000] ID LAMPS LED
- 1 [B364040000] MARKER LAMPS LED
- 1 [B364041000] MID-MARKER LAMPS LED
- 1 [B371501005] STROBE LIGHT CLEAR, 135" FROM REAR HOOD, CENTERED
- 1 [B371600000] STROBE LIGHT GUARD
- 1 [B380022000] CONVOLUTED CONDUIT FOR WIRING BACKUP ALARM
- 1 [B380504000] RECEPTACLE REAR, ENGINE HEATER (HDX)
- 1 [B382201000] MANUAL WARNING LIGHT ACTIVATION SWITCH
- 1 [B382501000] MASTER SWITCH READING LIGHTS
- 1 [B383300000] NOISE SUPPRESSION SWITCH
- 1 [B599000005] BATTERY HOLD DOWN BRACKET 8D BATTERY
- 1 [B599065000] BATTERY BOX LARGE W/STAINLESS STEEL TRAY
- 1 [D901600001] ELEC-PEDESTAL, HEATED SEAT NAT

EXTERIOR

1 [B165002000] GAS SPRINGS - EIGHT (8)

- 1 [B230000000] AIR HORN BENEATH FLOOR
- 1 [B519015000] LATCH-LOCK DEF ACCESS DOOR
- 1 [B537000000] COVER LOCK
- 1 [B537003000] LOCK BATTERY BOX DOOR
- 1 [B542002000] 20 GAUGE SMOOTH SIDE SHEETS
- 1 [B544300000] GUARD RAILS FOR LIFT OR SIDE EMERGENCY DOOR
- 1 [B548300141] SEVERE SERVICE PACKAGE FOR BODY
- 1 [B548301000] SIDE EMERGENCY DOOR JAMB REINFORCEMENT
- 1 [B548801000] BRACKET MOUNTING, LICENSE PLATE, FRONT
- 1 [B560000000] SEALING, EXTERIOR JOINT EDGE
- 1 [B566001000] MUD FLAPS FRONT, RUBBER, 15"W WITH LOGO
- 1 [B566005000] REAR RUBBER MUD FLAPS 22.5W W/LOGO
- 1 [B571001000] FENDERETTES FOUR (4)
- 1 [D505302141] UNDERCOATING-UNDERGUARD

HVAC

- 1 [B403004000] HEATER 15,000 BTU DRIVER'S COMPARTMENT
- 1 [B411203000] GROCO CENTRIFUGAL BOOSTER PUMP
- 1 [B411330000] HEATER SHUT-OFF VALVES BALL TYPE ENGINE COMPARTMENT
- 1 [B412006050] 84,000 BTU HEATER 6TH SECTION LEFT SIDE
- 1 [B412008050] 84,000 BTU HEATER 8TH SECTION LEFT SIDE
- 1 [B412016050] 84,000 BTU HEATER AGAINST REAR WALL, RIGHT SIDE
- 1 [B412107000] SERIES HEATER CONNECTION REAR HEATERS THREE(3)
- 1 [B415101000] SERIES HEATER CONNECTION REAR HEATER ONE(1)
- 1 [B415416000] HEATER HOSE HI-MILER, RIGHT SIDE, REAR HEATER
- 1 [B416511000] FUEL BURNING HEATER 45,000 BTU WEBASTO W/LOCKING BOX, LS
- 1 [B420507000] PLUMBING AT SIDE DOOR WITH PLYWOOD FLOOR
- 1 [B420603000] CONSTANT TORQUE CLAMPS THREE (3) REAR UNDERSEAT HEATERS
- 1 [B421617141] GATES GREEN STRIPE HOSE-FRONT CENTER HEATER
- 1 [B429000000] SIDE DOOR RAMP OVER HEATER HOSE

INTERIOR

- 1 [B150001000] FLOOR STEP NOSING
- 1 [B150201000] ELECTRICALLY HTED STEP TREAD-FRT ENT DR(CONV,HDX)
- 1 [B150605032] GRAY KORSEAL STEP TREADS OUTWARD OPENING ENTRANCE DOOR
- 1 [B152400141] ALUMINUM AISLE STRIPS
- 1 [B153520141] DARK GRAY VINYL FLOOR WITH 13" CENTER AISLE
- 1 [B158000141] PLYWOOD FLOOR 5/8" THICKNESS
- 1 [B231020000] MIRROR INTERIOR 6" X 30" BACK UP CAMERA
- 1 [B531000141] 78" HEADROOM
- 1 [B532013000] SPECIAL URETHANE FOAM INSULATION
- 1 [B533101000] POLYESTER INSULATION RAFTER CAVITIES
- 1 [B533603141] ACOUSTIC HEADLINING COMPLETE WITH POLYESTER INSULATION
- 1 [B560600000] SEALANT PLYWOOD FLOOR EDGES
- 1 [B574127141] PADDED RAILS BLACK FIRE BLOCK UPHOLSTERY
- 1 [B575515001] ASSIST RAIL LEFT SIDE, EXTRA (SAF-T-LINER ER,HD)
- 1 [B575603000] ASSIST RAIL RIGHT SIDE, HDX (A.D.A.)

MISC

- 1 [A200100000] PDI IDENTIFIER-DEALER PERFORMED
- 1 [B599334000] BODY ADJUSTMENT-HDX 2010 EPA
- 1 [B599348000] BODY ADJUSTMENT-HDX 2013 EPA
- 1 [TB-001-314] SAF-T-LINER HDX

PAINT/LETTERING

- 1 [A000000058] DECAL-UNITED AUTO WORKERS
- 1 [B132401000] PAINT STANDARD SASH FLAT BLACK
- 1 [B134000000] RED HANDLE EMERGENCY DOOR(S)
- 1 [B144200000] LABEL DIESEL EXHAUST FLUID (DEF) ENGLISH
- 1 [B145005000] BATTERY BOX LETTERING
- 1 [B145505000] LABEL 2010 EPA EXHAUST REGENERATION ENGLISH
- 1 [B147502100] YELLOW REFLEXITE 2", PERIMETER OF REAR BUS BODY
- 1 [B147503000] YELLOW "SCHOOL BUS" SIGN FRONT HOOD
- 1 [B147504000] YELLOW "SCHOOL BUS" SIGN REAR HOOD
- 5 [B147508000] YELLOW REFLEXITE-PERIMETER OF PUSHOUT SASH (28.5" HIGH SASH)
- 1 [B147511000] YELLOW REFLEXITE PERIMETER OF EMERG DOOR, 24" W (78" HR)
- 1 [B147513000] YELLOW REFLEXITE PERIMETER OF REAR PUSHOUT WINDOW
- 1 [B147603141] YELLOW REFLEXITE-2", ABOVE FLOOR LINE-BOTH SIDES OF BUS BODY
- 1 [B151800000] TUFFCOAT ENTRANCE DOOR STEPWELL
- 1 [D50601F141] PAINT-EXTERIOR ROOF WHITE 6"
- 1 [D5061SC141] PAINT-EXT WDO AREA SAME AS BODY
- 1 [D506347000] PAINT-EXT GRD RAIL @ WINDOW BLACK
- 1 [D506447000] PAINT-EXT GRD RAIL @ SEAT BLACK
- 1 [D506547000] PAINT-EXT GRD RAIL @ FLOOR BLACK
- 1 [D506647000] PAINT-EXT GRD RAIL @ SKRT BLACK
- 1 [D506747002] PAINT-EXT BUMPERS FRT/RR BLACK
- 1 [D510646141] PAINT-SOLID COLOR YELLOW

SEATS

- 1 [A000000051] 30-INCH CLEAR AISLE SIDE EMERGENCY DOOR
- 1 [B152700000] SEALING FLOOR COVERING
- 1 [B214501000] SEAT BELT CUTTER TIE TECH
- 1 [B610000095] BELT-ELR SHOULDER/PUSH BUTTON LAP

- 1 [B620000078] BARRIER STORAGE POUCH TWO (2)
- 1 [B620000079] LEFT SIDE BARRIER IMMEDIATELY BEHIND DRVR MOVED REARWARD 2"
- 1 [B620001077] BARRIER STORAGE POUCH, RIGHT SIDE AT ENTRANCE DOOR
- 1 [B620039090] KICK PLATE/MODESTY PANEL-39"VERT, WALL-MTD BARRIER,RT SIDE
- 1 [B640139107] 39" BARRIER VERTICAL, WALL MOUNT 45" H LS
- 1 [B640139200] 39" BARR-VERT, WALL MT 45"H RS 2009
- 1 [B640239000] 39"8DEG BARR-REV. WALL-MT 45"H 2009
- 3 [B660010121] PROFORM EDO BLUE UPHOLSTERY-45"HIGH RECESSED BARRIER
- 1 [D900104001] SEAT-DRIVER NATIONAL W/HEAT
- 1 [D900302001] ARMREST NATIONAL DRVR'S ST. BOTH SIDES
- 1 [D900403005] UPH DR.ST.BLUE FABRIC INSERT KEVLAR TRIM NATIONAL
- 1 [D900503007] PEDESTAL-NATIONAL AIR W/2 SHOCKS
- 1 [D900602001] COVER PEDASTAL NATIONAL NONE
- 1 [D900802002] RETAINER NATIONAL DR.ST.BELT
- 1 [D900902001] POUCH-DR.ST.STORAGE NONE
- 1 [D901200003] RISER-DRIVERS SEAT, NATIONAL NONE
- 11 [D980139000] SC3 39"LS 3-PASSENGER WALL MOUNT
- 10 [D980239000] S3C 39"RS 3-PASSENGER WALL MOUNT
- 2 [D980239002] S3C 39"RS 3-PASSENGER WALL MOUNT WITH ICS
- 23 [D980410166] FIREBLOCK BLUE UPHOLSTERY S3C PASSENGER SEAT
- 1 [D980410266] FIREBLOCK BLUE UPH S3C DAVENPORT
- 1 [D980539039] S3C 39"/39" DAVENPORT
- 23 [D989002000] S3C WALL MOUNT HARDWARE TRANSIT

WINDOWS/GLASS

- 1 [B161101141] TINTED TEMPERED GLASS COMPLETE
- 1 [B162009000] TINTED WINDSHIEDL WITH 5" BAND FOR MVP-ER, ER TRANSIT
- 2 [B164410000] TINTED TEMPERED PUSHOUT-LEFT SIDE, VERTICAL HINGE
- 3 [B164411000] TINTED TEMPERED PUSHOUT-RIGHT SIDE, VERTICAL HINGE
- 1 [B170001000] STORM GLASS (TEMPERED) DRIVER'S WINDOW
- 1 [B172105000] THERMOPANE GLASS OUTWARD OPENING ENTRANCE DOOR, UPPER/LOWE
- 1 [B173100000] STORM GLASS (TEMPERED)-RIGHT SIDE
- 1 [B175100000] STORM GLASS (TEMPERED)-LEFT SIDE
- 18 [B700701002] TINT TEMP GLASS-COMP (28.5")
- 1 [B700900003] WINDOW STOPS (12")

OTHER

1 [D900702001] SLIDE STOP NATIONAL DR.ST. NONE

CHASSIS

AXLES AND SUSPENSIONS

- 1 [C145122000] AXLE REAR, DANA 22060S, 5.29 RATIO
- 1 [C386006000] SYNTHETIC LUBE STANDARD W/FRONT AXLE
- 1 [C443000000] HENDRICKSON "COMFORT AIR" SINGLE AXLE AIR SUSPENSION-23K AXL

BRAKES

- 1 [C207035000] ANTILOCK BRAKES MERITOR/WABCO (HDX)
- 1 [C207037000] AIR ANTI-LOCK DISC BRAKES
- 1 [C600001000] PARKING BRAKE INTERLOCK

CHASSIS EQUIPMENT

- 1 [C114400000] SCHRAEDER VALVE LOCATED IN ENGINE COMPARTMENT (5,K)
- 1 [C115104000] AUTO AIR TANK DRAIN HEATED (4) HDX
- 1 [C117504000] RELOCATE AIR TANKS HDX

1 [C222800000] ADJUSTABLE PEDAL SYSTEM - HDX

- 1 [C336504000] 100 GALLON FUEL TANK, BETWEEN THE RAILS, RIGHT HAND FILL
- 1 [C340006277] CHASSIS FRAME RAIL HIGH STRENGTH (110KSI) HDX (277"WB)
- 1 [C340500000] TOW HOOKS, FRONT TWO (2)
- 1 [C343000000] ENGINE SKID BAR
- 1 [C343001000] PROTECTIVE PLATE- ENG OIL PAN

ELECTRICAL - CHASSIS

- 1 [C136700000] LEECE-NEVILLE 270 AMP ALTERNATOR- PAD MOUNTED HDX
- 1 [C183200000] DUAL 12-VOLT 8D BATTERIES HDX
- 1 [C362302000] SOLID STATE ELECTRONIC FLASHER FOR HAZARD LIGHTS

• 1 [C367103000] IGNITION KEYED ALIKE (HDX)

1 [C367621000] AUDIBLE ALARM-HEADLIGHTS/ MARKER LIGHTS ON (HDX)

ENGINE AND EQUIPMENT

1 [B817002000] ANTIFREEZE-34F, EXTENDED LIFE COOLANT (HDX)

- 1 [C116500000] AIR DRYER BENDIX AD IP WITH HEATER HDX
- 1 [C207800998] EXHAUST BRAKE NONE
- 1 [C221112000] CRUISE CONTROL HDX (CUM ISL)
- 1 [C221270000] VEHICLE SPEED LIMITING(70 MILES PER HOUR SETTING)
- 1 [C230541000] FUEL PRO 382-C DAVCO FUEL WATER SEPARATOR HDX
- 1 [C230605000] COOLANT RECOVERY BOTTLE HDX
- 1 [C231610000] 6' BLOCK HEATER ELECTRIC CORD FRONT/REAR RECEPTACLE
- 1 [C231812000] BLOCK HEATER HDX (CUM ISL)
- 1 [C232112000] WATER FILTER HDX (CUMMINS ISL)
- 1 [C242600300] CUMMINS L9-300 ENGINE (HDX) 2013 EPA
- 1 [C362900000] MULTI-FUNCTION GAUGE-REAR PANEL HDX
- 1 [C599305000] CUMMINS 2017 MODEL YEAR

TRANSMISSION AND EQUIPMENT

- 1 [C602809318] ALLISON 3000 PTS TRANSMISSION W/RETARDER-CUM ISL-300 2013
- 1 [C602911318] 6 SPEED SHIFT CONTROL 3000R PTS
- 1 [C603803000] HAND CONTROL VALVE FOR RETARDER HDX
- 1 [C605000101] ALLISON FUEL SENSE-BASIC, DSS MED

WHEELS AND TIRES

- 4 [C531151000] MICHELIN 11R22.5 16(H) PLY XDN2
- 2 [C531603000] MICHELIN 11R22.5 16(H) PLY XZE2
- 1 [C5971000001 TIRE BALANCING

Total for 1 complete unit(s): TOTAL PRICE

- 6 [C656007000] DISC WHEEL 8.25 X 22.5, 5H (BLACK)
- 1 [C656701000] HUB-PILOTED WHEEL EQUIPMENT 23K (HDX)

OTHER TYPE

PDI

Quote Expires:

1 [A000000161] ALERT-PDI INSTALLATION

Meets all FMVSS requirements in effect at the time of manufacture.

Additional Options You Selected:

HEATED STEPS \$1500.00
BOOK RACKS \$3500.00

LUGGAGE COMPARTMENTS \$2000.00
AIR DISC BRAKES \$1200.00
CAMERA MIRROR \$1300.00
INTEGRATED CHILD SEATS (2 RIGHT SIDE) \$7000.00
RETARDER TRANSMISSION \$3700.00

WEBASTO HEATER \$ 500.00 TOTAL PACKAGE

\$148,638.00

TUFF COAT STEPWELL
CORROSION UNDER COATING
BODY EDGE COAT
ON SPOT CHAINS
INCLUDED
\$ 2750.00

SEON CAMERA SYSTEM PER QUOTE
INSTALLATION OF CAMERA SYSTEM LBG
REAR AIR FOIL
READING LIGHTS (25)

\$ 5200.00
\$ 1200.00
\$ 650.00
\$ 1800.00

INSTALL HEATER FOR DAVCO
WRAP AIR DOOR CYLINDER WITH HEATER
N/C

Terms and Conditions:

Customer Signature:	Date:	

Dealer Signature:	Date:	
J		

AttachedDetail

EEW

QUOTE

Elder Equipment Leasing of WY, Inc. P.O. Box 65 Casper, Wyoming 82602 1-800-442-3286

Quote Number Quote Date Customer Number Sales Order Number

8/18/2018 95206

TO: Big Horn County School District #3 636 14TH AVE NORTH GREYBULL, WY 82426

ATTN; BOB CAMPOS - TRANS. DIRECTOR

Terms: Shipped Via:

Pax:

Quantity		Description	Price Per	::: Amount::::
2	T3RE 4006	2020 BLUE BIRD ALL AMERICAN	\$123,300.00	\$246,600.00
		REAR ENGINE 75 PASS	The second secon	
-2	DISCOUNT	PREFERRED CUSTOMER DISCOUNT	(\$5,000.00)	(\$10,000.00)
	ELDER BID PRICE	ELDER BID PRICE AFTER TRADE=	\$118,300.00	
	BASE PRICE	WY STATE BID BASE BUS PRICE=	\$118,668.33	
2	AIR SUSPENSION	FRONT AIR SUSPENSION	\$2,950.00	\$5,900.00
2	RETARDER	TRANSMISSION RETARDER	\$7,920.00	\$15,840.00
2	AUTO CHAINS	AUTOMATIC TIRE CHAINS	\$3,400.00	\$6,800.00
2	STEPS	HEATED STEPS	\$450.00	\$900.00
2000	PARCEL RACKS	INTERIOR PARCEL RACKS	\$2,330.00	\$4,660.00
2	STORAGE	UNDER BUS STORAGE	\$7,125.00	\$14,250.00
	AUX. HEATER	WEBASTO FUEL FIRED HEATER	\$3,650.00	\$7,300.00
	CAMERAS	5-CAMERAS INSTD.W/ 8CH. HD	\$5,300.00	\$10,600.00
1000	AIR COND.	ROOF TOP A/C PD-1299k4k4	\$15,750.00	\$31,500.00
	READING LITES	INDIVIDUAL READING LIGHTS.	\$2,150.00	\$4,300.00
200	B/U CAMERA	BACK UP CAMERA	\$1,300.00	\$2,600.00
6.55	DISC BRAKES	AIR DISC BRAKES	\$2,825.00	\$5,650.00
1,000	AIR DEF.	REAR AIR DEFLECTOR	\$970.00	\$1,940.00
2	AIR HORNS	AIR HORNS	\$400.00	\$800.00
		WE APPRECIATE YOUR BUSINESS!!		

Proudly Serving
Wyoming for 50 years

TOTAL Sales Tax \$349,640.00


Freight:

Amount Due :

\$349,640.00

=========







ATTN: Bob Campos, Transportation Big Horn County School District # 3 640 8th Avenue North Greybull, Wyoming 82426

I State Truck center is prepared to provide this type of bus to the school district with these options and pricing.

1- Type D 75 pass bus with Webasto aux. heater, See II Foil, auto tire chains, 2nd heated step, Air disc brakes, under bus storage, Luggage racks, Reading Lights, Rosco Backup mirror system, A/C, and the Allison retarder transmission with hand control, 5 camera REI system installed.

Base- \$115,788.00
Webasto htr. - \$3700.00
See II Foil- \$650.00
Auto tire chains- \$2750.00
2nd heated step- \$550.00
Air Disc brakes- \$2000.00
Under bus storage- \$3500.00
Allison Retarder w/ control- \$7000.00
Tubular luggage racks- \$1500.00
Reading Lights- \$1800.00
Backup mirror system- \$1200.00
A/C- \$11,500.00
REI- \$5000.00

Total for unit = \$ 156,938.00

Please fax a purchase order confirmation to my home office at 406-252-5910 attention Nick Clayson. Thank you for your business and we look forward to serving your needs!

Nick Clawson I State Truck Center 1-800-736-5264





ATTN: Doug Zierolf, Transportation Big Horn County School District # 4 416 South Third St. Basin, Wyoming 82410

I State Truck center is prepared to provide these types of buses to the school district with these options and pricing.

1- Type D 75 pass bus with Webasto aux. heater, auto tire chains, 2nd heated step, under bus storage, Luggage racks, Reading Lights, Rosco Backup mirror system, and the Allison retarder transmission with hand control.

Base- \$115,788.00 Webasto htr.- \$3700.00 Auto tire chains- \$2750.00 2nd heated step- \$550.00 Under bus storage- \$3500.00 Allison Retarder w/ control- \$7000.00 Tubular luggage racks- \$1500.00 Reading Lights- \$1800.00 Backup mirror system- \$1200.00

Total for unit = \$ 137,788.00

1- Type C 66 pass bus with Exhaust Brake, 2nd heated step, Luggage racks, Rosco Backup mirror system

Base- \$97,582.00 Ex Brake.- \$300.00 2nd heated step- \$550.00 Tubular luggage racks- \$1500.00 Backup mirror system- \$1200.00

Total for unit = \$ 101,132.00

Total for 2 units= \$238,920.00

Please fax a purchase order confirmation to my home office at 406-252-5910 attention Nick Clawson. Thank you for your business and we look forward to serving your needs!

Nick Clawson I State Truck Center 1-800-736-5264

EEW

QUOTE

Elder Equipment Leasing of WY, Inc. P.O. Box 65 Casper, Wyoming 82602 1-800-442-3286

SOLD TO: Big Horn County School District #4

P.O. BOX 151 BASIN ,WY 82410

ATTN; DOUG ZIEROLF - TRANS. DIRECTOR

Quote Number Quote Date **Customer Number** Sales Order Number

8/15/2018 95270

Shipped Via: Fax:

	Item Number	:Description	::::Price Per :::	Amount
1	BBCV3303	2020 BBCV TYPE C 66 PASS	\$101,775.00	\$101,775.00
-1	DISCOUNT	QUANTITY DISCOUNT	(\$3,450.00)	(\$3,450.00)
	ELDER BID PRICE	ELDER BID PRICE AFTER DISCOUNT	\$98,325.00	
	BASE PRICE	WY STATE BID BASE BUS PRICE	\$98,410.67	
1	ENGINE BRAKE RACKS HEATED STEPS B/U CAMERA	VGT ENGINE EXHAUST BRAKE INTERIOR PARCEL RACKS ADDITIONAL HEATED STEPS BACK UP CAMERA	\$1,375.00 \$2,020.00 \$400.00 \$1,300.00	\$1,375.00 \$2,020.00 \$400.00 \$1,300.00
		WE APPRECIATE YOUR BUSINESS!!		
Proudly	Serving Wyomii	ing for 50 years	TOTAL Sales Tax Freight:	\$103,420.00
			Amount Due:	\$103,420.00

EEW

QUOTE

Elder Equipment Leasing of WY, Inc. P.O. Box 65 Casper, Wyoming 82602 1-800-442-3286

TO: Big Horn County School District #4 PO Box 151 Basin, WY 82410

A T T N : DOUG ZIEROLF-TRANS, DIRECTOR

Quote Number Quote Date Customer Number Sales Order Number

8/15/2018 95270

Terms: Shipped:Vis: Fax:

Quantity	::: Item:Number::::	Description	Price Per	::: Amount
1	T3RE	2020 BLUE BIRD ALL AMERICAN REAR ENGINE 75 PASS	\$123,300.00	\$123,300.00
1	DISCOUNT	QUANTITY DISCOUNT	(\$4,750.00)	(\$4,750.00)
	ELDER BID PRICE	ELDER BID PRICE AFTER DISCOUNT=	\$118,550.00	
	BASE PRICE	WY STATE BID BASE BUS PRICE=	\$118,668.33	
1	RETARDER	TRANSMISSION RETARDER	\$7,920.00	\$7,920.00
1	AUTO CHAINS	AUTOMATIC TIRE CHAINS	\$3,400.00	\$3,400.00
1	STORAGE	UNDER BUS STORAGE	\$7,125.00	\$7,125.00
1	RACKS	INTERIOR PARCEL RACKS	\$2,330.00	\$2,330.00
1	HEATER	FUEL FIRED WEBASTO HEATER	\$3,450.00	\$3,450.00
1	STEPS	HEATED STEPS	\$450.00	\$450.00
1	B/U CAMERA	REAR B/U CAMERA	\$1,300.00	\$1,300.00
		WE APPRECIATE YOUR BUSINESS!!		\$444 505 00

TOTAL \$144,525.00

Sales Tax Freight

Amount Due \$144,525.00

Wyoming Department of Education Pupil Transportation Office (307) 777-6984

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION

Specifications are in addition to Chapter 2 Minimum Standards Committee in addition to Chapter 3 Minimum Standards Committee in addition t

REPRESENTATIVE'S NAME 3. JERRY STOLL 1-800-442-3286	Estimated delivery date to school district from time purchase order is received: Firm where engine and chassis can be serviced or repaired and parts obtained: ELDER-CASPER, PERRYS-RIVERTON HALLER'S-CHEYENNE	72 passenger (minimum leg room) 66 passenger (maximum leg room)		Y: Front axle capacity: 1 Years 12,000 Miles ase: GVWR: 273 Iriches	MANUFACTURER 5 Years 100,000 Miles MODEL	rd: 5 6.8L V10 Warranty: 5 Years H.P.: 100,000 Miles C.L.D.:
DER EQUIPMENT LEASING OF WY, IN	ADDRESS PO BOX 65 Firm CASPER, WY 82602 Firm	MANUFACTURER: BLUE BIRD MODEL YEAR BBCV 3303 2018	Warranty: 1 Years 12,000 Miles	MANUFACTURER BLUE BIRD MODEL MODEL Warranty: YEAR Wheelbase.	MANUFACTURER FORD FORD YEAR	AUTOMATIC 2017 Speeds forward outside price is based upon payment upon delivery to the school district (without sales tax). Price to be effective until April 1, 2017.

APS=AS PER SPECIFICATION

TYPE C -- 72-66 PASSENGER PROPANE Wyoming State Price Quote Specification

Wyoming Department of Education Pupil Transportation Office (307) 777-6984

ITEM	STATE-SUPPORTED SPECIFICATIONS	A THE STATE OF THE
	Vendor must meet or exceed these specifications	VENDOR SPECIFICALLY IDENTIFY ITEM BID
Air Dryer	Heated air driver with spin-off replaced to the specified in column to right.	Price of items bid will establish the state cost.
	Service Spire of Teplaceable carridge.	Mfr. BENDIX AD-IP
Air Tanks	3,432 cu. In. minimum with automatic heated air drain on uset trank	Tank capacity
		2
Alternator	160 amp minimum capable of 60 amp output at idla	
Axle-Front	10 000 lb minimine.	mim orthur
Axle-Rear	21 000 lb. minimum with grease type drag link and tie rod ends.	Capacity 12 000
Axle Oil Seals	Front and rear. Wet design with sight along in	
Axle Ratio	Axle ratio to be chosen at award of bid Must	SCC
	1 200 CCA 12	
Battery(ies)	I. 200 CCA, 12 volt to be mounted in body battery compartment. Three commercial	Size or group GROUP 31
		Number of batteries 3
Brakes	Air. Drum. Largest available for axles hid. ABS	CCA 2850 TOTAL
Compressor		Front 16.5 X 5
Cooling System	Heavy duty, maximum capacity available with radiator chulton For the second	
	must be provided.	SHUTTERS N/A
Engine		Mfr. FORD
) j		ers
		ue 457 @
Engine Heater	installed engine manufacturer's recommended in-block heater	362 @ 4750
	bumper.	ts.
Exhaust System	To exit left (street) side of bus, in the rear.	Mir. KIM HOTSTART
		APS
Frame	258-279 inch wheelbase. 168 inch maximum rear overhand	Frame thickness
		573.7
Front Suspension	10,000 lb. minimum with parabolic taper leaf springs and heave duty doubte	ang
First Took	absorbers.	Capacity 10,000
LUCI LAIIR	ou gallon minimum.	
Fuel/Water Separator	Heated water separator with dash mounted water and fine warning lights	Capacity 60 GALLON EQUIVALENT
100000000000000000000000000000000000000	ייייכל עימינין נוסט איפווווויופן וופחוד.	Mfr. N/A

Wyoming Department of Education Pupil Transportation Office (307) 777-6984

Wyoming State Price Quote Specification TYPE C --- 72-66 PASSENGER PROPANE

1101	CHASSIS	
SWA P	30 000 IL CYANG	VENDOR SPECIFICALLY IDENTIFY ITEM BID
1	SCOURT MINIMUM.	GVWR 34 non
High Idle and	Both shall be provided with cruise control	
Hond	Till hood with paise superstance of 15 mph.	HAW O
Hour Motor	Monthood in John Control of the Street of th	APS
	wounted in dash panel.	APS
Rear Suspension	 20,000 lb. minimum GVW air-ride suspension equipped with leveling valve(s) and heavy-duty, double-acting shock absorbers. 	Capacity 21 000
Tires, Front	Two, 11R22.5 load range G all-position or steering ayle tires	
Tires, Rear		Iread design HANKOOK AH12
,	Automatic - Allison DTS 3000 file 2001	Tread design HANKOOK 235A
l ransmission	included. FORD	Net input torque
Wheels	Six, 22.5 x 8.25 ten-hole hub piloted flange nut disc wheel	Size 22.5
Winter Front	Gulf front or seill only. MOT AVAIL and	Rim width 8.25
	I WILLIAM GILL OF GILL OF STANDARTE	☐ Full Front ☐ Grill Only
HEM	STATE SUBSCIENCE BODY	9346
Attachment	All available outdoors and but the security of	VENDOR SPECIFICALLY IDENTIFY ITEM BID
	Attition in the same and body clips to attach body to frame.	APS
Audio System	Awir Mil PA fadio with one exterior speaker and maximum interior speakers to be evenly spaced. Factory installed.	Number of speakers 8 I/S, 1 O/S
Auxiliary Fans	Two fans, six inch minimum, mounted to right and left windshield area	
Battery	Battery slide out storage tray mist be large applied to commendate the training	DCM
Compartment	specified in chassis section.	☑ Side Out □ Roll Out
Below Window Padding	Must be provided.	APS
Certificate Holder	Mounted above windshield for legal documents.	
Child Check System	System to arm after the red loading lights are used. Disarm button to be in the rear of bus. System to sound alarm (horn) and flash headlights if driver exits without disarming in the rear of bus.	APS
Dimensions	Headroom: Minimum 77 inches,	
	A metal, sealed box shall be provided for the first aid kit and the hody fluid kit. A hearth dust.	Height 77
Emergency Equipment	metal bracket shall be provided for the fire extinguisher(s). Fire extinguisher(s) shall have a drawn steel cylinder with all metal valve. Each fire extinguiser shall have a total rating of 3A40BC or greater.	APS
Emergency Exits	As per state specifications with a three-point door latch system for rear emergency door. Glass guard over bottom window of emergency door. Roof hatches shall be static vent type	Roof hatch mfr. TRANSPEC
	without opening. No seat, or portion of seat, may infrude into side emergency exit door, if so equipped.	Model # TRIPI F VALUE

APS=AS PER SPECIFICATION

Wyoming State Price Quote Specification TYPE C -- 72-66 PASSENGER PROPANE

Wyoming Department of Education
Pupil Transportation Office
(307) 777-6984

ITEM		
Floor	Aisle trim and cove molding shall be provided	VENDOR SPECIFICALLY IDENTIFY ITEM BID
	Five total. Two front, one center, one rear, one under driver's seat. Minimum outputs: Left-	APS
	driver seat heater - 12,000 B.T.U. Shut-off ball type valves at engine for sunnly and return	Right-front B.T.U. 50,000
Heaters	Goodyear High Miles hace A Latter the Condition of the All heater hose to be one-ply	
	Two blowers per under seat heater. Heaters to be expensively seat.	Rear B.T.U. 50,000
	EPDM hose in ileu of Goodysar High Miler hose. 50,000 BTU UNDERSEAT HEATEDS	Driver's heater B.T.U. N/A
Interior Sidewalls	Aluminized (non-painted) panels between between the control of the	Total B.T.U. 290,000
	LED for stop, tail turn, marker and starting in the control of the	APS
Lighting (Exterior)	lights can be turned on without having to open the door. Typical door operation triggering 8-way red light will still function and place.	Mfr. CRS TRUCKLITE SOLIND DEE
Lighting (Interior)	Driver dome light on separate switch	
Mirrors, Exterior	Power controlled,	APS
Noise Kill Switch	Accessory master cut-off switch to control poles, accessory	Mfr. ROSCOE
Power Point	Driver's compartment accessible standard accessor accessor in the compartment accessible standard accessor acce	APS
Seef Driver	High back, fabric insert with two (2) arm ports and a	APS
Ocal, Divel	DRIVER'S SEAT ONLY. PAD ON LH DRIVER'S DANE!	Mfr. NATIONAL
	72 passenger (minimum leg room). 66 passenger (maximum).	Model # NS 2000
Seating Capacity	Minimum leg room measurement LS=23", RS=24" ±1"	FROM FRONT OF SEAT BACK AT HIPS TO BACK
	26.5"±1"	OF SEAT BACK AT KNEES, MEASURED FROM THE CENTER OF SFAT
Seats, Passenger	used for floor mounting. Convertible seats are the baseline seat for il Time C.	NO V
Service Door and	Air powered panic-type door (both doors onen guitard).	2
Entry Way	full length handraits (one on the left and one on the right side of stairwell) helpha tread and	Ç.
	integral, nonskid white nosing on step tread. Heated lower step, independently switched.	
Š	Electric. "Stop" shall be in flashing LED lights. The operating mechanism on the stop arm shall be interchanged by with the cross-	
Stop Atm	no exposed wiring on the stop arm. The stop arm shall be SMI part # 77000-200-E31 to include the electronic social state.	Mr. TRANSPEC APS
Strobe Light		
Tight ago to	Noon incomined white strope light to meet state specifications.	
Vandal Locks	Shall be provided. Mechanical. Keyed alike/one key for all accesses. All outside cheminal	Location 4' FROM REAR OF BUS
T	must fock. Dark Plexinlas visors installed successions and successions of the contract of the	APS
	Windshield finted All windows 2000 Windshield area.	APS
	minder. All williams, except thermal paned, shall be tinted.	APS
)

APS=AS PER SPECIFICATION

Wyoming State Price Quote Specification TYPE C -- 72-66 PASSENGER PROPANE

Wyoming Department of Education

Pupil Transportation Office

(307) 777-6984

12/12000 12/12000 Chassis APS APS APS Narranty Period Body One copy of the chassis and body manufacturer's owner's/operator's handbook or manual will Legible copy of manufacturer's line setting ticket or itemized build sheet for chassis and body ADDITIONAL REQUIREMENTS - CHASSIS AND BODY All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure All components and accessories will be installed and operational at time of delivery Manufacturer's standard warranty to include body, chassis, engine and transmission. will be delivered with each vendor's packet at the time of delivery of the bus. Check fluid levels, verify all are at recommended full levels Cleaning and service by vendor prior to delivery will include: Interior and exterior will be clean (including glass) be furnished with each bus at time of delivery. ■Minimum -34°F freeze protection coolant proper operation at time of delivery Chassis lubrication Owner's/Operator's Line Setting Ticket/ Itemized Build Service and Handbook Cleaning Warranty Sheet

60/100000

60/100000 Transmission

Engine

Wyoming Department of Education Pupil Transportation Office (307) 777-6984

Wyoming State Price Quote Specification STATE-SUPPORTED OPTIONS TYPE C

ITEM		STATE-SUPPORTED OPTIONS	VENDOR SPECIFICALLY INTERNITY INTERNITY
		Vendor must meet or exceed these specifications. Item bid shall be specified in column to right	TITLE OF FOIL TOWN IN
Air Disc Brakes	Mfr.	BENDIX	
Air Conditioner	Mfr.	CARRIER	Cost \$2,825.00
Air Suspension	Mfr.	<u>.</u>	Cost \$11,750.00
Automatic Tire Chains		ON SPOT	Cost N/A
Back Up Camera/Mirror Mfr.	Mfr.	ROSCOE	
Book Racks	Pilos 🗆	☑ Tubular	
Flat Floor			Cost \$2,050.00
(Special Needs)			Cost INCLUDED IN
Fuel-Fired Coolant	Mfr		SPECIAL NEEDS PKG
Heater		BTU	Cost N/A
Heated Steps	Second		
Passenger Reading Lights	Mfr.	PETORIA	
ector	Mfr.	BLUE RIBD FILL WINTE	Cost \$2,180.00
T	PAGE.	מבר אורוים	Cost \$970.00
Т	WIII.	FRENELSA OR TELMA	Coet
Engine Exhaust & Compression Brake	Mfr.	1	Cost NIA
Thermo Glass	Mfr.	SPECTAL	
Under Bus Storage	Cubic feet 38 7	1387	Cost \$240 PER WDO ASSY
7			Cost \$1,850.00

Option Package Special Needs - Lift Bus

Wyoming Department of Education Pupil Transportation Office (307) 777-6984

Michael Control	VENDOR SPECIFICALLY IDENTIFY ITEM BID		ocation BE I WEEN FRAME RAILS	Location APS	APS		Mfr. RICON	Model # S5010 Lift 800 lb.	Tie-down Q mfr. STRAINT
STATE-SUPPORTED OPTIONS	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right		Low profile, wall mounted preferred. If heater is floor mounted it must not interfere	sating.	maintais and videos for lift and track system, including tie-downs. Driver's and technicians operation and service manuals		Location to be determined by school district		Full length 4-track system, track flooring and track mounted seats in any area where a wheelchair can legally be secured. The bus shall be fully seated. Track to be mounted to the floor using corrosion resistant fasteners. One set of automatic self tensioning, self locking tie-downs shall be provided. Seating diagram to be determined by the school district.
ITEM		Fuel Tank	Heater		Manuals	`	Power Lift	Andrewski (Camaria, marte Nature), and and an analysis of the Camarian State (Camaria), and an analysis of the Camarian State (Camaria)	Track System

Check appropriate bus for this package:

Type A

\$16,900.00

Package Cost

, C acv	☐ 28/24 passenger, gas engine, dual rear wheel ☐ 28/24 passenger, diesel engine, dual rear wheel ☐ 30/24 passenger, gas engine, dual rear wheel
	☐ 30 passengerl
	☐ 60/54 passenger (Fuel tank may be installed between frame rails behind ☐ 66/60 passenger
	2 72/66 passenger PROPANE
Type D	
	72/66 passenger, FE, 36,000 GVWR
	LJ 66/60 passenger, RE, 36,000 GVWR
	31/78 passenger, RE, 36,000 GVWR

rear axle or on right hand side.)

AND OFFICIAL CE QUOTATION TYPE C -- 72-66 PASSENGER PROPANE

VENDOR'S COMPANY NAME		REPRESENTATIVE'S NAME	ENTATIVE'S NAME	ig school Buses. 40 c	C 213 /012
Harlow'e Bus Sales	Calon		I ELEPHONE NUMBER	E NUMBER	からい
	o dales	Justin Hageness	ness	800-450-1767	
ADDRESS		Estimated delivery date to school dis	Estimated delivery date to school district from time purchase order is received:		120-180 days
M 1/62	25/1 Massey Avenue	Firm where engine and chaseis can	Firm where engine and chassis can be serviced or repaired and parts obtained:		Steve's Truck Repair
Shenda	Shendan, WY 82801	Firm where body can be serviced or repaired and parts obtained:	repaired and parts obtained:	Stev	Steve's Truck Repair
		BODY			
MANUFACTURER; IC		Overall vehicle length:	72 passenger (minimum leg room)	28.48R 27.49L	9t inches
MODEL	YEAR	465.9 Inches	66 passenger (maximum leg room)	31.04R 30L	inches
J.	2018	Rear body overhang:	List method used to measure these distances:		Seat center to seat center
Warranty: 5 Years	Unlimited Miles	148 Inches	Seat color: Blue Floor color: Gray		
1000年の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の		CHASSIS			
MANUFACTURER		Warranty:		Front axle capacity:	10,000
2 000 01	Ic corp by International	1 Years		Rear axle capacity:	21,000
MODEL	YEAR	Unlimited Miles		GVWR:	31,000
GE	2018	Wheelbase: 276 Inches	4	Rear axle ratio:	5.29
西北北方 大阪がく シグラン	TRANSMISSION			FNGINE	を できる
MANUFACTURER		Warranty:	MANUFACTURER		
1	Allison	3 Years		PSI	
MODEL	Viso	Unlimited Miles			
2500	2018	Speeds forward:	MODEL 8.8L V-8	YEAR	2018
	QUOTED PRICE			-	
Quoted price is based upon payment upon delivery to the school district		\$101,014.00 72 Passenger	Verification - 5 Years Inhimited Miles	H.P.: 270	@ 2600 RPM
(which sales tax). Fince to be effective until	\$100,794.00	\$100,794.00 66 Passenger	Salim Delining		1
April 1, 2011	Hoth	11/21/2018			
VENDOR REPRESE	VENDOR REPRESENTATIVE'S SIGNATURE	, ADATE			

Wyoming State Price Quote Specification TYPE C -- 72-66 PA SENGER PROPANE

	VENDOR SPECIFICALLY IDENTIFY ITEM BID	Price of items bid will establish the state cost.	Mfr. Bendix	Tank capacity		Mfr. Delco Remy	mum output	10,0	Capacity 21,000	Mfr. Stemco	5.29	Size or group 12 volt	per of batteries	CCA 1950	Size Front 16.5x5 Rear 16.5x7		APS	Mfr. PSI	Model or liters 8.8L	tue 565 @	270 @ 2600	Watts 750		Height 10.125 Width 3	thickness 0.312	Rear Overhang 148	Capacity 10,000	Canadh	Mfr.
STATE-SUPPORTED SPECIED ATTOMO	Vendor must meet or exceed these specifications.	Item bid shall be specified in column to right. Heated air dryer with spin-off replaces the cardidae	יייייייייייייייייייייייייייייייייייייי	3,432 cu. in. minimum with automatic heated air drain on unt track	Wel lank.	160 amp minimum capable of 60 amp output at idle	10 000 lb minimum with green the	21 000 lb minimum	الماء مالية مالية	ir iront.	and display with power and gradeability formula.	1,200 CCA, 12 volt to be mounted in body battery compartment. Three commercial		Air. Drum, Largest available for ayles bid. A Do.		nine routed through engine air cleaner.	must be provided.				installed engine manufacturer's recommended in-block heater Bodustus	derinition of the second bing on tront	To exit left (street) side of bus, in the rear.		258-279 inch wheelbase. 168 inch maximum rear overhand		recession appeared by migs and neavy-duty, double-acting shock	60 gallon minimum,	Heated water separator with dash mounted water and fuel warning lights.
ITEM	***************************************	Air Dryer		Air Tanks		Alternator	Axle-Front	Axle-Rear	Axle Oil Seals	Axle Ratio		Battery(ies)		Brakes	Compressor		Cooling System		Engine		Engine Heater	rigino inala	Exhaust System		Frame	Example Control	rioiit Suspension	Fuel Tank	Fuel/Water Separator

Wyoming State Price Quote Specification TYPE C -- 72-66 PA ENGER PROPANE

ITEM	CHASSIS STATE-SHIPPORTED SPECIFICATIONS	William Committee
GWWR	30,000 lb. GVWR minimi	DOK SPECIFICALLY
Lich Lale		GVWR 31,000
Cruise Control	pour snait de provided with cruise control programmed to meet state specifications of 75 mmh	Aps
Hood	Till hood with noise-currentian markets	
Hour Mater	Mounted in dark nears	APS
	יייטמוויקע ווו עמפון אפוופן.	APS
Rear Suspension	20,000 lb. minimum GVW air-ride suspension equipped with leveling valve(s) and heavy-duty, double-acting shock absorbers.	Capacity 21,000
Tires, Front	Two, 11R22.5 load range G all-position or steering axle tires.	Tread design
Tires, Rear	Four, 11R22.5 load range G traction-type tires.	Tread design
Transmission	Automatic - Allison, PTS 3000 five-speed. Oil temperature gauge and oil sensor level to be	en
	וותוועספת,	Net input HP 260
Wheels	Six, 22.5 x 8.25 ten-hole hub piloted flange nut disc wheel.	
Winter Front	Gall from the seal on the	Rim width 8.25
VVIIITEI FIORI	ruii iloni ol grii only.	Full Front Grill Only
ITEM	B00)/	
	SIAIE-SUPPORIED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID
Attachment	All available outriggers and body clips to attach body to frame.	APS
Audio System	AM/FM/PA radio with one exterior speaker and maximum interior speakers to be evenly spaced. Factory installed.	Number of speakers 8
Auxiliary Fans	Two fans, six inch minimum, mounted to right and left windshield area.	Mfr
Battery	Battery slide out storage tray must be large enough to accommodate two batteries as	
Compartment		Side Out Side Out
Below Window Padding	Must be provided.	APS
Certificate Holder	Mounted above windshield for legal documents.	APS
Child Check System	System to arm after the red loading lights are used. Disarm button to be in the rear of bus. System to sound alarm (horn) and flash headlights if driver exits without disarming in the rear of bus.	APS
Dimensions	Headroom: Minimum 77 inches.	Height 78"
Emergency Equipment	A metal, sealed box shall be provided for the first aid kit and the body fluid kit. A heavy-duty metal bracket shall be provided for the fire extinguisher(s). Fire extinguisher(s) shall have a drawn steel cylinder with all metal valve. Each fire extinguiser shall have a total rating of	APS
	3A4UBC of greater,	
Emergency Exits	As per state specifications with a three-point door latch system for rear emergency door. Glass guard over bottom window of emergency door. Roof hatches shall be static vent type without opening. No seat, or portion of seat, may infring into eide emergency out door it are	Roof hatch mfr. Transpec
	equipped.	Model # 1175

Wyoming State Price Quote Specification TYPE C -- 72-66 PA ENGER PROPANE

TEM	STATE-SUPPORTED SPECIEICATIONS	
Floar	Aisle trim and cove molding shall be provided.	VENDOR SPECIFICALLY IDENTIFY ITEM BID
	Five total. Two front, one center, one rear, one under driver's seat. Minimum outputs: Left.	Left-front B.T.U. 84,500
1000	driver seat heater 12 nnn B T 11 Shill Ar Lu., Under seat - 80,000 B.T.U., one under	Right-front B.T.U. 50,000
rearers	line. Two-speed motors. Must include recirculating prime. All hands and return	U.
	Goodyear High Miler hose. A ball valve to control cabin heat accessible from drivers and	
	Iwo blowers per under seat heater. Heaters to be evenly spaced.	Driver's heater B.T.U. 90,000
Interior Sidewalls	Aluminized (non-painted) panels between bottom of windows	Total B.T.U. 393,500
	LED for stop, tail, furn marker and stratic bodies in the	APS
Lighting (Exterior)	loading lights. Override switch so the 8-way red en the door. Typical door operation triggering 8- e door will still rancel lights.	Mfr. Truck Lite or Sound Off
Lighting (Interior)	Driver dome light on separate switch.	
Mirrors, Exterior	Power controlled.	APS
Noise Kill Switch	Clit-off switch to confrol acid.	Mfr. Rosco
Power Point	Driver's compartment accessible standard compartment accessiones.	APS
	in blug bower boint plug-in.	APS
seat, Unver	High back, fabric insert with two (2) arm rests and air suspension.	Mfr. National
		Model # 2000
Seating Capacity	Minimum leg room measurement Maximum leg room measurement	List method used to measure these distances: Seat Center to Seat Center
2		
ocais, rassenger	used for floor mounting. Convertible seats are the baseline seat for all Type C buses in State.	APS
Service Door and Entry Way	Air powered panic-type door (both doors open outward). A minimum three-step entry with two full length handralls (one on the left and one on the right side of stalrwell), pebble tread, and integral, nonskid white nosing on step tread. Heated lower step, independently switched.	APS
	Electric. "Stop" shall be in flashing LED lights. The operating mechanism on the stop arm	
Stop Arm	be	Mfr. Transpec
Strobe Light) meet state specifications	Mfr. Specially
T		Location Rear
CKS	must fock.	APS
	Dark Plexiglas visors installed over driver's side window and driver's windshield area	004
Windows	Windshield tinted. All windows, except thermal paned shall be tinted	AFS
	י יייין איייין אייי	APS

Wyoming State Price Quote Specification TYPE C -- 72-66 PA SENGER PROPANE

		Engine	5 yr unlimited Transmission	3 vr unlimited
(manage of the control of the contro	Mariniaciurei s siandard warranty to include body, chassis, engine and transmission.	Body	5 yr limited Chassis	1 yr unlimited
Warranto		Warranty Period	eriod	
	The second of th			
	proper operation at time of delivery Reflicomponents and accessories will be installed and operational at time of delivery			
	All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure			
Cleaning	Interior and exterior will be clean (including glass)		APS	
Service and	Check fluid levels, verify all are at recommended full levers			ş(An- <u>122-32)</u>
,	■ Chassis lubrication			
-	■ Minimum -34ºF freeze protection coolant			
	Cleaning and service by vendor prior to delivery will include:			
Handbook	be furnished with each bus at time of delivery.		APS	
Owner's/Operator's	Owner's/Operator's One copy of the chassis and body manufacturer's owner's/onerator's handbook or manual will			
Sheet	will be delivered with each vendor's packet at the time of delivery of the bus.		APS	
Itemized Build	Legible copy of manufacturer's line setting ticket or itemized build sheet for chassis and body			
Line Setting Ticket/	ADDITIONAL REQUIREMENTS - CHASSIS AND BODY			
	Application Beautiful Section	Second and selections are selected to the second se		

Wyoming State Price Quote Specification STATE-SUPPORTIONS

TYPEC

ПЕМ			STA	STATE-SUPPORTER OPTIONS	DTIONS					
		Vend	or must	Vendor must meet or exceed these specification Item bid shall be specified in column to since	xceed these specifications.	ations.		VENDC	VENDOR SPECIFICALLY IDENTIFY ITEM BID	DENTIFY ITEM BID
Air Dien Brokos	200					ignt.				
All Disc Dianes	MIT.			Bendix Spicer				, ,		
Air Conditioner	Mfr.	IC/TransAir						Cost	\$2,252	
Air Suspension	Mfr.	Infernational						Cost	\$9,000.00	
i		1000			Front	✓ Rear J Both		Cost	Included	
		Todo IIO					ပ	Cost	\$2.700.00	
Back Up Camera/Mirror Mfr.	Mfr.			Rosco				tac)	00:00:1-+	
Book Racks	Pilos	✓ Tubular						180	00:0021-6	100
Flat Floor							2	Cost	\$6,200 apen/solid	\$2,700 tubular
(Special Needs)				•			Ö	Cost	\$1,500.00	
Fuel-Fired Coolant	77.6						1			
Heater	MIT.	Espar				BTU 12,000	Ö	Cost	\$3,500.00	
Heated Steps	Second					42,000				
eading	Mfr	SMI Global					٥	Cost	\$575.00	
\top		OIMI GIODAI					<u>ن</u>	Cost	\$1,950.00	Solid racks req'd
Rear Air Deflector	Mff.	SEE					ĬĞ	Cost	\$575.00	
Retarder	Mfr.							,		
	100				7	Transmission	7	Cost	2	N/A
e e	MIT.			ISB Exhaust	nust		<u>ŏ</u>	Cost	89	\$300
Thermo Glass	Mfr.	Hehr					2	taci	00 0074	
Under Bus Storage	Cubic feet				27.00			162	4400.00	per sash
7					60.18		Ŏ	Cost	\$2,600.00	



ITEM	STATE-SUPPORTED OPTIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	
Fuel Tank		Ocation
Heater	Low profile, wall mounted preferred. If heater is floor mounted, it must not interfere with a wheelchair position or track seating.	Rear W
Manuals	Manuals and videos for lift and track system, including tie-downs. Driver's and technicians operation and service manuals.	APS
Power Lift	Continuto he defermined here and section in	Mfr. Braun/Ricon
	Eccadoli to de determined by school district.	Model # NL919/ Lift S5510 capacity lbs 800
Track System	Full length 4-track system, track flooring and track mounted seats in any area where a wheelchair can legally be secured. The bus shall be fully seated. Track to be mounted to the floor using corrosion resistant fasteners. One set of automatic self tensioning, self locking tie-downs shall be provided. Seating diagram to be determined by the school district.	Q-Straint or
		Package Cost \$14,000.00

Check appropriate bus for this package:

Type A	
e o sin	28/24 passenger, gas engine, dual rear wheel 28/24 passenger, diesel engine, dual rear wheel 30/24 passenger, gas engine, dual rear wheel
	 30 passenger 42/36 passenger 60/54 passenger 65/60 passenger 56/60 passenger 72/66 passenger
Type D	72/66 passenger, FE, 36,000 GVWR 66/60 passenger, RE, 36,000 GVWR 81/78 passenger, RE, 36,000 GVWR

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C -- 72-66 PASSENGER PROPANE

VENDOR'S COMPANY NAME		REPRESENTATIVE'S NAME TELEPHONE NUMBER	TELEPHO	TELEPHONE NUMBER	ses.		
State/ Lewis Bus Group	0	Nick Clawson/ Lance Parker	8	800-736-5	800-736-5264/ 801-364-4219	4219	
ADDRESS		Estimated delivery date to school dis	Estimated delivery date to school district from time purchase order is received:	111 2000	hilvifh	Inly if hy lan 1 2017	
4600 S Frontage rd- Billings, MT 59101	gs, MT 59101	Firm where engine and chassis can l	Firm where engine and chassis can be serviced or repaired and parts obtained:	ained:	I Str	State/Lewis	
1260 S 500 West- SLC, Utah 84101	Utah 84101	Firm where body can be serviced or repaired and parts obtained:	repaired and parts obtained;		I Ste	State/ Lewis	
		BODY					
MANUFACTURER: Thomas		Overall vehicle length:	72 passenger (minimum leg room)		27.2	inches	
MODEL 311TS YEAR	2018	447.7 Inches	66 passenger (maximum leg room)		29.6	inches	
		Rear body overhang:	List method used to measure these distances:	distances:	front of se	front of seat back to front	5.0
		148.4 Inches	Seat color: Blue	of next	seat back at	of next seat back at cushion level	
Warranty: 3 Years 50k	Wiles		Floor color: Grey				
はる間のによっておいるがです。 このまかながらしては水の	一 一 一 一 一 一 一 一 一 一 一 一 一 一 一 一 一 一 一	CHASSIS					
MANUFACTURER		Warranty.		Front axle capacity:	pacily:	10000	
Freightliner		3 Years		Rear axle capacity:	acity:	21000	
		50K Miles		GVWR:		31000	
MODEL		Wheelbase:	9 6	Rear axle ratio:	·	5 22	Γ
B2	2017	258.9 Inches			i Val	77.0	Τ
おり 大きな 一年日	TRANSMISSION	***************************************		FNGINE			
MANUFACTURER		Warranty:	MANUFACTURER				
Allison		5 Years		GM/ Clean Fuels USA	uels USA		
THE PARTY OF THE P		unl. Miles					
20			MODEL	X.	YEAR		
PIS	2017	Speeds forward: 5	8.0L		.,	2016	
	QUOTED PRICE		Warranty:	Torque:	200	3100	RPM
Quoted price is based upon payment upon delivery to the school district	\$97,309.00	72 Passenger	1	H.P.:		4000	RPM
(without sales tax). Price to be	00 b00 26%	AR December	100K Miles	C.L.D.:	8.0L		
April 1, 2017. .		assauda assauda		-			
Mady (Van-		9100 110/11					
VENDOR ŘEPRESENTATIVE'S SIGNATURE	'S SIGNATURE	DATE					

Wyoming State Price Quote Specification TYPE C -- 72-66 PASSENGER PROPANE

CH/S	VENDOR SPECIFICALLY IDENTIFY ITEM BID	rice of nems bid will establish the state cost.	Mfr. Bendix		4160 Tolal	Mfr. L-N	Maximum output 185 amps	Capacity 10000	Capacity 21000	Mfr. Chicago	5.2	Size or group group 31	per of batteries	CCA 2280	Size Front 15x5 Rear 16 5x7	18.7	pepnioul	Mir. GM/ Clean Fuels USA	ers	an	350 @	Walls 750	Schulps	Height 10 1/8" Width 3"	5/16"	1,479,600	Rear Overhang 148,4	Capacity 10k lb taneries f		Capacity 70 Fuel gallon capacity	Mfr. Htd with light
STATE-SUPPORTED SPECIFICATIONS	Vendor must meet or exceed these specifications.	Heated air dryer with spin-off replaceable cartridus	'BRIGHTO COLOR	3,432 cu. in. minimum with automatic heated air drain on wet tank.		160 amp minimum capable of 60 amp output at idle.	10,000 lb. minimum with grease type drag link and lie and godge	21,000 lb. minimum.	Front and rear. Wet design with sight place in front	Axle ratio to be chosen at award of bid. Mist comply with course at a second of bid.	A 200 COA 42	ייבטי טכא, יוב voit to be mounted in body battery compartment. Three commercial	mail rollai ca-ilee Dallenes.	Air. Drum. Largest available for axles bid ABS	- 1 -	Heavy drifty maximum concepts of the arriting fourted through engine air cleaner.	must be provided.				installed engine manufacturer's recommended in-block heater	bumper.	To exit left (street) side of bus, in the rear.		258-279 inch wheelbase. 168 inch maximum rear overhang.		10,000 lb, minimim with parabolic tanger loof	absorbers.	60 gallon minimum.	ofor with don't a	separation with dash mounted water and fuel warning lights.
ITEM		Air Dryer		Air Tanks		Alleinator	Axle-Front	Axle-Rear	Axle Oil Seals	Axle Ratio		Battery(les)		Brakes	Compressor		Cooling System	Fooine) i		Engine Heater	Pubernet O	Exitansi System	1	Frame			rioni Suspension	Fuel Tank	Fuel/Water	Separator

Wyoming State Price Quote Specification TYPE C -- 72-66 PASSENGER PROPANE

ITEM	STATE-SUBDODIED SPECIFICATIONS	
GVWR	30,000 lb. GVWR minimum.	DOR SPECIFICALLY
Hich Idle and	Doth chall be a selected and	GVWR 31000
Cruise Control	programmed to meet state specifications of 75 mph.	APS
Hood	Tilt hood with noise-suppression package.	APS
Hour Meter	Mounted in dash panel,	OCA
Rear Suspension	20,000 lb. minimum GVW air-ride suspension equipped with leveling valve(s) and heavy-duty, double-acting shock absorbers	Capacity Airliner 21k lh
Tires, Front	Two, 11R22.5 load range G all-position or steering axle tires.	- Colo
Tires, Rear		
	Automatic - Allison DTC 2000 6to 2004 Ott 1	
Transmission	included.	Net input torque 950 max
Wheels	Six, 22.5 x 8.25 ten-hole hub piloted flange nut disc wheel.	Srill Only 22.
Minter Erect	[C.1] [S.2] [S.2] [S.2]	Rim width 8.25
winer Front	ruil ironi or gnii only.	
ITEM	STATE STATE STATES	, rejer
Attachment	SIGNED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID
אוופכוווווווווווווווווווווווווווווווווו	All available outriggers and body clips to attach body to frame.	ncluded
Audio System	AM/FM/PA radio with one exterior speaker and maximum interior speakers to be evenly spaced. Factory installed.	of spe
Auxiliary Fans	Two fans, six inch minimum, mounted to right and left windshield area.	Mire care 191 Roll Our hung fans
Battery	Battery slide out storage tray must be large enough to accommodate two hatteries as	
Compartment	specified in chassis section.	
Below Window Padding	Must be provided.	papriori
Certificate Holder	Mounted above windshield for legal documents,	Inclinded
Child Check System	System to arm after the red loading lights are used. Disarm button to be in the rear of bus. System to sound alarm (hom) and flash headlights if driver exits without disarming in the Included rear of bus.	
Dimensions	Headroom: Minimum 77 inches.	Heinht 78"
Emergency Equipment	A metal, sealed box shall be provided for the first aid kit and the body fluid kit. A heavy-duty metal bracket shall be provided for the fire extinguisher(s). Fire extinguisher(s) shall have a drawn steel cylinder with all metal valve. Each fire extinguiser shall have a total rating of 3A40BC or greater.	included
Emergency Exits	As per state specifications with a three-point door latch system for rear emergency door. Glass guard over bottom window of emergency door. Roof hatches shall be static vent type without opening. No seed or condition of the static vent type.	Roof hatch mfr. Transpec
	equipped.	Model # Trip val saft vent II

Wyoming State Price Quote Specification TYPE C - 72-66 PASSENGER PROPANE

ITEM	STATE-SUBBODIED SPECIFIC STATES	á	
Floor	Aisle trim and cove molding shall be provided.	VENDOR SPECIFICALLY IDENTIFY ITEM BID	۵
	Five total. Two front one center one	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	
	front - 90,000 B.T.U. Right-front - 50 000 B.T.U. Right-front - 50,000 B.T.U.	Harring B. I.U. 90K	
Hostor	driver seat heater - 12,000 B T II Shirt off hall the control of t	Kight-tront B.T.U. 30.6K	
	line. Two-speed motors. Must include recirculating mines. All house to supply and return	Center B.T.U. 84K	
	Goodyear High Miler hose. A ball valve to control cabin heat accessible from divided one-ply	Rear B.T.U. 84K	T
	I wo blowers per under seat heater. Heaters to be evenly spaced.	Driver's heater B.T.U. Dash	T
Interior Sidewalls	Aluminized (non-painted) panels between hollom of windows and the second	Total B.T.U. 288,600 BTU	Ī
	LED for stop, fall, firm, marker and straktic, the strain of seal rall.	mar proof walls	
Lighting (Exterior)	lights can be turned on without having to open the door. Typical door operation triggering 8-way red light will still function and closing the door.	Mfr. Included with override	
Lighting (Interior)	Driver dome light on separate switch		
Mirrors, Exterior	Power controlled	Included	Γ
Noise Kill Switch	יייייייייייייייייייייייייייייייייייייי	Mfr.	Τ
Doung Doint	nessory master cur-on switch to control noisy accessories.	op. fool	T
ב מאפו בחוווו	Utiver's compartment accessible standard accessory power point plug-in.		
Seat, Driver	High back, fabric insert with two (2) arm rests and air succession	Mfr	T
	יייי (ב) מייין סמיס מווח מוו סמיס מווח מווי סמיס מווח מווי סמיס מווח מווי סמיס מווח מווי סמיס מווח מווייים מיי	1-1-1	7
	72 passenger (minimum leg room). 66 passenger (maximum location)	Model # air w 2 shocks & heat	
Seating Capacity	Minimum leg room measurement27.2	of seat back to front of next seat back measured at	
	29.6	cusnion level	
Seats, Passenger	Convertible seats are the baseline seat for all Type C buses in State.	Included	T
Service Door and Entry Way	Air powered panic-type door (both doors open outward). A minimum three-step entry with two full length handrails (one on the left and one on the right side of stairwell), neithle tread, and		
	integral, nonskid white nosing on step tread. Heated lower step, independently switched.		**************************************
Stop Arm	shadule. Stop shall be in flashing LED lights. The operating mechanism on the stop arm shall be interchangeable with the crossing control arm operating mechanism. There shall be no exposed wiring on the stop arm. The stop arm shall be SMI part # T7000-200-E31 to	Mfr. SMI T7000-200-E31	
Strobe Light	Roof mounted white strobe light to meet state specifications.		T
Vandallocke	Shall be provided. Mechanical Keved alikelone bey for all accounts.	Location 4' from rear	Γ
	must lock.	Included	
	Dark Plexiglas visors installed over driver's side window and driver's windshield area.	papilod	T
SMODUIAA	Windshield tinted. All windows, except thermal paned, shall be tinted.		1
		lucinded	

Wyoming State Price Quote Specification TYPE C -- 72-66 PASSENGER PROPANE

leaning and service Minimum -34°F free Chassis lubrication Check fluid levels, v Interior and exterior All systems (electric proper operation at All components and anufacturer's standa	Whiel stoperator's one copy of the chassis and body manufacturer's owner's/operator's handbook or manual will Handbook be furnished with each bus at time of delivery.		 Minimum -34°F freeze protection coolant Chassis lubrication Check fluid levels, verify all are at recommended full levels Included All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery All components and accessories will be installed and operational at time of delivery 	Manufacturer's standard warranty to include body, chassis, engine and transmission. Body 3yr Chassis	Engine 5yr Transmission 5yr
	me copy of the chassis and body manufacturer's own	be furnished with each bus at time of delivery.	 Minimum -34°F freeze protection coolant Chassis lubrication Check fluid levels, verify all are at recommended full levels Interior and exterior will be clean (including glass) All systems (electric, air, hydrautic, mechanical and manual proper operation at time of delivery All components and accessories will be installed and opera 	lanufacturer's standard warranty to include body, chas	

Wyoming State Price Quote Specification STATE-SUPPORTED OPTIONS TYPE C

	VENDOR SPECIFICALLY IDENTIFY (TEM BID		Cost \$2,000.00	Cost \$11,000.00	Cost Included	Cost \$2,750.00	Cost \$1,200.00	Cost			Cost \$3,700.00 \$4600.00 pro heat		Cost	3		Cost \$7,800.00	Cost \$300.00			Cost \$3,000.00
STATE-SUPPORTED OPTIONS	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right	Mfr. Bendix	Mfr. Carrier/ Trans air		Mfr	Mfr Broom		Solid [2] Tubular				Second	Mfr.	Mfr. SEE II FOIL	[]	I Transmission Cost		Mfr. per window cost	Cubic feet	
ITEM		Air Disc Brakes	Air Conditioner		Š	Back Up Camera/MirrorMfr	Dook Dark	DOUK NACKS	Flat Floor (Special Needs)	olant			Passenger Reading Lights	Rear Air Deflector	Retarder		Compression Brake	Thermo Glass	Under Bus Storage	

Option Package Special Needs - Lift Bus

ITEM	STATE-SUPPORTED OPTIONS	VENDOD SDECIEICALLY IDENTIFY ITEM DID
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	THE PRINCIPLE OF THE PR
Fuel Tank		ocation left hand fill BTR
Heater	Low profile, wall mounted preferred. If heater is floor mounted, it must not interfere with a wheelchair position or track seating.	
Manuals	Manuals and videos for lift and track system, including tie-downs. Driver's and technicians operation and service manuals.	included
Power I iff	incoting to be determined by the little of	Mfr. Ricon
	Location to be determined by school district.	80
Track System		Tie-down mfr. Q Straint
	sell lockling lie-downs shall be provided. Sealing diagram to be determined by the school district.	
,		Package Cost \$14,000.00

Check appropriate bus for this package:

Type A	28/24 passenger, gas engine, dual rear wheel
	28/24 passenger, diesel engine, dual rear wheel 30/24 passenger, gas engine, dual rear wheel
Type C	30 passenger
	(60/54 passenger (Fuel tank may be installed between frame rails behind rear axle or on right hand side.) [5] 66/60 passenger
Type D	Job passanger
	72/66 passenger, FE, 36,000 GVWR 66/60 passenger, RE, 36,000 GVWR 81/78 passenger, RE, 36,000 GVWR

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION

TYPE D (RE) -- 78-75 PASSENGER
Specifications are in addition to Chapter 2. Minimum Standards for

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	ze z, millimidili orandards lor wy	TELEBRONE NUMBER	
I State Truck/ Lewis Bus group	Nick Clawson/ Lance Parker		16LEPHONE NUMBER 800-736-5964/ 877-79	96 6997
ADDRESS	Estimated delivery date to school dis	Estimated delivery date to school district from time purchase order is received:	000-100-0204/	00-028/
4600 S Frontage rd- Billings, MT 59101	Firm where engine and chassis can	Firm where engine and chassis can be serviced or repaired and parts obtained:		July if by Jan. 1,2017
1260 S 500 West- SLC, Utah 84101	Firm where body can be serviced or repaired and parts obtained:	repaired and parts obtained:		State/ Lewis
一方 とうない こうしゅうかい 一方 かいしょう	RODV		18	State/ Lewis
MANUFACTURER: Thomas	Overall vehicle length:	78 passenger (minimum leg room)	26.5	inches
MODEL 141YS YEAR 2018	475.4 Inches	75 passenger (maximum leg room)	29.8	
	Rear body overhang:	List method used to measure these distances:	000	front of seat back to front
	115.4 Inches	Seat color: Blue	of next at cushion level	shion level
Warranty: 1 Years unl Miles		Floor color: Grey		
	CHASSIS	S	The state of the s	
	Warranty:		Front axle capacity:	13200
	rears Miles		Rear axle capacity:	23000
MODEL	Wheelbase:		Rear axle ratio	50200
141YS 2017	277 Inches			0.20
TRANSMISSION	250		ENGINE	
MANOPACIOREX	Warranty:	MANUFACTURER		
Allison	100		Cummins	
MODEL YEAR	Mies	MODEL	YEAR	
	Speeds forward: 6	ISL9	WIANG	2017 EPA
QUOTED PRICE Quoted price is based upon payment \$115.938.00	\$115.938.00 78 Passenger			1400
to the school district	o rassenger	5 Years 100K Miles	H.P.: 300 C.I.D.: 8.9	@ 2200 RPM
effective until \$115,788.00 April 1, 2017.	\$115,788.00_75 Passenger			
Willy Bran	905/15/11			
VÉNDOR REPRESENTATIVE'S SIGNATURE	DATE			

Wyoming State Price Quote Specification TYPE D (RE) -- 78-75 PASSENGER

	GVWR	Separator	Fuel/Water	tromuce coall based			Frame		in garde	Engine Heater		Engine)		Cooling System	Compressor	Brakes		Battery(les)		Axle Ratio	Axle Oil Seals	Axle-Rear	Axle-Front	, 5000	Allemator		Air Tanks		Air Dryer		ITEM
	36,000 lb. GVWR minimum.	dash mounted water and fuel warning lights.		100 gallon minimum.		F70-300 III. WILEBIDASE.			i actory installed engine manufacturer's recommended in-block heater. Body plug on cowl.	and sampipo.	у	- o		. The separation capacity. Fall clutch, Long life coolant must be provided.	Heavy duty maximum capacity Capacity Capacity		Front - 16.5 x 6 Rear - 16.5 x 8.62		Two-8D on roller bearing tray, 12 volt to be mounted in hardy hatteny compared	in gradeability formula.		Front and rear. Wet design with sight place in front	23,000 lb. minimum.	13,200 lb. minimum with grease type drag link and tie rod ends	270 allip minimum, capable of 120 amp output at idle.	970		4,740 cu. In. minimum with automatic heated air drain on wet tank	CHAIR CONTRACTOR OF THE CONTRA	Heated air dryer with spin-off replaceable cartidos	Vendor must meet or exceed these specifications.	STATE-SUPPORTED SPECIFICATIONS
OVYV	CYMAID	Mfr.	Capacity	Kear Overhang	RBM rating	Frame thickness	Height 10	Mfr.	Watts		Net torque 860	Model or liters	Mfr	Capacity in quarts	Cubic feet	Size	CCA	Number of batteries	Size or group		Mfr.	Capacity	Capacity	Maximum output	Mír.		1 2		Mfr.	C Swell to early		VENDOR SPEC
36200	ig is	included w/ light	100 Gallon	115.93"	110,000 psi	1/4"	Width 3.5	Phillips	1500	2200	@ 1400 R P M	Continuity		42 f	_,	16.5X6, 16.5x85/8	2250	two	8-D	5.29	AAC	23000	13200	270 amps	leece- Neville	6480 Total	3 4 5	Tank capacity	Bendix	rice of items bid will establish the state cost.	District Control of the BID	

Wyoming State Price Quote Specification TYPE D (RE) --- 78-75 PASSENGER

	Floor	Emergency Exits	Emergency Equipment	Dimensions	Child Check System	Certificate Holder	Padding	Refow Window	Audio System	I N		Wheels		Transmission	lires	Rear Suspension		Hour Meter	Cruise Control	ITEM High Idle and
in and were morally stall be provided.		As per state specifications with a three-point door latch system for side emergency door. Glass guard over bottom window of emergency door. Roof hatches shall be static vent type without opening. No seat, or portion of seat, may intrude into side emergency exit door, if so equipped.	A metal, sealed box shall be provided for the first aid kit and the body fluid kit. A heavy-duty metal bracket shall be provided for the fire extinguisher(s). Fire extinguisher(s) shall have a drawn steel cylinder with all metal valve. Each fire extinguiser shall have a total rating of 3A40BC or greater.	1	System to arm after the red loading lights are used. Disarm button to be in the rear of bus. System to sound alarm (horn) and flash headlights if driver exits without disarming in the rear of bus.	Mounted above windshield for legal documents.	Must be provided.	I WO lans, six inch minimum, mounted to right and left windshield area.	ikers to be evenly	STATE-SUPPORTED SPECIFICATIONS		Six, 22.5 x 8.25 center hub piloted disc wheels. 7,300 lb. minimum load rating.		Automatic - PTS 3000 six-speed. Oil level sensor to be included.	Six, 11R22.5 load range H. Front - Highway tread. Rear - Traction tread.	eveling valves and	23 000 lb minimum CVW six six	Mounted in dash panel	programmed to meet state specifications of 75 mnh	STATE-SUPPORTED SPECIFICATIONS Both shall be provided with statics control
included			included	Height 78"	in the included	included	padded shoulder rail	Mfr. two fans	Number of speakers 8	VENDOR SPECIFICALLY IDENTIFY ITEM BID	Kim width 8.25	22.	Net input HP 300 max	Net Input torque 950 max	Tread design steer/ traction	Capacity Hendrickson 23k LB air suspension	included		included	VENDOR SPECIFICALLY IDENTIFY ITEM BID

Wyoming State Price Quote Specification TYPE D (RE) -- 78-75 PASSENGER

	Windows	Visors	Vandal Locks	Strobe Light	Stop Arm	Service Door and Entry Way	Seats, Passenger		Seat, Driver	rower roint	Noise Kill Switch	Mirrors, Exterior	Lighting (Interior)	Lighting (Exterior)		Interior Sidewalls			neaters				ITEM
		Dark Plexiglas visors installed over driver's side window and driver's windshield and	must lock.	 Roof mounted white strobe light to meet state specifications.	shall be interchangeable with the crossing control arm operating mechanism on the stop arm no exposed wiring on the stop arm. The stop arm shall be SMI part # T7000-200-E31 to include the electronic servo latch.	⊒g two	Convertible seats are the baseline seat for all Type D buses in State.	п).		Power point socket installed in driver's switch panel. 12 volt.	(r)		Driver dome light on separate switch.	lights can be turned on without having to open the door. Typical door operation triggering 8-way red light will still function and closing the door will still cancel lights.	ED for ston, toll the seat rail.	Aluminized (non-painted) panels hetween bottom of mindom	ment accessible noin driver's seat. Heaters to be evenly spaced.	valve to control cable heat accessible formula to be one-ply Goodyear High Miler hose. A ball	fans and two blowers. Must include recirculating pump. Shut-off ball type valves at engine	seat heaters, one under driver's seat heater - 12,000 B.T.U. All heaters to have two special	One, 90,000 B.T.U. minimum front heater/defrester Three go non B.T.I.	SIAIE-SOPPORIED SPECIFICATIONS	STATE SUBSCIENCE BODY
Hichaged	included		ided	 Location 2nd sec from rear	Mír. SMI T7000-200-E31	included	included	air w/ 2 shocks & heat custine air w/ 2 shocks & heat custances from or seat back to front of seat back at cushion level		included	MIT. Rosco	included		Mfr. Included w/ override	mar proof walls	Total B.T.U. 357,000	Driver's heater B.T.U. 15000	Rear B.T.U. 84000	Center B.T.U. 84000	Right-front B.T.U. 84000	Left-front B.T.U. 90000	VENDOR SPECIFICALLY IDENTIFY ITEM BID	

Wyoming State Price Quote Specification TYPE D (RE) -- 78-75 PASSENGER

		Warranty			Cleaning	Service and				Handbook	Owner's/Operator's	Sheet		Line Setting Ticket/	
	manager a standard warrainty to include body, chassis, engine and transmission.	Manufacturer's standard imposts to include the	proper operation at time of delivery	All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure	Interior and exterior will be clean (including glass)	Check fluid levels, verify all are at recommended full levels	Chassis lubrication	Minimum -34°F freeze protection coolant	Cleaning and service by vendor prior to delivery will include:	be furnished with each bus at time of delivery.	Owner's/Operator's One copy of the chassis and body manufacturer's owner's/operator's handbook or manual will	will be delivered with each vendor's packet at the time of delivery of the bus.	Legible copy of manufacturer's line setting licket or itemized build sheet for chassis and body	Control of the second of the s	ADDITIONAL REQUIREMENTS - CHASSIS AND BODY
Engine byr		Warranty Period													
Transmission	1				included					included		inciuded	-		2
5yr	1уг														

Wyoming State Price Quote Specification STATE-SUPPORTED OPTIONS TYPE D

	Under Bus Storage Cubic feet		Ke	Engine Exhaust & Mfr	Retarder Mfr.	Rear Air Deflector Mfr.		Passenger Reading Mfr	Heated Steps [기 Second	Fuel-Fired Coolant Mfr.		Fiat Floor	Crossing Arm Mfr.	Book Racks Solid	Backup Camera/Mirror Mfr.	Automatic Tire Chains Mfr.	Air Suspension Mfr.	All Coriationer Mir.				ITEM	160
	129	Per window	i urbo Exnaust brake		Allison	See II Foil	raggiacks required			Webasto/ Pro heat is \$900 add on 45K BTU	From front wheelhouses to rear.	78300	SMC	✓ Tubular	Rosco		Neway	Carrier/Transair SUTRAK A/C, Heat System	Bendix	Item bid shall be specified in column to right.	Vendor must meet or exceed these specifications.	STATE-SUPPORTED OPTIONS	
COS(\$0,500,00		Cost \$250.00	Cost \$300.00	#1,000.00	Cont	Cost \$650.00	Cost \$1,800.00	Cost \$550.00		Cost \$3,700.00 \$4500.00 00 00 000	Cost \$13,000.00	Cost sscroo	Cost \$1,500.00	\$1,2	ale.			\$44 500 00	Cost \$2 nnn nn		VENDOR SPECIFICALLY IDENTIFY ITEM BID		

Special Needs - Lift Bus **Option Package**

AND OFFICIAL PRICE QUOTATION VEHICLE DATA SHEET

Specifications are in addition to Chapter 2 Minimum Standards

VENDOR'S COMPANY NAME	Specifications are in addition to Chapter 2, Minimum Standards for Wyoming School Buses.	r 2, Minimum Standards for Wyo	ming School B	Buses.		
NT LEASING OF WY, INC	REPRESENTATIVE'S NAME JERRY STOLL	TELEPHO	TELEPHONE NUMBER	000		ĺ
ADDRESS	Estimated delivery date to code	of the first free free free free free free free fre		1-800-442-3286		
	בסווויומוכת תבוואפול תפופ זון צמונסטן מו	commission delivery date to scribbl district from time purchase order is received:	seived:	180-210 DAYS AFTER RECIEPT OF ORDER	ER RECIEPT OF	ORDE
CO BOX 63	Firm where engine and chassis can	where engine and chassis can be serviced or repaired and parts obtained:	blained:	LOCAL	LOCAL DEALER	
CASPER, WY 82602	Firm where body can be serviced or repaired and parts obtained;	r repaired and parts obtained;				
の 多 ののとはのなっちののではないというというのはない	RODY			ELDER-CASPER, PERRY'S-RIVERTON HALLER'S-CHEYENNE	PERRY'S-RIVE	TENNE
MANUFACTURER: BLUE BIRD		78 monocond / July 1				
MODE	Overall venicle length:	o passenger (minimum reg room)		LS=24", RS=23"	inches	+
TEAK	489.25 Inches	75 passenger (maximum leg room)		LH=24", RS=25.5"	inches	#1"
T3RE 4006 2018	Rear body overhang:	List method lised to measure these distancers	dietancor.	FROM FRONT OF SEAT BACK AT	OF SEAT BAC	X AT
	122 Inches	Seat color. GREY	HIPS	HIPS TO BACK OF SEAT BACK AT	AT BACK AT	
Warranty: 1 Years 12000 Miles			KNEES, ME	KNEES, MEASURED FROM CENTER OF SEAT	CENTER OF	FAT
一日本の一日の日本の日本の大田の大田の一日の日本の大田田の	CHARRIE		1			
MANUFACTURER			-			X
COR	Warranty.		Front axle capacity:	apacity:	13,200	
	1 Years		Rear axle capacity:	apacity:	23,000	
	12,000 Miles		GVWB.		36 200	
MODEL	Wheelbase			ı	30,200	
T3RE 4006 2018	273 Inches		Kear axie ratio:	III.	5.29	
TRANSMISSION	1000		1			
MANUFACTURER	Warranty:	MANUFACTURER	ENGINE			
ALLISON	C Legis					
MODEL	ONLIMITED MILES	MODEL	COM	COMMINS		
PTS 3000 2017	Speeds forward: 6	67		TEAK 2(2017	
QUOTED PRICE		Warranty:	Torque:	96n @	1400	RPM
Quoted price is based upon payment upon delivery to the school	\$123,500.00 78 Passenger	5 Years	H.P.		2000	RPM
	\$123,300.00 75 Passenger	100,000 Miles	CID:	506	1	
*81 Passeng	available.		-			
10.0	11-14-11					
VENION REPRESENTATIVE'S SIGNATURE	DATE					

Wyoming State Price Quote Specification TYPE D (RE) -- 81-78 PASSENGER

ITEM	STATE-SUPPORTED EDECITION STATES	
	Vendor must meet or exceed these specifications	VENDOR SPECIFICALLY IDENTIFY ITEM BID
Air Drver	Healed air dayer with the control of the specified in column to right.	Price of items bid will establish the state cost.
	Todas di ayei will spin-on replaceable cartridge.	Mfr.
Air Tanks	4,740 cu. in. minimum with automatic heated air drain on most to-1	Tank
	wet lank,	2
Alternator	270 amp minimum, capable of 120 amp output at idia	
Axle-Front	13.200 lb minimum with account of the control of th	imum outout
Axle-Rear	23.000 lh minimum	
Axle Oil Seals	design with eight alean	
Axle Ratio	Axle ratio to be chosen at award of hid - Mind - 11.	SCC
	with power and gradeability formula	5.29 WITH
Battery(ies)	Two-8D on roller bearing tray, 12 volt to be mounted in hady hattery commended.	Size or group 8D
	Tuewing from the state of the s	Number of batteries 2
Brakes	Front - 16,5 x 6 Rear - 16.5 x 8.62	CCA 2600
Compressor	13.5 cu. ft. minimum.	Size
Cooling System	Heavy duty, maximum capacity. Fan clutch I one life confirm	c feet
	Piesel - 300 LD minimus on	APS
Engine	System canable of chading at 80 c.	Mfr. CUMMINS
)	factoring expensions and the Engine temperature controlled by thermostat and/or by	ers
	in the situation of 2013 EPA certified and compliant as measured from the tailpipe.	lue 860 @ 1
Engine Heater	Factory installed engine manufactured	300 @ 2000
		vvaits 1000
ا		Height 9 5/8" Width 3"
гате	270-303 inch wheelbase.	thickness 25"
		980,000 IN LB PE
Fuel Tank	100 gallon minimum.	Rear Overhang
Fuel/Water	To come backed	Capacity 100 GALLON
Separator	second water separator with dash mounted water and fuel warning lights.	Mfr. RACOR
Y4440	SO, UUD ID. GVWK MINIMUM.	GVWR

Wyoming State Price Quote Specification TYPE D (RE) -- 81-78 PASSENGER

The state of the s		
ITEM	STATE-SUPPORTED SPECIFICATIONS	TATALAN CANADA
High Idle and	Both shall be provided with cruise control	VENDOR SPECIFICALLY IDENTIFY ITEM BID
Cluise Control	programmed to meet state specifications of 75 mph.	APS
Tour IMeter	Wounted in dash panel.	ADS
Rear Suspension	23,000 lb. minimum GVW air-ride suspension equipped with one or two leveling valves and heavy-duty, double-acting shock absorbers.	Capacity 23.000
Tires	Six, 11R22.5 load range H. Front - Highway tread. Rear - Traction tread.	sign
Transmission	Automatic - PTS 3000 six-speed. Oil level sensor to be included.	ent
Wheels	Six, 22.5 x 8.25 center hub piloted disc wheels. 7,300 lb. minimum load rating	Net Input HP 300 Size 22.5
	BODY	Rim width 8.25
ITEM	RED SPECIFICA	VENINOB SPECIFICALLY INTERESTINATION
Audio System	AM/FM/PA radio with one exterior speaker and maximum interior speakers to be evenly spaced. Factory installed.	Number of speakers 8 1/S 1 0/S
Auxiliary Fans	Two fans, six inch minimum, mounted to right and left windshield area	
Below Window Padding	Must be provided.	DCM APS
Certificate Holder	Mounted above windshield for legal documents	
Child Check System	System to arm after the red loading lights are used. Disarm button to be in the rear of bus. System to sound alarm (horn) and flash headlights if driver exits without disarming in the APS rear of bus.	APS
Dimensions	Headroom: Minimum 77 inches.	
Emergency Equipment	A metal, sealed box shall be provided for the first aid kit and the body fluid kit. A heavy-duty metal bracket shall be provided for the fire extinguisher(s). Fire extinguisher(s) shall have a drawn steel cylinder with all metal valve. Each fire extinguiser shall have a total rating of 3A40BC or greater.	APS
	As per state specifications with a three-point door latch system for side emorganic door	
Emergency Exits	Glass guard over bottom window of emergency door. Roof hatches shall be static vent type without opening. No seat, or portion of seat, may intrude into side emergency exit door, if so equipped.	Roof hatch mfr. TRANSPEC TRIPLE VALUE Model #
Floor	and cove molding shall be provided	Ç
		APS

APS=AS PER SPECIFICATION

Wyoming State Price Quote Specification TYPE D (DE)

Wyoming Department of Education Pupil Transportation Office (307) 777-6984	Wyoming State Price Quote Specification TYPE D (RE) 81-78 PASSENGER	APS≃AS PER SPE
And the second s	Section 2. Company of the company of	
	The second secon	

Left-front B.T.U. 50 000
T.U.
Rear B.T.U. 100,000
iter B.T.U.
Total B.T.U. 352,000
APS Mfr. GRS TRIICKLITE SOLIND OFF
APS
Mfr. MIRROR LITE
APS
IN DRIVER'S AREA MATIONAL
Model # NS 2000
FROM FRONT OF SEAT BACK AT HIPS TO BACK OF SEAT BACK AT KNEES MEASURED FROM
CENTER OF SEAT.
APS
APS
Mfr. SMI
ocation 4' FROM REAR OF BUS
APS
APS

APS=AS PER SPECIFICATION

Wyoming State Price Quote Specification TYPE D (RE) -- 81-78 PASSENGER

· Wyoming Department of Education

Pupil Transportation Office

(307) 777-6984

12/12000 12/12000 Chassis APS APS APS Narranty Parrod Body One copy of the chassis and body manufacturer's owner's/operator's handbook or manual will Legible copy of manufacturer's line setting ticket or itemized build sheet for chassis and body ADDITIONAL REQUIREMENTS - CHASSIS AND BODY All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure All components and accessories will be installed and operational at time of delivery Manufacturer's standard warranty to include body, chassis, engine and transmission. will be delivered with each vendor's packet at the time of delivery of the bus. Check fluid levels, verify all are at recommended full levels Cleaning and service by vendor prior to delivery will include: Interior and exterior will be clean (including glass) be furnished with each bus at time of delivery. ■Minimum -34°F freeze protection coolant proper operation at time of delivery Chassis lubrication Line Setting Ticket/ Owner's/Operator's Itemized Build Service and Handbook Cleaning Sheet Warranty

60/UNL

60/100000 Transmission

Engine

Wyoming State Price Quote Specification STATE-SUPPORTED OPTIONS TYPE D

STATE STIDEOPATES CARROLL STATES	Vendor must meet or exceed these specifications. Item bid shall be specified in ordinary.	Mfr. BENDIX		Mir. CARRIER	Mfr. HENDRICKSON	Mfr.		File:		Mir. SMI Model # VARIES Cost	From front wheelhouses to rear.	Mfr. WEBASTO	S3,650.00 Cost \$3,650.00		Mfr. PRETORIA	Mfr. BLUE BIRD FULL WIDTH		П	ike Mit. Cost Stranger	Mfr. SPECTAL	Г		Cubic feet 154
		Mfr.		MIT.	Mfr.		Mfr	Collet		MIT	From fron	Mfr.	Second		Mfr.	Mfr.	Mfr.		Mfr.	Mfr.	P. Pla face	1701	Jane Sign
ITEM		Air Disc Brakes	Air Conditioner	Ail Coliminoner	Air Suspension	Automatic Tire Chains	Back Up Camera/Mirror Mfr.	Book Racks	Crossing Arm	Clossing Alm	Flat Floor (Special Needs)	Fuel-Fired Coolant Heater	Heated Sleps	Passenger Reading	Lights	Rear Air Deflector	Retarder	Engine Exhaust &	Compression Brake	Thermo Glass	Under Bus Storage		Shows and the

APS=AS PER SPECIFICATION

Special Needs - Lift Bus **Option Package**

You mild Department or Education Pubil Transportation Office	Option Package	APS=AS PER SP
(307) 777-6984	Special Needs - Lift Bus	

ITEM	STATE-SUPPORTED OPTIONS	VENDOD ODFORMATIVE AND
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to doth	VENDOR SPECIFICALLY IDENTIFY ITEM BID
Fuel Tank		
Heater	Low profile, wall mounted preferred. If heater is floor mounted, it must not interfere	DE I WEEN FI
	Manuale and videon for life and videon for lif	Location
Manuals	regions and videos for fit and track system, including tie-downs. Driver's and technicians operation and service manuals.	APS
-		
Power Lift	Location to be determined by school district	Mfr. RICON
		Model# S5010 Lift 800
	Full length 4-track system track flooring and track mounted and its	capacity
	wheelchair can legally be secured. The bus shall be fully seated. Track to be mounted	
Track System	to the floor using corrosion resistant fasteners. One set of automatic self tensioning.	Tie-down Q
-	self locking tie-downs shall be provided. Seating diagram to be determined by the	mfr. STRAINT
	school district.	
		Package Cost \$14,850.00

Check appropriate bus for this package:

•	q	ľ
	d	7
	č	
	5	
Ì	_	

Tvne	LJ 20/24 passenger, gas engine, dual rear wheel 28/24 passenger, diesel engine, dual rear wheel 30/24 passenger, gas engine, dual rear wheel	
	 □ 30 passenger □ 42/36 passenger □ 66/59 passenger □ 66/60 passenger □ 72/66 passenger 	on right hand side.)
Туре D	☐ 72/66 passenger, FE, 36,000 GVWR ☐ 66/60 passenger, RE, 36,000 GVWR	etti, sast

VEHICLE DATA SHEET AND OFFICIAL R. E QUOTATION

TYPE D (RE) -- 81-78 PASSENGER

RPM RPM 4055 Seat center to seat center Steve's Truck Repair 14,000 Steve's Truck Repair 23,000 37,000 5.57 2000 1300 90% 120-180 days inches Inches 2018 0 0 28.98R 28.75L 800-450-1767 31.2R 28.75L 300 880 Front axle capacity: Rear axle capacity: YEAR Cummins Specifications are in addition to Chapter 2, Minimum Standards for Wyoming School Buses. Rear axle ratio: ENGINE TELEPHONE NUMBER GVWR: Torque: ist method used to measure these distances; C.I.D.: H.P. Firm where engine and chassis can be serviced or repaired and parts obtained: Estimated delivery date to school district from time purchase order is received: 60 passenger (maximum leg room) 66 passenger (minimum leg room) Years Unlimited Miles L9 300 Firm where body can be serviced or repaired and parts obtained; S Gray Blue MANUFACTURER Seat color. Floor color. Warranty: MODEL Justin Hageness CHASSIS BODY Inches Inches 9 Years Inches Years Unlimited Miles Unlimited Miles REPRESENTATIVE'S NAME 407/17 DATE Overall vehicle length: 506 120 303 Rear body overhang: e Speeds forward: \$116,917.00 78 Passenger \$117,008.00 81 Passenger Wheelbase: Warranty: Warranty: VENDOR REPRESENTATIVE'S SIGNATURE QUOTED PRICE TRANSMISSION Miles 2018 2018 2018 IC Corp by International 2571 Massey Avenue Sheridan, WY 82801 Unlimited Harlow's Bus Sales YEAR YEAR Allison Quoted price is based upon payment upon delivery to the school district 5 Years (without sales tax). Price to be effective until VENDOR'S COMPANY NAME 3000 MANUFACTURER: IC 띪 뿞 MANUFACTURER MANUFACTURER April 1, 2016. Warranty: ADDRESS MODEL MODEL MODEL

Wyoming State Price Quote Specification TYPE D (RE) -- 8 8 PASSENGER

ITEM	STATE-SUPPORTED SPECIFICATIONS	
-	Vendor must meet or over 1	VENDOR SPECIFICALLY IDENTIFY ITEM BID
Z-14	Item bid shall be specified in column to right.	Price of items bid will establish the state cost.
Air Diyer	Heated air dryer with spin-off replaceable cartridge.	Mfr. Bendiy AD-19
Air Tanks	4.740 cu. in. minimim with automotic hooted of decired	Tank
	will adjoin the feet all drain on wet tank.	2
Alternatur	700	3783 1000
lorginos, ,	amp minimum, capable of 120 amp output at idle.	
Axle-Front	13,200 lb. minimum with grease type drag link and tie rod ende	n output
Axle-Rear	23,000 lb. minimum.	
Axle Oil Seals	Front and rear. Wet design with sight glass in fact	Capacity 23,000
Axle Ratio	Axie ratio to be chosen at award of his Minsternation.	Mfr. Stemco
	wind bower and gradeability formula.	APS
Battery(ies)	Two-8D on roller bearing tray, 12 volt to be mounted in body battery compartment.	Size or group 12 Volt 8D
		od of Datieres
Brakes	Front - 16.5 x 6 Rear - 16.5 x 8 62	
Compressor	E E	Size Frt - 16.5x6 Rr - 16.5x8
Cooling System	n repositiv Englater	Cubic feet 13.2
	Tong life coolant must be provided.	acity in quarts 36
1 2 3 3 3	Diesel - 300 HP minimum, 860 lbs. feet torque minimum, in-line six cylinder, cold starting	Mfr. Cummins
ב ב	system capable of starting at 0°F. Engine temperature controlled by thermostat and/or by	Model or liters L9 300
	ran. Engine shall be 2013 EPA certified and compliant as measured from the tailpipe.	que 860 @ 1300
Engine Heater	Factory installed engine manufacturer's recommended in-block heater. Body alva and and and and and and and and and an	Wet HP 300 @ 2000 R.P.M. Watts 1000
	Control of the production of t	Mfr. Cummins
, in the second		.125 Widt
0	Z/U-3U3 inch wheelbase,	Frame thickness
		RBM rating 50,000
Fuel Tank	100 gallon minimum.	Rear Overhang 120
Fuel/Water		Capacity 105
Separator	Heated water separator with dash mounted water and fuel warning lights.	Mfr. Cummins
GVWR	36,000 lb. GVWR minimum.	
		GVWR 36,220

Wyoming State Price Quote Specification TYPE D (RE) - 8 8 PASSENGER

ITEM	CHASSIS STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY INFARTIEVITEM BID
High Idle and Cruise Control	with cruise control ate specifications of	APS
	Mounted in dash panel.	Sdy
Rear Suspension	23,000 lb. minimum GVW air-ride suspension equipped with one or two leveling valves and heavy-duty, double-acting shock absorbers.	Capacity 23,000
	Six, 11R22.5 load range H. Front - Highway tread. Rear - Traction tread.	Tread design Hwy Frt/Traction Rear
Transmission	Automatic - PTS 3000 six-speed. Oil level sensor to be included.	Net input torque 860
	Six, 22.5 x 8.25 center hub piloted disc wheels. 7,300 lb. minimum load rating.	22.5
	AGOS	Rim width 8.25
┰		VENDOR SPECIFICALLY IDENTIFY ITEM BID
Audio System	shows wire station with one exterior speaker and maximum interior speakers to be evenly spaced. Factory installed,	Number of speakers 8
	Two fans, six inch minimum, mounted to right and left windshield area.	Mfr. Berastrom
Below Window Padding	Must be provided.	AP
Certificate Holder	Mounted above windshield for legal documents.	SAA
Child Check System	System to arm after the red loading lights are used. Disarm button to be in the rear of bus. System to sound alarm (horn) and flash headlights if driver exits without disarming in the rear of bus.	APS
Dimensions	Headroom: Minimum 77 inches.	Height 78"
Emergency r Equipment	A metal, sealed box shall be provided for the first aid kit and the body fluid kit. A heavy-duty metal bracket shall be provided for the fire extinguisher(s). Fire extinguisher(s) shall have a drawn steel cylinder with all metal valve. Each fire extinguiser shall have a total rating of 3A40BC or greater.	APS
Emergency Exits	As per state specifications with a three-point door latch system for side emergency door. Glass guard over bottom window of emergency door. Roof hatches shall be static vent type without opening. No seat, or portion of seat, may intrude into side emergency exit door, if so equipped.	Roof hatch mfr. Transpec #1175
	Aisle trim and cove molding shall be provided.	APS

Wyoming State Price Quote Specification TYPE D (RE) - 8 8 PASSENGER

ITEM	STATE-SUPPORTED SPECIEICATIONS	
Heaters	One, 90,000 B.T.U. minimum front heater/defroster. Three, 80,000 B.T.U. minimum under seat heaters, one under driver's seat heater - 12,000 B.T.U. All heaters to have two-speed fans and two blowers. Must include recirculating pump. Shut-off ball type valves at engine for supply and return lines. All heater hose to be one-ply Goodyear High Miler hose. A ball valve to control cabin heat accessible from driver's seat. Heaters to be evenly spaced.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Left-front B.T.U. 84500 Right-front B.T.U. 50000 Center B.T.U. 84500 Driver's heater B.T.U. 14000
Interior Sidewalls	Aluminized (non-painted) panels between bottom of windows and top of seat rail.	Total B.T.U. APS
Lighting (Exterior)	lights can be turned on without having to open the door. Typical door operation triggering 8-way red way red light will still function and closing the door will still cancel lights.	Mfr. Truck Lite and Sound Off
Mirrors, Exterior	Driver dome light on separate switch. Power controlled	APS
Noise Kill Switch		Mfr. Rosco
Power Point	Power point socket installed in driver's switch panel. 12 volt.	APS
Seat, Driver	High back, fabric insert with two (2) arm rests and air suspension.	Mfr. National
Seating Capacity	81 passenger (minimum leg room), 78 passenger (maximum leg room). Minimum leg room measurement Maximum leg room measurement	Model # 2000 List method used to measure these distances: Seat center to seat center
Seats, Passenger	Kick panel mounted below right front barrier. Fire block upholstery. Corrosion resistant bolts used for floor mounting.	APS
Service Door and Entry Way	Air powered panic-type door (both doors open outward). A minimum three-step entry with two full length handrails (one on the left and one on the right side of stairwell), pebble tread, and integral, nonskid white nosing on step tread. Heated lower step, independently switched.	APS
Stop Arm	Electric. "Stop" shall be in flashing LED lights. The operating mechanism on the stop arm shall be interchangeable with the crossing control arm operating mechanism. There shall be no exposed wiring on the stop arm. The stop arm shall be SMI part # 17000-200-E31 to include the electronic servo latch.	Mfr. Transpec/Specialty
Strobe Light	o meet state specifications.	Location Rear
Vandal Locks	Shall be provided. Mechanical. Keyed alike/one key for all accesses. All outside openings must lock.	off. Speciality
	Dark Plexiglas visors installed over driver's side window and driver's windshield area.	O T. C
AVINDOWS	Windshield tinted. All windows, except thermal paned, shall be tinted.	APS

Wyoming State Price Quote Specification TYPE D (RE) -- 8 / 8 PASSENGER

line Cotting Tieles	ADDITIONAL REQUIREMENTS - CHASSIS AND BODY			
thire Setung Ticker Itemized Build Sheet	Itemized Build Legible copy of manufacturer's line setting ticket or itemized build sheet for chassis and body will be delivered with each vendor's packet at the time of delivery of the bus.		APS	
Owner's/Operator's Handbook	Owner's/Operator's One copy of the chassis and body manufacturer's owner's/operator's handbook or manual will Handbook be furnished with each bus at time of delivery.		APS	
	Cleaning and service by vendor prior to delivery will include:			
	■ Minimum -34°F freeze protection coolant			**************************************
	Chassis lubrication			
Service and	Check fluid levels, verify all are at recommended full levels			
Cleaning	■ Interior and exterior will be clean (including glass)		APS	
	Manual Manual (electric, air, hydraulic, mechanical and manual) be inspected to ensure			
	proper operation at time of delivery			
	MAII components and accessories will be installed and operational at time of delivery			
Morroth		Warranty Period	Period	
THEIR	Manuaciurer's standard Warranty to include body, chassis, engine and transmission.	Body	5 yr limited Chassis	1 yr unlimited
		Engine	5 yr unlimited Transmission	3 yr unlimited
				,

Wyoming State Price Quote Specification STATE-SUPPO FED OPTIONS TYPE D

TEM		STA	STATE-SUPPORTED OPTIONS	OPTIONS				
***************************************		Vendor must	Vendor must meet or exceed these specifications.	these specific	ations.	3	VENDOR SPECIFICALLY IDENTIFY ITEM BID	ENTIFY ITEM BID
		Item bid si	Item bid shall be specified in column to right.	n column to r	ight.			
Air Disc Brakes	Mfr.							
Air Conditioner	Mfr. IO	IC/TransAir				Cost	N/A	
Air Suspension	Mfr.	Hendrickson Airtot				Cost	\$17,000.00	
Automatic Tire Chains	Mf	On Snot Chains		Front	L Rear L Both	Cost	\$600.00	Rear Air included
Back Up Camera/Mirror Me-		chor Chaills				Cost	\$2,700.00	
Book Racke			Rosco			Cost	\$1,200,00	
Crossin Area		(1) Tubular				Cost	\$6,600 open/solid	\$3,800 tubular
THE BURSON	WIIT.			-	Model #	Cost	N/A	
(Special Needs)	From front wh	From front wheelhouses to rear.				Cost	AW	
Fuel-Fired Coolant							100	
Heater	IVIII.	Espar			BTU	Cost	\$2,200.00	
Heated Steps	Second				000,71			
Passenger Reading	Mfr. SA	SMI Global				Sost	N/A	
						Cost	\$2,450.00	
Rear Air Deffector	Mfr. SE	SEE II				Cost	\$575.00	
Retarder	Mfr.							
Engine Exhaust &	Mfr				Linveline Transmission	Cost	NIA	
Compression Brake			Cum	Cummins		Cost	000\$	
I hermo Glass	Mfr. He	Hehr				Cost	\$ADD OD	1
Under Bus Storage	Cubic feet			143			00:001	per sasn
				24.		Cost	\$4,600.00	

Option Ckage Special Needs - Lift Bus

ITEM	STATE-SUPPORTED OPTIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	
Fuel Tank		Location BTR
Heater	Low profile, wall mounted preferred. If heater is floor mounted, it must not interfere with a wheelchair position or track seating.	Location Floor Mounted
Manuais	Manuals and videos for lift and track system, including tie-downs. Driver's and technicians operation and service manuals.	APS
Dower I if	I confirm to the description of the second property of the second pr	Mfr. Braun/Ricon
	Focation to be detaillined by school district.	Model # NL919/ Lift 800
Track System	Full length 4-track system, track flooring and track mounted seats in any area where a wheelchair can legally be secured. The bus shall be fully seated. Track to be mounted to the floor using corrosion resistant fasteners. One set of automatic self tensioning, self Tie-down mfr. locking tie-downs shall be provided. Seating diagram to be determined by the school district.	O-Straint o
		Package Cost \$15,000.00

Check appropriate bus for this package:

Type A

D 28/24 passenger, diesel engine, dual rear wheel ☐ 30/24 passenger, gas engine, dual rear wheel ☐ 30 passenger Type C

☐ 28/24 passenger, gas engine, dual rear wheel

(Fuel tank may be installed between frame rails behind rear axle or on right hand side.) ☐ 60/54 passenger O 42/36 passenger

☐ 66/60 passenger

☐ 72/66 passenger

Type D

☐ 72/66 passenger, FE, 36,000 GVWR

66/60 passenger, RE, 36,000 GVWR
 81/78 passenger, RE, 36,000 GVWR





Prepared For:

UINTA COUNTY SCHOOL DISTRICT #4
129 2ND STREET

MOUNTAIN VIEW, WY 82939

Prepared By: LANCE PARKER 801-232-5495 LANCE@LEWISBUSGROUP.COM

Quote Number:Quote Date:Customer Order No:3459838/15/2018Uinta #4 HDX ROUTE

Model Profile: Saf-T-Liner HDX 141YS

Product Type: School Transportation

Year: 2019
Chassis Model: CHSY
Chassis MFG: THOMAS
GVWR: GVWR
Passenger Capacity: 75
Headroom: 78
Wheelbase: 277

Brake Type: AIR W/REAR AIR SUSPENSION (23K

Engine Type: CUMMINS L9 300 DIESEL, 6 Cyl, 300 HP, 2200 RPM

Fuel Type: DIESEL Fuel Tank Capacity: 100

Transmission Type: ALLISON PTS 3000R Axle, Front: 13200-lb Capacity Axle, Rear: 23000-lb Capacity

Tires, Front: MICHELIN 11R22.5 16(H) PLY XZE2
Tires, Rear: MICHELIN 11R22.5 16(H) PLY XDN2

Suspension Front: 13,200

Suspension Rear: AIRLINER 23,000 LB. REAR SUSPENSION

Total for 1 complete unit(s): WYOMING BASE PRICE \$115,788.00

Delivery Cost:

Includes the Following Equipment:

BODY

ACCESSORIES

- 1 [B241000000] ACRYLIC VISOR LEFT SIDE
- 1 [B552300000] PROP ROD ACCESS DOOR ABOVE WINDSHIELD
- 1 [B591000141] LUGGAGE RACKS BOTH SIDES
- 1 [B591002000] LUGGAGE RACK PAD WOLF BLACK UPHOLSTERY
- 1 [B598800002] SKIRT MTD STORAGE COMP W/LOCK-RIGHT SIDE,FRT OF REAR AXLE
- 1 [G100015000] Device-Rear Deflection Wing Yellow

CERTIFICATION/SAFETY

- 1 [B2050WY000] KIT FIRST AID, 24 UNIT, COMPLIES W/WYOMING STATE SPECS
- 1 [B2060WY000] KIT BODY FLUID CLEAN-UP, COMPLIES WITH WYOMING SPECS
- 1 [B209004000] REFLECTORIZED TRIANGLES-(3) IN OVERHEAD STORAGE COMPARTMENT
- 1 [B287599999] CROSSVIEW MIRROR INCLUDED IN REARVIEW MIRROR ASSEMBLY
- 1 [B289903000] ROSCO INTEGRATED STYLE REMOTE CONTROL HEATED MIRROR
- 1 [B294272E21] SIGN-STOP, ELECTRIC FRONT #T7000-200-E21 LED
- 1 [B525240002] RF HATCH-TRANSPEC,LO PRO"TRIPLE VALUE" W/STAT VNT, WH,EN(2)
- 1 [B583175000] LABEL U.S. CERTIFICATION
- 1 [B599900001] APPLICATION SCHOOL
- 1 [D622300000] LABEL-GHG CERTIFICATION ENGLISH

DOORS

- 1 [B501007000] PADDING SIDE EMERGENCY DOOR HEADER, 24"
- 1 [B503002000] EXTERIOR DOOR HANDLE
- 1 [B504600502] 141Y28_LI-24-S000
- 1 [B505500000] RIGHT SIDE DOOR NONE
- 1 [B515500000] 24" SIDE EMERGENCY DOOR LS

- 1 [B518206000] VANDALOCK AIR-OPERATED OUTWARD OPENING ENTRANCE DOOR
- 1 [B518602000] VANDALOCK SIDE EMERGENCY DOOR WITH INTERLOCK & BARREL BOLT
- 1 [B518800000] VANDALOCK REAR PUSHOUT WINDOW, WITH DAVENPORT SHELF
- 1 [B520006000] 3-POINT LATCH SIDE EMERGENCY DOOR, LEFT SIDE
- 1 [B548400000] CORROSION RESISTANT SEALER, REAR DOOR
- 1 [C340202000] STEPWELL GUARD (HDX)

ELECTRICAL - BODY

- 1 [B200102000] PASSENGER ADVISORY SYSTEM HORN ACTIVATION
- 1 [B216010000] TWO(2)DEFROSTER FANS MOUNTED OVER CENTER WINDSHIELD
- 1 [B231015000] BACKING ALARM HEAVY DUTY 112DB
- 1 [B258001400] OUTSIDE SPEAKER HORN CHASSIS-MOUNTED (TRANSIT)
- 1 [B259111000] PRE-WIRE FOR CUSTOMER INSTALLED 2-WAY RADIO/VIDEO CAMERA
- 1 [B259119001] GPS ZONAR SYSTEM, HDX
- 1 [B259205000] CELLULAR PHONE POWER OUTLET REAR WALL OF SWITCH CABINET
- 1 [B260300008] SPEAKERS EIGHT (8)
- 1 [B260405001] RADIO AM/FM DEA510 DELPHI, TRANSIT W/PAGE
- 1 [B307202000] COURTESY LIGHT EXTERIOR ELECTRICAL ACCESS DOOR
- 1 [B320302141] ADDITIONAL DOME LAMPS HDX
- 1 [B323001000] DELUXE DRIVER'S DOME LIGHT
- 1 [B326002000] RHEOSTAT DIMMER SWITCH FOR DRIVER'S COMPARTMENT DOME LIGHT
- 1 [B327902000] INTER EMERG DR LHT-LED, 1/2" DIAMETER, LOCTD OVER RR P/O HATC
- 1 [B327903000] INTER EMERG DR LHT-LED, 1/2" DIAMETER, LOCTD OVER LS EMERG DR
- 1 [B329001002] ENTRANCE DOOR LIGHT HOODED
- 1 [B329100000] HOODED STEP LIGHT
- 1 [B333108000] 7" LED DIRECTIONAL LIGHTS FRONT
- 1 [B336002000] LAMPS-STOP/TAIL/DIRECTIONAL AMBER/REVERSE LED
- 1 [B339302000] LAMPS-STOP/TAIL 4"FLUSH-MOUNT LED
- 1 [B342200004] SIDE DIRECTIONAL-LED AMBER TURN, REAR OF FTRON WHEEL
- 1 [B342200020] SIDE DIRECTIONAL-LED RED TURN, REAR
- 1 [B349501000] FOUR (4) ENGINE COMPARTMENT LIGHTS
- 1 [B357605000] STROBE LGT(S) OPERATIONS W/IGNITION&SWITCH
- 1 [B358028006] LED WARNING LIGHTS STROBE, FOUR (4) AMBER & FOUR (4) RED LENS
- 1 [B358208000] HALOGEN 8-LIGHT WARNING SYSTEM
- 1 [B364039000] ID LAMPS LED
- 1 [B364040000] MARKER LAMPS LED
- 1 [B364041000] MID-MARKER LAMPS LED
- 1 [B371501005] STROBE LIGHT CLEAR, 135" FROM REAR HOOD, CENTERED
- 1 [B371600000] STROBE LIGHT GUARD
- 1 [B380022000] CONVOLUTED CONDUIT FOR WIRING BACKUP ALARM
- 1 [B380504000] RECEPTACLE REAR, ENGINE HEATER (HDX)
- 1 [B381300000] PRE-WIRE FOR GPS WITH TELEMATICS
- 1 [B382201000] MANUAL WARNING LIGHT ACTIVATION SWITCH
- 1 [B383300000] NOISE SUPPRESSION SWITCH
- 1 [B599000005] BATTERY HOLD DOWN BRACKET 8D BATTERY
- 1 [B599065000] BATTERY BOX LARGE W/STAINLESS STEEL TRAY
- 1 [D901600001] ELEC-PEDESTAL, HEATED SEAT NAT

EXTERIOR

- 1 [B230000000] AIR HORN BENEATH FLOOR
- 1 [B519015000] LATCH-LOCK DEF ACCESS DOOR
- 1 [B537000000] COVER LOCK
- 1 [B537003000] LOCK BATTERY BOX DOOR
- 1 [B542002000] 20 GAUGE SMOOTH SIDE SHEETS
- 1 [B544300000] GUARD RAILS FOR LIFT OR SIDE EMERGENCY DOOR
- 1 [B548300141] SEVERE SERVICE PACKAGE FOR BODY
- 1 [B548301000] SIDE EMERGENCY DOOR JAMB REINFORCEMENT
- 1 [B548801000] BRACKET MOUNTING, LICENSE PLATE, FRONT
- 1 [B560000000] SEALING, EXTERIOR JOINT EDGE
- 1 [B566001000] MUD FLAPS FRONT, RUBBER, 15"W WITH LOGO
- 1 [B566005000] REAR RUBBER MUD FLAPS 22.5W W/LOGO
- 1 [B571001000] FENDERETTES FOUR (4)
- 1 [D505302141] UNDERCOATING-UNDERGUARD

HVAC

- 1 [B403004000] HEATER 15,000 BTU DRIVER'S COMPARTMENT
- 1 [B411203000] GROCO CENTRIFUGAL BOOSTER PUMP

- 1 [B411330000] HEATER SHUT-OFF VALVES BALL TYPE ENGINE COMPARTMENT
- 1 [B412005050] 84,000 BTU HEATER 5TH SECTION LEFT SIDE
- 1 [B412008050] 84,000 BTU HEATER 8TH SECTION LEFT SIDE
- 1 [B412016050] 84,000 BTU HEATER AGAINST REAR WALL, RIGHT SIDE
- 1 [B412107000] SERIES HEATER CONNECTION REAR HEATERS THREE(3)
- 1 [B415101000] SERIES HEATER CONNECTION REAR HEATER ONE(1)
- 1 [B415416000] HEATER HOSE HI-MILER, RIGHT SIDE, REAR HEATER
- 1 [B416511000] FUEL BURNING HEATER 45,000 BTU WEBASTO W/LOCKING BOX, LS
- 1 [B420507000] PLUMBING AT SIDE DOOR WITH PLYWOOD FLOOR
- 1 [B420603000] CONSTANT TORQUE CLAMPS THREE (3) REAR UNDERSEAT HEATERS
- 1 [B421617141] GATES GREEN STRIPE HOSE-FRONT CENTER HEATER
- 1 [B429001000] SIDE EMERGENCY DOOR RAMP 24" WIDE DOOR

INTERIOR

1 [B150001000] FLOOR STEP NOSING

1 [B150201000] ELECTRICALLY HTED STEP TREAD-FRT ENT DR(CONV,HDX)

- 1 [B150605032] GRAY KORSEAL STEP TREADS OUTWARD OPENING ENTRANCE DOOR
- 1 [B152400141] ALUMINUM AISLE STRIPS
- 1 [B153520141] DARK GRAY VINYL FLOOR WITH 13" CENTER AISLE
- 1 [B158000141] PLYWOOD FLOOR 5/8" THICKNESS

1 [B231020000] MIRROR - INTERIOR 6" X 30" BACK UP CAMERA

- 1 [B531000141] 78" HEADROOM
- 1 [B532013000] SPECIAL URETHANE FOAM INSULATION
- 1 [B533101000] POLYESTER INSULATION RAFTER CAVITIES
- 1 [B533603141] ACOUSTIC HEADLINING COMPLETE WITH POLYESTER INSULATION
- 1 [B560600000] SEALANT PLYWOOD FLOOR EDGES
- 1 [B574127141] PADDED RAILS BLACK FIRE BLOCK UPHOLSTERY
- 1 [B575515001] ASSIST RAIL LEFT SIDE, EXTRA (SAF-T-LINER ER,HD)
- 1 [B575603000] ASSIST RAIL RIGHT SIDE, HDX (A.D.A.)

MISC

- 1 [A200100000] PDI IDENTIFIER-DEALER PERFORMED
- 1 [B599334000] BODY ADJUSTMENT-HDX 2010 EPA
- 1 [B599348000] BODY ADJUSTMENT-HDX 2013 EPA
- 1 [TB-001-314] SAF-T-LINER HDX

PAINT/LETTERING

- 1 [A000000058] DECAL-UNITED AUTO WORKERS
- 1 [B132401000] PAINT STANDARD SASH FLAT BLACK
- 1 [B134000000] RED HANDLE EMERGENCY DOOR(S)
- 1 [B144200000] LABEL DIESEL EXHAUST FLUID (DEF) ENGLISH
- 1 [B145005000] BATTERY BOX LETTERING
- 1 [B145505000] LABEL 2010 EPA EXHAUST REGENERATION ENGLISH
- 1 [B147502100] YELLOW REFLEXITE 2", PERIMETER OF REAR BUS BODY
- 1 [B147503000] YELLOW "SCHOOL BUS" SIGN FRONT HOOD
- 1 [B147504000] YELLOW "SCHOOL BUS" SIGN REAR HOOD
- 5 [B147508000] YELLOW REFLEXITE-PERIMETER OF PUSHOUT SASH (28.5" HIGH SASH)
- 1 [B147511000] YELLOW REFLEXITE PERIMETER OF EMERG DOOR, 24" W (78" HR)
- 1 [B147513000] YELLOW REFLEXITE PERIMETER OF REAR PUSHOUT WINDOW
- 1 [B147603141] YELLOW REFLEXITE-2", ABOVE FLOOR LINE-BOTH SIDES OF BUS BODY
- 1 [B151800000] TUFFCOAT ENTRANCE DOOR STEPWELL
- 1 [D50601F141] PAINT-EXTERIOR ROOF WHITE 6"
- 1 [D5061SC141] PAINT-EXT WDO AREA SAME AS BODY
- 1 [D506347000] PAINT-EXT GRD RAIL @ WINDOW BLACK
- 1 [D506447000] PAINT-EXT GRD RAIL @ SEAT BLACK
- 1 [D506547000] PAINT-EXT GRD RAIL @ FLOOR BLACK
- 1 [D506647000] PAINT-EXT GRD RAIL @ SKRT BLACK
- 1 [D506747002] PAINT-EXT BUMPERS FRT/RR BLACK
- 1 [D510646141] PAINT-SOLID COLOR YELLOW

SEATS

- 1 [A000000051] 30-INCH CLEAR AISLE SIDE EMERGENCY DOOR
- 1 [B152700000] SEALING FLOOR COVERING
- 1 [B214501000] SEAT BELT CUTTER TIE TECH
- 1 [B610000095] BELT-ELR SHOULDER/PUSH BUTTON LAP
- 1 [B620000078] BARRIER STORAGE POUCH TWO (2)
- 1 [B620000079] LEFT SIDE BARRIER IMMEDIATELY BEHIND DRVR MOVED REARWARD 2"
- 1 [B620001077] BARRIER STORAGE POUCH, RIGHT SIDE AT ENTRANCE DOOR

- 1 [B620039090] KICK PLATE/MODESTY PANEL-39"VERT, WALL-MTD BARRIER,RT SIDE
- 1 [B621000076] ASSIST RAIL (ADA)
- 1 [B640139107] 39" BARRIER VERTICAL, WALL MOUNT 45" H LS
- 1 [B640139200] 39" BARR-VERT, WALL MT 45"H RS 2009
- 1 [B640239000] 39"8DEG BARR-REV. WALL-MT 45"H 2009
- 3 [B660025121] PROFORM EDO GRAY UPHOLSTERY-45"HIGH RECESSED BARRIER
- 1 [D900104001] SEAT-DRIVER NATIONAL W/HEAT
- 1 [D900302001] ARMREST NATIONAL DRVR'S ST. BOTH SIDES
- 1 [D900403004] UPH DR.ST.BLACK FABRIC INSERT KEVLAR TRIM NATIONAL
- 1 [D900503007] PEDESTAL-NATIONAL AIR W/2 SHOCKS
- 1 [D900602001] COVER PEDASTAL NATIONAL NONE
- 1 [D900802002] RETAINER NATIONAL DR.ST.BELT
- 1 [D900902001] POUCH-DR.ST.STORAGE NONE
- 1 [D901200003] RISER-DRIVERS SEAT, NATIONAL NONE
- 11 [D980139000] SC3 39"LS 3-PASSENGER WALL MOUNT
- 12 [D980239000] S3C 39"RS 3-PASSENGER WALL MOUNT
- 23 [D980425166] FIREBLOCK GREY UPHOLSTERY S3C PASSENGER SEAT
- 1 [D980425266] FIREBLOCK GREY UPH S3C DAVENPORT
- 1 [D980539039] S3C 39"/39" DAVENPORT
- 23 [D989002000] S3C WALL MOUNT HARDWARE TRANSIT

WINDOWS/GLASS

- 1 [B161101141] TINTED TEMPERED GLASS COMPLETE
- 1 [B162009000] TINTED WINDSHIEDL WITH 5" BAND FOR MVP-ER, ER TRANSIT
- 2 [B164410000] TINTED TEMPERED PUSHOUT-LEFT SIDE, VERTICAL HINGE
- 3 [B164411000] TINTED TEMPERED PUSHOUT-RIGHT SIDE, VERTICAL HINGE
- 1 [B170001000] STORM GLASS (TEMPERED) DRIVER'S WINDOW
- 1 [B172105000] THERMOPANE GLASS OUTWARD OPENING ENTRANCE DOOR, UPPER/LOWE
- 10 [B173108000] STORM GLASS (TINTED TEMPERED)-RIGHT SIDE
- 1 [B173110000] STORM(TINTED TEMPERED)-RIGHT SIDE,+10" SECT
- 10 [B175107000] STORM GLASS (TINTED TEMPERED)-LEFT SIDE
- 1 [B175109000] STORM(TINTED TEMPERED)-LEFT SIDE,+10" SECT
- 1 [B700701002] TINT TEMP GLASS-COMP (28.5")
- 1 [B700900003] WINDOW STOPS (12")

OTHER

1 [D900702001] SLIDE STOP NATIONAL DR.ST. NONE

CHASSIS

AXLES AND SUSPENSIONS

- 1 [C145122000] AXLE REAR, DANA 22060S, 5.29 RATIO
- 1 [C386006000] SYNTHETIC LUBE STANDARD W/FRONT AXLE
- 1 [C443000000] HENDRICKSON "COMFORT AIR" SINGLE AXLE AIR SUSPENSION-23K AXL

BRAKES

- 1 [C207035000] ANTILOCK BRAKES MERITOR/WABCO (HDX)
- 1 [C207037000] AIR ANTI-LOCK DISC BRAKES
- 1 [C600001000] PARKING BRAKE INTERLOCK

CHASSIS EQUIPMENT

- 1 [C114400000] SCHRAEDER VALVE LOCATED IN ENGINE COMPARTMENT (5,K)
- 1 [C115104000] AUTO AIR TANK DRAIN HEATED (4) HDX
- 1 [C117504000] RELOCATE AIR TANKS HDX

1 [C222800000] ADJUSTABLE PEDAL SYSTEM - HDX

- 1 [C336504000] 100 GALLON FUEL TANK, BETWEEN THE RAILS, RIGHT HAND FILL
- 1 [C340006277] CHASSIS FRAME RAIL HIGH STRENGTH (110KSI) HDX (277"WB)
- 1 [C340500000] TOW HOOKS, FRONT TWO (2)
- 1 [C343000000] ENGINE SKID BAR
- 1 [C343001000] PROTECTIVE PLATE- ENG OIL PAN

ELECTRICAL - CHASSIS

- 1 [C136700000] LEECE-NEVILLE 270 AMP ALTERNATOR- PAD MOUNTED HDX
- 1 [C183200000] DUAL 12-VOLT 8D BATTERIES HDX
- 1 [C362302000] SOLID STATE ELECTRONIC FLASHER FOR HAZARD LIGHTS
- 1 [C367103000] IGNITION KEYED ALIKE (HDX)
- 1 [C367621000] AUDIBLE ALARM-HEADLIGHTS/ MARKER LIGHTS ON (HDX)

ENGINE AND EQUIPMENT

- 1 [B817002000] ANTIFREEZE-34F, EXTENDED LIFE COOLANT (HDX)
- 1 [C116500000] AIR DRYER BENDIX AD IP WITH HEATER HDX

- 1 [C207800998] EXHAUST BRAKE NONE
- 1 [C221112000] CRUISE CONTROL HDX (CUM ISL)
- 1 [C221270000] VEHICLE SPEED LIMITING(70 MILES PER HOUR SETTING)
- 1 [C230541000] FUEL PRO 382-C DAVCO FUEL WATER SEPARATOR HDX
- 1 [C230605000] COOLANT RECOVERY BOTTLE HDX
- 1 [C231610000] 6' BLOCK HEATER ELECTRIC CORD FRONT/REAR RECEPTACLE
- 1 [C231812000] BLOCK HEATER HDX (CUM ISL)
- 1 [C232112000] WATER FILTER HDX (CUMMINS ISL)
- 1 [C242600300] CUMMINS L9-300 ENGINE (HDX) 2013 EPA
- 1 [C362900000] MULTI-FUNCTION GAUGE-REAR PANEL HDX
- 1 [C599305000] CUMMINS 2017 MODEL YEAR

TRANSMISSION AND EQUIPMENT

1 [C602809318] ALLISON 3000 PTS TRANSMISSION W/RETARDER-CUM ISL-300 2013

\$145,243.00

Date:

- 1 [C602911318] 6 SPEED SHIFT CONTROL 3000R PTS
- 1 [C603803000] HAND CONTROL VALVE FOR RETARDER HDX
- 1 [C605000101] ALLISON FUEL SENSE-BASIC, DSS MED

WHEELS AND TIRES

- 4 [C531151000] MICHELIN 11R22.5 16(H) PLY XDN2
- 2 [C531603000] MICHELIN 11R22.5 16(H) PLY XZE2
- 1 [C597100000] TIRE BALANCING
- 6 [C656007000] DISC WHEEL 8.25 X 22.5, 5H (BLACK)
- 1 [C656701000] HUB-PILOTED WHEEL EQUIPMENT 23K (HDX)

OTHER TYPE

PDI

Delivery Cost:

• 1 [A000000161] ALERT-PDI INSTALLATION

Meets all FMVSS requirements in effect at the time of manufacture.

Total for 1 complete unit(s): **TOTAL PRICE WITH OPTIONS**

Additional Options You Selected: AIR DISC BRAKES \$2000.00 **AUTOMATIC CHAINS** \$2750.00 **CAMERA MIRROR** \$1200.00 **BOOK RACKS** \$1500.00 **WEBASTO HEATER** \$3700.00 **HEATED STEPS** \$550.00 REAR AIR FOIL \$650.00 RETARDER TRANSMISSION \$7000.00 THERMPANE WINDOWS COMPLETE \$4500.00 24/7 CAMERA SYSTEM 5 INSIDE 1 STOP ARM INSTALLED \$4450.00 **MOTOROLA 2 WAY RADIO INSTALLED** \$895.00 **ZONAR SYSTEM INSTALL** \$260.00 NC INSTALL DOOR CYLINDER HEAT ELEMENT ADDITIONAL FRONT STORAGE COMPARTMENT NC **Terms and Conditions: Quote Expires:**

Customer Signature:

AttachedDetail

Dealer Signature:





Prepared For:

UINTA COUNTY SCHOOL DISTRICT #4 129 2ND STREET MOUNTAIN VIEW, WY 82939 LANCE PARKER 801-232-5495

Prepared By:

LANCE@LEWISBUSGROUP.COM

Quote Number: Quote Date: Customer Order No: 346002 8/14/2018 Uinta #4 NO A/C

Model Profile: Saf-T-Liner HDX 141YS

Product Type: School Transportation

Year: 2019
Chassis Model: CHSY
Chassis MFG: THOMAS
GVWR: GVWR
Passenger Capacity: 75
Headroom: 78
Wheelbase: 277

Brake Type: AIR W/REAR AIR SUSPENSION (23K

Engine Type: CUMMINS L9 300 DIESEL, 6 Cyl, 300 HP, 2200 RPM

Fuel Type: DIESEL Fuel Tank Capacity: 100

Transmission Type: ALLISON PTS 3000R
Axle, Front: 13200-lb Capacity
Axle, Rear: 23000-lb Capacity

Tires, Front: MICHELIN 11R22.5 16(H) PLY XZE2
Tires, Rear: MICHELIN 11R22.5 16(H) PLY XDN2

Suspension Front: 13,200

Suspension Rear: AIRLINER 23,000 LB. REAR SUSPENSION

Total for 1 complete unit(s): WYOMING BASE PRICE ONLY \$115,788.00

Delivery Cost:

Includes the Following Equipment:

BODY

ACCESSORIES

- 1 [B241000000] ACRYLIC VISOR LEFT SIDE
- 1 [B552300000] PROP ROD ACCESS DOOR ABOVE WINDSHIELD
- 1 [B591000141] LUGGAGE RACKS BOTH SIDES
- 1 [B591002000] LUGGAGE RACK PAD WOLF BLACK UPHOLSTERY
- 1 [B596800000] LUGGAGE COMPARTMENT THROUGH, DELUXE, 125"
- 1 [B598800002] SKIRT MTD STORAGE COMP W/LOCK-RIGHT SIDE,FRT OF REAR AXLE
- 1 [G100015000] Device-Rear Deflection Wing Yellow

CERTIFICATION/SAFETY

- 1 [B2050WY000] KIT FIRST AID, 24 UNIT, COMPLIES W/WYOMING STATE SPECS
- 1 [B2060WY000] KIT BODY FLUID CLEAN-UP, COMPLIES WITH WYOMING SPECS
- 1 [B209004000] REFLECTORIZED TRIANGLES-(3) IN OVERHEAD STORAGE COMPARTMENT
- 1 [B287599999] CROSSVIEW MIRROR INCLUDED IN REARVIEW MIRROR ASSEMBLY
- 1 [B289903000] ROSCO INTEGRATED STYLE REMOTE CONTROL HEATED MIRROR
- 1 [B294272E21] SIGN-STOP, ELECTRIC FRONT #T7000-200-E21 LED
- 1 [B525240002] RF HATCH-TRANSPEC,LO PRO"TRIPLE VALUE" W/STAT VNT, WH,EN(2)
- 1 [B583175000] LABEL U.S. CERTIFICATION
- 1 [B599900001] APPLICATION SCHOOL
- 1 [D622300000] LABEL-GHG CERTIFICATION ENGLISH

DOORS

- 1 [B501007000] PADDING SIDE EMERGENCY DOOR HEADER, 24"
- 1 [B503002000] EXTERIOR DOOR HANDLE
- 1 [B504600502] 141Y28_LI-24-S000
- 1 [B505500000] RIGHT SIDE DOOR NONE

- 1 [B515500000] 24" SIDE EMERGENCY DOOR LS
- 1 [B518206000] VANDALOCK AIR-OPERATED OUTWARD OPENING ENTRANCE DOOR
- 1 [B518602000] VANDALOCK SIDE EMERGENCY DOOR WITH INTERLOCK & BARREL BOLT
- 1 [B518800000] VANDALOCK REAR PUSHOUT WINDOW, WITH DAVENPORT SHELF
- 1 [B520006000] 3-POINT LATCH SIDE EMERGENCY DOOR, LEFT SIDE
- 1 [B548400000] CORROSION RESISTANT SEALER, REAR DOOR
- 1 [C340202000] STEPWELL GUARD (HDX)

ELECTRICAL – BODY

- 1 [B307202000] COURTESY LIGHT EXTERIOR ELECTRICAL ACCESS DOOR
- 1 [B308004012] COMPARTMENT LIGHTS(4)-69"/95"/125" THROUGH, DELUXE COMPART
- 1 [B200102000] PASSENGER ADVISORY SYSTEM HORN ACTIVATION
- 1 [B216010000] TWO(2)DEFROSTER FANS MOUNTED OVER CENTER WINDSHIELD
- 1 [B231015000] BACKING ALARM HEAVY DUTY 112DB
- 1 [B258001400] OUTSIDE SPEAKER HORN CHASSIS-MOUNTED (TRANSIT)
- 1 [B259111000] PRE-WIRE FOR CUSTOMER INSTALLED 2-WAY RADIO/VIDEO CAMERA

1 [B259119001] GPS - ZONAR SYSTEM, HDX

- 1 [B259205000] CELLULAR PHONE POWER OUTLET REAR WALL OF SWITCH CABINET
- 1 [B260300008] SPEAKERS EIGHT (8)
- 1 [B260405001] RADIO AM/FM DEA510 DELPHI, TRANSIT W/PAGE
- 1 [B307202000] COURTESY LIGHT EXTERIOR ELECTRICAL ACCESS DOOR
- 1 [B320302141] ADDITIONAL DOME LAMPS HDX
- 1 [B323001000] DELUXE DRIVER'S DOME LIGHT
- 1 [B326002000] RHEOSTAT DIMMER SWITCH FOR DRIVER'S COMPARTMENT DOME LIGHT
- 1 [B327902000] INTER EMERG DR LHT-LED, 1/2" DIAMETER, LOCTD OVER RR P/O HATC
- 1 [B327903000] INTER EMERG DR LHT-LED, 1/2" DIAMETER,LOCTD OVER LS EMERG DR
- 1 [B329001002] ENTRANCE DOOR LIGHT HOODED
- 1 [B329100000] HOODED STEP LIGHT
- 1 [B333108000] 7" LED DIRECTIONAL LIGHTS FRONT
- 1 [B336002000] LAMPS-STOP/TAIL/DIRECTIONAL AMBER/REVERSE LED
- 1 [B339302000] LAMPS-STOP/TAIL 4"FLUSH-MOUNT LED
- 1 [B342200004] SIDE DIRECTIONAL-LED AMBER TURN, REAR OF FTRON WHEEL
- 1 [B342200020] SIDE DIRECTIONAL-LED RED TURN, REAR
- 1 [B349501000] FOUR (4) ENGINE COMPARTMENT LIGHTS
- 1 [B357605000] STROBE LGT(S) OPERATIONS W/IGNITION&SWITCH
- 1 [B358028006] LED WARNING LIGHTS STROBE, FOUR (4) AMBER & FOUR (4) RED LENS
- 1 [B358208000] HALOGEN 8-LIGHT WARNING SYSTEM
- 1 [B364039000] ID LAMPS LED
- 1 [B364040000] MARKER LAMPS LED
- 1 [B364041000] MID-MARKER LAMPS LED
- 1 [B371501005] STROBE LIGHT CLEAR, 135" FROM REAR HOOD, CENTERED
- 1 [B371600000] STROBE LIGHT GUARD
- 1 [B380022000] CONVOLUTED CONDUIT FOR WIRING BACKUP ALARM
- 1 [B380504000] RECEPTACLE REAR, ENGINE HEATER (HDX)
- 1 [B381300000] PRE-WIRE FOR GPS WITH TELEMATICS
- 1 [B382201000] MANUAL WARNING LIGHT ACTIVATION SWITCH
- 1 [B383300000] NOISE SUPPRESSION SWITCH
- 1 [B599000005] BATTERY HOLD DOWN BRACKET 8D BATTERY
- 1 [B599065000] BATTERY BOX LARGE W/STAINLESS STEEL TRAY
- 1 [D901600001] ELEC-PEDESTAL, HEATED SEAT NAT

EXTERIOR

1 [B165002000] GAS SPRINGS - EIGHT (8)

- 1 [B230000000] AIR HORN BENEATH FLOOR
- 1 [B519015000] LATCH-LOCK DEF ACCESS DOOR
- 1 [B537000000] COVER LOCK
- 1 [B537003000] LOCK BATTERY BOX DOOR
- 1 [B542002000] 20 GAUGE SMOOTH SIDE SHEETS
- 1 [B544300000] GUARD RAILS FOR LIFT OR SIDE EMERGENCY DOOR
- 1 [B548300141] SEVERE SERVICE PACKAGE FOR BODY
- 1 [B548301000] SIDE EMERGENCY DOOR JAMB REINFORCEMENT
- 1 [B548801000] BRACKET MOUNTING, LICENSE PLATE, FRONT
- 1 [B560000000] SEALING, EXTERIOR JOINT EDGE
- 1 [B566001000] MUD FLAPS FRONT, RUBBER, 15"W WITH LOGO
- 1 [B566005000] REAR RUBBER MUD FLAPS 22.5W W/LOGO
- 1 [B571001000] FENDERETTES FOUR (4)
- 1 [D505302141] UNDERCOATING-UNDERGUARD

HVAC

- 1 [B403004000] HEATER 15,000 BTU DRIVER'S COMPARTMENT
- 1 [B411203000] GROCO CENTRIFUGAL BOOSTER PUMP
- 1 [B411330000] HEATER SHUT-OFF VALVES BALL TYPE ENGINE COMPARTMENT
- 1 [B412005050] 84,000 BTU HEATER 5TH SECTION LEFT SIDE
- 1 [B412008050] 84,000 BTU HEATER 8TH SECTION LEFT SIDE
- 1 [B412016050] 84,000 BTU HEATER AGAINST REAR WALL, RIGHT SIDE
- 1 [B412107000] SERIES HEATER CONNECTION REAR HEATERS THREE(3)
- 1 [B415101000] SERIES HEATER CONNECTION REAR HEATER ONE(1)
- 1 [B415416000] HEATER HOSE HI-MILER, RIGHT SIDE, REAR HEATER
- 1 [B416511000] FUEL BURNING HEATER 45,000 BTU WEBASTO W/LOCKING BOX, LS
- 1 [B420507000] PLUMBING AT SIDE DOOR WITH PLYWOOD FLOOR
- 1 [B420603000] CONSTANT TORQUE CLAMPS THREE (3) REAR UNDERSEAT HEATERS
- 1 [B421617141] GATES GREEN STRIPE HOSE-FRONT CENTER HEATER
- 1 [B429001000] SIDE EMERGENCY DOOR RAMP 24" WIDE DOOR

INTERIOR

- 1 [B150001000] FLOOR STEP NOSING
- 1 [B150201000] ELECTRICALLY HTED STEP TREAD-FRT ENT DR(CONV,HDX)
- 1 [B150605032] GRAY KORSEAL STEP TREADS OUTWARD OPENING ENTRANCE DOOR
- 1 [B152400141] ALUMINUM AISLE STRIPS
- 1 [B153520141] DARK GRAY VINYL FLOOR WITH 13" CENTER AISLE
- 1 [B158000141] PLYWOOD FLOOR 5/8" THICKNESS
- 1 [B231020000] MIRROR INTERIOR 6" X 30" BACK UP CAMERA
- 1 [B531000141] 78" HEADROOM
- 1 [B532013000] SPECIAL URETHANE FOAM INSULATION
- 1 [B533101000] POLYESTER INSULATION RAFTER CAVITIES
- 1 [B533603141] ACOUSTIC HEADLINING COMPLETE WITH POLYESTER INSULATION
- 1 [B560600000] SEALANT PLYWOOD FLOOR EDGES
- 1 [B574127141] PADDED RAILS BLACK FIRE BLOCK UPHOLSTERY
- 1 [B575515001] ASSIST RAIL LEFT SIDE, EXTRA (SAF-T-LINER ER,HD)
- 1 [B575603000] ASSIST RAIL RIGHT SIDE, HDX (A.D.A.)

MISC

- 1 [A200100000] PDI IDENTIFIER-DEALER PERFORMED
- 1 [B599334000] BODY ADJUSTMENT-HDX 2010 EPA
- 1 [B599348000] BODY ADJUSTMENT-HDX 2013 EPA
- 1 [TB-001-314] SAF-T-LINER HDX

PAINT/LETTERING

- 1 [A000000058] DECAL-UNITED AUTO WORKERS
- 1 [B132401000] PAINT STANDARD SASH FLAT BLACK
- 1 [B134000000] RED HANDLE EMERGENCY DOOR(S)
- 1 [B144200000] LABEL DIESEL EXHAUST FLUID (DEF) ENGLISH
- 1 [B145005000] BATTERY BOX LETTERING
- 1 [B145505000] LABEL 2010 EPA EXHAUST REGENERATION ENGLISH
- 1 [B147502100] YELLOW REFLEXITE 2", PERIMETER OF REAR BUS BODY
- 1 [B147503000] YELLOW "SCHOOL BUS" SIGN FRONT HOOD
- 1 [B147504000] YELLOW "SCHOOL BUS" SIGN REAR HOOD
- 5 [B147508000] YELLOW REFLEXITE-PERIMETER OF PUSHOUT SASH (28.5" HIGH SASH)
- 1 [B147511000] YELLOW REFLEXITE PERIMETER OF EMERG DOOR, 24" W (78" HR)
- 1 [B147513000] YELLOW REFLEXITE PERIMETER OF REAR PUSHOUT WINDOW
- 1 [B147603141] YELLOW REFLEXITE-2", ABOVE FLOOR LINE-BOTH SIDES OF BUS BODY
- 1 [B151800000] TUFFCOAT ENTRANCE DOOR STEPWELL
- 1 [D50601F141] PAINT-EXTERIOR ROOF WHITE 6"
- 1 [D5061SC141] PAINT-EXT WDO AREA SAME AS BODY
- 1 [D506347000] PAINT-EXT GRD RAIL @ WINDOW BLACK
- 1 [D506447000] PAINT-EXT GRD RAIL @ SEAT BLACK
- 1 [D506547000] PAINT-EXT GRD RAIL @ FLOOR BLACK
- 1 [D506647000] PAINT-EXT GRD RAIL @ SKRT BLACK
- 1 [D506747002] PAINT-EXT BUMPERS FRT/RR BLACK
- 1 [D510646141] PAINT-SOLID COLOR YELLOW

SEATS

- 1 [A000000051] 30-INCH CLEAR AISLE SIDE EMERGENCY DOOR
- 1 [B152700000] SEALING FLOOR COVERING
- 1 B214501000 SEAT BELT CUTTER TIE TECH
- 1 [B610000095] BELT-ELR SHOULDER/PUSH BUTTON LAP

- 1 [B620000078] BARRIER STORAGE POUCH TWO (2)
- 1 [B620000079] LEFT SIDE BARRIER IMMEDIATELY BEHIND DRVR MOVED REARWARD 2"
- 1 [B620001077] BARRIER STORAGE POUCH, RIGHT SIDE AT ENTRANCE DOOR
- 1 [B620039090] KICK PLATE/MODESTY PANEL-39"VERT, WALL-MTD BARRIER,RT SIDE
- 1 [B621000076] ASSIST RAIL (ADA)
- 1 [B640139107] 39" BARRIER VERTICAL, WALL MOUNT 45" H LS
- 1 [B640139200] 39" BARR-VERT, WALL MT 45"H RS 2009
- 1 [B640239000] 39"8DEG BARR-REV. WALL-MT 45"H 2009
- 3 [B660025121] PROFORM EDO GRAY UPHOLSTERY-45"HIGH RECESSED BARRIER
- 1 [D900104001] SEAT-DRIVER NATIONAL W/HEAT
- 1 [D900302001] ARMREST NATIONAL DRVR'S ST. BOTH SIDES
- 1 [D900403004] UPH DR.ST.BLACK FABRIC INSERT KEVLAR TRIM NATIONAL
- 1 [D900503007] PEDESTAL-NATIONAL AIR W/2 SHOCKS
- 1 [D900602001] COVER PEDASTAL NATIONAL NONE
- 1 [D900802002] RETAINER NATIONAL DR.ST.BELT
- 1 [D900902001] POUCH-DR.ST.STORAGE NONE
- 1 [D901200003] RISER-DRIVERS SEAT, NATIONAL NONE
- 11 [D980139000] SC3 39"LS 3-PASSENGER WALL MOUNT
- 12 [D980239000] S3C 39"RS 3-PASSENGER WALL MOUNT
- 23 [D980425166] FIREBLOCK GREY UPHOLSTERY S3C PASSENGER SEAT
- 1 [D980425266] FIREBLOCK GREY UPH S3C DAVENPORT
- 1 [D980539039] S3C 39"/39" DAVENPORT
- 23 [D989002000] S3C WALL MOUNT HARDWARE TRANSIT

WINDOWS/GLASS

- 1 [B161101141] TINTED TEMPERED GLASS COMPLETE
- 1 [B162009000] TINTED WINDSHIEDL WITH 5" BAND FOR MVP-ER, ER TRANSIT
- 2 [B164410000] TINTED TEMPERED PUSHOUT-LEFT SIDE, VERTICAL HINGE
- 3 [B164411000] TINTED TEMPERED PUSHOUT-RIGHT SIDE, VERTICAL HINGE
- 1 [B170001000] STORM GLASS (TEMPERED) DRIVER'S WINDOW
- 1 [B172105000] THERMOPANE GLASS OUTWARD OPENING ENTRANCE DOOR, UPPER/LOWE
- 10 [B173108000] STORM GLASS (TINTED TEMPERED)-RIGHT SIDE
- 1 [B173110000] STORM(TINTED TEMPERED)-RIGHT SIDE,+10" SECT
- 10 [B175107000] STORM GLASS (TINTED TEMPERED)-LEFT SIDE
- 1 [B175109000] STORM(TINTED TEMPERED)-LEFT SIDE,+10" SECT
- 1 [B700701002] TINT TEMP GLASS-COMP (28.5")
- 1 [B700900003] WINDOW STOPS (12")

OTHER

1 [D900702001] SLIDE STOP NATIONAL DR.ST. NONE

CHASSIS

AXLES AND SUSPENSIONS

- 1 [C145122000] AXLE REAR, DANA 22060S, 5.29 RATIO
- 1 [C386006000] SYNTHETIC LUBE STANDARD W/FRONT AXLE
- 1 [C443000000] HENDRICKSON "COMFORT AIR" SINGLE AXLE AIR SUSPENSION-23K AXL

BRAKES

- 1 [C207035000] ANTILOCK BRAKES MERITOR/WABCO (HDX)
- 1 [C207037000] AIR ANTI-LOCK DISC BRAKES
- 1 [C600001000] PARKING BRAKE INTERLOCK

CHASSIS EQUIPMENT

- 1 [C114400000] SCHRAEDER VALVE LOCATED IN ENGINE COMPARTMENT (5,K)
- 1 [C115104000] AUTO AIR TANK DRAIN HEATED (4) HDX
- 1 [C117504000] RELOCATE AIR TANKS HDX
- 1 [C222800000] ADJUSTABLE PEDAL SYSTEM HDX
- 1 [C336504000] 100 GALLON FUEL TANK, BETWEEN THE RAILS, RIGHT HAND FILL
- 1 [C340006277] CHASSIS FRAME RAIL HIGH STRENGTH (110KSI) HDX (277"WB)
- 1 [C340500000] TOW HOOKS, FRONT TWO (2)
- 1 [C343000000] ENGINE SKID BAR
- 1 [C343001000] PROTECTIVE PLATE- ENG OIL PAN

ELECTRICAL - CHASSIS

- 1 [C136700000] LEECE-NEVILLE 270 AMP ALTERNATOR- PAD MOUNTED HDX
- 1 [C183200000] DUAL 12-VOLT 8D BATTERIES HDX
- 1 [C362302000] SOLID STATE ELECTRONIC FLASHER FOR HAZARD LIGHTS
- 1 [C367103000] IGNITION KEYED ALIKE (HDX)
- 1 [C367621000] AUDIBLE ALARM-HEADLIGHTS/ MARKER LIGHTS ON (HDX)

ENGINE AND EQUIPMENT

- 1 [B817002000] ANTIFREEZE-34F, EXTENDED LIFE COOLANT (HDX)
- 1 [C116500000] AIR DRYER BENDIX AD IP WITH HEATER HDX
- 1 [C207800998] EXHAUST BRAKE NONE
- 1 [C221112000] CRUISE CONTROL HDX (CUM ISL)
- 1 [C221270000] VEHICLE SPEED LIMITING(70 MILES PER HOUR SETTING)
- 1 [C230541000] FUEL PRO 382-C DAVCO FUEL WATER SEPARATOR HDX
- 1 [C230605000] COOLANT RECOVERY BOTTLE HDX
- 1 [C231610000] 6' BLOCK HEATER ELECTRIC CORD FRONT/REAR RECEPTACLE
- 1 [C231812000] BLOCK HEATER HDX (CUM ISL)
- 1 [C232112000] WATER FILTER HDX (CUMMINS ISL)
- 1 [C242600300] CUMMINS L9-300 ENGINE (HDX) 2013 EPA
- 1 [C362900000] MULTI-FUNCTION GAUGE-REAR PANEL HDX
- 1 [C599305000] CUMMINS 2017 MODEL YEAR

TRANSMISSION AND EQUIPMENT

- 1 [C602809318] ALLISON 3000 PTS TRANSMISSION W/RETARDER-CUM ISL-300 2013
- 1 [C602911318] 6 SPEED SHIFT CONTROL 3000R PTS
- 1 [C603803000] HAND CONTROL VALVE FOR RETARDER HDX
- 1 [C605000101] ALLISON FUEL SENSE-BASIC, DSS MED

WHEELS AND TIRES

- 4 [C531151000] MICHELIN 11R22.5 16(H) PLY XDN2
- 2 [C531603000] MICHELIN 11R22.5 16(H) PLY XZE2
- 1 [C597100000] TIRE BALANCING
- 6 [C656007000] DISC WHEEL 8.25 X 22.5, 5H (BLACK)
- 1 [C656701000] HUB-PILOTED WHEEL EQUIPMENT 23K (HDX)

OTHER TYPE

Terms and Conditions: Quote Expires:

PDI

1 [A000000161] ALERT-PDI INSTALLATION

Meets all FMVSS requirements in effect at the time of manufacture.

Total for 1 complete unit(s): TOTAL PRICE WITH OPTIONS \$148,743.00 Delivery Cost:

Additional Options You Selected:

AIR DISC BRAKES	\$2000.00
AUTOMATIC CHAINS	\$2750.00
CAMERA MIRROR	\$1200.00
BOOK RACKS	\$1500.00
WEBASTO HEATER	\$3700.00
HEATED STEPS	\$550.00
REAR AIR FOIL	\$650.00
RETARDER TRANSMISSION	\$7000.00
UNDERBODY LUGGAGE	\$3500.00
THERMPANE WINDOWS COMPLETE	\$4500.00
24/7 CAMERA SYSTEM 3 INSIDE 1 STOP ARM INSTALLED	\$4450.00
MOTOROLA 2 WAY RADIO INSTALLED	\$895.00
ZONAR SYSTEM INSTALL	\$260.00
INSTALL DOOR CYLINDER HEAT ELEMENT	NC
ADDITIONAL FRONT STORAGE COMPARTMENT	NC

Customer Signature:	Date:

Dealer Signature:	 Date:	

AttachedDetail





Prepared For:

LINCOLN COUNTY SCHOOL DISTRICT #1 11 ADAVILLE ROAD DIAMONDVILLE, WY 83116 Prepared By: LANCE PARKER 801-232-5495

LANCE@LEWISBUSGROUP.COM

Quote Number:Quote Date:Customer Order No:3471839/7/2018Lincoln 1 C-2

Model Profile: Saf-T-Liner C2 311TS

Product Type: School Transportation

Year: 2020 Chassis Model: B2 106

Chassis MFG: FREIGHTLINER

GVWR: GVWR
Passenger Capacity: 72
Headroom: 78
Wheelbase: 259
Brake Type: AIR

Engine Type: CUMMINS B6.7 260 DIESEL, 6 Cyl, 260 HP, 2600 RPM

Fuel Type: DIESEL Fuel Tank Capacity: 100

Transmission Type: ALLISON PTS 3000
Axle, Front: 10000-lb Capacity
Axle, Rear: 21000-lb Capacity

Tires, Front: RADIAL FRONT TIRE, MICHELIN XZE2,11R22.5 16 PLY

Tires, Rear:

Suspension Front:

10,000 LB. TAPERLEAF FRONT SUSPENSION

Suspension Rear:

AIRLINER 23,000 LB. REAR SUSPENSION

Total for 1 complete unit(s): TOTAL PRICE \$108,682.00

Delivery Cost:

Includes the Following Equipment:

BODY

ACCESSORIES

- 1 [D106104000] LOC-1ST.SEAT DRVRSIDE REFL TRIANGLE
- 1 [D106400001] VISOR-TINTED DRIVER'S SIDE WINDOW 6"X18"
- 1 [D130900000] LOC-HDR.CERT.HOLDER.FRT BULKHEAD
- 1 [D131100001] LOCKS-KEYED ALIKE #CH545
- 1 [D133600000] METHOD-FASTENER SCREWS
- 1 [D607500000] HOLDER-CERTIFICATE 4"X 6"
- 1 [G100015000] Device-Rear Deflection Wing Yellow

CERTIFICATION/SAFETY

- 1 [D102200002] REFLECTTAPE-RR END YEL 2"
- 4 [D102500000] REFLECTTAPE-P/O WDO YEL
- 1 [D102901000] REFLECTIVE TAPE-EMERGENCY DOOR REAR YELLOW
- 1 [D103500311] REFLECTTAPE-SI 2" ABV FLR YEL
- 1 [D103900000] FIRE EXTINGUISHER-5 3A-40BC
- 1 [D107000000] REFLECTORS-AMBER(2) MID BDY 3"
- 1 [D107100000] REFLECTORS-RED (4) RR/RR SI 3"
- 1 [D107300002] HATCH-RF ESC MODEL 1100 ENG(2)
- 1 [D107700003] ELECTRICAL-ROOF ESCAPE HATCH POS 3
- 1 [D108700002] HANDLES-W/S SERVICE, BLACK
- 1 [D110024WYG] KIT, FIRST AID 24 UNIT WYOMING
- 1 [D110101WYG] KIT,BODY FLUID CLEAN UP WY.
- 1 [D110300000] SWITCH-ROCKER CROSSING ARM DEACTIVATION
- 1 [D110600000] LABEL-PASS ADVISOR INSTRUCTION
- 1 [D111700000] FE-5 3A-40BC ADDITIONAL
- 1 [D115900001] LOC-O/H STOR LS 10 UNIT B.F.C

- 1 [D116000002] LOCATION-OVERHEAD STORAGE RIGHT SIDE 5LB. FIRE EXTINGUISHER
- 1 [D118900004] LOC-FLR.CURB SIDE RR,BEHIND SEAT 5LB FE
- 1 [D122201000] CUTTER-SEAT BELT W/HAND GRIP
- 1 [D122400000] TRIANGLES-REFL. 3 W/BOX
- 1 [D124200003] MOTOR-XING ARM ELEC., SPECIALTY
- 1 [D127300001] LOC-RR BULKHEAD CURB SIDE 24 FAK
- 1 [D130301000] BRACKET-XING ARM STOWAGE 1/4" BUMP
- 1 [D140024WYG] KIT, FIRST AID 24 UNIT WYOMING ADDITIONAL
- 1 [D500003000] OPEN VIEW ES, HEATED, REMOTE
- 1 [D500301000] MIRROR-B EXTERIOR CROSSVIEW HEATED BLACK BRACKET
- 1 [D500602020] SIGN-STOP, ELEC FRT #T7000-E21 LED
- 1 [D602200007] MIRROR-INT 6"X30" CAMERA
- 1 [D602400000] LABEL-VEHICLE CERTIFICATION
- 1 [FL-31X-020] FRONT BUMP MT CROSS ARM W/DEACTIVATION SWITCH-ELECTRIC

DOORS

• 1 [D109400000] MAT-HEATER STEP TREAD ALL FRONT ENTRANCE DOOR

- 1 [D200301004] STEP-RS ALUM.ENT.DR W/HTR 8.75"RISER
- 1 [D300300000] HANDLE-EXTERIOR REAR DOOR WITH RECCESS
- 1 [D300800000] LATCH-DOOR INTERIOR STORAGE OVER WINDSHIELD
- 1 [D302000000] VANDALOCK-REAR DOOR W/BOLT
- 1 [D302305003] DOOR-ENT AG2 STORM TEMP LOCK
- 1 [D302404000] POWER SYSTEM-AG2 AIR ENTRANCE DOOR
- 1 [D302503000] ELEC-AG2 AIR OPERATED ENTRANCE DOOR
- 1 [D302901000] LATCH- 3-POINT, RR EMERG DOOR
- 1 [D303911000] VANDALOCK-ALUM.ENT.DR.CYLINDER W/KEY
- 1 [D304000002] PULL-ENTRANCE DOOR, EXTERNAL ALUMINUM
- 1 [D305300000] DOOR GLASS GUARD
- 1 [D311500000] KEY-VANDALOCK REAR DOOR NONE
- 1 [D311900000] TRIM-ENTRANCE DOOR INTERIOR
- 1 [D603000000] PAD-DR HEADER, RR EMER 36"W
- 1 [D608501006] TREAD-STP ALUM.ENT DR GRAY KSEAL W/PEBBLE NOSING
- 1 [D611000000] RAIL-ASSIST FRONT ENTRANCE DOOR RIGHT SIDE 1"OD
- 1 [D611801002] CVR-KICK PLATE ENT DR-W/HTR LO

ELECTRICAL - BODY

- 1 [D105400001] FAN-CIRC MID W/S HDR BLACK
- 1 [D105500001] ELEC-FAN MID W/S HDR
- 1 [D105600000] FAN-CIRC DRV'S WDO HDR BLACK
- 1 [D105700000] ELECTRICAL-FAN DRIVER'S WINDOW HEADER
- 1 [D106600003] HORN-SPEAKER LS COWL LEG
- 1 [D106902000] RADIO-AM/FM DEA510 W/PAGE
- 1 [D115000003] OPER-AUTOMATIC FAST IDLE

1 [D130706000] ELEC-ZONAR STANDARD MONITORING

- 1 [D133800001] KIT-ANTENNA GPS
- 1 [D301100001] ELEC-PWR CELL PHONE OUTLET LS
- 1 [D303104002] OPER-DOOR AIR ENT.W/ BAT.2 POS.
- 1 [D400200000] MONITOR-LAMPS WARNING/STOP/TAIL/TURN
- 1 [D400400001] LPS-DOME OVER DRIVER & STEPWELL
- 1 [D400600001] ELEC-DRIVER'S DOME LPS & STEPWELL

1 [D400704311] LPS-DOME PASS MEDIUM LED () 311T

- 1 [D400804311] ELEC-PASS DOME LPS MEDIUM 311T
- 1 [D400900002] SWITCH-RKR DOME LPS FRT/RR
- 1 [D401000001] MODULE-PWR.DIST.ELEC.SYS.
- 1 [D402200001] LPS-EXT AFT OF ENT DOOR, SHIELDED
- 1 [D402300001] ELEC-LPS EXT AFT OF ENT DOOR
- 1 [D402400001] OPER-STPWLL LPSW/PARKLPS&ENT DR.
- 1 [D402501000] LPS-STPWLL W/ HOOD (1)
- 1 [D402801002] LPS-STP/TAIL/DIR AMBER/REV LED
- 1 [D402904311] ELEC-LPS STOP/TAIL/TURN/REV
- 1 [D403000000] ADVISORY-PASSENGER BUZZER ACTIVATION, WITH SWITCH
- 1 [D404300001] ELEC-PWR, GND, NETWORK, BUZZ
- 1 [D405401000] OPER-LPS, DOME SPECIAL ACT. BUZ. W/O VANDALOCK
- 1 [D405600000] LAMPS-PILOT POST TRIP INSPECTION RED
- 1 [D406000002] LAMPS-SIDE DIRECTIONAL AMBER FRONT 2 CP LED
- 1 [D406212008] LPS-WARNING LED STROBE (8)
- 1 [D406601008] OPERATION-LAMPS WARNING (8) PACKAGE 8

- 1 [D406700000] OPERATION-LAMPS REVERSE WITH REAR EMERGENCY DOOR OPEN
- 1 [D406900006] LPS-ID AMB/RED LED
- 1 [D407000002] LPS-MKR ROOF FRT/RR LED WELDON
- 1 [D407100002] LAMPS-MARKER ROOF MID LED WELDON
- 1 [D407507311] ELEC-LPS ID/MKR PARK/SWITCH
- 1 [D408300003] STROBE-CLR 4.9"H 4' FROM REAR
- 1 [D408400001] STROBE LAMP GUARD (1)
- 1 [D408901000] LPS- STOP/TAIL 4" FLS.MT L.E.D.
- 1 [D409000000] SWITCH-ROCKER FAN DEFROST WINDSHIELD
- 1 [D409400001] SWITCH-ROCKER NOISE SUPPRESSION ON/OFF
- 1 [D410801003] LPS-SI DIR AMB LED GRD RR.AXLE
- 1 [D411000000] SWITCH-ROCKER STROBE LAMPS
- 1 [D412200000] LAMPS-PILOT WARNING LIGHTS RED
- 1 [D412300000] LAMPS-PILOT WARNING LIGHTS AMBER
- 1 [D412800003] SWITCH-WARN LPS ON/AMB ACT. (BLK)
- 1 [D413500000] LAMPS-PILOT WARNING LIGHTS MASTER GREEN
- 1 [D413807000] OPERATION-LAMP STROBE, IGNITION & SWITCH ACTIVATED
- 1 [D414700002] ELEC-CABLE PRIM PWR & GND-CUSTOMER ACCESS
- 1 [D416100000] OPERATION-LAMPS SIDE DIRECT.ONLY
- 1 [D416200000] ELEC-LPS, DOME SPECIAL ACT. BUZ. W/O VANDALOCK
- 1 [D416400000] BLOCK-FUSE CUSTOMER ACCESS
- 1 [D418600002] OPER-PRE-TRIP INSPECTION
- 1 [D419601001] ELEC-SEAT BELT PILOT LAMP
- 1 [D419700001] OPER-SEAT BELT PILOT LAMP
- 1 [D419900000] LAYOUT-ROCKER SWITCH STANDARD
- 1 [D421300001] GPS-ZONAR V3
- 1 [D500800007] ELEC-ELECTRIC STOP SIGN FRT
- 1 [D602001311] SPEAKERS-INT. 30 WAT.(6) 311T
- 1 [D602103311] ELEC- (6) INT SPKERS&HORN311T
- 1 [D609700000] SWITCH-RKR HTR BOOST PUMP
- 1 [D613400002] DOME LPS MEDIUM
- 1 [D619600000] ELEC-HTR ENT DOOR STEPWELL
- 1 [D622700001] BRACKET-ZONAR GPS
- 1 [D901600000] ELEC-PEDESTAL, HEATED SEAT
- 1 [FL-32C-008] PASS DOME LPS,FWD/REAR SWITCH SPECIAL ACTIVATION
- 1 [FL-721-029] 112DB BACKUP ALARM

EXTERIOR

- 1 [D105800001] HORN-AIR, UNDER FLOOR
- 1 [D108800002] FLAPS-MUD, REAR 22.5"W
- 1 [D108900001] FLAPS-MUD, FRONT 16"W X 12"H
- 1 [D110500000] STEPS-EXT W/S SERVICE
- 1 [D200200002] FENDER-QUARTER 24" BATTERY BOX DOOR
- 1 [D200600000] BODY ADJUSTMENT-FREIGHTLINER, BTR RS FUEL FILL LOCATION
- 1 [D201900003] REINFORCEMENT-FRAME STD 24" BATTERY BOX DOOR
- 1 [D202600000] CAP-ENTRANCE DOOR STANDARD
- 1 [D202800001] FLOOR-NON ADA
- 1 [D502600000] BUMPER-REAR 2 BRACES NO EXHAUST HOLE
- 1 [D502900004] SKT.FWD.STPWLL LO DEF
- 1 [D503302000] CAP-FRT ROOF VENT W/WARN.LPS.
- 1 [D503402000] CAP-REAR ROOF W/WARN.LPS.
- 1 [D503902311] GUSSET-21"H LWR SIDE SHEET
- 1 [D504006311] SHEET-LWR, L MID 20G,21"
- 1 [D504106311] SHEET-LWR,L RR 20G,21"
- 1 [D504206311] SHEET-LWR,R MID 20G,21"
- 1 [D504306311] SHEET-LWR,R RR 20G,21"
- 1 [D504402008] VISOR-EXT.@ WARN LPS (8)
- 1 [D504500003] DOOR-U/B L BATTERY 24"
 1 [D505600000] DOOR-FUEL FILL ACCESS BTR
- 1 [D505701021] FENDERETTE-STL/RBR 21" SKIRT
- 1 [D507400003] LATCH-BATT DOOR LOCKING
- 1 [D507601000] LATCH-FUEL FILL ACCESS W/LOCK
- 1 [D510900000] VENT-STATIC PRESENT
- 1 [D511501700] PILASTER 311T, 700
- 1 [D511800001] LATCH-LOCKING DEF ACCESS DOOR
- 1 [D512900000] RAIL-SNOW RAIL PRESENT

1 [D515100311] HARDWARE-MOUNTING CLIPS STANDARD

HVAC

- 1 [D112400012] AIR COND NONE
- 1 [D603704084] HEATER-UNDERSEAT LEFT SIDE 84,000 BTU LOCATION 4
- 1 [D604209084] HTR-U/S LS 84,000 BTU LOC 9
- 1 [D6047091HM] HOSE-HTR HIMILER W/ W/H POS 9
- 1 [D604800000] HEATER-ENTRANCE DOOR STEPWELL
- 1 [D605200001] CLAMPS-PLUMBING HEATER CONSTANT TORQUE
- 1 [D605301000] CLAMPS-UNDERSEAT HEATER CONSTANT TORQUE
- 1 [D605803002] CONNECTION-HEATER(1) CONSTANT TORQUE/HI MILER
- 1 [FL-130-998] NO AIR CONDITIONING COMPRESSOR

INTERIOR

- 1 [D106500000] VISOR-WINDSHIELD SUN 6"X30" TINTED
- 1 [D109300001] ARM ASM-W/S WIPER WINTER (2)
- 1 [D123000002] DOOR-STORAGE BOX W/O GLASS
- 1 [D133300005] TRIM-LOWER REAR HEATER NO A/C
- 1 [D300601000] DOOR-ACC WITH WINDOW
- 1 [D309001001] LATCH-DR INT STOR OVR DRVRSHDR
- 1 [D510800001] BTR FUEL FILL RECESS, W/DOOR
- 1 [D600801001] COVER-TRIM DRVS HDR W/STORAGE
- 1 [D600901000] COVER-TRIM FRT END W/S HEADER
- 1 [D601003003] COVER-TRIM FRT ENT.ALUM.DR HDR.AIR.OP.
- 1 [D601402311] STRIPS-AISLE, GALVALUME 311T
- 1 [D601510311] FLR-GRY VINYL W/13" CTR AISLE
- 1 [D601600006] FLR-BLK WHEELHOUSE AND HEATER
- 1 [D601700311] FLR-PLYWOOD 5/8" 311T
- 1 [D607904700] LINING-SIDE INT.
- 1 [D608600000] TRIM-STEPWELL HORIZONTAL WITH DIAMONETTE NOSE
- 1 [D609901002] INSULATION-FRT BULKHEAD W/ACRSY 2"POLY
- 1 [D610403311] H/L-PASS AREA ACOUS GREY 311T
- 1 [D610600311] INSULATION RAFTER CAVITY 311T
- 1 [D610700002] SOUND ABATEMENT-STEPWELL WITH HEATER 2.25"
- 1 [D610800000] INSULATION URETHANE
- 1 [D610900700] PAD-SHDR RAIL, 42 OZ WOLF BLK
- 1 [D616800311] SEALANT-PLYWOOD FLOOR EDGES
- 1 [D617000000] SEALING-FLOOR COVERING
- 1 [D620600000] HOLDER-STORAGE, CLIP BOARD
- 1 [D801000000] TUBE-FILL BTR & OVERFLOW HOSE
- 1 [D801100000] CAP-FUEL FILL BTR NON-LOCKING

MISC

- 1 [A200100001] PDI IDENTIFIER FACTORY PERFORMED
- 1 [D125200000] MANUAL-DRVR'S/MAINT.ENGLISH
- 1 [D201600000] APPLICATION SCHOOL
- 1 [FL-141-998] NO COOLANT HEATER GAS/DIESEL
- 1 [FL-185-108] NO CLUTCH PEDAL WITH ADJUSTABLE SUSPENDED BRAKE&ACCELERATOR
- 1 [FL-657-1AJ] ALL UNIT(S) KEYED ALIKE WITH CUSTOMER SPECIFIED KEY #FT1001
- 1 [FL-702-998] NO A/C PLUMBING MAIN
- 1 [TB-001-310] SAF-T-LINER C2

PAINT/LETTERING

- 1 [A000000058] DECAL-UNITED AUTO WORKERS
- 1 [D100500000] LETTERING-"BATTERY" ON DOOR 2"
- 1 [D100600002] LABEL-P/O WDO EMER EXIT 2" BLACK
- 1 [D101502001] LABEL-ENGLISH AG2.AIR.ENT DR
- 1 [D126200000] LETTER OVERHEAD STORAGE BOX "SAFETY EQUIP"
- 1 [D127400000] DECAL-BACKING ALARM
- 1 [D130200000] DECAL-LOW SULFUR FUEL
- 1 [D132200010] LABEL-RR DR EMERGENCY DOOR 2"HIGH
- 1 [D132600000] DECAL-ENTRANCE DOOR VANDALOCK ENGLISH
- 1 [D134200000] LABEL-RR EMERGENCY DOOR INSTRUCTION
- 1 [D134600000] LABEL-"DEF ONLY"
- 1 [D134901000] LABEL-REGENERATION WARNING 2010/2013 EPA ENGLISH
- 1 [D300101001] HANDLE-INT RR DR RED
- 1 [D502513000] PAINT-EXT HNDLE(S) BLACK
- 1 [D503104001] DECAL-REFL FRT CAP "SCHOOL BUS"

- 1 [D503204001] DECAL-REFL RR CAP "SCHOOL BUS"
- 1 [D505500001] DECAL-"DIESEL"

1 [D50601E311] PAINT-EXTERIOR ROOF WHITE 311T

- 1 [D506114311] PAINT-EXT WINDOW AREA BLACK
- 1 [D506347000] PAINT-EXT GRD RAIL @ WINDOW BLACK
- 1 [D506447000] PAINT-EXT GRD RAIL @ SEAT BLACK
- 1 [D506547000] PAINT-EXT GRD RAIL @ FLOOR BLACK
- 1 [D506647000] PAINT-EXT GRD RAIL @ SKRT BLACK
- 1 [D506747001] PAINT-EXT BUMPER REAR BLACK
- 1 [D506900000] PAINT-BLACK TRIM-FRONT/REAR ROOF CAPS
- 1 [D510646311] PAINT-SOLID COLOR YELLOW
- 1 [D601100011] HEADLINING-VESTIBULE ACOUSTIC, GRAY,W/ DRIVE/ENTRANCE LAMPS
- 1 [FL-065-196] PAINT: ONE SOLID COLOR, BASE/CLEARCOAT
- 1 [FL-980-6MJ] CAB COLOR A:L5898EB SCHOOL BUS YELLOW ELITE BC
- 1 [FL-981-998] CAB COLOR B NONE
- 1 [FL-982-998] CAB COLOR C: NONE
- 1 [FL-98A-998] NO GRILLE PAINT

SEATS

- 1 [B610000095] BELT-ELR SHOULDER/PUSH BUTTON LAP
- 1 [B620000078] BARRIER STORAGE POUCH TWO (2)
- 1 [B620001077] BARRIER STORAGE POUCH, RIGHT SIDE AT ENTRANCE DOOR
- 1 [B640139200] 39" BARR-VERT,WALL MT 45"H RS 2009
- 1 [B640239000] 39"8DEG BARR-REV. WALL-MT 45"H 2009
- 2 [B660010121] PROFORM EDO BLUE UPHOLSTERY-45"HIGH RECESSED BARRIER
- 1 [D610339002] RAIL-ASSIST FRT ENT DR 39"W
- 1 [D900104001] SEAT-DRIVER NATIONAL W/HEAT
- 1 [D900302001] ARMREST NATIONAL DRVR'S ST. BOTH SIDES
- 1 [D900403005] UPH DR.ST.BLUE FABRIC INSERT KEVLAR TRIM NATIONAL
- 1 [D900503007] PEDESTAL-NATIONAL AIR W/2 SHOCKS
- 1 [D900602000] COVER PEDASTAL NATIONAL DR.ST.
- 1 [D900802002] RETAINER NATIONAL DR.ST.BELT
- 1 [D900902001] POUCH-DR.ST.STORAGE NONE
- 1 [D901039000] KICKPLATE-MOD.PANEL RS 39"
- 1 [D901200002] RISER-DRIVERS SEAT, NATIONAL
- 1 [D901700001] Haptics-Not Present
- 12 [D980139000] SC3 39"LS 3-PASSENGER WALL MOUNT
- 12 [D980239000] S3C 39"RS 3-PASSENGER WALL MOUNT
- 24 [D980410166] FIREBLOCK BLUE UPHOLSTERY S3C PASSENGER SEAT
- 1 [D989003000] S3C WALL MOUNT HARDWARE C2

WINDOWS/GLASS

- 1 [D700000001] GLASS-WINDSHIELD ONE PIECE WITH TINTED BAND
- 1 [D700101001] GLASS-RS FT STAT CLR TEM STORM
- 1 [D700201001] GLASS-LS FRT STAT CLR TEM STOR
- 1 [D700300000] GLASS-REAR STAT CLEAR TEMPERED
- 1 [D700400002] GLASS-RR SIDE STAT TINTED TEMP
- 1 [D700500000] FRAME-WDO SPLIT
- 12 [D700530000] FRAME-WDO SPLIT 30"W
- 2 [D700540000] FRAME-WDO SPLIT 40"W
- 2 [D700600L01] FRAME-WDO P/O VERT TEMP TNT LS
- 2 [D700600R01] WDO P/O VERT TEMP TNT RS
- 12 [D700730002] GLASS-WDO TINT TEMP 30"
- 2 [D700740002] GLASS-WDO TINT TEMP 40"
- 1 [D700830L00] GLASS-WDO STORM TEMP 30" L
- 1 [D700830R00] GLASS-WDO STORM TEMP 30" R
- 1 [D700900003] STOPS-WDO 12"
- 1 [D701202000] GLASS-LOWER REAR DOOR LAMINATED CLEAR STORM
- 1 [D701302000] GLASS-UPPER REAR DOOR LAMINATED CLEAR STORM
- 1 [D701600010] WDO-DRIVER'S STORM TEMP

OTHER

- 1 [D100200002] LOGO-FRT RS & RR
- 1 [D100300000] LOGO-THOMAS DECALS YELLOW
- 1 [D104000000] SWITCH-ROCKER AIR HORN
- 1 [D108200008] ELECTRICAL-ROOF ESCAPE HATCH POSITION 8
- 1 [D110200000] ELECTRICAL-ROOF HATCH OR P/O WINDOW (DASH)

- 1 [D110800000] OPER-FAN W/S HDR
- 1 [D110900000] OPER-FAN DRV'S WDO HDR
- 1 [D111000000] OPER-ALARM BACKING W/REV.
- 1 [D111100000] OPERATION-AIR HORN, LEFT SIDE PANEL SWITCH ACTIVATION
- 1 [D111400000] OPER-SPEAKER INT/EXT
- 1 [D113200000] OPER-RF HATCH BUZZER
- 1 [D119200003] LOCATION-OVERHEAD STORAGE CENTER 24 F.A.K.
- 1 [D119700001] AC DUCT-NOT PRESENT NO SIDE EVAP
- 1 [D123300000] CONDENSER ALERT NONE
- 1 [D123400000] EVAPORATOR QTY NONE
- 1 [D123600000] OPER-XING ARM DEACTIVATION
- 1 [D123800000] ANTENNA RADIO SWIVEL BASE
- 1 [D124000000] ELEC-ANTENNA RADIO COAXIAL
- 1 [D124100000] KIT-RADIO ANTENNA MOUNTING @ DRIVER'S HEADER
- 1 [D200000700] 311T30_N
- 1 [D200100000] TRIM-A POST
- 1 [D200700000] WHEELHOUSES-REAR L&R
- 1 [D200800311] STRINGER-ROOF 311T
- 1 [D201000000] FRONT END FRAME
- 1 [D201100000] FRT END FRAME MTG KIT
- 1 [D201200000] REAR END FRAME-28.68"DEEP
- 1 [D201300311] FLOOR-GALVALUME STEEL MID BODY
- 1 [D201400704] LOC-40" RAF SP 10TH 311T
- 1 [D201500000] RS TANK ALERT NONE
- 1 [D300700000] DOOR ALERT LS ENT NONE
- 1 [D301400000] TRIM-REAR DOOR
- 1 [D302800000] HINGES-REAR DOOR PIN TYPE
- 1 [D303000000] STOP-DOOR REAR EMERGENCY, 1-POS
- 1 [D303200000] OPERATION-VANDLOCK ENTRANCE/EMERGENCY DOOR(S)
- 1 [D306400000] OPER-DR.RR.EMG.W/BUZ
- 1 [D306500700] ELEC-EMERGENCY/EXIT DOOR(S)
- 1 [D307100000] DOOR-LS ENT RS EXIT -NONE REQD
- 1 [D307700000] INT COLOR -RR DOOR GRAY
- 1 [D308101000] VANDALOCK-NONE REQUIRED RS
- 1 [D308201000] VANDALOCK-NONE REQUIRED LS
- 1 [D308300000] DOOR ALERT RS EXIT NONE
- 1 [D308600001] SWITCH-PADDLE-TYPE ENTRANCE DOOR AIR
- 1 [D309200000] DOOR, REAR EMERGENCY
- 1 [D310501000] THRESHOLD REAR EMGERGENCY DOOR
- 1 [D400300000] OPERATION-MONITOR WARNING/STOP/TAIL/TURN
- 1 [D403100311] ELEC-PASSENGER ADVISORY 311T
- 1 [D403200002] OPER-PASS ADV IGN/WARN/BUZZER
- 1 [D403700000] SWITCH-RKR FAN DEFROST L.S.
- 1 [D404100001] BUZZER-SWITCH PANEL 1 TONE
- 1 [D404500000] OPERATION-NOISE SUPPRESSION
- 1 [D404608311] ELECTRICAL-LAMPS WARNING,8 LAMPS 311T
- 1 [D405800000] OPER-LPS BODY TAIL W/PARK SW.
- 1 [D405900000] LAMPS-LICENSE PLATE ILLUMINATION
- 1 [D406100311] ELECTRICAL-LAMPS SIDE DIRECTIONAL 311T
- 1 [D407600000] SWITCH-ROCKER DOME LAMPS DRIVER ON/OFF
- 1 [D408602311] ELECTRICAL-LAMPS STROBE 4' FROM REAR
- 1 [D410300000] OPER-DRVR'S DOME LPS ON/OFF
- 1 [D410400000] OPER-HTR BOOSTER PUMP OPER WITH SWITCH
- 1 [D410501000] OPERATION-LAMPS INTERIOR/EXTERIOR RIGHT FRONT ENTRANCE DOOR
- 1 [D410600000] OPER-LPS SERVICE BRAKE
- 1 [D410900005] OPERATION-SWITCH ID/MARKER LAMPS WITH PARK
- 1 [D411400002] OPER-LPS DOME (2)ON/OFF
- 1 [D411700000] OPER-LPS REVERSE
- 1 [D411900003] ELEC-(3) SWITCH BANKS
- 1 [D412000000] SWITCH-RKR SPEAKER INT/EXT.W/HORN
- 1 [D412600001] SWITCH-ROCKER WARNING LAMPS OVERRIDE ON/OFF
- 1 [D414500311] ELEC-HARNESS COMP ASM 311T
- 1 [D414600000] ELEC-ELECTRONIC COMP ASM
- 1 [D414900000] OPER-LPS DIR./HAZ.
- 1 [D415200000] SWITCH-ROCKER HEATED STEP TREAD

- 1 [D500100000] SWITCH-RKR MIRROR HTR.
- 1 [D500200001] ELEC-MIR A HTD & RC
- 1 [D501400311] RAIL-EXTERIOR GUARD @ WINDOW, SEAT, FLOOR, SKIRT
- 1 [D501500000] RAIL-EXT GRD @ SEAT FRT END LS
- 1 [D501901000] RAIL-EXT GRD@ FLOOR, NONE
- 1 [D502800000] TRIM-FRT CAP RS/LS
- 1 [D503500000] PANELS-EXTERIOR REAR
- 1 [D503600000] SHEET-DRIVERS EXTERIOR 20 GA.
- 1 [D503700700] SHEET-UPPER SIDE EXTERIOR
- 1 [D504600000] OPER-MIRRORS EXT HTD.
- 1 [D505300311] UNDERCOATING-ASPHALT EMULSION
- 1 [D505800704] HEADERS-WINDOW INTERIOR 311T
- 1 [D506800001] PAINT-EXT ENT DOOR NONE
- 1 [D507001001] PANELS-EXTERIOR REAR SIDE LONG W/STATIONARY GLASS
- 1 [D507100000] LS STORAGE BOX 1 NONE
- 1 [D507300000] LS STORAGE BOX 2 NONE
- 1 [D508100081] ROOF SHEETS-(2)HATCH 311T
- 1 [D508200000] RS STORAGE BOX 1 NONE
- 1 [D508300000] RS STORAGE BOX 2 NONE
- 1 [D508400000] RS STORAGE BOX ROH NONE
- 1 [D508500000] LS STORAGE BOX ROH NONE
- 1 [D600100000] PANELS-REAR END INTERIOR REAR GALVALUME
- 1 [D600201000] PANELS-RR END INT SI LONG W/ST
- 1 [D600300000] BULKHEAD-RR END INT.GRY
- 1 [D600400002] PANELS-ACCESS RR GRAY PASS ADVISORY
- 1 [D600500311] COVER-HARNESS ACCESS@HDR
- 1 [D600600000] COVER-ACCESS RR END HARNESS
- 1 [D600700000] COVER-ACCESS FRT END HARNESS
- 1 [D601200001] HEADLINING-REAR LONG SMOOTH, GRAY
- 1 [D601800001] COVER-FUEL SENDING INSPECTION
- 1 [D601900311] MOLDING-SHOE 311T
- 1 [D605000000] SWITCH-ROCKER HEATER STEPWELL
- 1 [D605600000] LUGGAGE RACK ALERT NONE
- 1 [D605900000] SWITCH-ROCKER HEATER LEFT 1ST
- 1 [D606000000] SWITCH-ROCKER HEATER LEFT 2ND
- 1 [D606500004] ELEC-HTR U/ SEAT POS 4
- 1 [D607000009] ELECTRICAL-HEATER UNDERSEAT POSITION 9
- 1 [D607600700] RAIL-SEAT
- 1 [D607700000] LAYOUT-SEAT RAIL HOLES RS
- 1 [D607800000] LAYOUT-SEAT RAIL HOLES LS
- 1 [D608100000] CABINET-SW, FWD
- 1 [D608200000] CABINET-SWITCH, LOWER WITHOUT POCKET
- 1 [D608300000] CABINET-SWITCH, UPPER
- 1 [D608400001] CABINET-TOP PLATE (3 BANK)
- 1 [D609000000] OPER-HTR U/ SEAT LS FWD
- 1 [D609100000] PANEL-ACCESSORY MOUNTING SAFTEY EQUIPMENT
- 1 [D609201001] OPERATION-HEATER STEPWELL & STEP TREAD
- 1 [D609500000] INSULATION-VEST HEADLINING 2"
- 1 [D609600700] INSULATION-SIDELINING 2" POLY
- 1 [D609800000] INSULATION-RR BULKHEAD 2" POLY
- 1 [D610000000] OPER-HTR U/ SEAT LS AFT
- 1 [D610500311] HEADERS-WINDOW EXTERIOR 311T
- 1 [D613100000] HARNESS COVER COLOR GRAY
- 1 [D613200001] SPEAKER ALERT PRESENT
- 1 [D613500000] HEADLINING COLOR GREY
- 1 [D613600001] HEADLINING TYPE ALL ACOUSTIC
- 1 [D613800000] MAT, FLOOR VESTIBULE
- 1 [D614000000] TRIM-INTERIOR DASH FORWARD
- 1 [D616100001] INSTALLATION-PARK BRAKE NONE
- 1 [D616900002] INSULATION-INT LONG REAR WDO
- 1 [D617100000] LUGGAGE RACK ALERT NONE
- 1 [D701500000] OPER-WDO P/O
- 1 [D900702001] SLIDE STOP NATIONAL DR.ST. NONE
- 1 [FL-157-002] VANDALOCK, STARTER DISABLE W/ANY LOCKED EMER DR(S), NO PILOT
- 1 [FL-168-002] LOWER RADIATOR GUARD

- 1 [FL-202-003] REINFORCED NYLON FUEL LINES
- 1 [FL-216-001] SINGLE SUCTION AND RETURN FUEL LINES
- 1 [FL-231-006] FUEL TANK MOUNTED BETWEEN RAILS, AFT OF REAR AXLE, WITH CAGE
- 1 [FL-267-001] REMOTE-MOUNTED SURGE TANK
- 1 [FL-275-034] PAGE SYSTEM W/CHASSIS MTD EXTERNAL SPEAKER
- 1 [FL-280-001] BASIC WIRING SCHEMATIC, UNMOUNTED, 12-VOLT NEGATIVE GROUND SYS
- 1 [FL-289-006] PAINTED BATTERY PANEL COVER
- 1 [FL-290-017] BATTERY BOX FRAME MOUNTED
- 1 [FL-298-039] INTEGRAL ELECTRONIC TURN SIGNAL FLASHER
- 1 [FL-302-068] BATT ENABLED 3 AMBER INBOARD ID LAMPS,2 AMBER OUTBOARD MARKE
- 1 [FL-317-006] STROBE LAMP, IGNITION SWITCH OR LH DASH SWITCH ACTIVATED
- 1 [FL-31C-063] L.E.D. WARNING SYSTEM LAMPS W/PULSING FEATURE
- 1 [FL-31T-050] STANDARD BODY VISUAL WARNING, LOWER RR, REV LAMPS ON DR/OPEN
- 1 [FL-320-004] STANDARD WIRING
- 1 [FL-324-1AB] DRIVER'S IGNITION OPERATED DOME LP WITH ON/OFF SW
- 1 [FL-325-066] PASSENGER COMPARTMENT DOME LAMPS, IGNITION ACTIVATED
- 1 [FL-32H-005] STEPWELL LAMP ON WITH DOOR OPEN AND MARKER LAMPS ON
- 1 [FL-33A-020] EIGHT LAMP WARNING SYSTEM, LH DASH SWITCH(S), PACKAGE 8
- 1 [FL-393-001] DRIVELINE GUARD
- 1 [FL-403-002] NON-ASBESTOS FRONT BRAKE LININGS
- 1 [FL-410-001] FRONT SHOCK ABSORBERS
- 1 [FL-433-002] NON-ASBESTOS REAR BRAKE LININGS
- 1 [FL-435-998] NO DRIVELINE PARKING BRAKE
- 1 [FL-524-998] NO POLISHED FRONT WHEELS
- 1 [FL-525-998] NO POLISHED REAR WHEELS
- 1 [FL-534-015] TWO QUART SEE THRU POWER STEERING RESERVOIR
- 1 [FL-539-003] POWER STEERING PUMP
- 1 [FL-551-006] ZINC-PLATED HEXHEAD CHASSIS FASTENERS
- 1 [FL-552-141] 3675MM (145") REAR FRAME OVERHANG
- 1 [FL-553-001] SQUARE END OF FRAME
- 1 [FL-574-001] BUMPER MOUNTING FOR SINGLE LICENSE PLATE
- 1 [FL-57W-014] COMBINATION S/T/T/R LAMPS, LED
- 1 [FL-59T-006] REAR EMERGENCY DOOR, IGNITION CONTROL, BUZZER ON W/DOOR OPEN
- 1 [FL-619-005] MAINTENANCE-FREE RUBBER BUSHINGS FRONT SUSPENSION
- 1 [FL-650-021] CAB MOUNTING FOR HOOD AND COWL CHASSIS
- 1 [FL-655-013] MANUAL ENT DOOR LOCK/BUZZER ON W/EMERGENCY DOORS UNLATCHED
- 1 [FL-659-003] ONE GALLON WINDSHIELD WASHER RESERVOIR
- 1 [FL-660-008] SINGLE ELECTRIC WINDSHIELD WIPER MOTOR W/DELAY
- 1 [FL-680-006] GRAY/CHARCOAL FLAT DASH
- 1 [FL-698-998] NO AIR CONDITIONER CONDENSER
- 1 [FL-700-001] HEATER AND DEFROSTER
- 1 [FL-701-001] STANDARD HVAC DUCTING
- 1 [FL-703-009] MAIN HVAC CONTROLS WITHOUT RECIRCULATION SWITCH, & NOISE SUPP
- 1 [FL-716-014] WINDSHIELD FAN,(1) HEADER MOUNTED
- 1 [FL-718-008] DRIVER'S FAN,(1) MOUNTED ABOVE SIDE WINDOW
- 1 [FL-71P-003] AUX BODY HEATER, UNDER SEAT, FWD
- 1 [FL-71V-001] AUXILIARY BODY HEATER, UNDER SEAT, AFT
- 1 [FL-732-004] GRAY INSTRUMENT PANEL-DRIVER
- 1 [FL-74B-088] BODY SUPPLIED HEATED MIRRORS
- 1 [FL-756-801] AIR PROVISIONS FOR CUSTOMER FURN DRIVERS AIR RIDE SEAT
- 1 [FL-778-004] ROOF MOUNTED VENT/ESCAPE HATCH
- 1 [FL-77Z-800] PUSH OUT BODY SIDE WINDOWS, BUZZER WITH WINDOW UNLATCHED
- 1 [FL-814-003] WARNING/REAR LAMP MONITOR
- 1 [FL-81B-001] STANDARD PANEL LAMP DIMMER
- 1 [FL-829-043] CHASSIS COWL AND HOOD ONLY
- 1 [FL-877-002] STANDARD BRAKE WIRING
- 1 [FL-964-020] BUMPER: BLACK
- 1 [FL-96F-998] NO SPARE WHEEL PAINT
- 1 [FL-986-019] CHASSIS: VENDOR BLACK
- 1 [FL-A63-99D] EXPECTED GROSS VEHICLE WEIGHT CAPACITY
- 1 [FL-A66-99D] EXPECTED FRONT AXLE(S) LOAD
- 1 [FL-A68-99D] EXPECTED REAR DRIVE AXLE(S) LOAD
- 1 [FL-A85-017] SCHOOL BUS SERVICE
- 1 [FL-AA1-006] COWL CHASSIS CONFIGURATION COMPLIES WITH SBMTC
- 1 [FL-AA3-028] BUS BODY WITH WHEELWELL

- 1 [FL-AA4-014] PASSENGER COMMODITY
- 1 [FL-AA6-001] DOMICILED USA 50 STATES (CALIFORNIA)
- 1 [FL-AF2-050] DOMICILED WYOMING
- 1 [FL-AF3-1BP] THOMAS BUILT SCHOOL BUS 311T

CHASSIS

AXLES AND SUSPENSIONS

- 1 [A000000117] ALIGNMENT-4-WHEEL SAF-T-LINER C2
- 1 [FL-400-1A5] DA-F-10-3 10,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE
- 1 [FL-409-021] CHICAGO RAWHIDE SCOTSEAL PLUS XL FRONT OIL SEAL
- 1 [FL-40T-002] SYNTHETIC 75W-90 FRONT AXLE LUBE
- 1 [FL-418-018] CON-MET ALUMINUM FRONT HUBS WITH PRE-SET BEARINGS
- 1 [FL-41T-002] SYNTHETIC 75W-90 REAR AXLE LUBE
- 1 [FL-420-1C8] DA-RS-21-4 21K R-SERIES SINGLE REAR AXLE
- 1 [FL-421-522] 5.22 AXLE RATIO
- 1 [FL-424-001] IRON REAR AXLE CARRIER HOUSING
- 1 [FL-439-004] REAR SHOCK ABSORBERS ONE AXLE
- 1 [FL-440-021] CHICAGO RAWHIDE SCOTSEAL PLUS XL REAR OIL SEAL
- 1 [FL-450-018] CON-MET ALUMINUM REAR HUBS WITH PRE-SET BEARINGS
- 1 [FL-620-062] 10,000 LB. TAPERLEAF FRONT SUSPENSION
- 1 [FL-622-216] AIRLINER 23,000 LB. REAR SUSPENSION
- 1 [FL-62G-004] COMFORT-TEC SUSPENSION
- 1 [FL-910-001] SINGLE AIR SUSPN LEVELING VALVES

BRAKES

- 1 [FL-018-002] AIR BRAKE PACKAGE
- 1 [FL-402-083] BENDIX ADB22X-V AIR DISC FRONT BRAKES
- 1 [FL-404-1BB] AIR DISC LONGSTROKE CENTER PORT FRONT BRAKE CHAMBERS
- 1 [FL-405-030] FRONT AIR DISC BRAKE INTERNAL ADJUSTERS
- 1 [FL-419-004] DISC BRAKE FRONT ROTORS FOR HYDRAULIC BRAKES
- 1 [FL-423-083] BENDIX ADB22X-V AIR DISC REARBRAKES
- 1 [FL-426-1AH] AIR DISC LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS
- 1 [FL-428-030] REAR AIR DISC BRAKE INTERNAL ADJUSTERS
- 1 [FL-451-005] REAR DISC BRAKE ROTORS
- 1 [FL-460-008] STEEL AIR BRAKE RESERVOIRS INSIDE FRAME RAILS
- 1 [FL-477-060] BW DV-2 AUTO DRN VLV W/HTR ON WET TANK, PETCOCK OTHER
- 1 [FL-480-034] BENDIX AD-IP AIR DRYER WITH HEATER
- 1 [FL-485-002] EXTERNAL CHARGING SCHRADER VALVE
- 1 [FL-490-101] WABCO 4S/4M ABS W/TRACTION CONTROL
- 1 [FL-882-023] ONE-VALVE PARKING BRAKE SYSTEM WITH WARNING

CHASSIS EQUIPMENT

- 1 [D800008311] EXHAUST-LS TURNDWN, BELOW BMPR
- 1 [D800600003] ANTI-FREEZE, OAT -34 DEGREE
- 1 [D800700000] WINTERFRONT-CHASSIS GRILLE WHITE
- 1 [D801200000] SHIELD-EXHAUST PIPE
- 1 [FL-001-310] B2 106 CONVENTIONAL CHASSIS
- 1 [FL-002-004] SET-BACK AXLE TRUCK
- 1 [FL-132-004] ELECTRIC GRID AIR INTAKE WARMER
- 1 [FL-155-057] DELCO 12V 29MT STARTER WITH INTEGRATED M
- 1 [FL-198-025] INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS
- 1 [FL-205-010] RIGHT HAND SIDE-FILL FUEL TANK CAP
- 1 [FL-230-003] 100GALLON/378 LITER STEEL RECTANGULAR FUEL TANK, BETWEEN RAIL
- 1 [FL-237-072] HORIZ TAILPIPE, EXIT LH REAR
- 1 [FL-23U-004] 11.5 GALLON DEF TANK
- 1 [FL-264-029] AIR HORN, LH MOMENTARY DASH SWITCH ACTIVATED
- 1 [FL-341-018] MAGNETIC ENGINE DRAIN, REAR AXLE DRAIN & FILL PLUG
- 1 [FL-35W-001] EXHAUST MITIGATION DEVICE FTL 4" ID SLIP
- 1 [FL-452-998] NO TRACTION STABILIZER
- 1 [FL-46A-032] 700 CUBIC INCH MINIMUM AUXILIARY AIR
- 1 [FL-532-002] ADJUSTABLE STEERING COLUMN
- 1 [FL-536-050] TRW THP-60 POWER STEERING
- 1 [FL-540-015] 450MM(18") LK FOUR-SPOKE CHARCOAL STEERING WHEEL
- 1 [FL-545-657] 6575MM (259") WHEELBASE
- 1 [FL-546-1AJ] 5/16" X 3" X 10-1/8" STEEL FRAME 120,000 PSI YIELD
- 1 [FL-556-1DF] 1-PIECE 14" PTD STL 1/4" HD BUMPER JACK PROVISION
- 1 [FL-558-001] FRONT FRAME-MOUNTED TOW HOOKS

- 1 [FL-587-003] REAR TOW HOOKS
- 1 [FL-644-069] FIBERGLASS HOOD WITH SOFT OPEN AND CLOSE MECHANISM
- 1 [FL-646-023] HOOD MTD CHROMED PLASTIC GRILLE
- 1 [FL-647-001] WHITE WINTERFRONT
- 1 [FL-65X-003] CHROME HOOD MOUNTED AIR INTAKE GRILLE
- 1 [FL-690-007] HOOD LINER INSULATION WITH SINGLE FIREWALL INSULATION
- 1 [FL-727-036] VALVE & PLUMBING FOR CUSTOMER FURNISHED AIR HORN
- 1 [FL-742-007] (2) CUPHOLDERS, LEFT HAND AND RIGHT HAND DASH
- 1 [FL-871-001] REINFORCED NYLON, FABRIC AND WIRE BRAID CHASSIS AIR LINES

ELECTRICAL - CHASSIS

- 1 [FL-124-1F3] LN 12V 240 AMP AVI PAD MOUNT ALTERNATOR
- 1 [FL-148-084] PROG RPM CTRL W A/C OR 12.75V LOW VOLT AUTO HI IDLE, DASH SW
- 1 [FL-149-013] CRUISE CONTROL-ELEC ENG,W/SWITCHES IN LH SWITCH PANEL
- 1 [FL-160-025] DIAGNOSTIC INTERFACE CONNECTOR,9-PIN, S
- 1 [FL-162-002] IGNITION SWITCH CONTROLLED ENGINE STOP
- 1 [FL-273-037] WARNER ELECTRIC ELECTRO-MAGNETIC ON/OFF
- 1 [FL-284-095] 12VOLT POWER SUPPLY LH PANEL
- 1 [FL-285-020] SOLID STATE CIRCUIT PROTECTION, PDMS WIT
- 1 [FL-292-1D7] (3) ALLI MODEL 1131, GROUP 31, 12V 2775CCA STUD BATTERIES

1 [FL-293-070] COLE HERSEE BATTERY CUT-OFF SWITCH, BATTERY BOX MOUNTED

- 1 [FL-299-013] SELF CANCEL TURN SIGNAL SWITCH W/DIM/WASH&HAZZARD IN HANDLE
- 1 [FL-300-015] STANDARD FRONT TURN SIGNAL LIGHTS
- 1 [FL-304-027] PARK LMP SW INTGRAL W/HL SWITCH, ID/MARKER/CLEARANCE/PARK ON
- 1 [FL-30B-998] NO FENDER MTD TURN/MARK COMBO LPS
- 1 [FL-30E-008] AMBER LED MIDSHIP TURN SIGNALS
- 1 [FL-30F-007] RED LED OVER REAR WHEELS MTD TURN SIGNALS GUARD
- 1 [FL-311-009] DAYTIME RUNNING LIGHTS SET @ 100% & EXTERIOR LAMPS W/ENG RUN
- 1 [FL-312-038] INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH CHROME BEZEL
- 1 [FL-31L-083] STOP SIGN PRESENT
- 1 [FL-322-998] NO BAGGAGE COMPARTNENT LAMP
- 1 [FL-32F-998] NO BODY MTD INT SPOT/WORK LAMP
- 1 [FL-49B-004] ELECTRONIC STABILITY CONTROL
- 1 [FL-653-023] AIR OPERATED BATTERY CONTROLLED RH FRONT ENTRANCE DOOR
- 1 [FL-66W-001] BATT POWERED 2-POS INTERNAL DOOR CONTROL SWITCH
- 1 [FL-726-006] DUAL ELEC HORN, PASSENGER ADVISORY BUZZER ON W/IGN AND WARN
- 1 [FL-736-998] NO OBSTACLE DETECTION SYSTEM
- 1 [FL-73H-998] NO CAMERA/VIDEO/IMAGING SYSTEM
- 1 [FL-746-803] C/F J1939 RADIO W/PA
- 1 [FL-763-801] FASTEN SEAT BELT INDICATOR FOR CUSTOMER SUPPLIED SEAT BELT
- 1 [FL-786-1A0] LOCATING SYSTEM WITH VEHICLE MONITORING
- 1 [FL-810-027] ELECTRONIC SPEEDOMETER WITH SECONDARY KPH SCALE, NO ODOMETER
- 1 [FL-811-042] ICU3S, 132x48 Display w/Diagnostics, 28 LED Warn Lamps
- 1 [FL-813-115] TBB ZONAR DASH MOUNTED
- 1 [FL-81Y-001] PRE/POST TRIP SYSTEM TEST
- 1 [FL-830-017] ENGINE AND HOUR METERS INTEGRAL WITH DRIVER DISPLAY
- 1 [FL-836-015] DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY
- 1 [FL-840-002] PRIMARY AND SECONDARY AIR PRESSURE GAUGES
- 1 [FL-844-001] ELECTRIC FUEL GAUGE
- 1 [FL-846-001] AMMETER
- 1 [FL-852-002] ELECTRIC ENGINE OIL PRESSURE GAUGE
- 1 [FL-856-001] ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE
- 1 [FL-864-001] TRANSMISSION OIL TEMPERATURE GAUGE

ENGINE AND EQUIPMENT

- 1 [FL-101-21V] CUM B6.7 260 HP @ 2400 RPM, 2600 GOV, 660 LB/FT @ 1600 RPM
- 1 [FL-103-039] ANTI-FREEZE TO -34F, OAT (NITRITE AND SILICATE FREE)EXT LIFE
- 1 [FL-105-001] ENGINE-MOUNTED OIL CHECK AND FILL
- 1 [FL-107-032] CUMMINS 18.7 CFM COMPRESSOR
- 1 [FL-110-003] CUMMINS SPIN ON FUEL FILTER
- 1 [FL-111-001] STANDARD ENGINE OIL
- 1 [FL-118-001] FULL FLOW OIL FILTER
- 1 [FL-120-011] FLEETGUARD COOLANT FILTER PLAIN, RAIL-MOUNTED
- 1 [FL-122-1H8] DAVCO 245 FUEL/WATER SEPARATORW/12V HEAT & WIF
- 1 [FL-128-076] CUMMINS INTEGRAL EXHAUST BRAKE WITH VARIABLE TURBO
- 1 [FL-134-001] ALUMINUM FLYWHEEL HOUSING
- 1 [FL-138-010] PHILLIPS 750 WATT/115 VOLT BLOCK HEATER

- 1 [FL-13E-001] STANDARD OIL PAN
- 1 [FL-140-039] ENGINE HEATER RECEPTACLE MOUNTED FACE OF BUMPER, LEFT SIDE
- 1 [FL-152-040] ELECTRONIC ENGINE, INTEGRAL WARNING & DERATE PROTECTION SYST
- 1 [FL-170-041] ADDL AUX LINES W/MANIFOLD PLUMBING AND COMBINED SHUTOFF
- 1 [FL-171-007] GATES BLUE STRIPE COOLANT HOSES
- 1 [FL-172-016] CONSTANT TORQUE BREEZE CLAMPS ON 1" IN DIA GREATER, SS C
- 1 [FL-174-001] CAST BOOSTER PUMP

1 [FL-175-003] STEPWELL TREAD HTD MAT W/53K BTU STEP HEATER, RH FRT ENT DR

- 1 [FL-190-001] DONALDSON ONE-STAGE AIR CLEANER
- 1 [FL-266-1AH] 750 SQUARE INCH DOWN FLOW RADIATOR
- 1 [FL-268-001] PNEUMATIC RADIATOR SHUTTERS
- 1 [FL-386-082] 1710 DANA SPICER MAIN DRIVELINE WITH HALF ROUND YOKES
- 1 [FL-79A-075] 75 MPH ROAD SPEED LIMIT
- 1 [FL-79G-998] NO IDLE SHUTDOWN CONFIGURATION
- 1 [FL-812-001] ELECTRONIC TACHOMETER 3000 RPM

TRANSMISSION AND EQUIPMENT

- 1 [FL-342-1K8] ALLISON 3000 PTS AUTOMATIC TRANSMISSION
- 1 [FL-343-342] ALLISON VOCATIONAL PACKAGE 226 FIFTH GEN
- 1 [FL-345-082] 5 GEN PUSH BUTTON ELEC SHIFTER W/REMOTE MTD ECU
- 1 [FL-346-003] TRANSMISSION OIL CHECK AND FILL W/ELECTRONIC OIL LEVEL CHECK
- 1 [FL-35T-001] SYNTHETIC 50W TRANSMISSION LUBE (TES-295 COMPLIANT)
- 1 [FL-370-011] WATER TO OIL TRANSMISSION COOLER FRAME MOUNTED
- 1 [FL-84C-022] PRIMARY MODE GEARS, 5 FORWARD
- 1 [FL-84L-017] DSS, ARM, FS; DSS-DISABLED, ARM-DISABLED, FS-DISABLED
- 1 [FL-84U-998] NO MODE SWITCH

WHEELS AND TIRES

- 1 [FL-093-1AX] RADIAL FRONT TIRE, MICHELIN XZE2,11R22.5 16 PLY
- 1 [FL-094-0GP] REARMICHELIN XDN2 11R22.5 16 PLY RADIAL
- 1 [FL-489-998] NO TIRE PRESSURE CONTROL/SENSOR
- 1 [FL-502-523] MAXION 90262 22.5 X 8.25 10 HOLE HUB PILOT 5-HAND
- 1 [FL-505-523] MAXION 90262 22.5 X 8.25 10 HOLE HUB PILOT 5-HAND
- 1 [FL-52M-003] TIRE/WHEEL BALANCING-LEAD FREE WEIGHTS
- 1 [FL-962-976] ACCURIDE PK-BLACK21 POWDER BLACK WHEEL (N0001H)- FRONT
- 1 [FL-966-976] ACCURIDE PKBLK21 POWDER BLACK WHEEL (N0001H) REAR

OTHER TYPE

PDI

- 1 [A000000161] ALERT-PDI INSTALLATION
- 1 [A000000164] ALERT-ENHANCED STABILITY CONTROL

DEALER ADD On's

•

Meets all FMVSS requirements in effect at the time of manufacture.

Total for 1 complete unit(s): TOTAL PRICE \$108,682.00 Delivery Cost:

Additional options you may want to consider:

AUTOMATIC TIRE CHAINS \$2700.00
HEATED STEP TREADS \$550.00
AIR DISC BRAKES \$2000.00
REAR AIR FOIL \$650.00
CAMERA MIRROR \$1200.00
24/7 8 CAMERA SYSTEM INSTALLED \$3650.00

NOTE: ADDITIONAL OPTION AVAILABLE

360 BUS WISE & MOBILE EYE SYSTEM \$3600.00

Terms and Conditions:

Quote Expires:		
Customer Signature:	Date:	
Dealer Signature:	Date:	

AttachedDetail





Prepared For:

UINTA COUNTY SCHOOL DISTRICT #1

537 TENTH ST.

EVANSTON, WY 82930

Prepared By: LANCE PARKER 801-232-5495

LANCE@LEWISBUSGROUP.COM

Quote Number: Quote Date: Customer Order No: 345680 7/25/2018 Uinta #1 DERA GRANT (2) BUSES TOTAL

Model Profile: Saf-T-Liner HDX 141YS

Product Type: School Transportation

Year: 2019
Chassis Model: CHSY
Chassis MFG: THOMAS
GVWR: GVWR
Passenger Capacity: 75
Headroom: 78
Wheelbase: 277

Brake Type: AIR W/REAR AIR SUSPENSION (23K

Engine Type: CUMMINS L9 300 DIESEL, 6 Cyl, 300 HP, 2200 RPM

Fuel Type: DIESEL Fuel Tank Capacity: 100

Transmission Type: ALLISON PTS 3000R Axle, Front: 13200-lb Capacity Axle, Rear: 23000-lb Capacity

Tires, Front: MICHELIN 11R22.5 16(H) PLY XZE2
Tires, Rear: MICHELIN 11R22.5 16(H) PLY XDN2

Suspension Front: 13,200

Suspension Rear: AIRLINER 23,000 LB. REAR SUSPENSION

Total for 1 complete unit(s): WYOMING BASE PRICE ONLY \$115,788.00

Delivery Cost:

Includes the Following Equipment:

BODY

ACCESSORIES

- 1 [B241000000] ACRYLIC VISOR LEFT SIDE
- 1 [B552300000] PROP ROD ACCESS DOOR ABOVE WINDSHIELD
- 1 [B591000141] LUGGAGE RACKS BOTH SIDES
- 1 [B591002000] LUGGAGE RACK PAD WOLF BLACK UPHOLSTERY
- 1 [B596800000] LUGGAGE COMPARTMENT THROUGH, DELUXE, 125"
- 1 [G100015000] Device-Rear Deflection Wing Yellow

CERTIFICATION/SAFETY

- 2 [B202001000] FIRE EXTINGUISHER 5 LB.
- 2 [B202200000] FIRE EXTINGUISHER MOUNTING BRACKET FRICTION TYPE
- 1 [B2050WY000] KIT FIRST AID, 24 UNIT, COMPLIES W/WYOMING STATE SPECS
- 1 [B2060WY000] KIT BODY FLUID CLEAN-UP, COMPLIES WITH WYOMING SPECS
- 1 [B209004000] REFLECTORIZED TRIANGLES-(3) IN OVERHEAD STORAGE COMPARTMENT
- 1 [B287599999] CROSSVIEW MIRROR INCLUDED IN REARVIEW MIRROR ASSEMBLY
- 1 [B289903000] ROSCO INTEGRATED STYLE REMOTE CONTROL HEATED MIRROR
- 1 [B294272E21] SIGN-STOP, ELECTRIC FRONT #T7000-200-E21 LED
- 1 [B525240002] RF HATCH-TRANSPEC,LO PRO"TRIPLE VALUE" W/STAT VNT, WH,EN(2)
- 1 [B583175000] LABEL U.S. CERTIFICATION
- 1 [B599900001] APPLICATION SCHOOL
- 1 [D622300000] LABEL-GHG CERTIFICATION ENGLISH

DOORS

- 1 [B501007000] PADDING SIDE EMERGENCY DOOR HEADER, 24"
- 1 [B503002000] EXTERIOR DOOR HANDLE
- 1 [B505500000] RIGHT SIDE DOOR NONE

- 1 [B515500000] 24" SIDE EMERGENCY DOOR LS
- 1 [B518206000] VANDALOCK AIR-OPERATED OUTWARD OPENING ENTRANCE DOOR
- 1 [B518602000] VANDALOCK SIDE EMERGENCY DOOR WITH INTERLOCK & BARREL BOLT
- 1 [B519008014] CYLINDER LOCK-LUGGAGE COMPARTMENT DR (4)-THRU,DEL 95"/125"
- 1 [B520006000] 3-POINT LATCH SIDE EMERGENCY DOOR, LEFT SIDE
- 1 [B548400000] CORROSION RESISTANT SEALER, REAR DOOR
- 1 [C340202000] STEPWELL GUARD (HDX)

ELECTRICAL - BODY

- 1 [A305000000] ALERT-READING LIGHT WIRING
- 1 [B200102000] PASSENGER ADVISORY SYSTEM HORN ACTIVATION
- 1 [B216010000] TWO(2)DEFROSTER FANS MOUNTED OVER CENTER WINDSHIELD
- 1 [B231015000] BACKING ALARM HEAVY DUTY 112DB
- 1 [B258001400] OUTSIDE SPEAKER HORN CHASSIS-MOUNTED (TRANSIT)
- 1 [B259111000] PRE-WIRE FOR CUSTOMER INSTALLED 2-WAY RADIO/VIDEO CAMERA
- 1 [B259119001] GPS ZONAR SYSTEM, HDX
- 1 [B259205000] CELLULAR PHONE POWER OUTLET REAR WALL OF SWITCH CABINET
- 1 [B260300008] SPEAKERS EIGHT (8)
- 1 [B260405001] RADIO AM/FM DEA510 DELPHI, TRANSIT W/PAGE
- 25 [B305000000] READING LIGHT
- 1 [B307202000] COURTESY LIGHT EXTERIOR ELECTRICAL ACCESS DOOR
- 1 [B308004012] COMPARTMENT LIGHTS(4)-69"/95"/125" THROUGH, DELUXE COMPART
- 1 [B320302141] ADDITIONAL DOME LAMPS HDX
- 1 [B323001000] DELUXE DRIVER'S DOME LIGHT
- 1 [B326002000] RHEOSTAT DIMMER SWITCH FOR DRIVER'S COMPARTMENT DOME LIGHT
- 1 [B327902000] INTER EMERG DR LHT-LED, 1/2" DIAMETER, LOCTD OVER RR P/O HATC
- 1 [B327903000] INTER EMERG DR LHT-LED, 1/2" DIAMETER, LOCTD OVER LS EMERG DR
- 1 [B329001002] ENTRANCE DOOR LIGHT HOODED
- 1 [B329100000] HOODED STEP LIGHT
- 1 [B333108000] 7" LED DIRECTIONAL LIGHTS FRONT
- 1 [B336002000] LAMPS-STOP/TAIL/DIRECTIONAL AMBER/REVERSE LED
- 1 [B339302000] LAMPS-STOP/TAIL 4"FLUSH-MOUNT LED
- 1 [B342200001] SIDE DIRECTIONAL-LED AMBER TURN, CENTER FRONT WHEEL
- 1 [B349501000] FOUR (4) ENGINE COMPARTMENT LIGHTS
- 1 [B357605000] STROBE LGT(S) OPERATIONS W/IGNITION&SWITCH
- 1 [B358028006] LED WARNING LIGHTS STROBE, FOUR(4) AMBER & FOUR (4) RED LENS
- 1 [B358208000] HALOGEN 8-LIGHT WARNING SYSTEM
- 1 [B364039000] ID LAMPS LED
- 1 [B364040000] MARKER LAMPS LED
- 1 [B364041000] MID-MARKER LAMPS LED
- 1 [B371501005] STROBE LIGHT CLEAR, 135" FROM REAR HOOD, CENTERED
- 1 [B371600000] STROBE LIGHT GUARD
- 1 [B380022000] CONVOLUTED CONDUIT FOR WIRING BACKUP ALARM
- 1 [B380504000] RECEPTACLE REAR, ENGINE HEATER (HDX)
- 1 [B382201000] MANUAL WARNING LIGHT ACTIVATION SWITCH
- 1 [B382501000] MASTER SWITCH READING LIGHTS
- 1 [B383300000] NOISE SUPPRESSION SWITCH
- 1 [B599000005] BATTERY HOLD DOWN BRACKET 8D BATTERY
- 1 [B599065000] BATTERY BOX LARGE W/STAINLESS STEEL TRAY
- 1 [D901600001] ELEC-PEDESTAL, HEATED SEAT NAT

EXTERIOR

1 [B165002000] GAS SPRINGS - EIGHT (8)

- 1 [B230000000] AIR HORN BENEATH FLOOR
- 1 [B519015000] LATCH-LOCK DEF ACCESS DOOR
- 1 [B537000000] COVER LOCK
- 1 [B537003000] LOCK BATTERY BOX DOOR
- 1 [B542002000] 20 GAUGE SMOOTH SIDE SHEETS
- 1 [B544300000] GUARD RAILS FOR LIFT OR SIDE EMERGENCY DOOR
- 1 [B548300141] SEVERE SERVICE PACKAGE FOR BODY
- 1 [B548301000] SIDE EMERGENCY DOOR JAMB REINFORCEMENT
- 1 [B548801000] BRACKET MOUNTING, LICENSE PLATE, FRONT
- 1 [B560000000] SEALING, EXTERIOR JOINT EDGE
- 1 [B566001000] MUD FLAPS FRONT, RUBBER, 15"W WITH LOGO
- 1 [B566005000] REAR RUBBER MUD FLAPS 22.5W W/LOGO
- 1 [B571001000] FENDERETTES FOUR (4)
- 1 [D505302141] UNDERCOATING-UNDERGUARD

HVAC

- 1 [B403004000] HEATER 15,000 BTU DRIVER'S COMPARTMENT
- 1 [B411203000] GROCO CENTRIFUGAL BOOSTER PUMP
- 1 [B411330000] HEATER SHUT-OFF VALVES BALL TYPE ENGINE COMPARTMENT
- 1 [B412006050] 84,000 BTU HEATER 6TH SECTION LEFT SIDE
- 1 [B412008050] 84,000 BTU HEATER 8TH SECTION LEFT SIDE
- 1 [B412016050] 84,000 BTU HEATER AGAINST REAR WALL, RIGHT SIDE
- 1 [B412107000] SERIES HEATER CONNECTION REAR HEATERS THREE(3)
- 1 [B415101000] SERIES HEATER CONNECTION REAR HEATER ONE(1)
- 1 [B415416000] HEATER HOSE HI-MILER, RIGHT SIDE, REAR HEATER
- 1 [B416511000] FUEL BURNING HEATER 45,000 BTU WEBASTO W/LOCKING BOX, LS
- 1 [B420507000] PLUMBING AT SIDE DOOR WITH PLYWOOD FLOOR
- 1 [B420603000] CONSTANT TORQUE CLAMPS THREE (3) REAR UNDERSEAT HEATERS
- 1 [B421617141] GATES GREEN STRIPE HOSE-FRONT CENTER HEATER
- 1 [B429000000] SIDE DOOR RAMP OVER HEATER HOSE

INTERIOR

- 1 [B150001000] FLOOR STEP NOSING
- 1 [B150201000] ELECTRICALLY HTED STEP TREAD-FRT ENT DR(CONV,HDX)
- 1 [B150605032] GRAY KORSEAL STEP TREADS OUTWARD OPENING ENTRANCE DOOR
- 1 [B152400141] ALUMINUM AISLE STRIPS
- 1 [B153520141] DARK GRAY VINYL FLOOR WITH 13" CENTER AISLE
- 1 [B158000141] PLYWOOD FLOOR 5/8" THICKNESS
- 1 [B231020000] MIRROR INTERIOR 6" X 30" BACK UP CAMERA
- 1 [B531000141] 78" HEADROOM
- 1 [B532013000] SPECIAL URETHANE FOAM INSULATION
- 1 [B533101000] POLYESTER INSULATION RAFTER CAVITIES
- 1 [B533603141] ACOUSTIC HEADLINING COMPLETE WITH POLYESTER INSULATION
- 1 [B560600000] SEALANT PLYWOOD FLOOR EDGES
- 1 [B574127141] PADDED RAILS BLACK FIRE BLOCK UPHOLSTERY
- 1 [B575515001] ASSIST RAIL LEFT SIDE, EXTRA (SAF-T-LINER ER,HD)
- 1 [B575603000] ASSIST RAIL RIGHT SIDE, HDX (A.D.A.)

MISC

- 1 [A200100000] PDI IDENTIFIER-DEALER PERFORMED
- 1 [B599334000] BODY ADJUSTMENT-HDX 2010 EPA
- 1 [B599348000] BODY ADJUSTMENT-HDX 2013 EPA
- 1 [TB-001-314] SAF-T-LINER HDX

PAINT/LETTERING

- 1 [A000000058] DECAL-UNITED AUTO WORKERS
- 1 [B132401000] PAINT STANDARD SASH FLAT BLACK
- 1 [B134000000] RED HANDLE EMERGENCY DOOR(S)
- 1 [B144200000] LABEL DIESEL EXHAUST FLUID (DEF) ENGLISH
- 1 [B145005000] BATTERY BOX LETTERING
- 1 [B145505000] LABEL 2010 EPA EXHAUST REGENERATION ENGLISH
- 1 [B147502100] YELLOW REFLEXITE 2", PERIMETER OF REAR BUS BODY
- 1 [B147503000] YELLOW "SCHOOL BUS" SIGN FRONT HOOD
- 1 [B147504000] YELLOW "SCHOOL BUS" SIGN REAR HOOD
- 5 [B147508000] YELLOW REFLEXITE-PERIMETER OF PUSHOUT SASH (28.5" HIGH SASH)
- 1 [B147511000] YELLOW REFLEXITE PERIMETER OF EMERG DOOR, 24" W (78" HR)
- 1 [B147513000] YELLOW REFLEXITE PERIMETER OF REAR PUSHOUT WINDOW
- 1 [B147603141] YELLOW REFLEXITE-2", ABOVE FLOOR LINE-BOTH SIDES OF BUS BODY
- 1 [B151800000] TUFFCOAT ENTRANCE DOOR STEPWELL
- 1 [D50601F141] PAINT-EXTERIOR ROOF WHITE 6"
- 1 [D5061SC141] PAINT-EXT WDO AREA SAME AS BODY
- 1 [D506347000] PAINT-EXT GRD RAIL @ WINDOW BLACK
- 1 [D506447000] PAINT-EXT GRD RAIL @ SEAT BLACK
- 1 [D506547000] PAINT-EXT GRD RAIL @ FLOOR BLACK
- 1 [D506647000] PAINT-EXT GRD RAIL @ SKRT BLACK
- 1 [D506747002] PAINT-EXT BUMPERS FRT/RR BLACK
- 1 [D510646141] PAINT-SOLID COLOR YELLOW

SEATS

- 1 [A000000051] 30-INCH CLEAR AISLE SIDE EMERGENCY DOOR
- 1 [B152700000] SEALING FLOOR COVERING
- 1 [B214501000] SEAT BELT CUTTER TIE TECH
- 1 [B610000095] BELT-ELR SHOULDER/PUSH BUTTON LAP

- 1 [B620000078] BARRIER STORAGE POUCH TWO (2)
- 1 [B620000079] LEFT SIDE BARRIER IMMEDIATELY BEHIND DRVR MOVED REARWARD 2"
- 1 [B620001077] BARRIER STORAGE POUCH, RIGHT SIDE AT ENTRANCE DOOR
- 1 [B620039090] KICK PLATE/MODESTY PANEL-39"VERT, WALL-MTD BARRIER,RT SIDE
- 1 [B640139107] 39" BARRIER VERTICAL, WALL MOUNT 45" H LS
- 1 [B640139200] 39" BARR-VERT, WALL MT 45"H RS 2009
- 1 [B640239000] 39"8DEG BARR-REV. WALL-MT 45"H 2009
- 3 [B660010121] PROFORM EDO BLUE UPHOLSTERY-45"HIGH RECESSED BARRIER
- 1 [D900104001] SEAT-DRIVER NATIONAL W/HEAT
- 1 [D900302001] ARMREST NATIONAL DRVR'S ST. BOTH SIDES
- 1 [D900403005] UPH DR.ST.BLUE FABRIC INSERT KEVLAR TRIM NATIONAL
- 1 [D900503007] PEDESTAL-NATIONAL AIR W/2 SHOCKS
- 1 [D900602001] COVER PEDASTAL NATIONAL NONE
- 1 [D900802002] RETAINER NATIONAL DR.ST.BELT
- 1 [D900902001] POUCH-DR.ST.STORAGE NONE
- 1 [D901200003] RISER-DRIVERS SEAT, NATIONAL NONE
- 11 [D980139000] SC3 39"LS 3-PASSENGER WALL MOUNT
- 10 [D980239000] S3C 39"RS 3-PASSENGER WALL MOUNT
- 2 [D980239002] S3C 39"RS 3-PASSENGER WALL MOUNT WITH ICS
- 23 [D980410166] FIREBLOCK BLUE UPHOLSTERY S3C PASSENGER SEAT
- 1 [D980410266] FIREBLOCK BLUE UPH S3C DAVENPORT
- 1 [D980539039] S3C 39"/39" DAVENPORT
- 23 [D989002000] S3C WALL MOUNT HARDWARE TRANSIT

WINDOWS/GLASS

- 1 [B161101141] TINTED TEMPERED GLASS COMPLETE
- 1 [B162009000] TINTED WINDSHIEDL WITH 5" BAND FOR MVP-ER, ER TRANSIT
- 2 [B164410000] TINTED TEMPERED PUSHOUT-LEFT SIDE, VERTICAL HINGE
- 3 [B164411000] TINTED TEMPERED PUSHOUT-RIGHT SIDE, VERTICAL HINGE
- 1 [B170001000] STORM GLASS (TEMPERED) DRIVER'S WINDOW
- 1 [B172105000] THERMOPANE GLASS OUTWARD OPENING ENTRANCE DOOR, UPPER/LOWE
- 1 [B173100000] STORM GLASS (TEMPERED)-RIGHT SIDE
- 1 [B175100000] STORM GLASS (TEMPERED)-LEFT SIDE
- 18 [B700701002] TINT TEMP GLASS-COMP (28.5")
- 1 [B700900003] WINDOW STOPS (12")

OTHER

1 [D900702001] SLIDE STOP NATIONAL DR.ST. NONE

CHASSIS

AXLES AND SUSPENSIONS

- 1 [C145122000] AXLE REAR, DANA 22060S, 5.29 RATIO
- 1 [C386006000] SYNTHETIC LUBE STANDARD W/FRONT AXLE
- 1 [C443000000] HENDRICKSON "COMFORT AIR" SINGLE AXLE AIR SUSPENSION-23K AXL

BRAKES

- 1 [C207035000] ANTILOCK BRAKES MERITOR/WABCO (HDX)
- 1 [C207037000] AIR ANTI-LOCK DISC BRAKES
- 1 [C600001000] PARKING BRAKE INTERLOCK

CHASSIS EQUIPMENT

- 1 [C114400000] SCHRAEDER VALVE LOCATED IN ENGINE COMPARTMENT (5,K)
- 1 [C115104000] AUTO AIR TANK DRAIN HEATED (4) HDX
- 1 [C117504000] RELOCATE AIR TANKS HDX

1 [C222800000] ADJUSTABLE PEDAL SYSTEM - HDX

- 1 [C336504000] 100 GALLON FUEL TANK, BETWEEN THE RAILS, RIGHT HAND FILL
- 1 [C340006277] CHASSIS FRAME RAIL HIGH STRENGTH (110KSI) HDX (277"WB)
- 1 [C340500000] TOW HOOKS, FRONT TWO (2)
- 1 [C343000000] ENGINE SKID BAR
- 1 [C343001000] PROTECTIVE PLATE- ENG OIL PAN

ELECTRICAL - CHASSIS

- 1 [C136700000] LEECE-NEVILLE 270 AMP ALTERNATOR- PAD MOUNTED HDX
- 1 [C183200000] DUAL 12-VOLT 8D BATTERIES HDX
- 1 [C362302000] SOLID STATE ELECTRONIC FLASHER FOR HAZARD LIGHTS

• 1 [C367103000] IGNITION KEYED ALIKE (HDX)

1 [C367621000] AUDIBLE ALARM-HEADLIGHTS/ MARKER LIGHTS ON (HDX)

ENGINE AND EQUIPMENT

1 [B817002000] ANTIFREEZE-34F, EXTENDED LIFE COOLANT (HDX)

- 1 [C116500000] AIR DRYER BENDIX AD IP WITH HEATER HDX
- 1 [C207800998] EXHAUST BRAKE NONE
- 1 [C221112000] CRUISE CONTROL HDX (CUM ISL)
- 1 [C221270000] VEHICLE SPEED LIMITING(70 MILES PER HOUR SETTING)
- 1 [C230541000] FUEL PRO 382-C DAVCO FUEL WATER SEPARATOR HDX
- 1 [C230605000] COOLANT RECOVERY BOTTLE HDX
- 1 [C231610000] 6' BLOCK HEATER ELECTRIC CORD FRONT/REAR RECEPTACLE
- 1 [C231812000] BLOCK HEATER HDX (CUM ISL)
- 1 [C232112000] WATER FILTER HDX (CUMMINS ISL)
- 1 [C242600300] CUMMINS L9-300 ENGINE (HDX) 2013 EPA
- 1 [C362900000] MULTI-FUNCTION GAUGE-REAR PANEL HDX
- 1 [C599305000] CUMMINS 2017 MODEL YEAR

TRANSMISSION AND EQUIPMENT

- 1 [C602809318] ALLISON 3000 PTS TRANSMISSION W/RETARDER-CUM ISL-300 2013
- 1 [C602911318] 6 SPEED SHIFT CONTROL 3000R PTS
- 1 [C603803000] HAND CONTROL VALVE FOR RETARDER HDX
- 1 [C605000101] ALLISON FUEL SENSE-BASIC, DSS MED

WHEELS AND TIRES

- 4 [C531151000] MICHELIN 11R22.5 16(H) PLY XDN2
- 2 [C531603000] MICHELIN 11R22.5 16(H) PLY XZE2
- 1 [C5971000001 TIRE BALANCING

Total for 1 complete unit(s): TOTAL PRICE

- 6 [C656007000] DISC WHEEL 8.25 X 22.5, 5H (BLACK)
- 1 [C656701000] HUB-PILOTED WHEEL EQUIPMENT 23K (HDX)

OTHER TYPE

PDI

Quote Expires:

1 [A000000161] ALERT-PDI INSTALLATION

Meets all FMVSS requirements in effect at the time of manufacture.

Additional Options You Selected:

HEATED STEPS \$1500.00
BOOK RACKS \$3500.00

LUGGAGE COMPARTMENTS \$2000.00
AIR DISC BRAKES \$1200.00
CAMERA MIRROR \$1300.00
INTEGRATED CHILD SEATS (2 RIGHT SIDE) \$7000.00
RETARDER TRANSMISSION \$3700.00

WEBASTO HEATER \$ 500.00 TOTAL PACKAGE

\$148,638.00

TUFF COAT STEPWELL
CORROSION UNDER COATING
BODY EDGE COAT
ON SPOT CHAINS
INCLUDED
\$ 2750.00

SEON CAMERA SYSTEM PER QUOTE
INSTALLATION OF CAMERA SYSTEM LBG
REAR AIR FOIL
READING LIGHTS (25)

\$ 5200.00
\$ 1200.00
\$ 650.00
\$ 1800.00

INSTALL HEATER FOR DAVCO
WRAP AIR DOOR CYLINDER WITH HEATER
N/C

Terms and Conditions:

Customer Signature:	 Date:	

Dealer Signature:	Date:	
· ·		

AttachedDetail

VEHICLE DATA SHEET

AND OFFICIAL PRICE QUOTATION

TYPE D (RE) -- 81-78 (CNG) PASSENGER Specifications are in addition to Chapter 2, Minimum Standards for We

Quoted price is based upon payment upon delivery to the school district (without sales tax). Price to be effective until April 1, 2017 VENDOR REPRESENTATIVE'S SIGNATURE	PTS 3000 2017	ALLISON	MANUFACTURER	TRANSMISSION 2018	YEAR		BLUE BIRD		CHASSIS	Warranty: 1 Years 12000 Miles		13RE 4006 2018 Re	YEAR	MANUFACTURER: BLUE BIRD	вору	CASPER, WY 82602 Fi		DO BOX 65		VENDOR'S COMPANY NAME
Passenger Passenger liable. DATE	Speeds forward: 5	5 Years UNLIMITED Miles	Warranty:	273 Inches	Wheelbase:	12,000 Miles	1 Years	Warranty:			122 Inches	Rear body overhang:	489.25 Inches	Overall vehicle length:		Firm where body can be serviced or repaired and parts obtained:	Fifm where engine and chassis can be serviced or	Estimated delivery date to school district from time	JERRY STOLL	REPRESENTATIVE'S NAME
Warranty: 5 Years 100,000 Miles	MODEL IST-G		MANUFACTURER	ENGINE						Floor color: GREY	Seat color: GREY	List method used to measure these distances:	75 passenger (maximum leg room)	78 passenger (minimum leg room)		repaired and parts obtained:	be serviced or repaired and parts obtained:	strict from time purchase order is received:	OLL	
Torque: 900 @ H.P.: 280 @ C.I.D.: 8.9L	YEAR 21	CUMMINS			Rear axle ratio:	GVWR:	Rear axle capacity:	Front axle capacity:		KNEES, MEASURED FROM CENTER OF SEAT	IPS 1		LH=24", RS=25.5"	LS=24", RS=23"	T	ELDER-CASPER,			1-800-442-3286	TELEPHONE NUMBER
1300 RPM 2000 RPM	2017		が対象を		5.29	36,200	23,000	13.200		CENTER OF SEAT.	AT BACK AT	FROM FRONT OF SEAT BACK AT		inches +1"	HALLER'S-CHEYENNE	PERRY'S-RIVERTON	LOCAL DEALER	180-210 DAYS AFTER RECEIPT OF ORDER		

Wyoming State Price Quote Specification TYPE D (RE) --- 81-78 PASSENGER CNG

() 4441.	Separator	FuelWater	Final Tank		Frame			Engine Heater			Engine		Coomig Oyatem	Cooling System	Compressor	Brakes	•	Battery(ies)		Axle Ratio	Axle Oil Seals	Axle-Rear	Axle-Front	Alternator			Air Tanks	All Diyer			E M	
POLOGO D. GVWA Hillininum.		TOO GAMOIT TIMINITUITI.	100 gallos minimus		270-303 inch wheelbase.			Factory installed engine manufacturer's recommended in-block heater. Body plug on cowl					ricavy duty, iliaxillulli capacity. Fan clutch. Long life coolant must be provided.	Honor duty margin and the first transfer of	ff minimum	Front - 16.5 x 6 Rear - 16.5 x 8.62	The second second way, i.e. were to be invertible in body battery compartment.	Two-BD on roller hearing tray 12 yolt to be mounted in body better the reserved	The second second at award of pid. Iwast comply with power and gradeability formula.	- 1	Front and rear. Wet design with sight place in front	23,000 lb. minimum,	13,200 lb. minimum with grease type drag link and tie rod ends	270 amp minimum, capable of 120 amp output at idle.		The control with automatic neated air drain on well tank.	4 740 cm in minimum with automatic boots.	neated air dryer with spin-off replaceable cartridge.	Item bid shall be specified in column to right.	Vendor must meet or exceed these specifications.	STATE-SUPPORTED SPECIFICATIONS	CHASSIS
GVWR 36200	Mfr. N/A	Capacity 7600 SCF @3600 PSI	Rear Overhang 122	RBM rating 980,000 IN LB PER RAIL WITH LINER	Frame thickness .25"	Height 9 5/8" Width 3"	Mír. KIM HOT START	1000	2000	Net torque 900 @ 1300 R.P.M.	Model or liters ISL-G	Mfr. CUMMINS	APS	Cubic feet 18.7	Size APS	CCA 2600	Number of batteries 2	Size or group 8D	5.29	Mfr. SCOTSEAL TF	acity		n output 27	Mfr. LEECE NEVILLE	2500 1650 1650	1 2 3 4 5	Tank capacity	Mfr. BENDIX AD-IP	Price of items bid will establish the state cost.		VENDOR SPECIFICALLY IDENTIFY ITEM BID	

Wyoming State Price Quote Specification TYPE D (RE) -- 81-78 PASSENGER CNG

	Floor	Emergency Exits	Emergency Equipment	Dimensions	Child Check System	Certificate Holder	Padding	Auxiliary Fans	Audio System		70.	Wheels		Transmission	lires	Rear Suspension	nour weter	Cruise Control	High Idle and	ITEM
	Aisle trim and cove molding shall be provided	cations with a three-point door latch system for side emergency door. ottom window of emergency door. Roof hatches shall be static vent type to seat, or portion of seat, may intrude into side emergency exit door, if so	A metal, sealed box shall be provided for the first aid kit and the body fluid kit. A heavy-duty metal bracket shall be provided for the fire extinguisher(s). Fire extinguisher(s) shall have a drawn steel cylinder with all metal valve. Each fire extinguiser shall have a total rating of 3A40BC or greater.		System to arm after the red loading lights are used. Disarm button to be in the rear of bus. System to sound alarm (horn) and flash headlights if driver exits without disarming in the APS rear of bus.	Mounted above windshield for legal documents.	Must be provided.	I wo fans, six inch minimum, mounted to right and left windshield area.	spaced. Factory installed.	STATE-SUPPORTED SPECIFICATIONS	вору	Six, 22.5 x 8.25 center hub piloted disc wheels. 7,300 lb. minimum load rating.		Automatic - PTS 3000 six-speed. Oil level sensor to be included. 5 SPEED	Six, 11R22.5 load range H. Front - Highway tread. Rear - Traction tread.	heavy-duty, double-acting shock absorbers.	Mounted in dash panel.	programmed to meet state specifications of 75 mph.	Both shall be provided with cruise control	STATE-SUPPORTED SPECIFICATIONS
APS		Roof hatch mfr. TRANSPEC TRIPLE VALUE Model#	APS	Height 77	APS	APS	APS	Mfr. DCM	Number of speakers 8 I/S, 1 O/S	VENDOR SPECIFICALLY IDENTIFY ITEM BID		Size 22.5	Net input HP 300	Net input torque 950	Tread design HANKOOK AH12 FRT, Z35A RR	Capacity 23,000	APS	APS	יייייייייייייייייייייייייייייייייייייי	VENDOR SPECIFICALLY IDENTIFY ITEM BID

Wyoming State Price Quote Specification TYPE D (RE) -- 81-78 PASSENGER CNG

	5	Visors Dark Plexi	Vandal Locks must lock.	Oron Po	Strobe Light Roof mour	Stop Arm shall be in no expose include the	Service Door and full length integral, no	Seats, Passenger used for fl	Seating Capacity Minimum Maximum	Seat, Driver DRIVER'S	Power Point Power poi	Noise Kill Switch Accessor	Mirrors, Exterior Power controlled	Lighting (Interior) Driver dor	Lighting (Exterior) lights can way red li	menol ordewalls Challings		EPDM ho	Heaters for supply		seat heat	
williams, except tile/mai paned, shall be tinted.		ulas visors installed over driveds side window and drived.	Silaii de provided. Mechanical. Keyed alike/one key for all accesses. All outside openings must lock.		Roof mounted white strobe light to meet state specifications.	shall be interchangeable with the crossing control arm operating mechanism on the stop arm no exposed wiring on the stop arm. The stop arm shall be SMI part # T7000-200-E31 to include the electronic servo latch.	Air powered panic-type door (both doors open outward). A minimum three-step entry with two full length handrails (one on the left and one on the right side of stairwell), pebble tread, and integral, nonskid white nosing on step tread. Heated lower step, independently switched.	used for floor mounting. Convertible seats are the baseline seat for all Type D buses in State.	78 passenger (minimum leg room), 75 passenger (maximum leg room). Minimum leg room measurement LS 24", RS=23"	High back, fabric insert with two (2) arm rests and air suspension. RH ARMREST ON DRIVER'S SEAT ONLY. PAD ON LH DRIVER'S PANEL.	Power point socket installed in driver's switch panel. 12 volt.	Accessory master cut-off switch to control noisy accessories.	itrolled.	Driver dome light on separate switch.	lights can be turned on without having to open the door. Typical door operation triggering 8-way red light will still function and closing the door will still cancel lights.	Chairmitzed (non-painted) panets between bottom of windows and top of seat rail.	Alteria Total Control of the Control	EPDM hose in lieu of Goodyear High Miler hose, 50,000 BTU UNDERSEAT HEATERS	for supply and return lines. All heater hose to be one-ply Goodyear High Miler hose. A ball	fans and two blowers. Must include recirculating pump. Shut-off ball type valves at engine	seat heaters, one under driver's seat heater - 12 000 B T I I All heaters to have two speed	THE REAL PROPERTY AND ADDRESS OF THE PARTY ADDRESS OF THE PARTY AND ADD
APS	APS		APS	Mfr.	Location 4' FROM I	Mfr.	APS		RONT OF SEAT BA T BACK AT KNEES, R OF SEAT.	Mfr. NA	IN DRIVER'S AREA	Ą	Mfr	^ D0	Mír. CRS, TRUCK	APS	Total B.T.U.	Driver's heater B.T.U.	Center B.T.U.	Right-front B.T.U.	Left-front B.T.U.	
				SMI	4' FROM REAR OF BUS	SMI			X AT HIPS TO BACK NEASURED FROM	NATIONAL NIS 2000	AREA	NIIVAON LITE	BOBLITE		CRS, TRUCKLITE, SOUND OFF		352,000	12,000	100,000	90,000	50,000	

Wyoming State Price Quote Specification TYPE D (RE) -- 81-78 PASSENGER CNG

		Warranty				Cleaning	Service and				Handbook	Owners/Operators	Sheet	Itemized Build	Line Setting Ticket/	
	manufacture a standard wantanty to include pody, chassis, engine and transmission.	Manufacturary standard more than include the second	■All components and accessories will be installed and operational at time of delivery	proper operation at time of delivery	All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure	■ Interior and exterior will be clean (including glass)	■ Check fluid levels, verify all are at recommended full levels	■ Chassis lubrication	■Minimum -34°F freeze protection coolant	Cleaning and service by vendor prior to delivery will include:	be furnished with each bus at time of delivery.	Owner's/Operator's One copy of the chassis and body manufacturer's owner's/operator's handbook or manual will	will be delivered with each vendor's packet at the time of delivery of the bus.	Legible copy of manufacturer's line setting ticket or itemized build sheet for chassis and body		ADDITIONAL REQUIREMENTS, CHASSIS AND BODY
crigine our roudo Fransmission		Warranty Period				APS					APS		APS			
60/UNL	12/12000															

Wyoming State Price Quote Specification STATE-SUPPORTED OPTIONS TYPE D

		CTATT CITY OF THE COLOR	The second line of the second li	
		Vondor must most or most the OPTIONS	VENDOR SPECIFI	VENDOR SPECIFICALLY IDENTIFY ITEM BID
		Item bid shall be specified in column to right.		
Air Disc Brakes	Mfr.	BENDIX	\$2,825.00	5.00
Air Conditioner	Mfr.	CARRIER	Cost \$15,750.00	50.00
Air Suspension	Mfr.	HENDRICKSON ☑ Front ☐ Rear ☐ Both	Cost \$2,950.00	0.00
Automatic Tire Chains	Mfr.	ON SPOT	Cost \$3,400.00	0.00
Back Up Camera/Mirror Mfr.	Mfr.	ROSCOE		
Book Racks	□ Solid	☑ Tubular	Cost \$2,330.00	
Crossing Arm	Mfr.	SMI Model # VARIES	Cost \$550.00	
Flat Floor (Special Needs)	From from	From front wheelhouses to rear.	Cost N/A	P
Fuel-Fired Coolant Heater	Mfr.	ВТИ	Cost N/A	A
Heated Steps	☑ Second		Cost \$450.00	1.00
Lights	Mfr.	PRETORIA	Cost \$2,150.00	0.00
Rear Air Deflector	Mfr.	BLUE BIRD FULL WIDTH	Cost \$970.00	*
	Mfr.	☐ Driveline ☑ Transmission	Cost \$7,920.00	
Engine Exhaust & Compression Brake	Mfr.	VGT COMPRESSION	Cost \$1,300.00	0.00
	Mfr.	SPECTAL	Cost \$240 PER WDO ASSY	/DO ASSY
Under Bus Storage	Cubic feet 41.5	1 41.5	Cost \$2,200.00	0.00

TOTAL BUS



Option Package Special Needs - Lift Bus

APS=AS PER SPECIFICATION

	Track System		Power Lift	Manuals	Heater	Fuel Tank		ITEM	
	wheelchair can legally be secured. The bus shall be fully seated. Track to be mounted to the floor using corrosion resistant fasteners. One set of automatic self tensioning, self locking tie-downs shall be provided. Seating diagram to be determined by the school district.		Location to be determined by school district	technicians operation and service manuals.	with a wheelchair position or track seating.	OW Profile well received a section of the section o	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	STATE-SUPPORTED OPTIONS	
Package Cost	Tie-down mfr.	Model # S5010	Mfr. RICON	APS	Location	Location 8		VENDOR SPEC	
\$14,700.00	Q STRAINT	Lift 800 lbs.			APS	BETWEEN FRAME RAILS		VENDOR SPECIFICALLY IDENTIFY ITEM BID	

Check appropriate bus for this package:

Туре D	<u>:</u>	Type C	Туре А
 ☐ 72/65 passenger, FE, 36,000 GVWR ☐ 66/60 passenger, RE, 36,000 GVWR ☑ 81/78 passenger, RE, 36,000 GVWRCNG 	 □ 30 passenger □ 42/36 passenger □ 60/54 passenger □ 66/60 passenger □ 72/66 passenger 	☐ 28/24 passenger, gas engine, dual rear wheel ☐ 28/24 passenger, diesel engine, dual rear wheel ☐ 30/24 passenger, gas engine, dual rear wheel	

VEHICLE DATA SHEET

AND OFFICIAL PRICE QUOTATION

TYPE D (RE) -- 78-75CNG PASSENGER
Specifications are in addition to Chapter 2, Minimum Standards for Wyoming School Buses.

MODEL VEAB unl Miles	141YS 2017 Rear axle ratio:	MANUFACTURER TRANSMISSION ENGINE MANUFACTURER	warranty:	Allison 5 Years Cumm	Allison 5 Years unl Miles	Allison	Allison 5 Years Cum VEAR Uni Miles MODEL 2017 Speeds forward: 6 ISLG CUOTED PRICE Warranty: Torque:
GVWR: 36200		J.23		ซี	ช	NS 2017	YEAR 2017

GVWR	Fuel/Water Separator	based upon payment	Oriotad prica is		Frame			Engine Heater		(Engine		Cooling System	Compressor	brakes		Daller Y(les)	Battondian	Axie Katio	Axie Oil Seals	Axie-Rear	Axie-Front		Alternator		All falls); T ₂ , L ₂	Air Dryer			TEM
36,000 lb. GVWR minimum.	dash mounted water and fuel warning lights.	Five 3600 PSI CNG fuel cylinders- equivalnet to 66.5 gallons of Diesel			270-303 inch wheelbase.		The second second	Factory installed engine manufacturer's recommended in-block heater. Body plug on cowl		fan. Engine shall be 2013 EPA certified and compliant as measured from the tailoine		CNG- 280 HP minimum, 900 lbs. feet torque minimum, in-line six cylinder, cold starting	Heavy duly, maximum capacity. Fan clutch. Long life coolant must be provided.		Rear - 16.5 x 8.62		i wo-ou off roller bearing tray, 12 voit to be mounted in body battery compartment.		Axie ratio to be chosen at award of bid. Must comply with power and gradeability formula.		1 -	13,200 lb. minimum with grease type drag link and tie rod ends.		270 amp minimum, capable of 120 amp output at idle.		4,740 cu. iii. minimum with automatic heated air drain on wet tank.	7/0	Heated air dryer with spin-off replaceable cartridge.	venoor must meet or exceed these specifications. Item bid shall be specified in column to right.	STATE-SUPPORTED SPECIFICATIONS	CHASSIS
GVWR	Mfr.	Capacity	Rear Overhang	RBM rating	Frame thickness	Height 10	Mfr.	Watts		Net torque 900	Model or liters	Mfr.	Capacity in quarts	Cubic feet	Size	CCA	Number of batteries	Size or group		Mfr.	Capacity	Capacity	Maximum output	Mfr.		1 2	1	Mfr.	Price of items bi	VENDOR SPECI	
36200	fuel heater	66.5gal equivalent	115.93"	110,000 psi	1/4"	Width 3.5	Phillips		2200	@ 1300 R.P.M.	ISLG	Cummins	24	Bendix 13.2	16.5X6, 16.5x85/8	2250	lwo	8-D	5.29	AAC	23000	13200	270 amps	leece- Neville	6480 Total	3 4 5	Tank capacity	Bendix	Price of items bid will establish the state cost.	VENDOR SPECIFICALLY IDENTIFY ITEM BID	

	nisie unit allu cove moiulily shall be provided.	1001
Roof hatch mfr. Transpec Trip Value safT vent Model # II	As per state specifications with a three-point door latch system for side emergency door. Glass guard over bottom window of emergency door. Roof hatches shall be static vent type without opening. No seat, or portion of seat, may intrude into side emergency exit door, if so equipped.	Exits
included	A metal, sealed box shall be provided for the first aid kit and the body fluid kit. A heavy-duty metal bracket shall be provided for the fire extinguisher(s). Fire extinguisher(s) shall have a drawn steel cylinder with all metal valve. Each fire extinguiser shall have a total rating of 3A40BC or greater.	Emergency Equipment
Height 78"	Headroom: Minimum 77 inches.	Dimensions
e included	System to arm after the red loading lights are used. Disarm button to be in the rear of bus. System to sound alarm (horn) and flash headlights if driver exits without disarming in the included rear of bus.	Child Check System
included	Mounted above windshield for legal documents.	Certificate Holder
padded shoulder rail	Must be provided.	Below Window Padding
Mfr. two fans	Iwo fans, six inch minimum, mounted to right and left windshield area.	Ļ
Number of speakers 8	AM/FM/PA radio with one exterior speaker and maximum interior speakers to be evenly spaced. Factory installed.	
VENDOR SPECIFICALLY IDENTIFY ITEM BID	STATE-SUPPORTED SPECIFICATIONS	ITEM
	ВОДУ	
Size 22.5 Rim width 8.25	Six, 22.5 x 8.25 center hub piloted disc wheels. 7,300 lb. minimum load rating.	Wheels
Net input HP 300 max		
Net input torque 950 max	Automatic - PTS 3000 six-speed. Oil level sensor to be included	Transmission
Tread design steer/ traction	Six, 11R22.5 load range H. Front - Highway tread. Rear - Traction tread.	Tires
Capacity Hendrickson 23k LB air suspension	23,000 lb. minimum GVW air-ride suspension equipped with one or two leveling valves and heavy-duty, double-acting shock absorbers.	Rear Suspension
included	Mounted in dash panel.	Hour Meter
included	programmed to meet state specifications of 75 mph.	
VENDOR SPECIFICALLY IDENTIFY ITEM BID	Both shall be provided with chiese control	and
	STATE-SUPPORTED SPECIFICATIONS	ITEM

JYC SYLLEGIBLIDITI	Li Gilla		
Transmission	Ď		
Chassis	Body 1vr	Manufacturer's standard warranty to include body, chassis, engine and transmission.	warranty
	Warranty Period		
		proper operation at time of delivery	
		All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure	
included		■ Interior and exterior will be clean (including glass)	Cleaning
•		Check fluid levels, verify all are at recommended full levels	Service and
		■ Chassis lubrication	
		■ Minimum -34°F freeze protection coolant	
		Cleaning and service by vendor prior to delivery will include:	
included		be furnished with each bus at time of delivery.	Handbook
		Owner's/Operator's One copy of the chassis and body manufacturer's owner's/operator's handbook or manual will	Owner's/Operator's
included		will be delivered with each vendor's packet at the time of delivery of the bus.	
-		Legible copy of manufacturer's line setting ticket or itemized build sheet for chassis and body	Itemized Build
			I ine Selling Ticket
		ADDITIONAL REQUIREMENTS - CHASSIS AND BODY	

Wyoming State Price Quote Specification STATE-SUPPORTED OPTIONS TYPE D

Vendor in Item I Item	STATE-SUPPORTED OPTIONS Vendor must meet or exceed these specifications. ltem bid shall be specified in column to right. Cosmer Mir. Bendix SUTRAK A/C, Heat System Cosmer Rear Both Cosmer Rear Both Cosmer Rear	Cost N/A	N/A due to CNG tanks	Cubic feet	Under Bus Storage
STATE-SUPPORTED OPTIONS Vendor must meet or exceed these specifications. Illem bid shall be specified in column to right. Mir. Bendix Cos Sion Mir. Neway Chains Mir. On Spot or equivalent Cos AMirror Mir. Rosco ks Sion Mir. SMC Mir. SMC From front wheelhouses to rear. Prom front wheelhouses to rear. ps Second Mir. NIA Allison NIA NIA NIA Cos Ocs Cos Cos Cos Cos Cos Cos Cos C	STATE-SUPPORTED OPTIONS	Wa jan			Thermo Glass
STATE-SUPPORTED OPTIONS Vendor must meet or exceed these specifications. ltem bid shall be specified in column to right. Cos	STATE-SUPPORTED OPTIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right. Mifr. Bendix Cossion Mifr. Neway SUTRAK A/C, Heat System Cossion Mifr. Neway Front ☐ Rear ☐ Both Cossion Mifr. Rosco ks ☐ Solid ☐ Tubular Cossim Mifr. SMC Model # 78300 Cossed System Cossion Mifr. NI/A ASSOO Cossiading Mifr. NI/A ASSOO Cossiading Mifr. NI/A Allison ☐ Driveline ☐ Transmission Cossion Mifr. Second ☐ See II Foil ☐ Transmission Cossion ☐ Ontreline ☐ Transmission Cossion ☐ C			Mír.	Engine Exhaust & Compression Brake
STATE-SUPPORTED OPTIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right. Cos Mfr. Bendix Cos Sion Mfr. Neway SUTRAK A/C, Heat System Cos AlMirror Mfr. Neway Gront Rear Both Cos ks Solid Tubular Cos eds) Prom front wheelhouses to rear. From front wheelhouses to rear. pps Gecond Cos Mfr. Nug racks required Cos Cos Cos Cos Cos Cos Cos Cos	STATE-SUPPORTED OPTIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right. Mfr. Bendix Cossion Mfr. Carrier/Transair SUTRAK A/C, Heat System Cossion Mfr. Neway Grant		☐ Driveline ☑ Transmission	Mfr.	Relarder
STATE-SUPPORTED OPTIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right. Mfr. Bendix Cos ner Mfr. Carrier/Transair SUTRAK A/C, Heat System Cos Chains Mfr. On Spot or equivalent Cos ks Solid STubular Mfr. Rosco ks Solid STubular Mfr. SMC Model # 78300 Cos rm Mfr. SMC Model # 78300 Cos ps Second Cos Cos Cos Cos Cos Cos Cos Cos	STATE-SUPPORTED OPTIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right. Mfr. Bendix Cos Mfr. Neway SUTRAK A/C, Heat System Cos AMfr. Neway Front Pont Pont Rear Both Cos Mfr. Rosco Mfr. Rosco Mfr. SMC Mfr. SMC Mfr. SMC From front wheelhouses to rear. Mfr. N/A A5K BTU Cos Cos Cos Cos Cos Cos Cos Co	\$650.00		60	Rear Air Deflector
STATE-SUPPORTED OPTIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right. Cos Mfr. Bendix Cos Sion Mfr. Neway Chains Mfr. On Spot or equivalent Cos ks Scond From front wheelhouses to rear. Os Son Son Mfr. N/A Vendor must meet or exceed these specifications. Cos Cos Cos Cos Cos Cos Cos C	STATE-SUPPORTED OPTIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right. Mfr. Bendix Cos The Mfr. Carrier/Transair SUTRAK A/C, Heat System Cos Chains Mfr. On Spot or equivalent Cos Mfr. Rosco ks □ solid □ Tubular Mfr. SMC From front wheelhouses to rear. Mfr. N/A A5K BTU Cos Cos Cos Cos Cos Cos Cos Co		Jired		Passenger Reading Lights
STATE-SUPPORTED OPTIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right. Cossion Mfr. Bendix SUTRAK A/C, Heat System Cossion Mfr. Neway SUTRAK A/C, Heat System Cossion Mfr. On Spot or equivalent Cossion Mfr. Rosco Cossion Mfr. Rosco Cossion Mfr. Rosco Cossion Mfr. SMC Model # 78300 Cossion Mfr. SMC Model # 78300 Cossion Mfr. N/A A5K BTU Cossion Mfr. N/A A5K BTU Cossion Cossion Mfr. N/A A5K BTU Cossion C	STATE-SUPPORTED OPTIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right. Mfr. Bendix Cossion Mfr. Neway SUTRAK A/C, Heat System Cossion Mfr. Neway Sutransair SUTRAK A/C, Heat System Cossion Mfr. Neway Sutransair			W. 3	Heated Steps
STATE-SUPPORTED OPTIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right. Cos mer Mfr. Bendix Cos inner Mfr. Carrier/Transair SUTRAK A/C, Heat System Cos Chains Mfr. On Spot or equivalent Cos a/Mirror Mfr. Rosco ks Solid J Tubular f From front wheelhouses to rear. Cos Cos Cos Cos Cos Cos Cos Co	STATE-SUPPORTED OPTIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right. Mfr. Bendix Cos Mfr. Carrier/Transair SUTRAK A/C, Heat System Cos Sion Mfr. Neway ☐ Front ☐ Rear ☐ Both Cos A/Mirror Mfr. Rosco Solld ☐ Tubular Mfr. SMC Model # 78300 Cos Cos Cos Cos Cos Cos Cos Cos			No.	Fuel-Fired Coolant Heater
STATE-SUPPORTED OPTIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right. Cos Mfr. Bendix Cos Mfr. Carrier/Transair SUTRAK A/C, Heat System Cos Chains Mfr. On Spot or equivalent Mfr. Rosco Mfr. Rosco Mfr. SMC Model # 78300 Cos Cos Cos Cos Cos Cos Cos Cos	STATE-SUPPORTED OPTIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right. Mfr. Bendix Cos Mfr. Carrier/Transair SUTRAK A/C, Heat System Cos Sion Mfr. Neway	0000		From front wheelhouses to	Flat Floor (Special Needs)
STATE-SUPPORTED OPTIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right. Cos Mfr. Bendix Cos Cos Cos Chains Mfr. Neway Mfr. Sutrakk A/C, Heat System Cos Chains Mfr. On Spot or equivalent Mfr. Rosco Cos Cos Cos Cos Cos Cos Cos	STATE-SUPPORTED OPTIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right. Mfr. Bendix Cos Cos Cos Chains Mfr. Neway SUTRAK A/C, Heat System Cos AlMirror Mfr. On Spot or equivalent Cos Solld ☑ Tubular Cos Cos Cos Cos Cos Cos Cos Cos	7550			Crossing Arm
STATE-SUPPORTED OPTIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right. Cos Mfr. Bendix Cos Mfr. Carrier/Transair SUTRAK A/C, Heat System Cos Chains Mfr. On Spot or equivalent Cos Cos Cos Cos Cos Cos Cos Co	STATE-SUPPORTED OPTIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right. Mfr. Bendix Cos Mfr. Carrier/Transair SUTRAK A/C, Heat System Cos Chains Mfr. Neway STATE-SUPPORTED OPTIONS Cos Cos Cos Cos Cos Cos Cos Co	\$1,500.00		Solid [Book Racks
STATE-SUPPORTED OPTIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right. Mfr. Bendix Cos Mfr. Carrier/Transair SUTRAK A/C, Heat System Sion Mfr. Neway Cos Chains Mfr. On Spot or equivalent Cos Cos	STATE-SUPPORTED OPTIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right. Mfr. Bendix Cos Mfr. Carrier/Transair SUTRAK A/C, Heat System Cos Chains Mfr. On Spot or equivalent Cos Cos Cos Cos	\$1,200.00		Mfr.	Backup Camera/Mirror
STATE-SUPPORTED OPTIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right. Mfr. Bendix Cos Mfr. Carrier/Transair SUTRAK A/C, Heat System Cos Cos Cos	STATE-SUPPORTED OPTIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right. Mfr. Bendix Cos Mfr. Carrier/Transair SUTRAK A/C, Heat System Cos Cos	\$2,750.00	ivalent	Mír.	Automatic Tire Chains
Vendor must meet or exceed these specifications. Item bid shall be specified in column to right. Mfr. Bendix Mfr. Carrier/Transair SUTRAK A/C, Heat System Cos	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right. Mfr. Bendix Mfr. Carrier/Transair SUTRAK A/C, Heat System Cos		Front Rear		Air Suspension
Vendor must meet or exceed these specifications. Item bid shall be specified in column to right. Mfr. Bendix Cos	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right. Mfr. Bendix Cos	\$11,500.00	110,000		Air Conditioner
Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	STATE-SUPPORTED OPTIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	44073			Air Disc Brakes
STATE-SUPPORTED OPTIONS	STATE-SUPPORTED OPTIONS		r must meet or exceed these specifications. n bid shall be specified in column to right.	Vendo Iter	
		VENDOR SPECIFICALLY IDENTIFY ITEM BID	STATE-SUPPORTED OPTIONS		ITEM

TOTAL BUS WITH EQUIPHENT



Option Package Special Needs - Lift Bus

\$13,000.00	Package Cost	2017	
Q straint	Tie-down mfr.	wheelchair can legally be secured. The bus shall be fully seated. Track to be mounted to the floor using corrosion resistant fasteners. One set of automatic self tensioning, self locking tie-downs shall be provided. Seating diagram to be determined by the school district.	Track System
Lift 800 lbs.	Model # S		
Ricon	Mfr.	l onation to be determined by school district	Power Lift
included		technicians operation and service manuals.	Manuals
1 front, 2 rear	Location	a wheelchair position or track seating.	Heater
LH fill	Location		Fuel Tank
		Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	
VENDOR SPECIFICALLY IDENTIFY ITEM BID	VENDOR SPECIF	STATE-SUPPORTED OPTIONS	ITEM

	hen de stan be specified in countri to right.		
Fuel Tank		Location	LH fil
Heater	Low profile, wall mounted preferred. If heater is floor mounted, it must not interfere with a wheelchair position or track seating.	Location	1 front, 2
Manuals	Manuals and videos for lift and track system, including tie-downs. Driver's and technicians operation and service manuals.		included
Douber I iff		Mfr.	Ricon
LOWEL LIST	Location to be determined by school district.	Model# S	Lift 800 It
Track System	Full length 4-track system, track flooring and track mounted seats in any area where a wheelchair can legally be secured. The bus shall be fully seated. Track to be mounted to the floor using corrosion resistant fasteners. One set of automatic self tensioning, self locking tie-downs shall be provided. Seating diagram to be determined by the school district.	Tie-down mfr.	Q strai
	2017	Package Cost	\$13,000
Check appropriate	Check appropriate bus for this package:		
Type A			
Teo C	 28/24 passenger, gas engine, dual rear wheel 28/24 passenger, diesel engine, dual rear wheel 30/24 passenger, gas engine, dual rear wheel 		
ype C	 30 passenger 42/36 passenger 2016 60/54 passenger (Fuel tank may be installed belween frame rails behind rear axle or on right hand side.) 66/60 passenger 72/66 passenger 	hand side.)	
Type D	72/66 passenger, FE, 36,000 GVWR 66/60 passenger, RE, 36,000 GVWR 81/78 passenger, RE, 36,000 GVWR		

EEW

QUOTE

Elder Equipment Leasing of WY, Inc. P.O. Box 65 Casper, Wyoming 82602

1-800-442-3286

SOLD TO: NATRONA COUNTY SCHOOL DISTRICT #1

970 GLENN ROAD CASPER, WY 82601

A T T N: SYDNEY WEBB-DIRECTOR OF TRANSPORTAION

Quote Number Quote Date Customer Number Sales Order Number

10/19/2018 95220

Terms: Shipped Via: Special Instructions:

		Item Number	Deșcripțion : : : : : : : : : : : : : : : : : : :	Price Per	Amount
ſ	1	BBCV3303	2020 BLUE BIRD VISION	\$101,975.00	\$101,975.00
			TYPE C 72 PASSENGER S/N BUS		
	1	DISCOUNT	BLUE BIRD PREFERRED CUSTOMER	(\$5,000.00)	(\$5,000.00)
		BID PRICE	ELDER BID PRICE AFTER DISCOUNT	\$96,975.00	
		BASE PRICE	WY STATE BID BASE BUS PRICE	\$98,592.00	
	1	DISC BRAKES	AIR DISC BRAKES	\$2,825.00	\$2,825.00
١	1	BACK UP CAM	REAR BACK UP CAMERA	\$1,300.00	\$1,300.00
	1	CHAINS	AUTOMATIC TIRE CHAINS	\$3,400.00	\$3,400.00
	1	HTD STEP	ADDITIONAL HEATED STEP	\$450.00	\$450.00
١	1	REI CAMERAS	12 REI CAMERA SYSTEM INSTALLED	\$6,675.00	\$6,675.00
١	1	B/U CAMERA	BACK UP CAMERA	\$1,300.00	\$1,300.00
١	1	DOT CONV.SEATS	CONVERTIBLE SEATS W/3 PT BELTS TM	\$6,240.00	\$6,240.00
١	1	SPEC. NEEDS	SPECIAL NEEDS PACKAGE	\$16,700.00	\$16,700.00
١	1	AIR COND.	BULK HEAD AIR CONDITIONING	\$11,750.00	\$11,750.00
			WE APPRECIATE YOUR BUSINESS!!		



TOTAL Sales Tax

Freight

Total

\$147,615.00

\$147,615.00

EEW

QUOTE

Elder Equipment Leasing of WY, Inc. P.O. Box 65 Casper, Wyoming 82602

1-800-442-3286

SOLD TO: NATRONA COUNTY SCHOOL DISTRICT #1

970 GLENN ROAD CASPER, WY 82601

A T T N: SYDNEY WEBB-DIRECTOR OF TRANSPORTAION

Quote Number Quote Date Customer Number Sales Order Number

10/19/2018 95220

Terms: Shipped Via; Special Instructions:

Quantity		Dėscription : : : : : : : : : : : : : : : : : : :	Price Per	Amount
1	BBCV3303	2020 BLUE BIRD VISION	\$101,975.00	\$101,975.00
		TYPE C 72 PASSENGER		
1	DISCOUNT	BLUE BIRD PREFERRED CUSTOMER	(\$5,000.00)	(\$5,000.00)
	BID PRICE	ELDER BID PRICE AFTER DISCOUNT	\$96,975.00	
	BASE PRICE	WY STATE BID BASE BUS PRICE	\$98,592.00	
	DISC BRAKES	AIR DISC BRAKES	\$2,825.00	\$2,825.00
	CHAINS	AUTOMATIC TIRE CHAINS	\$3,400.00	\$3,400.00
	HTD STEP	ADDITIONAL HEATED STEP	\$450.00	\$450.00
	REI CAMERAS	12 REI CAMERA SYSTEM INSTALLED	\$6,675.00	\$6,675.00
	B/U CAMERA	BACK UP CAMERA	\$1,300.00	\$1,300.00
1	DOT CONV.SEATS	CONVERTIBLE SEATS W/3 PT.BELTS	\$6,600.00	\$6,600.00
		WE APPRECIATE YOUR BUSINESS!!		



TOTAL Sales Tax

Freight

\$118,225.00

\$118,225.00

EEW

QUOTE

Elder Equipment Leasing of WY, Inc. P.O. Box 65 Casper, Wyoming 82602

1-800-442-3286

SOLD TO: NATRONA COUNTY SCHOOL DISTRICT #1

970 GLENN ROAD CASPER, WY 82601

ATTN; SYD WEBB-DIRECTOR OF TRANSPORTATION

Quote Number Quote Date **Customer Number** Sales Order Number

10/19/2018

95220

Terms:	. :		: -	: -	:									
Shipped Via	: .		::		÷									
Special Instr	uc	tior	าร	:	÷	:	1	:		÷		÷	÷	

: Quantity: :: Item Number: ::	: Description : : :	Price Per	:::::Amount::::::
1 T3RE4006	2020 BLUE BIRD ALL AMERICAN REAR ENGINE 78 PASSENGER	\$123,500.00	\$123,500.00
1 DISCOUNTS	PREFERRED CUSTOMER DISCOUNT	(\$10,000.00)	(\$10,000.00)
1 ELDER	ELDER BID PRICE AFTER DISCOUNT	\$113,500.00	
BASE PRICE	WY STATE BID BASE BUS PRICE	\$118,815.33	
1 DISC BRAKES 1 HTD. STEPS 1 CAMERA 1 AUTO CHAINS 1 CONV. SEATS 1 REI CAMERAS 1 WEBASTO HEATER 1 PARCEL RACKS 1 RETARDER 1 STORAGE	AIR DISC BRAKES ADDITIONAL HEATED STEPS BACKUP CAMERA AUTOMATIC TIRE CHAINS CONVERTIBLE SEATS W/3 PT BELTS 12 REI CAMERA SYSTEM INSTALLED FUEL FIRED WEBASTO HEATER INTERIOR PARCEL RACKS TRANS. RETARDER UNDER BUS STORAGE COMPTS.	\$2,825.00 \$450.00 \$1,300.00 \$3,400.00 \$7,150.00 \$6,675.00 \$3,650.00 \$2,295.00 \$7,920.00 \$7,125.00	\$2,825.00 \$450.00 \$1,300.00 \$3,400.00 \$7,150.00 \$6,675.00 \$3,650.00 \$2,295.00 \$7,920.00 \$7,125.00
	WE APPRECIATE YOUR BUSINESS!!		



TOTAL \$156,290.00

Sales Tax Freight

Total \$156,290.00



Elder Equipment Leasing of WY, Inc. P.O. Box 65 Casper, Wyoming 82602

1-800-442-3286

SOLD TO: NATRONA COUNTY SCHOOL DISTRICT #1

970 GLENN ROAD CASPER, WY 82601

A T T N; SYD WEBB-DIRECTOR OF TRANSPORTATION

Quote Number Quote Date

Customer Number Sales Order Number 10/19/2018 95220

Terms: Shipped Via: Special Instructions:

Quantity	Item Number	Description	Price Per	Amount
1	T3RE4006	2020 BLUE BIRD ALL AMERICAN REAR ENGINE 78 PASSENGER	\$123,500.00	\$123,500.00
1	DISCOUNTS	PREFERRED CUSTOMER DISCOUNT	(\$10,000.00)	(\$10,000.00)
1	ELDER	ELDER BID PRICE AFTER DISCOUNT	\$113,500.00	
	BASE PRICE	WY STATE BID BASE BUS PRICE	\$118,815.33	
1 1 1 1	HTD. STEPS CAMERA AUTO CHAINS CONV. SEATS REI CAMERAS DISC. BRAKES	ADDITIONAL HEATED STEPS BACKUP CAMERA AUTOMATIC TIRE CHAINS CONVERTIBLE SEATS W/3PT BELTS 12 REI CAMERA SYTEM INSTALLED AIR DISC BRAKES	\$450.00 \$1,300.00 \$3,400.00 \$7,150.00 \$6,675.00 \$2,825.00	\$450.00 \$1,300.00 \$3,400.00 \$7,150.00 \$6,675.00 \$2,825.00
		WE APPRECIATE YOUR BUSINESS!!		



TOTAL \$135,300.00

Sales Tax Freight

===========





Prepared For:

LINCOLN COUNTY SCHOOL DISTRICT #1 11 ADAVILLE ROAD DIAMONDVILLE, WY 83116 Prepared By: LANCE PARKER 801-232-5495

LANCE@LEWISBUSGROUP.COM

Quote Number:Quote Date:Customer Order No:3471839/7/2018Lincoln 1 C-2

Model Profile: Saf-T-Liner C2 311TS

Product Type: School Transportation

Year: 2020 Chassis Model: B2 106

Chassis MFG: FREIGHTLINER

GVWR: GVWR
Passenger Capacity: 72
Headroom: 78
Wheelbase: 259
Brake Type: AIR

Engine Type: CUMMINS B6.7 260 DIESEL, 6 Cyl, 260 HP, 2600 RPM

Fuel Type: DIESEL Fuel Tank Capacity: 100

Transmission Type: ALLISON PTS 3000
Axle, Front: 10000-lb Capacity
Axle, Rear: 21000-lb Capacity

Tires, Front: RADIAL FRONT TIRE, MICHELIN XZE2,11R22.5 16 PLY

Tires, Rear:

Suspension Front:

10,000 LB. TAPERLEAF FRONT SUSPENSION

Suspension Rear:

AIRLINER 23,000 LB. REAR SUSPENSION

Total for 1 complete unit(s): TOTAL PRICE \$108,682.00

Delivery Cost:

Includes the Following Equipment:

BODY

ACCESSORIES

- 1 [D106104000] LOC-1ST.SEAT DRVRSIDE REFL TRIANGLE
- 1 [D106400001] VISOR-TINTED DRIVER'S SIDE WINDOW 6"X18"
- 1 [D130900000] LOC-HDR.CERT.HOLDER.FRT BULKHEAD
- 1 [D131100001] LOCKS-KEYED ALIKE #CH545
- 1 [D133600000] METHOD-FASTENER SCREWS
- 1 [D607500000] HOLDER-CERTIFICATE 4"X 6"
- 1 [G100015000] Device-Rear Deflection Wing Yellow

CERTIFICATION/SAFETY

- 1 [D102200002] REFLECTTAPE-RR END YEL 2"
- 4 [D102500000] REFLECTTAPE-P/O WDO YEL
- 1 [D102901000] REFLECTIVE TAPE-EMERGENCY DOOR REAR YELLOW
- 1 [D103500311] REFLECTTAPE-SI 2" ABV FLR YEL
- 1 [D103900000] FIRE EXTINGUISHER-5 3A-40BC
- 1 [D107000000] REFLECTORS-AMBER(2) MID BDY 3"
- 1 [D107100000] REFLECTORS-RED (4) RR/RR SI 3"
- 1 [D107300002] HATCH-RF ESC MODEL 1100 ENG(2)
- 1 [D107700003] ELECTRICAL-ROOF ESCAPE HATCH POS 3
- 1 [D108700002] HANDLES-W/S SERVICE, BLACK
- 1 [D110024WYG] KIT, FIRST AID 24 UNIT WYOMING
- 1 [D110101WYG] KIT,BODY FLUID CLEAN UP WY.
- 1 [D110300000] SWITCH-ROCKER CROSSING ARM DEACTIVATION
- 1 [D110600000] LABEL-PASS ADVISOR INSTRUCTION
- 1 [D111700000] FE-5 3A-40BC ADDITIONAL
- 1 [D115900001] LOC-O/H STOR LS 10 UNIT B.F.C

- 1 [D116000002] LOCATION-OVERHEAD STORAGE RIGHT SIDE 5LB. FIRE EXTINGUISHER
- 1 [D118900004] LOC-FLR.CURB SIDE RR,BEHIND SEAT 5LB FE
- 1 [D122201000] CUTTER-SEAT BELT W/HAND GRIP
- 1 [D122400000] TRIANGLES-REFL. 3 W/BOX
- 1 [D124200003] MOTOR-XING ARM ELEC., SPECIALTY
- 1 [D127300001] LOC-RR BULKHEAD CURB SIDE 24 FAK
- 1 [D130301000] BRACKET-XING ARM STOWAGE 1/4" BUMP
- 1 [D140024WYG] KIT, FIRST AID 24 UNIT WYOMING ADDITIONAL
- 1 [D500003000] OPEN VIEW ES, HEATED, REMOTE
- 1 [D500301000] MIRROR-B EXTERIOR CROSSVIEW HEATED BLACK BRACKET
- 1 [D500602020] SIGN-STOP, ELEC FRT #T7000-E21 LED
- 1 [D602200007] MIRROR-INT 6"X30" CAMERA
- 1 [D602400000] LABEL-VEHICLE CERTIFICATION
- 1 [FL-31X-020] FRONT BUMP MT CROSS ARM W/DEACTIVATION SWITCH-ELECTRIC

DOORS

• 1 [D109400000] MAT-HEATER STEP TREAD ALL FRONT ENTRANCE DOOR

- 1 [D200301004] STEP-RS ALUM.ENT.DR W/HTR 8.75"RISER
- 1 [D300300000] HANDLE-EXTERIOR REAR DOOR WITH RECCESS
- 1 [D300800000] LATCH-DOOR INTERIOR STORAGE OVER WINDSHIELD
- 1 [D302000000] VANDALOCK-REAR DOOR W/BOLT
- 1 [D302305003] DOOR-ENT AG2 STORM TEMP LOCK
- 1 [D302404000] POWER SYSTEM-AG2 AIR ENTRANCE DOOR
- 1 [D302503000] ELEC-AG2 AIR OPERATED ENTRANCE DOOR
- 1 [D302901000] LATCH- 3-POINT, RR EMERG DOOR
- 1 [D303911000] VANDALOCK-ALUM.ENT.DR.CYLINDER W/KEY
- 1 [D304000002] PULL-ENTRANCE DOOR, EXTERNAL ALUMINUM
- 1 [D305300000] DOOR GLASS GUARD
- 1 [D311500000] KEY-VANDALOCK REAR DOOR NONE
- 1 [D311900000] TRIM-ENTRANCE DOOR INTERIOR
- 1 [D603000000] PAD-DR HEADER, RR EMER 36"W
- 1 [D608501006] TREAD-STP ALUM.ENT DR GRAY KSEAL W/PEBBLE NOSING
- 1 [D611000000] RAIL-ASSIST FRONT ENTRANCE DOOR RIGHT SIDE 1"OD
- 1 [D611801002] CVR-KICK PLATE ENT DR-W/HTR LO

ELECTRICAL - BODY

- 1 [D105400001] FAN-CIRC MID W/S HDR BLACK
- 1 [D105500001] ELEC-FAN MID W/S HDR
- 1 [D105600000] FAN-CIRC DRV'S WDO HDR BLACK
- 1 [D105700000] ELECTRICAL-FAN DRIVER'S WINDOW HEADER
- 1 [D106600003] HORN-SPEAKER LS COWL LEG
- 1 [D106902000] RADIO-AM/FM DEA510 W/PAGE
- 1 [D115000003] OPER-AUTOMATIC FAST IDLE

1 [D130706000] ELEC-ZONAR STANDARD MONITORING

- 1 [D133800001] KIT-ANTENNA GPS
- 1 [D301100001] ELEC-PWR CELL PHONE OUTLET LS
- 1 [D303104002] OPER-DOOR AIR ENT.W/ BAT.2 POS.
- 1 [D400200000] MONITOR-LAMPS WARNING/STOP/TAIL/TURN
- 1 [D400400001] LPS-DOME OVER DRIVER & STEPWELL
- 1 [D400600001] ELEC-DRIVER'S DOME LPS & STEPWELL

1 [D400704311] LPS-DOME PASS MEDIUM LED () 311T

- 1 [D400804311] ELEC-PASS DOME LPS MEDIUM 311T
- 1 [D400900002] SWITCH-RKR DOME LPS FRT/RR
- 1 [D401000001] MODULE-PWR.DIST.ELEC.SYS.
- 1 [D402200001] LPS-EXT AFT OF ENT DOOR, SHIELDED
- 1 [D402300001] ELEC-LPS EXT AFT OF ENT DOOR
- 1 [D402400001] OPER-STPWLL LPSW/PARKLPS&ENT DR.
- 1 [D402501000] LPS-STPWLL W/ HOOD (1)
- 1 [D402801002] LPS-STP/TAIL/DIR AMBER/REV LED
- 1 [D402904311] ELEC-LPS STOP/TAIL/TURN/REV
- 1 [D403000000] ADVISORY-PASSENGER BUZZER ACTIVATION, WITH SWITCH
- 1 [D404300001] ELEC-PWR, GND, NETWORK, BUZZ
- 1 [D405401000] OPER-LPS, DOME SPECIAL ACT. BUZ. W/O VANDALOCK
- 1 [D405600000] LAMPS-PILOT POST TRIP INSPECTION RED
- 1 [D406000002] LAMPS-SIDE DIRECTIONAL AMBER FRONT 2 CP LED
- 1 [D406212008] LPS-WARNING LED STROBE (8)
- 1 [D406601008] OPERATION-LAMPS WARNING (8) PACKAGE 8

- 1 [D406700000] OPERATION-LAMPS REVERSE WITH REAR EMERGENCY DOOR OPEN
- 1 [D406900006] LPS-ID AMB/RED LED
- 1 [D407000002] LPS-MKR ROOF FRT/RR LED WELDON
- 1 [D407100002] LAMPS-MARKER ROOF MID LED WELDON
- 1 [D407507311] ELEC-LPS ID/MKR PARK/SWITCH
- 1 [D408300003] STROBE-CLR 4.9"H 4' FROM REAR
- 1 [D408400001] STROBE LAMP GUARD (1)
- 1 [D408901000] LPS- STOP/TAIL 4" FLS.MT L.E.D.
- 1 [D409000000] SWITCH-ROCKER FAN DEFROST WINDSHIELD
- 1 [D409400001] SWITCH-ROCKER NOISE SUPPRESSION ON/OFF
- 1 [D410801003] LPS-SI DIR AMB LED GRD RR.AXLE
- 1 [D411000000] SWITCH-ROCKER STROBE LAMPS
- 1 [D412200000] LAMPS-PILOT WARNING LIGHTS RED
- 1 [D412300000] LAMPS-PILOT WARNING LIGHTS AMBER
- 1 [D412800003] SWITCH-WARN LPS ON/AMB ACT. (BLK)
- 1 [D413500000] LAMPS-PILOT WARNING LIGHTS MASTER GREEN
- 1 [D413807000] OPERATION-LAMP STROBE, IGNITION & SWITCH ACTIVATED
- 1 [D414700002] ELEC-CABLE PRIM PWR & GND-CUSTOMER ACCESS
- 1 [D416100000] OPERATION-LAMPS SIDE DIRECT.ONLY
- 1 [D416200000] ELEC-LPS, DOME SPECIAL ACT. BUZ. W/O VANDALOCK
- 1 [D416400000] BLOCK-FUSE CUSTOMER ACCESS
- 1 [D418600002] OPER-PRE-TRIP INSPECTION
- 1 [D419601001] ELEC-SEAT BELT PILOT LAMP
- 1 [D419700001] OPER-SEAT BELT PILOT LAMP
- 1 [D419900000] LAYOUT-ROCKER SWITCH STANDARD
- 1 [D421300001] GPS-ZONAR V3
- 1 [D500800007] ELEC-ELECTRIC STOP SIGN FRT
- 1 [D602001311] SPEAKERS-INT. 30 WAT.(6) 311T
- 1 [D602103311] ELEC- (6) INT SPKERS&HORN311T
- 1 [D609700000] SWITCH-RKR HTR BOOST PUMP
- 1 [D613400002] DOME LPS MEDIUM
- 1 [D619600000] ELEC-HTR ENT DOOR STEPWELL
- 1 [D622700001] BRACKET-ZONAR GPS
- 1 [D901600000] ELEC-PEDESTAL, HEATED SEAT
- 1 [FL-32C-008] PASS DOME LPS,FWD/REAR SWITCH SPECIAL ACTIVATION
- 1 [FL-721-029] 112DB BACKUP ALARM

EXTERIOR

- 1 [D105800001] HORN-AIR, UNDER FLOOR
- 1 [D108800002] FLAPS-MUD, REAR 22.5"W
- 1 [D108900001] FLAPS-MUD, FRONT 16"W X 12"H
- 1 [D110500000] STEPS-EXT W/S SERVICE
- 1 [D200200002] FENDER-QUARTER 24" BATTERY BOX DOOR
- 1 [D200600000] BODY ADJUSTMENT-FREIGHTLINER, BTR RS FUEL FILL LOCATION
- 1 [D201900003] REINFORCEMENT-FRAME STD 24" BATTERY BOX DOOR
- 1 [D202600000] CAP-ENTRANCE DOOR STANDARD
- 1 [D202800001] FLOOR-NON ADA
- 1 [D502600000] BUMPER-REAR 2 BRACES NO EXHAUST HOLE
- 1 [D502900004] SKT.FWD.STPWLL LO DEF
- 1 [D503302000] CAP-FRT ROOF VENT W/WARN.LPS.
- 1 [D503402000] CAP-REAR ROOF W/WARN.LPS.
- 1 [D503902311] GUSSET-21"H LWR SIDE SHEET
- 1 [D504006311] SHEET-LWR, L MID 20G,21"
- 1 [D504106311] SHEET-LWR,L RR 20G,21"
- 1 [D504206311] SHEET-LWR,R MID 20G,21"
- 1 [D504306311] SHEET-LWR,R RR 20G,21"
- 1 [D504402008] VISOR-EXT.@ WARN LPS (8)
- 1 [D504500003] DOOR-U/B L BATTERY 24"
- 1 [D505600000] DOOR-FUEL FILL ACCESS BTR
- 1 [D505701021] FENDERETTE-STL/RBR 21" SKIRT
- 1 [D507400003] LATCH-BATT DOOR LOCKING
- 1 [D507601000] LATCH-FUEL FILL ACCESS W/LOCK
- 1 [D510900000] VENT-STATIC PRESENT
- 1 [D511501700] PILASTER 311T, 700
- 1 [D511800001] LATCH-LOCKING DEF ACCESS DOOR
- 1 [D512900000] RAIL-SNOW RAIL PRESENT

1 [D515100311] HARDWARE-MOUNTING CLIPS STANDARD

HVAC

- 1 [D112400012] AIR COND NONE
- 1 [D603704084] HEATER-UNDERSEAT LEFT SIDE 84,000 BTU LOCATION 4
- 1 [D604209084] HTR-U/S LS 84,000 BTU LOC 9
- 1 [D6047091HM] HOSE-HTR HIMILER W/ W/H POS 9
- 1 [D604800000] HEATER-ENTRANCE DOOR STEPWELL
- 1 [D605200001] CLAMPS-PLUMBING HEATER CONSTANT TORQUE
- 1 [D605301000] CLAMPS-UNDERSEAT HEATER CONSTANT TORQUE
- 1 [D605803002] CONNECTION-HEATER(1) CONSTANT TORQUE/HI MILER
- 1 [FL-130-998] NO AIR CONDITIONING COMPRESSOR

INTERIOR

- 1 [D106500000] VISOR-WINDSHIELD SUN 6"X30" TINTED
- 1 [D109300001] ARM ASM-W/S WIPER WINTER (2)
- 1 [D123000002] DOOR-STORAGE BOX W/O GLASS
- 1 [D133300005] TRIM-LOWER REAR HEATER NO A/C
- 1 [D300601000] DOOR-ACC WITH WINDOW
- 1 [D309001001] LATCH-DR INT STOR OVR DRVRSHDR
- 1 [D510800001] BTR FUEL FILL RECESS, W/DOOR
- 1 [D600801001] COVER-TRIM DRVS HDR W/STORAGE
- 1 [D600901000] COVER-TRIM FRT END W/S HEADER
- 1 [D601003003] COVER-TRIM FRT ENT.ALUM.DR HDR.AIR.OP.
- 1 [D601402311] STRIPS-AISLE, GALVALUME 311T
- 1 [D601510311] FLR-GRY VINYL W/13" CTR AISLE
- 1 [D601600006] FLR-BLK WHEELHOUSE AND HEATER
- 1 [D601700311] FLR-PLYWOOD 5/8" 311T
- 1 [D607904700] LINING-SIDE INT.
- 1 [D608600000] TRIM-STEPWELL HORIZONTAL WITH DIAMONETTE NOSE
- 1 [D609901002] INSULATION-FRT BULKHEAD W/ACRSY 2"POLY
- 1 [D610403311] H/L-PASS AREA ACOUS GREY 311T
- 1 [D610600311] INSULATION RAFTER CAVITY 311T
- 1 [D610700002] SOUND ABATEMENT-STEPWELL WITH HEATER 2.25"
- 1 [D610800000] INSULATION URETHANE
- 1 [D610900700] PAD-SHDR RAIL, 42 OZ WOLF BLK
- 1 [D616800311] SEALANT-PLYWOOD FLOOR EDGES
- 1 [D617000000] SEALING-FLOOR COVERING
- 1 [D620600000] HOLDER-STORAGE, CLIP BOARD
- 1 [D801000000] TUBE-FILL BTR & OVERFLOW HOSE
- 1 [D801100000] CAP-FUEL FILL BTR NON-LOCKING

MISC

- 1 [A200100001] PDI IDENTIFIER FACTORY PERFORMED
- 1 [D125200000] MANUAL-DRVR'S/MAINT.ENGLISH
- 1 [D201600000] APPLICATION SCHOOL
- 1 [FL-141-998] NO COOLANT HEATER GAS/DIESEL
- 1 [FL-185-108] NO CLUTCH PEDAL WITH ADJUSTABLE SUSPENDED BRAKE&ACCELERATOR
- 1 [FL-657-1AJ] ALL UNIT(S) KEYED ALIKE WITH CUSTOMER SPECIFIED KEY #FT1001
- 1 [FL-702-998] NO A/C PLUMBING MAIN
- 1 [TB-001-310] SAF-T-LINER C2

PAINT/LETTERING

- 1 [A000000058] DECAL-UNITED AUTO WORKERS
- 1 [D100500000] LETTERING-"BATTERY" ON DOOR 2"
- 1 [D100600002] LABEL-P/O WDO EMER EXIT 2" BLACK
- 1 [D101502001] LABEL-ENGLISH AG2.AIR.ENT DR
- 1 [D126200000] LETTER OVERHEAD STORAGE BOX "SAFETY EQUIP"
- 1 [D127400000] DECAL-BACKING ALARM
- 1 [D130200000] DECAL-LOW SULFUR FUEL
- 1 [D132200010] LABEL-RR DR EMERGENCY DOOR 2"HIGH
- 1 [D132600000] DECAL-ENTRANCE DOOR VANDALOCK ENGLISH
- 1 [D134200000] LABEL-RR EMERGENCY DOOR INSTRUCTION
- 1 [D134600000] LABEL-"DEF ONLY"
- 1 [D134901000] LABEL-REGENERATION WARNING 2010/2013 EPA ENGLISH
- 1 [D300101001] HANDLE-INT RR DR RED
- 1 [D502513000] PAINT-EXT HNDLE(S) BLACK
- 1 [D503104001] DECAL-REFL FRT CAP "SCHOOL BUS"

- 1 [D503204001] DECAL-REFL RR CAP "SCHOOL BUS"
- 1 [D505500001] DECAL-"DIESEL"

1 [D50601E311] PAINT-EXTERIOR ROOF WHITE 311T

- 1 [D506114311] PAINT-EXT WINDOW AREA BLACK
- 1 [D506347000] PAINT-EXT GRD RAIL @ WINDOW BLACK
- 1 [D506447000] PAINT-EXT GRD RAIL @ SEAT BLACK
- 1 [D506547000] PAINT-EXT GRD RAIL @ FLOOR BLACK
- 1 [D506647000] PAINT-EXT GRD RAIL @ SKRT BLACK
- 1 [D506747001] PAINT-EXT BUMPER REAR BLACK
- 1 [D506900000] PAINT-BLACK TRIM-FRONT/REAR ROOF CAPS
- 1 [D510646311] PAINT-SOLID COLOR YELLOW
- 1 [D601100011] HEADLINING-VESTIBULE ACOUSTIC, GRAY,W/ DRIVE/ENTRANCE LAMPS
- 1 [FL-065-196] PAINT: ONE SOLID COLOR, BASE/CLEARCOAT
- 1 [FL-980-6MJ] CAB COLOR A:L5898EB SCHOOL BUS YELLOW ELITE BC
- 1 [FL-981-998] CAB COLOR B NONE
- 1 [FL-982-998] CAB COLOR C: NONE
- 1 [FL-98A-998] NO GRILLE PAINT

SEATS

- 1 [B610000095] BELT-ELR SHOULDER/PUSH BUTTON LAP
- 1 [B620000078] BARRIER STORAGE POUCH TWO (2)
- 1 [B620001077] BARRIER STORAGE POUCH, RIGHT SIDE AT ENTRANCE DOOR
- 1 [B640139200] 39" BARR-VERT,WALL MT 45"H RS 2009
- 1 [B640239000] 39"8DEG BARR-REV. WALL-MT 45"H 2009
- 2 [B660010121] PROFORM EDO BLUE UPHOLSTERY-45"HIGH RECESSED BARRIER
- 1 [D610339002] RAIL-ASSIST FRT ENT DR 39"W
- 1 [D900104001] SEAT-DRIVER NATIONAL W/HEAT
- 1 [D900302001] ARMREST NATIONAL DRVR'S ST. BOTH SIDES
- 1 [D900403005] UPH DR.ST.BLUE FABRIC INSERT KEVLAR TRIM NATIONAL
- 1 [D900503007] PEDESTAL-NATIONAL AIR W/2 SHOCKS
- 1 [D900602000] COVER PEDASTAL NATIONAL DR.ST.
- 1 [D900802002] RETAINER NATIONAL DR.ST.BELT
- 1 [D900902001] POUCH-DR.ST.STORAGE NONE
- 1 [D901039000] KICKPLATE-MOD.PANEL RS 39"
- 1 [D901200002] RISER-DRIVERS SEAT, NATIONAL
- 1 [D901700001] Haptics-Not Present
- 12 [D980139000] SC3 39"LS 3-PASSENGER WALL MOUNT
- 12 [D980239000] S3C 39"RS 3-PASSENGER WALL MOUNT
- 24 [D980410166] FIREBLOCK BLUE UPHOLSTERY S3C PASSENGER SEAT
- 1 [D989003000] S3C WALL MOUNT HARDWARE C2

WINDOWS/GLASS

- 1 [D700000001] GLASS-WINDSHIELD ONE PIECE WITH TINTED BAND
- 1 [D700101001] GLASS-RS FT STAT CLR TEM STORM
- 1 [D700201001] GLASS-LS FRT STAT CLR TEM STOR
- 1 [D700300000] GLASS-REAR STAT CLEAR TEMPERED
- 1 [D700400002] GLASS-RR SIDE STAT TINTED TEMP
- 1 [D700500000] FRAME-WDO SPLIT
- 12 [D700530000] FRAME-WDO SPLIT 30"W
- 2 [D700540000] FRAME-WDO SPLIT 40"W
- 2 [D700600L01] FRAME-WDO P/O VERT TEMP TNT LS
- 2 [D700600R01] WDO P/O VERT TEMP TNT RS
- 12 [D700730002] GLASS-WDO TINT TEMP 30"
- 2 [D700740002] GLASS-WDO TINT TEMP 40"
- 1 [D700830L00] GLASS-WDO STORM TEMP 30" L
- 1 [D700830R00] GLASS-WDO STORM TEMP 30" R
- 1 [D700900003] STOPS-WDO 12"
- 1 [D701202000] GLASS-LOWER REAR DOOR LAMINATED CLEAR STORM
- 1 [D701302000] GLASS-UPPER REAR DOOR LAMINATED CLEAR STORM
- 1 [D701600010] WDO-DRIVER'S STORM TEMP

OTHER

- 1 [D100200002] LOGO-FRT RS & RR
- 1 [D100300000] LOGO-THOMAS DECALS YELLOW
- 1 [D104000000] SWITCH-ROCKER AIR HORN
- 1 [D108200008] ELECTRICAL-ROOF ESCAPE HATCH POSITION 8
- 1 [D110200000] ELECTRICAL-ROOF HATCH OR P/O WINDOW (DASH)

- 1 [D110800000] OPER-FAN W/S HDR
- 1 [D110900000] OPER-FAN DRV'S WDO HDR
- 1 [D111000000] OPER-ALARM BACKING W/REV.
- 1 [D111100000] OPERATION-AIR HORN, LEFT SIDE PANEL SWITCH ACTIVATION
- 1 [D111400000] OPER-SPEAKER INT/EXT
- 1 [D113200000] OPER-RF HATCH BUZZER
- 1 [D119200003] LOCATION-OVERHEAD STORAGE CENTER 24 F.A.K.
- 1 [D119700001] AC DUCT-NOT PRESENT NO SIDE EVAP
- 1 [D123300000] CONDENSER ALERT NONE
- 1 [D123400000] EVAPORATOR QTY NONE
- 1 [D123600000] OPER-XING ARM DEACTIVATION
- 1 [D123800000] ANTENNA RADIO SWIVEL BASE
- 1 [D124000000] ELEC-ANTENNA RADIO COAXIAL
- 1 [D124100000] KIT-RADIO ANTENNA MOUNTING @ DRIVER'S HEADER
- 1 [D200000700] 311T30_N
- 1 [D200100000] TRIM-A POST
- 1 [D200700000] WHEELHOUSES-REAR L&R
- 1 [D200800311] STRINGER-ROOF 311T
- 1 [D201000000] FRONT END FRAME
- 1 [D201100000] FRT END FRAME MTG KIT
- 1 [D201200000] REAR END FRAME-28.68"DEEP
- 1 [D201300311] FLOOR-GALVALUME STEEL MID BODY
- 1 [D201400704] LOC-40" RAF SP 10TH 311T
- 1 [D201500000] RS TANK ALERT NONE
- 1 [D300700000] DOOR ALERT LS ENT NONE
- 1 [D301400000] TRIM-REAR DOOR
- 1 [D302800000] HINGES-REAR DOOR PIN TYPE
- 1 [D303000000] STOP-DOOR REAR EMERGENCY, 1-POS
- 1 [D303200000] OPERATION-VANDLOCK ENTRANCE/EMERGENCY DOOR(S)
- 1 [D306400000] OPER-DR.RR.EMG.W/BUZ
- 1 [D306500700] ELEC-EMERGENCY/EXIT DOOR(S)
- 1 [D307100000] DOOR-LS ENT RS EXIT -NONE REQD
- 1 [D307700000] INT COLOR -RR DOOR GRAY
- 1 [D308101000] VANDALOCK-NONE REQUIRED RS
- 1 [D308201000] VANDALOCK-NONE REQUIRED LS
- 1 [D308300000] DOOR ALERT RS EXIT NONE
- 1 [D308600001] SWITCH-PADDLE-TYPE ENTRANCE DOOR AIR
- 1 [D309200000] DOOR, REAR EMERGENCY
- 1 [D310501000] THRESHOLD REAR EMGERGENCY DOOR
- 1 [D400300000] OPERATION-MONITOR WARNING/STOP/TAIL/TURN
- 1 [D403100311] ELEC-PASSENGER ADVISORY 311T
- 1 [D403200002] OPER-PASS ADV IGN/WARN/BUZZER
- 1 [D403700000] SWITCH-RKR FAN DEFROST L.S.
- 1 [D404100001] BUZZER-SWITCH PANEL 1 TONE
- 1 [D404500000] OPERATION-NOISE SUPPRESSION
- 1 [D404608311] ELECTRICAL-LAMPS WARNING,8 LAMPS 311T
- 1 [D405800000] OPER-LPS BODY TAIL W/PARK SW.
- 1 [D405900000] LAMPS-LICENSE PLATE ILLUMINATION
- 1 [D406100311] ELECTRICAL-LAMPS SIDE DIRECTIONAL 311T
- 1 [D407600000] SWITCH-ROCKER DOME LAMPS DRIVER ON/OFF
- 1 [D408602311] ELECTRICAL-LAMPS STROBE 4' FROM REAR
- 1 [D410300000] OPER-DRVR'S DOME LPS ON/OFF
- 1 [D410400000] OPER-HTR BOOSTER PUMP OPER WITH SWITCH
- 1 [D410501000] OPERATION-LAMPS INTERIOR/EXTERIOR RIGHT FRONT ENTRANCE DOOR
- 1 [D410600000] OPER-LPS SERVICE BRAKE
- 1 [D410900005] OPERATION-SWITCH ID/MARKER LAMPS WITH PARK
- 1 [D411400002] OPER-LPS DOME (2)ON/OFF
- 1 [D411700000] OPER-LPS REVERSE
- 1 [D411900003] ELEC-(3) SWITCH BANKS
- 1 [D412000000] SWITCH-RKR SPEAKER INT/EXT.W/HORN
- 1 [D412600001] SWITCH-ROCKER WARNING LAMPS OVERRIDE ON/OFF
- 1 [D414500311] ELEC-HARNESS COMP ASM 311T
- 1 [D414600000] ELEC-ELECTRONIC COMP ASM
- 1 [D414900000] OPER-LPS DIR./HAZ.
- 1 [D415200000] SWITCH-ROCKER HEATED STEP TREAD

- 1 [D500100000] SWITCH-RKR MIRROR HTR.
- 1 [D500200001] ELEC-MIR A HTD & RC
- 1 [D501400311] RAIL-EXTERIOR GUARD @ WINDOW, SEAT, FLOOR, SKIRT
- 1 [D501500000] RAIL-EXT GRD @ SEAT FRT END LS
- 1 [D501901000] RAIL-EXT GRD@ FLOOR, NONE
- 1 [D502800000] TRIM-FRT CAP RS/LS
- 1 [D503500000] PANELS-EXTERIOR REAR
- 1 [D503600000] SHEET-DRIVERS EXTERIOR 20 GA.
- 1 [D503700700] SHEET-UPPER SIDE EXTERIOR
- 1 [D504600000] OPER-MIRRORS EXT HTD.
- 1 [D505300311] UNDERCOATING-ASPHALT EMULSION
- 1 [D505800704] HEADERS-WINDOW INTERIOR 311T
- 1 [D506800001] PAINT-EXT ENT DOOR NONE
- 1 [D507001001] PANELS-EXTERIOR REAR SIDE LONG W/STATIONARY GLASS
- 1 [D507100000] LS STORAGE BOX 1 NONE
- 1 [D507300000] LS STORAGE BOX 2 NONE
- 1 [D508100081] ROOF SHEETS-(2)HATCH 311T
- 1 [D508200000] RS STORAGE BOX 1 NONE
- 1 [D508300000] RS STORAGE BOX 2 NONE
- 1 [D508400000] RS STORAGE BOX ROH NONE
- 1 [D508500000] LS STORAGE BOX ROH NONE
- 1 [D600100000] PANELS-REAR END INTERIOR REAR GALVALUME
- 1 [D600201000] PANELS-RR END INT SI LONG W/ST
- 1 [D600300000] BULKHEAD-RR END INT.GRY
- 1 [D600400002] PANELS-ACCESS RR GRAY PASS ADVISORY
- 1 [D600500311] COVER-HARNESS ACCESS@HDR
- 1 [D600600000] COVER-ACCESS RR END HARNESS
- 1 [D600700000] COVER-ACCESS FRT END HARNESS
- 1 [D601200001] HEADLINING-REAR LONG SMOOTH, GRAY
- 1 [D601800001] COVER-FUEL SENDING INSPECTION
- 1 [D601900311] MOLDING-SHOE 311T
- 1 [D605000000] SWITCH-ROCKER HEATER STEPWELL
- 1 [D605600000] LUGGAGE RACK ALERT NONE
- 1 [D605900000] SWITCH-ROCKER HEATER LEFT 1ST
- 1 [D606000000] SWITCH-ROCKER HEATER LEFT 2ND
- 1 [D606500004] ELEC-HTR U/ SEAT POS 4
- 1 [D607000009] ELECTRICAL-HEATER UNDERSEAT POSITION 9
- 1 [D607600700] RAIL-SEAT
- 1 [D607700000] LAYOUT-SEAT RAIL HOLES RS
- 1 [D607800000] LAYOUT-SEAT RAIL HOLES LS
- 1 [D608100000] CABINET-SW, FWD
- 1 [D608200000] CABINET-SWITCH, LOWER WITHOUT POCKET
- 1 [D608300000] CABINET-SWITCH, UPPER
- 1 [D608400001] CABINET-TOP PLATE (3 BANK)
- 1 [D609000000] OPER-HTR U/ SEAT LS FWD
- 1 [D609100000] PANEL-ACCESSORY MOUNTING SAFTEY EQUIPMENT
- 1 [D609201001] OPERATION-HEATER STEPWELL & STEP TREAD
- 1 [D609500000] INSULATION-VEST HEADLINING 2"
- 1 [D609600700] INSULATION-SIDELINING 2" POLY
- 1 [D609800000] INSULATION-RR BULKHEAD 2" POLY
- 1 [D610000000] OPER-HTR U/ SEAT LS AFT
- 1 [D610500311] HEADERS-WINDOW EXTERIOR 311T
- 1 [D613100000] HARNESS COVER COLOR GRAY
- 1 [D613200001] SPEAKER ALERT PRESENT
- 1 [D613500000] HEADLINING COLOR GREY
- 1 [D613600001] HEADLINING TYPE ALL ACOUSTIC
- 1 [D613800000] MAT, FLOOR VESTIBULE
- 1 [D614000000] TRIM-INTERIOR DASH FORWARD
- 1 [D616100001] INSTALLATION-PARK BRAKE NONE
- 1 [D616900002] INSULATION-INT LONG REAR WDO
- 1 [D617100000] LUGGAGE RACK ALERT NONE
- 1 [D701500000] OPER-WDO P/O
- 1 [D900702001] SLIDE STOP NATIONAL DR.ST. NONE
- 1 [FL-157-002] VANDALOCK,STARTER DISABLE W/ANY LOCKED EMER DR(S), NO PILOT
- 1 [FL-168-002] LOWER RADIATOR GUARD

- 1 [FL-202-003] REINFORCED NYLON FUEL LINES
- 1 [FL-216-001] SINGLE SUCTION AND RETURN FUEL LINES
- 1 [FL-231-006] FUEL TANK MOUNTED BETWEEN RAILS, AFT OF REAR AXLE, WITH CAGE
- 1 [FL-267-001] REMOTE-MOUNTED SURGE TANK
- 1 [FL-275-034] PAGE SYSTEM W/CHASSIS MTD EXTERNAL SPEAKER
- 1 [FL-280-001] BASIC WIRING SCHEMATIC, UNMOUNTED, 12-VOLT NEGATIVE GROUND SYS
- 1 [FL-289-006] PAINTED BATTERY PANEL COVER
- 1 [FL-290-017] BATTERY BOX FRAME MOUNTED
- 1 [FL-298-039] INTEGRAL ELECTRONIC TURN SIGNAL FLASHER
- 1 [FL-302-068] BATT ENABLED 3 AMBER INBOARD ID LAMPS,2 AMBER OUTBOARD MARKE
- 1 [FL-317-006] STROBE LAMP, IGNITION SWITCH OR LH DASH SWITCH ACTIVATED
- 1 [FL-31C-063] L.E.D. WARNING SYSTEM LAMPS W/PULSING FEATURE
- 1 [FL-31T-050] STANDARD BODY VISUAL WARNING, LOWER RR, REV LAMPS ON DR/OPEN
- 1 [FL-320-004] STANDARD WIRING
- 1 [FL-324-1AB] DRIVER'S IGNITION OPERATED DOME LP WITH ON/OFF SW
- 1 [FL-325-066] PASSENGER COMPARTMENT DOME LAMPS, IGNITION ACTIVATED
- 1 [FL-32H-005] STEPWELL LAMP ON WITH DOOR OPEN AND MARKER LAMPS ON
- 1 [FL-33A-020] EIGHT LAMP WARNING SYSTEM, LH DASH SWITCH(S), PACKAGE 8
- 1 [FL-393-001] DRIVELINE GUARD
- 1 [FL-403-002] NON-ASBESTOS FRONT BRAKE LININGS
- 1 [FL-410-001] FRONT SHOCK ABSORBERS
- 1 [FL-433-002] NON-ASBESTOS REAR BRAKE LININGS
- 1 [FL-435-998] NO DRIVELINE PARKING BRAKE
- 1 [FL-524-998] NO POLISHED FRONT WHEELS
- 1 [FL-525-998] NO POLISHED REAR WHEELS
- 1 [FL-534-015] TWO QUART SEE THRU POWER STEERING RESERVOIR
- 1 [FL-539-003] POWER STEERING PUMP
- 1 [FL-551-006] ZINC-PLATED HEXHEAD CHASSIS FASTENERS
- 1 [FL-552-141] 3675MM (145") REAR FRAME OVERHANG
- 1 [FL-553-001] SQUARE END OF FRAME
- 1 [FL-574-001] BUMPER MOUNTING FOR SINGLE LICENSE PLATE
- 1 [FL-57W-014] COMBINATION S/T/T/R LAMPS, LED
- 1 [FL-59T-006] REAR EMERGENCY DOOR, IGNITION CONTROL, BUZZER ON W/DOOR OPEN
- 1 [FL-619-005] MAINTENANCE-FREE RUBBER BUSHINGS FRONT SUSPENSION
- 1 [FL-650-021] CAB MOUNTING FOR HOOD AND COWL CHASSIS
- 1 [FL-655-013] MANUAL ENT DOOR LOCK/BUZZER ON W/EMERGENCY DOORS UNLATCHED
- 1 [FL-659-003] ONE GALLON WINDSHIELD WASHER RESERVOIR
- 1 [FL-660-008] SINGLE ELECTRIC WINDSHIELD WIPER MOTOR W/DELAY
- 1 [FL-680-006] GRAY/CHARCOAL FLAT DASH
- 1 [FL-698-998] NO AIR CONDITIONER CONDENSER
- 1 [FL-700-001] HEATER AND DEFROSTER
- 1 [FL-701-001] STANDARD HVAC DUCTING
- 1 [FL-703-009] MAIN HVAC CONTROLS WITHOUT RECIRCULATION SWITCH, & NOISE SUPP
- 1 [FL-716-014] WINDSHIELD FAN,(1) HEADER MOUNTED
- 1 [FL-718-008] DRIVER'S FAN,(1) MOUNTED ABOVE SIDE WINDOW
- 1 [FL-71P-003] AUX BODY HEATER, UNDER SEAT, FWD
- 1 [FL-71V-001] AUXILIARY BODY HEATER, UNDER SEAT, AFT
- 1 [FL-732-004] GRAY INSTRUMENT PANEL-DRIVER
- 1 [FL-74B-088] BODY SUPPLIED HEATED MIRRORS
- 1 [FL-756-801] AIR PROVISIONS FOR CUSTOMER FURN DRIVERS AIR RIDE SEAT
- 1 [FL-778-004] ROOF MOUNTED VENT/ESCAPE HATCH
- 1 [FL-77Z-800] PUSH OUT BODY SIDE WINDOWS, BUZZER WITH WINDOW UNLATCHED
- 1 [FL-814-003] WARNING/REAR LAMP MONITOR
- 1 [FL-81B-001] STANDARD PANEL LAMP DIMMER
- 1 [FL-829-043] CHASSIS COWL AND HOOD ONLY
- 1 [FL-877-002] STANDARD BRAKE WIRING
- 1 [FL-964-020] BUMPER: BLACK
- 1 [FL-96F-998] NO SPARE WHEEL PAINT
- 1 [FL-986-019] CHASSIS: VENDOR BLACK
- 1 [FL-A63-99D] EXPECTED GROSS VEHICLE WEIGHT CAPACITY
- 1 [FL-A66-99D] EXPECTED FRONT AXLE(S) LOAD
- 1 [FL-A68-99D] EXPECTED REAR DRIVE AXLE(S) LOAD
- 1 [FL-A85-017] SCHOOL BUS SERVICE
- 1 [FL-AA1-006] COWL CHASSIS CONFIGURATION COMPLIES WITH SBMTC
- 1 [FL-AA3-028] BUS BODY WITH WHEELWELL

- 1 [FL-AA4-014] PASSENGER COMMODITY
- 1 [FL-AA6-001] DOMICILED USA 50 STATES (CALIFORNIA)
- 1 [FL-AF2-050] DOMICILED WYOMING
- 1 [FL-AF3-1BP] THOMAS BUILT SCHOOL BUS 311T

CHASSIS

AXLES AND SUSPENSIONS

- 1 [A000000117] ALIGNMENT-4-WHEEL SAF-T-LINER C2
- 1 [FL-400-1A5] DA-F-10-3 10,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE
- 1 [FL-409-021] CHICAGO RAWHIDE SCOTSEAL PLUS XL FRONT OIL SEAL
- 1 [FL-40T-002] SYNTHETIC 75W-90 FRONT AXLE LUBE
- 1 [FL-418-018] CON-MET ALUMINUM FRONT HUBS WITH PRE-SET BEARINGS
- 1 [FL-41T-002] SYNTHETIC 75W-90 REAR AXLE LUBE
- 1 [FL-420-1C8] DA-RS-21-4 21K R-SERIES SINGLE REAR AXLE
- 1 [FL-421-522] 5.22 AXLE RATIO
- 1 [FL-424-001] IRON REAR AXLE CARRIER HOUSING
- 1 [FL-439-004] REAR SHOCK ABSORBERS ONE AXLE
- 1 [FL-440-021] CHICAGO RAWHIDE SCOTSEAL PLUS XL REAR OIL SEAL
- 1 [FL-450-018] CON-MET ALUMINUM REAR HUBS WITH PRE-SET BEARINGS
- 1 [FL-620-062] 10,000 LB. TAPERLEAF FRONT SUSPENSION
- 1 [FL-622-216] AIRLINER 23,000 LB. REAR SUSPENSION
- 1 [FL-62G-004] COMFORT-TEC SUSPENSION
- 1 [FL-910-001] SINGLE AIR SUSPN LEVELING VALVES

BRAKES

- 1 [FL-018-002] AIR BRAKE PACKAGE
- 1 [FL-402-083] BENDIX ADB22X-V AIR DISC FRONT BRAKES
- 1 [FL-404-1BB] AIR DISC LONGSTROKE CENTER PORT FRONT BRAKE CHAMBERS
- 1 [FL-405-030] FRONT AIR DISC BRAKE INTERNAL ADJUSTERS
- 1 [FL-419-004] DISC BRAKE FRONT ROTORS FOR HYDRAULIC BRAKES
- 1 [FL-423-083] BENDIX ADB22X-V AIR DISC REARBRAKES
- 1 [FL-426-1AH] AIR DISC LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS
- 1 [FL-428-030] REAR AIR DISC BRAKE INTERNAL ADJUSTERS
- 1 [FL-451-005] REAR DISC BRAKE ROTORS
- 1 [FL-460-008] STEEL AIR BRAKE RESERVOIRS INSIDE FRAME RAILS
- 1 [FL-477-060] BW DV-2 AUTO DRN VLV W/HTR ON WET TANK, PETCOCK OTHER
- 1 [FL-480-034] BENDIX AD-IP AIR DRYER WITH HEATER
- 1 [FL-485-002] EXTERNAL CHARGING SCHRADER VALVE
- 1 [FL-490-101] WABCO 4S/4M ABS W/TRACTION CONTROL
- 1 [FL-882-023] ONE-VALVE PARKING BRAKE SYSTEM WITH WARNING

CHASSIS EQUIPMENT

- 1 [D800008311] EXHAUST-LS TURNDWN, BELOW BMPR
- 1 [D800600003] ANTI-FREEZE, OAT -34 DEGREE
- 1 [D800700000] WINTERFRONT-CHASSIS GRILLE WHITE
- 1 [D801200000] SHIELD-EXHAUST PIPE
- 1 [FL-001-310] B2 106 CONVENTIONAL CHASSIS
- 1 [FL-002-004] SET-BACK AXLE TRUCK
- 1 [FL-132-004] ELECTRIC GRID AIR INTAKE WARMER
- 1 [FL-155-057] DELCO 12V 29MT STARTER WITH INTEGRATED M
- 1 [FL-198-025] INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS
- 1 [FL-205-010] RIGHT HAND SIDE-FILL FUEL TANK CAP
- 1 [FL-230-003] 100GALLON/378 LITER STEEL RECTANGULAR FUEL TANK, BETWEEN RAIL
- 1 [FL-237-072] HORIZ TAILPIPE, EXIT LH REAR
- 1 [FL-23U-004] 11.5 GALLON DEF TANK
- 1 [FL-264-029] AIR HORN, LH MOMENTARY DASH SWITCH ACTIVATED
- 1 [FL-341-018] MAGNETIC ENGINE DRAIN, REAR AXLE DRAIN & FILL PLUG
- 1 [FL-35W-001] EXHAUST MITIGATION DEVICE FTL 4" ID SLIP
- 1 [FL-452-998] NO TRACTION STABILIZER
- 1 [FL-46A-032] 700 CUBIC INCH MINIMUM AUXILIARY AIR
- 1 [FL-532-002] ADJUSTABLE STEERING COLUMN
- 1 [FL-536-050] TRW THP-60 POWER STEERING
- 1 [FL-540-015] 450MM(18") LK FOUR-SPOKE CHARCOAL STEERING WHEEL
- 1 [FL-545-657] 6575MM (259") WHEELBASE
- 1 [FL-546-1AJ] 5/16" X 3" X 10-1/8" STEEL FRAME 120,000 PSI YIELD
- 1 [FL-556-1DF] 1-PIECE 14" PTD STL 1/4" HD BUMPER JACK PROVISION
- 1 [FL-558-001] FRONT FRAME-MOUNTED TOW HOOKS

- 1 [FL-587-003] REAR TOW HOOKS
- 1 [FL-644-069] FIBERGLASS HOOD WITH SOFT OPEN AND CLOSE MECHANISM
- 1 [FL-646-023] HOOD MTD CHROMED PLASTIC GRILLE
- 1 [FL-647-001] WHITE WINTERFRONT
- 1 [FL-65X-003] CHROME HOOD MOUNTED AIR INTAKE GRILLE
- 1 [FL-690-007] HOOD LINER INSULATION WITH SINGLE FIREWALL INSULATION
- 1 [FL-727-036] VALVE & PLUMBING FOR CUSTOMER FURNISHED AIR HORN
- 1 [FL-742-007] (2) CUPHOLDERS, LEFT HAND AND RIGHT HAND DASH
- 1 [FL-871-001] REINFORCED NYLON, FABRIC AND WIRE BRAID CHASSIS AIR LINES

ELECTRICAL - CHASSIS

- 1 [FL-124-1F3] LN 12V 240 AMP AVI PAD MOUNT ALTERNATOR
- 1 [FL-148-084] PROG RPM CTRL W A/C OR 12.75V LOW VOLT AUTO HI IDLE, DASH SW
- 1 [FL-149-013] CRUISE CONTROL-ELEC ENG,W/SWITCHES IN LH SWITCH PANEL
- 1 [FL-160-025] DIAGNOSTIC INTERFACE CONNECTOR,9-PIN, S
- 1 [FL-162-002] IGNITION SWITCH CONTROLLED ENGINE STOP
- 1 [FL-273-037] WARNER ELECTRIC ELECTRO-MAGNETIC ON/OFF
- 1 [FL-284-095] 12VOLT POWER SUPPLY LH PANEL
- 1 [FL-285-020] SOLID STATE CIRCUIT PROTECTION, PDMS WIT
- 1 [FL-292-1D7] (3) ALLI MODEL 1131, GROUP 31, 12V 2775CCA STUD BATTERIES

1 [FL-293-070] COLE HERSEE BATTERY CUT-OFF SWITCH, BATTERY BOX MOUNTED

- 1 [FL-299-013] SELF CANCEL TURN SIGNAL SWITCH W/DIM/WASH&HAZZARD IN HANDLE
- 1 [FL-300-015] STANDARD FRONT TURN SIGNAL LIGHTS
- 1 [FL-304-027] PARK LMP SW INTGRAL W/HL SWITCH, ID/MARKER/CLEARANCE/PARK ON
- 1 [FL-30B-998] NO FENDER MTD TURN/MARK COMBO LPS
- 1 [FL-30E-008] AMBER LED MIDSHIP TURN SIGNALS
- 1 [FL-30F-007] RED LED OVER REAR WHEELS MTD TURN SIGNALS GUARD
- 1 [FL-311-009] DAYTIME RUNNING LIGHTS SET @ 100% & EXTERIOR LAMPS W/ENG RUN
- 1 [FL-312-038] INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH CHROME BEZEL
- 1 [FL-31L-083] STOP SIGN PRESENT
- 1 [FL-322-998] NO BAGGAGE COMPARTNENT LAMP
- 1 [FL-32F-998] NO BODY MTD INT SPOT/WORK LAMP
- 1 [FL-49B-004] ELECTRONIC STABILITY CONTROL
- 1 [FL-653-023] AIR OPERATED BATTERY CONTROLLED RH FRONT ENTRANCE DOOR
- 1 [FL-66W-001] BATT POWERED 2-POS INTERNAL DOOR CONTROL SWITCH
- 1 [FL-726-006] DUAL ELEC HORN, PASSENGER ADVISORY BUZZER ON W/IGN AND WARN
- 1 [FL-736-998] NO OBSTACLE DETECTION SYSTEM
- 1 [FL-73H-998] NO CAMERA/VIDEO/IMAGING SYSTEM
- 1 [FL-746-803] C/F J1939 RADIO W/PA
- 1 [FL-763-801] FASTEN SEAT BELT INDICATOR FOR CUSTOMER SUPPLIED SEAT BELT
- 1 [FL-786-1A0] LOCATING SYSTEM WITH VEHICLE MONITORING
- 1 [FL-810-027] ELECTRONIC SPEEDOMETER WITH SECONDARY KPH SCALE, NO ODOMETER
- 1 [FL-811-042] ICU3S, 132x48 Display w/Diagnostics, 28 LED Warn Lamps
- 1 [FL-813-115] TBB ZONAR DASH MOUNTED
- 1 [FL-81Y-001] PRE/POST TRIP SYSTEM TEST
- 1 [FL-830-017] ENGINE AND HOUR METERS INTEGRAL WITH DRIVER DISPLAY
- 1 [FL-836-015] DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY
- 1 [FL-840-002] PRIMARY AND SECONDARY AIR PRESSURE GAUGES
- 1 [FL-844-001] ELECTRIC FUEL GAUGE
- 1 [FL-846-001] AMMETER
- 1 [FL-852-002] ELECTRIC ENGINE OIL PRESSURE GAUGE
- 1 [FL-856-001] ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE
- 1 [FL-864-001] TRANSMISSION OIL TEMPERATURE GAUGE

ENGINE AND EQUIPMENT

- 1 [FL-101-21V] CUM B6.7 260 HP @ 2400 RPM, 2600 GOV, 660 LB/FT @ 1600 RPM
- 1 [FL-103-039] ANTI-FREEZE TO -34F, OAT (NITRITE AND SILICATE FREE)EXT LIFE
- 1 [FL-105-001] ENGINE-MOUNTED OIL CHECK AND FILL
- 1 [FL-107-032] CUMMINS 18.7 CFM COMPRESSOR
- 1 [FL-110-003] CUMMINS SPIN ON FUEL FILTER
- 1 [FL-111-001] STANDARD ENGINE OIL
- 1 [FL-118-001] FULL FLOW OIL FILTER
 1 [FL-120-011] FLEETGUARD COOLANT FILTER PLAIN, RAIL-MOUNTED
- 1 [FL-122-1H8] DAVCO 245 FUEL/WATER SEPARATORW/12V HEAT & WIF
- 1 [FL-128-076] CUMMINS INTEGRAL EXHAUST BRAKE WITH VARIABLE TURBO
- 1 [FL-134-001] ALUMINUM FLYWHEEL HOUSING
- 1 [FL-138-010] PHILLIPS 750 WATT/115 VOLT BLOCK HEATER

- 1 [FL-13E-001] STANDARD OIL PAN
- 1 [FL-140-039] ENGINE HEATER RECEPTACLE MOUNTED FACE OF BUMPER, LEFT SIDE
- 1 [FL-152-040] ELECTRONIC ENGINE, INTEGRAL WARNING & DERATE PROTECTION SYST
- 1 [FL-170-041] ADDL AUX LINES W/MANIFOLD PLUMBING AND COMBINED SHUTOFF
- 1 [FL-171-007] GATES BLUE STRIPE COOLANT HOSES
- 1 [FL-172-016] CONSTANT TORQUE BREEZE CLAMPS ON 1" IN DIA GREATER, SS C
- 1 [FL-174-001] CAST BOOSTER PUMP

1 [FL-175-003] STEPWELL TREAD HTD MAT W/53K BTU STEP HEATER, RH FRT ENT DR

- 1 [FL-190-001] DONALDSON ONE-STAGE AIR CLEANER
- 1 [FL-266-1AH] 750 SQUARE INCH DOWN FLOW RADIATOR
- 1 [FL-268-001] PNEUMATIC RADIATOR SHUTTERS
- 1 [FL-386-082] 1710 DANA SPICER MAIN DRIVELINE WITH HALF ROUND YOKES
- 1 [FL-79A-075] 75 MPH ROAD SPEED LIMIT
- 1 [FL-79G-998] NO IDLE SHUTDOWN CONFIGURATION
- 1 [FL-812-001] ELECTRONIC TACHOMETER 3000 RPM

TRANSMISSION AND EQUIPMENT

- 1 [FL-342-1K8] ALLISON 3000 PTS AUTOMATIC TRANSMISSION
- 1 [FL-343-342] ALLISON VOCATIONAL PACKAGE 226 FIFTH GEN
- 1 [FL-345-082] 5 GEN PUSH BUTTON ELEC SHIFTER W/REMOTE MTD ECU
- 1 [FL-346-003] TRANSMISSION OIL CHECK AND FILL W/ELECTRONIC OIL LEVEL CHECK
- 1 [FL-35T-001] SYNTHETIC 50W TRANSMISSION LUBE (TES-295 COMPLIANT)
- 1 [FL-370-011] WATER TO OIL TRANSMISSION COOLER FRAME MOUNTED
- 1 [FL-84C-022] PRIMARY MODE GEARS, 5 FORWARD
- 1 [FL-84L-017] DSS, ARM, FS; DSS-DISABLED, ARM-DISABLED, FS-DISABLED
- 1 [FL-84U-998] NO MODE SWITCH

WHEELS AND TIRES

- 1 [FL-093-1AX] RADIAL FRONT TIRE, MICHELIN XZE2,11R22.5 16 PLY
- 1 [FL-094-0GP] REARMICHELIN XDN2 11R22.5 16 PLY RADIAL
- 1 [FL-489-998] NO TIRE PRESSURE CONTROL/SENSOR
- 1 [FL-502-523] MAXION 90262 22.5 X 8.25 10 HOLE HUB PILOT 5-HAND
- 1 [FL-505-523] MAXION 90262 22.5 X 8.25 10 HOLE HUB PILOT 5-HAND
- 1 [FL-52M-003] TIRE/WHEEL BALANCING-LEAD FREE WEIGHTS
- 1 [FL-962-976] ACCURIDE PK-BLACK21 POWDER BLACK WHEEL (N0001H)- FRONT
- 1 [FL-966-976] ACCURIDE PKBLK21 POWDER BLACK WHEEL (N0001H) REAR

OTHER TYPE

PDI

- 1 [A000000161] ALERT-PDI INSTALLATION
- 1 [A000000164] ALERT-ENHANCED STABILITY CONTROL

DEALER ADD On's

•

Meets all FMVSS requirements in effect at the time of manufacture.

Total for 1 complete unit(s): TOTAL PRICE \$108,682.00 Delivery Cost:

Additional options you may want to consider:

AUTOMATIC TIRE CHAINS \$2700.00
HEATED STEP TREADS \$550.00
AIR DISC BRAKES \$2000.00
REAR AIR FOIL \$650.00
CAMERA MIRROR \$1200.00
24/7 8 CAMERA SYSTEM INSTALLED \$3650.00

NOTE: ADDITIONAL OPTION AVAILABLE

360 BUS WISE & MOBILE EYE SYSTEM \$3600.00

Terms and Conditions:

Quote Expires:		
Customer Signature:	Date:	
Dealer Signature:	Date:	

AttachedDetail



Elder Equipment Leasing of WY, Inc. P.O. Box 65 Casper, Wyoming 82602 1-800-442-3286

42-3286 Sales Order Number
TO: SWEETWATER COUNTY SCHOOL DISTRICT #1
PO BOX 1089

Quote Number Quote Date Customer Number

10/18/2018 95230

ATTN; RICK BENNETT- TRANS.DEPT.

ROCK SPRINGS, WY 82901

Terms: Shipped:Via:

Special Instructions:

Quantity	Item Number	::::::::::::::::::Description::::::::::::::::::::::::::::::::::::	Price Per	Amount
5	BBCV3303	2020 BBCV 3303	\$101,975.00	\$509,875.00
		TYPE C 72 PASSENGER 273" WB		
5	DISCOUNT	QUANTITY DISCOUNT	(\$5,500.00)	(\$27,500.00)
	ELDER PRICE	ELDER PRICE AFTER DISCOUNT	\$96,475.00	
	D 4 05 DD 405	WW. 07.775 DID DAGE DIJO DDIGE	***	
	BASE PRICE	WY STATE BID BASE BUS PRICE=	\$98,410.67	
5	HTD STEPS	HEATED ENTRANCE STEPS	\$450.00	\$2,250.00
	DISC BRAKES	AIR DISC BRAKES	\$2,825.00	\$14,125.00
	WEBASTO	WEBASTO HEATERS	\$3,650.00	\$18,250.00
	SEAT BELTS	3 PT. SEAT BELTS	\$6,240.00	\$31,200.00
5	PARCEL RACKS	INTERIOR PARCEL RACKS	\$2,050.00	\$10,250.00
			. ,	. ,
		WE APPRECIATE YOUR BUSINESS!!		
		<u> </u>		



TOTAL \$558,450.00 Sales Tax

Freight

Total \$558,450.00

========



Elder Equipment Leasing of WY, Inc. P.O. Box 65 Casper, Wyoming 82602 1-800-442-3286

TO: SWEETWATER COUNTY SCHOOL DISTRICT #1 PO BOX 1089 ROCK SPRINGS, WY 82901

Quote Number Quote Date Customer Number Sales Order Number

10/18/2018 95230

ATTN: RICK BENNETT-TRANS. DEPT.

:::Quantity:::::!tem Number:::	::::::::::::::::::::::::::::::::::::::	Price Per	Amount
4 T3RE 4006	2020 T3RE 4006 75 PASS	\$123,300.00	\$493,200.00
	TYPE D REAR ENGINE		(4
4 DISCOUNT	QUANTITY DISCOUNT	(\$10,000.00)	(\$40,000.00)
4 ELDER PRICE	ELDER PRICE AFTER DISCOUNT	\$113,300.00	
BASE PRICE	WY STATE BID BASE BUS PRICE=	\$118,668.33	
4 HTD STEPS	HEATED ENTRANCE STEPS	\$450.00	\$1,800.00
4 RACKS	INTERIOR PARCEL RACKS	\$2,330.00	\$9,320.00
4 RETARDER	TRANSMISSSION RETARDER	\$7,920.00	\$31,680.00
4 DISC BRAKES	AIR DISC BRAKES	\$2,825.00	\$11,300.00
4 SEAT BELTS	3PT. SEAT BELT SEATS	\$6,800.00	\$27,200.00
4 WEBASTO	WEBASTO HEATER	\$3,650.00	\$14,600.00
	WE APPRECIATE YOUR BUSINESS!!		



TOTAL \$549,100.00

==========



Elder Equipment Leasing of WY, Inc. P.O. Box 65 Casper, Wyoming 82602 1-800-442-3286

TO: SWEETWATER COUNTY SCHOOL DISTRICT #1 PO BOX 1089 ROCK SPRINGS, WY 82901

Quote Number Quote Date Customer Number Sales Order Number

10/18/2018 95230

ATTN: RICK BENNETT-TRANS. DEPT.

::Quantity:::::Item Number:::	Description:	Price Per:	Amount
4 T3RE 4006	2020 T3RE 4006 75 PASS TYPE D REAR ENGINE	\$123,300.00	\$493,200.00
4 DISCOUNT	QUANTITY DISCOUNT	(\$10,000.00)	(\$40,000.00)
4 ELDER PRICE	ELDER PRICE AFTER DISCOUNT	\$113,300.00	
BASE PRICE	WY STATE BID BASE BUS PRICE=	\$118,668.33	
4 HTD STEPS	HEATED ENTRANCE STEPS	\$450.00	\$1,800.00
4 STORAGE	UNDER BUS STORAGE	\$7,125.00	\$28,500.00
4 RETARDER	TRANSMISSSION RETARDER	\$7,920.00	\$31,680.00
4 DISC BRAKES	AIR DISC BRAKES	\$2,825.00	\$11,300.00
4 SEAT BELTS	3PT. SEAT BELT SEATS	\$6,800.00	\$27,200.00
4 WEBASTO	WEBASTO HEATER	\$3,650.00	\$14,600.00
	WE APPRECIATE YOUR BUSINESS!!		



TOTAL \$568,280.00

==========

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C -- 72-66 PASSENGER

Specifications are in addition to Chapter 2, Minimum Standards for Wyoming School Buses.

	opeon	specifications are in addition to chapter 2, Minimum	z, Millimum Standards for veyoning School buses.	d loons filling	USES.	
VENDOR'S COMPANY NAME	SING OF WY INC	REPRESENTATIVE'S NAME		TELEPHONE NUMBER	1_800_442_3386	
ADDRESS		Estimated delivery date to school district from time purchase order is received:	strict from time purchase order is r		180-210 DAYS AFT	180-210 DAYS AFTER RECEIPT OF ORDER
POB	PO BOX 65	Firm where engine and chassis can be serviced	be serviced or repaired and parts obtained:	obtained:	LOCAL	LOCAL DEALER
CASPER,	CASPER, WY 82602	Firm where body can be serviced or repaired and parts obtained:	repaired and parts obtained;		ELDER-CASPER	ELDER-CASPER, PERRYS-RIVERTON HALLER'S-CHEVENNE
		вору				
MANUFACTURER: BLUE BIRD	:	Overall vehicle length:	72 passenger (minimum leg room))	LS=23", RS=24"	inches ±1"
MODEL	YEAR	470 Inches	66 passenger (maximum leg room)		26.5"	inches ±1"
BBCV 3303	2018	Rear body overhang:	List method used to measure these distances:	se distances:	FROM FRONT	FROM FRONT OF SEAT BACK AT
		152.5 Inches	Seat color: GREY	HIPS	HIPS TO BACK OF SEAT BACK AT	EAT BACK AT
Warranty: 1 Years	12,000 Miles		Floor color: GREY	KNEES, ME	ASURED FROM	KNEES, MEASURED FROM CENTER OF SEAT.
		CHASSIS				
MANUFACTURER		Warranty:		Front axle capacity:	apacity:	12,000
BLUE	BLUE BIRD	1 Years		Rear axle capacity:	pacity:	21,000
		12,000 Miles		GVWR:	1	31,000
MODEL	YEAR	Wheelbase:		Rear axle ratio:	itio i	5.29
BBCV 3303	2018	273 Inches				
	TRANSMISSION			ENGINE		
MANUFACTURER		Warranty:	MANUFACTURER			
ALL	ALLISON	5 Years		CUMMINS	SNINS	
		UNLIMITED Miles				
MODEL	YEAR		MODEL		YEAR	
PTS 3000	2017	Speeds forward: 5	B 6.7		N.	2017
	QUOTED PRICE		Warranty:	Torque:	660 @	② 1600 RPM
	\$101,975.00 72 Passenger	72 Passenger	5 Years	C.I.D.	250 (©	@ 2400 RPM
district (without sales tax). Price to be effective until April 1, 2017.	\$101,775.00 66 Passenger	66 Passenger	100,000		100	
12	N.	11-14-16				
// VENDOR REPRESEN	DOR REPRESENTATIVE'S SIGNATURE	DATE				

Fuel/Water He Separator	Fuel Tank 60	Front Suspension ab:			Frame 25		Exhaust System To		Engine Heater Fa	me	Engine sys		7	Cooling System mu	Compressor 13			Battery(ies) ma		Axle Ratio Ax	Axle Oil Seals Fro	Axle-Rear 21	Axle-Front 10	Citeriator			Air Tanks 3,4		Air Dryer He		ITEM	
Heated water separator with dash mounted water and fuel warning lights.	60 gallon minimum.	10,000 lb. minimum with parabolic taper leaf springs and heavy-duty, double-acting shock absorbers.			258-279 inch wheelbase. 168 inch maximum rear overhand		To exit left (street) side of bus, in the rear.	bumper.	installed engine manufacturer's recommended in-block heater. Body plug on front	measured from the tailpipe.	system capable of starting at 0°F. Engine shall be 2013 EPA certified and compliant as	g	1	Heavy duty, maximum capacity available with radiator shutters. Fan clutch. Long life coolant must be provided.	13.5 cu. ft. minimum with compressor inlet airline routed through engine air cleaner.			maintenance-free batteries.	1 200 CCA 12 volt to be mounted in body battery compartment. Three commercial	Axle ratio to be chosen at award of bid. Must comply with power and gradeability formula.	Front and rear. Wet design with sight glass in front.	21,000 lb. minimum.	10,000 lb. minimum with grease type drag link and tie rod ends.	Too amp inimiliant capable of or amp output at fale.	O amp minimum capable of 60 amp output at idle		3,432 cu. in. minimum with automatic heated air drain on wet tank.		Heated air dryer with spin-off replaceable cartridge.	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	STATE-SUPPORTED SPECIFICATIONS	CHASSIS
Mfr. FLEETGUARD	Capacity 60	Capacity 10,000	Rear Overhang 152.5"	RBM rating 573,710 IN LBS	Frame thickness 1/4"	Height 10 1/2" Width 3"	APS	Mfr. KIM HOTSTART	750	250 @ 2400	099 @	lel or liters	Mfr. CUMMINS	APS	Cubic feet 18.7	Size Front 16.5 X 5 Rear 16.5 X 7	CCA 2850 TOTAL	Number of batteries 3	Size or group GROUP 31	5.29	Mfr. SCOTSEAL TF	Capacity 21,000	Capacity 12,000	imum output	Mfr. LEECE-NEVILLE	2200 2200	1 2 3 4 5	Tank capacity	Mfr. BENDIX AD-IP	Price of items bid will establish the state cost.	VENDOR SPECIFICALLY IDENTIFY ITEM BID	

	Emergency Exits	Emergency Equipment	Dimensions	Child Check System	Certificate Holder	Below Window Padding	Battery Compartment	Auxiliary Fans	Audio System	Attachment	METI	Winter Front		Wheels	Transmission	lires, Rear	Tires, Front	Rear Suspension	Hour Meter	Hood	Cruise Control	GVWR	ITEM	
without opening. No seat, or portion of seat, may intrude into side emergency exit door, if so equipped.		A metal, sealed box shall be provided for the first aid kit and the body fluid kit. A heavy-duty metal bracket shall be provided for the fire extinguisher(s). Fire extinguisher(s) shall have a drawn steel cylinder with all metal valve. Each fire extinguiser shall have a total rating of 3A40BC or greater.		System to arm after the red loading lights are used. Disarm button to be in the rear of bus. System to sound alarm (horn) and flash headlights if driver exits without disarming in the rear of bus.	Mounted above windshield for legal documents.	Must be provided.	Battery slide out storage tray must be large enough to accommodate two batteries as specified in chassis section.	Two fans, six inch minimum, mounted to right and left windshield area.	AM/FM/PA radio with one exterior speaker and maximum interior speakers to be evenly spaced. Factory installed.	All available outriggers and body clips to attach body to frame.	STATE-SUPPORTED SPECIFICATIONS	Full front of grill only. BODY		Six 22.5 x 8.25 ten-hole hub piloted flange nut disc wheel	_	Four, 11R22.5 load range G traction-type tires. Automatic - Allison PTS 3000 five-speed. Oil temperature gaine and oil sensor level to be	Two, 11R22.5 load range G all-position or steering axle tires.	20,000 lb. minimum GVW air-ride suspension equipped with leveling valve(s) and heavy-duty, double-acting shock absorbers.	Mounted in dash panel.	Tilt hood with noise-suppression package.	Both shall be provided with cruise control programmed to meet state specifications of 75 mph.	30,000 lb. GVWR minimum.	CHASSIS STATE-SUPPORTED SPECIFICATIONS	
Model# TRIPLE VALUE	Roof hatch mfr. TRANSPEC	APS	Height 77	APS	APS	APS	☑ Slide Out ☐ Roll Out	Mfr. DCM	Number of speakers 8 I/S, 1 O/S	APS	VENDOR SPECIFICALLY IDENTIFY ITEM BID	LJ Full Front	Rim width 8.25	Size 22.5		Tread design HANKOOK Z35A	Tread design HANKOOK AH12	Capacity 21,000	APS	APS	APS	GVWR 31,000	VENDOR SPECIFICALLY IDENTIFY ITEM BID	

APO	williasillera (ilitea. Ali williaows, except theiliai paliea, shall be tilitea.	CANDILIAA
ADO	Windshield tinted All windows except thermal paned shall be tinted	
APS	Dark Plexiglas visors installed over driver's side window and driver's windshield area.	Visors
APS	Shall be provided. Mechanical. Keyed alike/one key for all accesses All outside openings must lock.	Vandal Locks
Location 4' FROM REAR OF BUS	reor modified white shope light to friegt state specifications.	
Mfr. SMI	Roof mounted white stroke light to meet state specifications	Strobe Light
MIT TRANSPEC APS	Electric. "Stop" shall be in flashing LED lights. The operating mechanism on the stop arm shall be interchangeable with the crossing control arm operating mechanism. There shall be no exposed wiring on the stop arm. The stop arm shall be SMI part # T7000-200-E31 to include the electronic servo latch.	Stop Arm
APS	nd two	Service Door and Entry Way
APS	Kick panel mounted below right front barrier. Fire block upholstery. Corrosion resistant bolts used for floor mounting. Convertible seats are the baseline seat for all Type C buses in State.	Seats, Passenger
FROM FRONT OF SEAT BACK AT HIPS TO BACK OF SEAT BACK AT KNEES, MEASURED FROM THE CENTER OF SEAT.	72 passenger (minimum leg room), 66 passenger (maximum leg room). Minimum leg room measurement <u>LS=23", RS=24" ±1"</u> Maximum leg room measurement <u>26.5" ±1"</u>	Seating Capacity
Model # NS 2000	DRIVER'S SEAT ONLY. PAD ON LH DRIVER'S PANEL.	Ocal, Direct
Mfr. NATIONAL	High back, fabric insert with two (2) arm rests and air suspension. RH ARMREST ON	Seat Driver
APS	Driver's compartment accessible standard accessory power point plug-in.	Power Point
APS	Accessory master cut-off switch to control noisy accessories.	Noise Kill Switch
Mfr. ROSCOE	Power controlled.	Mirrors, Exterior
APS	Driver dome light on separate switch.	Lighting (Interior)
Mfr. CRS, TRUCKLITE, SOUND OFF	LED for stop, tail, turn, marker and strobing loading lights. Override switch so the 8-way red lights can be turned on without having to open the door. Typical door operation triggering 8-way red light will still function and closing the door will still cancel lights.	Lighting (Exterior)
APS	Aluminized (non-painted) panels between bottom of windows and top of seat rail.	Interior Sidewalls
Total B.T.U. 290,000	EPDM hose in lieu of Goodyear High Miler hose. 50,000 BTU UNDERSEAT HEATERS BECAUSE OF SEATS	
Driver's heater B.T.U. N/A	Two blowers per under seat heater. Heaters to be evenly spaced.	
Rear B.T.U. 50,000	Goodyear High Miler hose. A ball valve to control cabin heat accessible from driver's seat.	Heaters
Center B.T.U. 100,000	line. Two-speed motors. Must include recirculating pump. All heater hose to be one-ply	
Right-front B.T.U. 50,000	driver seat heater - 12 000 R T II Shirt off hall time values at engine for simply and return	•
Left-front B.T.U. 90,000	Five total. Two front, one center, one rear, one under driver's seat. Minimum outputs: Left-	
APS	Aisle trim and cove molding shall be provided.	Floor
VENDOR SPECIFICALLY IDENTIFY ITEM BID	D SPECIFICA	ITEM

Wyoming State Price Quote Specification TYPE C -- 72-66 PASSENGER

APS=AS PER SPECIFICATION

_							_								_	
	Warranty					Cleaning	Service and				Handbook	Owner's/Operator's	Sheet	Itemized Build	Line Setting Ticket/	
	Manufacturer's standard warranty to include body, chassis, engine and transmission.		■All components and accessories will be installed and operational at time of delivery	proper operation at time of delivery	■All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure	■ Interior and exterior will be clean (including glass)	■Check fluid levels, verify all are at recommended full levels	■ Chassis lubrication	■Minimum -34°F freeze protection coolant	Cleaning and service by vendor prior to delivery will include:	be furnished with each bus at time of delivery.	Owner's/Operator's One copy of the chassis and body manufacturer's owner's/operator's handbook or manual will	will be delivered with each verious packet at the tille of delivery of the bus.	will be delined with each worlder a mile semily never or relitized build silection disasts and body	enible conv of manufacturars line setting ticket or itemized build shoot for charging and body	ADDITIONAL MEMORY CHASSIS AND BODI
Engine 5/100000 Transmission	Body 12/12000 Chassis	Warranty Period) 	A Do				2700	ADO		APS		
5/UNLIMITED	12/12000							**								

Wyoming State Price Quote Specification STATE-SUPPORTED OPTIONS TYPE C

TEM		STATE SUBBORIED OPTIONS		VENDOB SBECIEICALLY INCUTIES ITEM BID
		Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	1	
Air Disc Brakes	Mfr.	BENDIX	Cost	\$2,825,00
Air Conditioner	Mfr.	CARRIER	Cost	\$11,750.00
Air Suspension	Mfr.	HENDRICKSON ☐ Front ☐ Rear ☐ Both	Cost	\$1,000.00
Automatic Tire Chains	Mfr.	ON SPOT	Cost	\$3,400.00
Back Up Camera/Mirror	Mfr.	ROSCOE	Cost	\$1,300.00
Book Racks	□ Solid	☑ Tubular	Cost	\$2,050.00
Flat Floor (Special Needs)			Cost	INCLUDED IN SPECIAL NEEDS PKG
Fuel-Fired Coolant Heater	Mfr.	WEBASTO BTU 45000	Cost	\$3,650.00
Gas Engine			Cost	(\$3,000.00)
Heated Steps	☑ Second		Cost	\$450.00
Passenger Reading Lights	Mfr.	PETORIA	Cost	\$2,180.00
Rear Air Deflector	Mfr.	BLUE BIRD FULL WIDTH	Cost	\$970.00
Retarder	Mfr.	FRENELSA OR TELMA ☐ Driveline ☐ Transmission	Cost	\$12,500.00
Engine Exhaust & Compression Brake	Mfr.	VGT COMPRESSION BRAKE	Cost	\$1,300.00
Thermo Glass	Mfr.	SPECTAL	Cost	\$240 PER WDO ASSY
Under Bus Storage	Cubic feet 95.5	95.5	Cost	\$4,250.00

APS=AS PER SPECIFICATION

Special Needs - Lift Bus Option Package

		_			r			_
	Track System	Power Litt	3	Manuals	Heater	Fuel Tank		ITEM
	Full length 4-track system, track flooring and track mounted seats in any area where a wheelchair can legally be secured. The bus shall be fully seated. Track to be mounted to the floor using corrosion resistant fasteners. One set of automatic self tensioning, self locking tie-downs shall be provided. Seating diagram to be determined by the school district.	Location to be determined by school district.		Manuals and videos for lift and track system, including tie-downs. Driver's and technicians operation and service manuals.	Low profile, wall mounted preferred. If heater is floor mounted, it must not interfere with a wheelchair position or track seating.		Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	STATE-SUPPORTED OPTIONS
Package Cost	Tie-down mfr.	Model # \$5010	Mfr. RICON	APS	Location	Location		VENDOR SP
\$16,700.00	Q STRAINT	10 Lift 800 lbs.	ON		APS	BETWEEN FRAME RAILS		VENDOR SPECIFICALLY IDENTIFY ITEM BID

Check appropriate bus for this package:

Type D	- ype c	Type A
 ☐ 72/66 passenger, FE, 36,000 GVWR ☐ 66/60 passenger, RE, 36,000 GVWR ☐ 81/78 passenger, RE, 36,000 GVWR 	 □ 30 passenger □ 42/36 passenger □ 60/54 passenger □ 66/60 passenger □ 66/60 passenger □ 72/66 passenger 	 □ 28/24 passenger, gas engine, dual rear wheel □ 28/24 passenger, diesel engine, dual rear wheel □ 30/24 passenger, gas engine, dual rear wheel

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C -- 72-66 PASSENGER

Specifications are in addition to Chapter 2, Minimum Standards for Wyoming School Buses.

VENDOR'S COMPANY NAME				REPRESENTATIVE'S NAME				TELEPHONE NUMBER						
	I State Truck/ Lewis	s Bus gro	oup		Nick C	lawson/ Lar	nce Parker			800-736	-5264/ 801-364	1-4219		
ADDRESS				Estimated d	elivery date	to school dis	trict from time	purchase orde	er is receive	ed:	July if b	y Jan.	1,2017	
	4600 S Frontage	rd- Billin	gs, Mt 59101	Firm where	engine and	chassis can l	oe serviced or	repaired and	parts obtain	ied:		ate/ Lev		
	1260 S 500 Wes	st- SLC,	Utah 84101	Firm where	body can be	e serviced or	repaired and p	arts obtained:				ate/ Lev		
						BODY					100	ALC/ LC	WIO	
MANUFACT	URER: Thomas			Overall vehi	icle length:	БОБТ	72 passenge	er (minimum le	g room)		27.2	inch	hes	
MODEL	311TS	YEAR	2018	Overall veril	_	la ala a a		·			29.6	incl	hes	
		1 = 7 1	20.0		447.7	Inches		er (maximum l	,		Front of s			ıt
				Rear body o	•			used to meas	re these di 		-			
					148.4	_ Inches	Seat color:	Blue		of ne	ext seat back a	cushic	on leve	<u> </u>
Warranty:	<u>3</u> Years	50K	Miles				Floor color:	Grey						
						CHASSIS								
MANUFACT	URER Freightliner			Warranty:						Front axle of	capacity:		10000	
					3	Years				Rear axle c	apacity:	;	21000	
					50K	— Miles				GVWR:	•		31000	
MODEL		YEAR		Wheelbase:		_				Rear axle ra	atio:		5.22	
	B2		2017	Wileelbase.		lnahaa				iteal axie is	alio		0.22	
	DZ	TD	ANSMISSION		258.9	Inches				ENGINE				
MANUFACT	TIDED	I K/	ANSIMISSION				MANUFACTU	DED		ENGINE				
WANDI ACI		llison		Warranty:	_	V	MANOI ACTO	IXLIX		Cum	nmins			
		1115011			5	Years				Cuii	11111113			
MODEL		YEAR		4	unl	Miles	MODEL				YEAR			
WODEL	3000 PTS	ILAN	2017			F	WODLL	IS	R)17 EP/	Δ	
	3000 PTS			Speeds forv	vard:	5				Taraua	<u>l</u>	_		RPM
Quotod pri	ce is based upon paymer		OTED PRICE	70 December			Warranty:	5	Years	Torque: H.P.:			1600 2600	RPM
	ery to the school district	ıı	\$97,882.00	72 Passeng	er			100K	Miles	C.I.D.:	6.7		2000	-
(without sales tax). Price to be effective until \$97,582.00 April 1, 2017.		_66 Passenger			10010	IVIIIES		0.7						
	VENDOR REPRESE	NTATIVE	'S SIGNATURE		DATE	_								

	CHASSIS						
ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID					
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the state cost.				e cost.	
Air Dryer	Heated air dryer with spin-off replaceable cartridge.	Mfr.		Ben	dix		
Air Tanks	3,432 cu. in. minimum with automatic heated air drain on wet tank.		Т	ank capacity	/		
		1	2	3	4	5	
		4160 total					
Alternator	160 amp minimum capable of 60 amp output at idle.	Mfr.		Leece-	Neville		
Alternator		Maximum o	utput	185	amps		
Axle-Front	10,000 lb. minimum with grease type drag link and tie rod ends.	Capacity		100	00		
Axle-Rear	21,000 lb. minimum.	Capacity		210	000		
Axle Oil Seals	Front and rear. Wet design with sight glass in front.	Mfr.		Chic	ago		
Axle Ratio	Axle ratio to be chosen at award of bid. Must comply with power and gradeability formula.		5.13/5.71				
	1,200 CCA, 12 volt to be mounted in body battery compartment. Two commercial maintenance-free batteries.	Size or grou	ıp	Gr	oup 31-1	031	
Battery(ies)		Number of b	atteries	eries 3			
		CCA			2280		
Brakes	Air. Drum. Largest available for axles bid. ABS.	Size	Front	15x5	Rear	16.5x7	
Compressor	13.5 cu. ft. minimum with compressor inlet airline routed through engine air cleaner.	Cubic feet		18	.7		
Cooling System	Heavy duty, maximum capacity available with radiator shutters. Fan clutch. Long life coolant must be provided.			included			
	Diesel - 250 HP minimum, 660 lbs. feet torque minimum, in-line six cylinder, cold starting	Mfr.		Cumi	mins		
Engine	system capable of starting at 0°F . Engine shall be 2013 EPA certified and compliant as measured from the tailpipe.	Model or lite			ISB 6.7		
Liigiiio		Net torque	660	@	1600	R.P.M.	
		Net HP Watts	260	@	2600	R.P.M.	
Engine Heater	Factory installed engine manufacturer's recommended in-block heater. Body plug on front			75			
	bumper.	Mfr.	Phillips				
Exhaust System	To exit left (street) side of bus, in the rear.		40.4/01	left rear		0.11	
	258-279 inch wheelbase. 168 inch maximum rear overhang.	Height	10 1/8"	Width	E /4 O!!	3"	
Frame		Frame thick	ness	4 470 (5/16"		
		RBM rating Rear Overh	000	1,479,0	300 lbFt-ir 148.4	i per raii	
Front Suspension	10,000 lb. minimum with parabolic taper leaf springs and heavy-duty, double-acting shock absorbers.	Capacity	ang	10000 lb			
Fuel Tank	60 gallon minimum.	Capacity		100 G	allon		
Fuel/Water Separator	Heated water separator with dash mounted water and fuel warning lights.	Mfr.		heated v			

	CHASSIS				
ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID			
GVWR	30,000 lb. GVWR minimum.	GVWR	31000		
High Idle and Cruise Control			included		
Hood	Tilt hood with noise-suppression package.	included			
Hour Meter	Mounted in dash panel.		included		
Rear Suspension	20,000 lb. minimum GVW air-ride suspension equipped with leveling valve(s) and heavyduty, double-acting shock absorbers.	Capacity	airliner 21k lb		
Tires, Front	Two, 11R22.5 load range G all-position or steering axle tires.	Tread design	steer		
Tires, Rear	Four, 11R22.5 load range G traction-type tires.	Tread design	traction		
Transmission	Automatic - Allison, PTS 3000 five-speed. Oil temperature gauge and oil sensor level to be included.	Net input torque	950 max 300 max		
Wheels	Six, 22.5 x 8.25 ten-hole hub piloted flange nut disc wheel.	Size Rim width	22.5 8.25		
Winter Front	Full front or grill only.				
	BODY				
ITEM	STATE-SUPPORTED SPECIFICATIONS		IFICALLY IDENTIFY ITEM BID		
Attachment	All available outriggers and body clips to attach body to frame.	included			
Audio System	AM/FM/PA radio with one exterior speaker and maximum interior speakers to be evenly \prod_{Sli} spaced. Factory installed.	Number or speakers	6		
Auxiliary Fans	Two fans, six inch minimum, mounted to right and left windshield area.	Mfr.	two dans		
Battery Compartment	Battery slide out storage tray must be large enough to accommodate two batteries as specified in chassis section.				
Below Window Padding	Must be provided.	padded shoulder rail			
Certificate Holder	Mounted above windshield for legal documents.		included		
Child Check System	System to arm after the red loading lights are used. Disarm button to be in the rear of bus. System to sound alarm (horn) and flash headlights if driver exits without disarming in the rear of bus.	included			
Dimensions	Headroom: Minimum 77 inches.	Height	78"		
Emergency Equipment	A metal, sealed box shall be provided for the first aid kit and the body fluid kit. A heavy-duty metal bracket shall be provided for the fire extinguisher(s). Fire extinguisher(s) shall have a drawn steel cylinder with all metal valve. Each fire extinguiser shall have a total rating of 3A40BC or greater.		included		
Emergency Exits	As per state specifications with a three-point door latch system for rear emergency door. Glass guard over bottom window of emergency door. Roof hatches shall be static vent type	Roof hatch mfr.	Transpec		
3 3 1, 1, 1	without opening. No seat, or portion of seat, may intrude into side emergency exit door, if so equipped.	Model #	Trip Value safT vent II		

	BODY				
ITEM	STATE-SUPPORTED SPECIFICATIONS VENDOR SPECIFICALLY IDENTIFY I				
Floor	Aisle trim and cove molding shall be provided.	included			
	Five total. Two front, one center, one rear, one under driver's seat. Minimum outputs: Left-	Left-front B.T.U.	90000		
	front - 90,000 B.T.U., Right-front - 50,000 B.T.U., Under seat - 80,000 B.T.U., one under	Right-front B.T.U.	30600		
Heaters	driver seat heater - 12,000 B.T.U Shut-off ball type valves at engine for supply and return	Center B.T.U.	84000		
riodioro		Rear B.T.U.	84000		
	Goodyear High Miler hose. A ball valve to control cabin heat accessible from driver's seat. Two blowers per under seat heater. Heaters to be evenly spaced.	Driver's heater B.T.U	. bi level dash		
	Two blowers per under seat heater. Theaters to be evenly spaced.	Total B.T.U.	288,600		
Interior Sidewalls	Aluminized (non-painted) panels between bottom of windows and top of seat rail.	mar proof walls			
Lighting (Exterior)	LED for stop, tail, turn, marker and strobing loading lights. Override switch so the 8-way red lights can be turned on without having to open the door. Typical door operation triggering 8-way red light will still function and closing the door will still cancel lights.	Mfr.	included with override		
Lighting (Interior)	Driver dome light on separate switch.	included			
Mirrors, Exterior	Power controlled.	Mfr.	Rosco		
Noise Kill Switch	Accessory master cut-off switch to control noisy accessories.	included			
Power Point	Driver's compartment accessible standard accessory power point plug-in.	included			
Seat, Driver	High back, fabric insert with two (2) arm rests and air suspension.	Mfr.	National		
Cour, Briver		Model # air w/ 2 shocks & heat List method used to measure these distances: front of			
Seating Capacity	72 passenger (minimum leg room), 66 passenger (maximum leg room). Minimum leg room measurement27.2 Maximum leg room measurement 29.6	seat back to front of next seat back at cushion level			
Seats, Passenger	Convertible seats are the baseline seat for all Type C buses in State.		included		
Service Door and Entry Way	Air powered panic-type door (both doors open outward). A minimum three-step entry with	included			
Stop Arm	include the electronic servo latch.	Mfr.	SMI T7000-200-E31		
Strobe Light	Roof mounted white strobe light to meet state specifications.	Mfr.	aeroflash		
Otrobe Light		Location	4' from rear		
Vandal Locks	MUST IOCK.	included			
Visors	Dark Plexiglas visors installed over driver's side window and driver's windshield area.		included		
Windows	Windshield tinted. All windows, except thermal paned, shall be tinted.		included		

Wyoming State Price Quote Specification TYPE C -- 72-66 PASSENGER

	ADDITIONAL REQUIREMENTS - CHASSIS AND BODY				
Line Setting Ticket/ Itemized Build Sheet	Legible copy of manufacturer's line setting ticket or itemized build sheet for chassis and body will be delivered with each vendor's packet at the time of delivery of the bus.			included	
Owner's/Operator's Handbook	One copy of the chassis and body manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.			included	
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: Minimum -34°F freeze protection coolant Chassis lubrication Check fluid levels, verify all are at recommended full levels Interior and exterior will be clean (including glass) All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery All components and accessories will be installed and operational at time of delivery			included	
Warranty	Manufacturer's standard warranty to include body, chassis, engine and transmission.	Warranty F Body Engine	Period 3yr 5yr	Chassis Transmission	3yr 5yr

Wyoming State Price Quote Specification STATE-SUPPORTED OPTIONS TYPE C

ITEM		STATE-SUPPORTED OPTIONS			VFNI	DOR SPECIFICALLY	IDENTIFY ITEM RID
11 2.11		Vendor must meet or exceed these specific ltem bid shall be specified in column to			VEIG	BOIL OF EOII TOALLT	DENTIL THEM DID
Air Disc Brakes	Mfr.	Bendix			Cost	\$2,000.00	
Air Conditioner	Mfr.	Carrier/Transair			Cost	\$11,000.00	
Air Suspension	Mfr.	included Front	✓ Rear	Both	Cost	included	
Automatic Tire Chains	Mfr.	On spot or equivalent			Cost	\$2,750.00	
Backup Camera/ Mirror	Mfr.	Rosco			Cost	\$1,200.00	
Book Racks	Solid	✓ Tubular			Cost	\$1,500.00	
Flat Floor (Special Needs)	included in	special needs package			Cost	\$14,000.00	
Fuel-Fired Coolant Heater	Mfr.	Webasto/ pro heat \$900 add	15K BTU		Cost	\$3,700.00	\$4600.00 pro heat
Heated Steps	✓ Second				Cost	\$550.00	
Passenger Reading Lights	Mfr.				Cost	N/A	
Rear Air Deflector	Mfr.	See II Foil			Cost	\$650.00	
Retarder	Mfr.	Klam	✓ Driveline	Transmission	Cost	\$7,800.00	
Engine Exhaust & Compression Brake	Mfr.	Turbo Exhaust brake			Cost	\$3	300.00
Thermo Glass	Mfr.	per window			Cost	\$400.00	
Under Bus Storage	Cubic feet	60 cu ft			Cost	\$3,000.00	

Option Package Special Needs - Lift Bus

ITEM	STATE-SUPPORTED OPTIONS	VENDOR SPECI	FICALLY IDENTIFY ITEM BID
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		
Fuel Tank		Location	left hand fill BTR
Heater	Low profile, wall mounted preferred. If heater is floor mounted, it must not interfere with a wheelchair position or track seating.	Location	1 front, 2 rear
Manuals	Manuals and videos for lift and track system, including tie-downs. Driver's and technicians operation and service manuals.		included
		Mfr.	Ricon
Power Lift	Location to be determined by school district.	Model # S	Lift 800 lbs.
Track System	Full length 4-track system, track flooring and track mounted seats in any area where a wheelchair can legally be secured. The bus shall be fully seated. Track to be mounted to the floor using corrosion resistant fasteners. One set of automatic self tensioning, self locking tie-downs shall be provided. Seating diagram to be determined by the school district.	Tie-down mfr.	Q Straint
	_	Package Cost	\$14,000.00

Check appropriate bus for this package:

Type A	
	28/24 passenger, gas engine, dual rear wheel
	28/24 passenger, diesel engine, dual rear wheel
	30/24 passenger, gas engine, dual rear wheel
Type C	 30 passenger 42/36 passenger 60/54 passenger 66/60 passenger √ 72/66 passenger (Fuel tank may be installed between frame rails behind rear axle or on right hand side.)
Type D	☐ 72/66 passenger, FE, 36,000 GVWR ☐ 66/60 passenger, RE, 36,000 GVWR ☐ 81/78 passenger, RE, 36,000 GVWR

VEHICLE DATA SHEET

AND OFFICIAL PRICE QUOTATION

TYPE D (RE) -- 81-78 (CNG) PASSENGER Specifications are in addition to Chapter 2, Minimum Standards for We

Quoted price is based upon payment upon delivery to the school district (without sales tax). Price to be effective until April 1, 2017 VENDOR REPRESENTATIVE'S SIGNATURE	PTS 3000 2017	ALLISON	MANUFACTURER	TRANSMISSION 2018	YEAR		BLUE BIRD		CHASSIS	Warranty: 1 Years 12000 Miles		13RE 4006 2018 Re	YEAR	MANUFACTURER: BLUE BIRD	вору	CASPER, WY 82602 Fi		DO BOX 65		VENDOR'S COMPANY NAME
Passenger Passenger liable. DATE	Speeds forward: 5	5 Years UNLIMITED Miles	Warranty:	273 Inches	Wheelbase:	12,000 Miles	1 Years	Warranty:			122 Inches	Rear body overhang:	489.25 Inches	Overall vehicle length:		Firm where body can be serviced or repaired and parts obtained:	Fifm where engine and chassis can be serviced or	Estimated delivery date to school district from time	JERRY STOLL	REPRESENTATIVE'S NAME
Warranty: 5 Years 100,000 Miles	MODEL IST-G		MANUFACTURER	ENGINE						Floor color: GREY	Seat color: GREY	List method used to measure these distances:	75 passenger (maximum leg room)	78 passenger (minimum leg room)		repaired and parts obtained:	be serviced or repaired and parts obtained:	strict from time purchase order is received:	OLL	
Torque: 900 @ H.P.: 280 @ C.I.D.: 8.9L	YEAR 21	CUMMINS			Rear axle ratio:	GVWR:	Rear axle capacity:	Front axle capacity:		KNEES, MEASURED FROM CENTER OF SEAT	IPS 1		LH=24", RS=25.5"	LS=24", RS=23"	T	ELDER-CASPER,			1-800-442-3286	TELEPHONE NUMBER
1300 RPM 2000 RPM	2017		が一般が重くい		5.29	36,200	23,000	13.200		CENTER OF SEAT.	AT BACK AT	FROM FRONT OF SEAT BACK AT		inches +1"	HALLER'S-CHEYENNE	PERRY'S-RIVERTON	LOCAL DEALER	180-210 DAYS AFTER RECEIPT OF ORDER		

0.5551.	Separator	Fuel/Water	Fuel Tank			Frame			Engine Heater		Engine		Cooming Oyalem	Cooling System	Compressor	Brakes		Battery(ies)		Axle Ratio	Axle Oil Seals	Axle-Rear	Axle-Front	Alternator			Air Tanks	All Diyer	2		= = = = = = = = = = = = = = = = = = = =	
COLOG D. CANAL HIRITIGHT.	Treated water separator with dash mounted water and fuel warning lights.		100 gallon minimum.			270-303 inch wheelbase.			Factory installed engine manufacturer's recommended in-block heater. Body plug on cowl				ricavy duty, iliaxilitum capacity. Fan clutch. Long lite coolant must be provided.	Leave ditty maximum opposit for the last of the last o	ff minimum	Front - 16.5 x 6 Rear - 16.5 x 8.62	The second comparison of the second contract in body battery comparison.	Two-BD on roller hearing tray 12 yolt to be mounted in body better the result.	The second second at award of pig. Willst comply with power and gradeability formula.	1 =	Front and rear Wet decign with sight place in front	23,000 lb. minimum.	13,200 lb. minimum with grease type drag link and tie rod ends.	270 amp minimum, capable of 120 amp output at idle.		THE CO. III. IIIIIIIIIIII WIII AUTOITANC NEATEO AIT OFAIN ON WELLANK.	4 740 cm in minimum with automatic books.	neared air dryer with spin-off replaceable cartridge.	Item bid shall be specified in column to right.	Vendor must meet or exceed these specifications.	STATE-SUPPORTED SPECIFICATIONS	CHASSIS
GVWR 36200	Mfr. N/A		7600 SCF @360	and	RBM rating 980,000 IN LB PER RAIL WITH LINER	Frame thickness .25"	Height 9 5/8" Width 3"	Mír. KIM HOT START	1000	006 ant	Model or liters ISL-G	Mír. CUMMINS	APS	Cubic feet 18.7	Size APS	CCA 2600	Number of batteries 2	Size or group 8D	5.29	Mfr. SCOTSEAL TF	Capacity 23,000		n output 27	Mfr. LEECE NEVILLE	2500 1650 1650	1 2 3 4 5	Tank capacity	Mfr. BENDIX AD-IP	rice of items old will establish the state cost.		VENDOR SPECIFICALLY IDENTIFY ITEM BID	

Wyoming State Price Quote Specification TYPE D (RE) -- 81-78 PASSENGER CNG

APS=AS PER SPECIFICATION

	Floor	Emergency Exits	Emergency Equipment	Dimensions	Child Check System	Certificate Holder	Padding	Auxiliary Fans	Audio System		70.	Wheels		Transmission	lires	Rear Suspension	nour weter	Cruise Control	High Idle and	ITEM
	Aisle trim and cove molding shall be provided	cations with a three-point door latch system for side emergency door. ottom window of emergency door. Roof hatches shall be static vent type to seat, or portion of seat, may intrude into side emergency exit door, if so	A metal, sealed box shall be provided for the first aid kit and the body fluid kit. A heavy-duty metal bracket shall be provided for the fire extinguisher(s). Fire extinguisher(s) shall have a drawn steel cylinder with all metal valve. Each fire extinguiser shall have a total rating of 3A40BC or greater.		System to arm after the red loading lights are used. Disarm button to be in the rear of bus. System to sound alarm (horn) and flash headlights if driver exits without disarming in the APS rear of bus.	Mounted above windshield for legal documents.	Must be provided.	I wo fans, six inch minimum, mounted to right and left windshield area.	spaced. Factory installed.	STATE-SUPPORTED SPECIFICATIONS	вору	Six, 22.5 x 8.25 center hub piloted disc wheels. 7,300 lb. minimum load rating.		Automatic - PTS 3000 six-speed. Oil level sensor to be included. 5 SPEED	Six, 11R22.5 load range H. Front - Highway tread. Rear - Traction tread.	heavy-duty, double-acting shock absorbers.	Mounted in dash panel.	programmed to meet state specifications of 75 mph.	Both shall be provided with cruise control	STATE-SUPPORTED SPECIFICATIONS
APS		Roof hatch mfr. TRANSPEC TRIPLE VALUE Model#	APS	Height 77	APS	APS	APS	Mfr. DCM	Number of speakers 8 I/S, 1 O/S	VENDOR SPECIFICALLY IDENTIFY ITEM BID		Size 22.5	Net input HP 300	Net input torque 950	Tread design HANKOOK AH12 FRT, Z35A RR	Capacity 23,000	APS	APS	יייייייייייייייייייייייייייייייייייייי	VENDOR SPECIFICALLY IDENTIFY ITEM BID

Wyoming State Price Quote Specification TYPE D (RE) -- 81-78 PASSENGER CNG

APS=AS PER SPECIFICATION

	5	Visors Dark Plexi	Vandal Locks must lock.	Oron Po	Strobe Light Roof mour	Stop Arm shall be in no expose include the	Service Door and full length integral, no	Seats, Passenger used for fl	Seating Capacity Minimum Maximum	Seat, Driver DRIVER'S	Power Point Power poi	Noise Kill Switch Accessor	Mirrors, Exterior Power controlled	Lighting (Interior) Driver dor	Lighting (Exterior) lights can way red li	menol ordewalls Challings		EPDM ho	Heaters for supply		seat heat	
williams, except tile/mai paned, shall be tinted.		ulas visors installed over driveds side window and drived.	Silaii de provided. Mechanical. Keyed alike/one key for all accesses. All outside openings must lock.		Roof mounted white strobe light to meet state specifications.	shall be interchangeable with the crossing control arm operating mechanism on the stop arm no exposed wiring on the stop arm. The stop arm shall be SMI part # T7000-200-E31 to include the electronic servo latch.	Air powered panic-type door (both doors open outward). A minimum three-step entry with two full length handrails (one on the left and one on the right side of stairwell), pebble tread, and integral, nonskid white nosing on step tread. Heated lower step, independently switched.	used for floor mounting. Convertible seats are the baseline seat for all Type D buses in State.	78 passenger (minimum leg room), 75 passenger (maximum leg room). Minimum leg room measurement LS 24", RS=23"	High back, fabric insert with two (2) arm rests and air suspension. RH ARMREST ON DRIVER'S SEAT ONLY. PAD ON LH DRIVER'S PANEL.	Power point socket installed in driver's switch panel. 12 volt.	Accessory master cut-off switch to control noisy accessories.	itrolled.	Driver dome light on separate switch.	lights can be turned on without having to open the door. Typical door operation triggering 8-way red light will still function and closing the door will still cancel lights.	Chairmitzed (non-painted) panets between bottom of windows and top of seat rail.	Alteria in the search of the s	EPDM hose in lieu of Goodyear High Miler hose, 50,000 BTU UNDERSEAT HEATERS	for supply and return lines. All heater hose to be one-ply Goodyear High Miler hose. A ball	fans and two blowers. Must include recirculating pump. Shut-off ball type valves at engine	seat heaters, one under driver's seat heater - 12 000 B T I I All heaters to have two speed	THE REAL PROPERTY AND ADDRESS OF THE PARTY ADDRESS OF THE PARTY AND ADD
APS	APS		APS	Mfr.	Location 4' FROM I	Mfr.	APS		RONT OF SEAT BA T BACK AT KNEES, R OF SEAT.	Mfr. NA	IN DRIVER'S AREA	Ą	Mfr	^ D0	Mír. CRS, TRUCK	APS	Total B.T.U.	Driver's heater B.T.U.	Center B.T.U.	Right-front B.T.U.	Left-front B.T.U.	
				SMI	4' FROM REAR OF BUS	SMI			X AT HIPS TO BACK NEASURED FROM	NATIONAL NIS 2000	AREA	NIIVAON LITE	BOBLITE		CRS, TRUCKLITE, SOUND OFF		352,000	12,000	100,000	90,000	50,000	

Wyoming State Price Quote Specification TYPE D (RE) -- 81-78 PASSENGER CNG

APS=AS PER SPECIFICATION

		Warranty			Cleaning	Service and				Handbook	Owner's/Operator's	Sheet	Itemized Build	Line Setting Ticket/	
	remainded a standard waitailty to litchage body, chassis, engine and transmission.	Manufactures's standard compatible indicate the second company of	 All components and accessories will be installed and operational at time of delivery 	■All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure	■ Interior and exterior will be clean (including glass)	■Check fluid levels, verify all are at recommended full levels	■Chassis lubrication	■Minimum -34°F freeze protection coolant	Cleaning and service by vendor prior to delivery will include:	be furnished with each bus at time of delivery.	Owner's/Operator's One copy of the chassis and body manufacturer's owner's/operator's handbook or manual will	will be delivered with each vendor's packet at the time of delivery of the bus.	Legible copy of manufacturer's line setting ticket or itemized build sheet for chassis and body	TOTAL TANKS OF THE PROPERTY OF	ADDITIONAL REQUIREMENTS - CHASSIS AND BODY
Eighte or robob Hallsthission		Warranty Period			APS					APS		APS			
PO/UNL	12/12000				***			Million social							

Wyoming State Price Quote Specification STATE-SUPPORTED OPTIONS TYPE D

		CTATT CITY OF THE COLOR	The second line of the second li	
		Vondor must most or most the OPTIONS	VENDOR SPECIFI	VENDOR SPECIFICALLY IDENTIFY ITEM BID
		Item bid shall be specified in column to right.		
Air Disc Brakes	Mfr.	BENDIX	\$2,825.00	5.00
Air Conditioner	Mfr.	CARRIER	Cost \$15,750.00	50.00
Air Suspension	Mfr.	HENDRICKSON ☑ Front ☐ Rear ☐ Both	Cost \$2,950.00	0.00
Automatic Tire Chains	Mfr.	ON SPOT	Cost \$3,400.00	0.00
Back Up Camera/Mirror Mfr.	Mfr.	ROSCOE		
Book Racks	□ Solid	☑ Tubular	Cost \$2,330.00	
Crossing Arm	Mfr.	SMI Model # VARIES	Cost \$550.00	
Flat Floor (Special Needs)	From from	From front wheelhouses to rear.	Cost N/A	P
Fuel-Fired Coolant Heater	Mfr.	ВТИ	Cost N/A	A
Heated Steps	☑ Second		Cost \$450.00	1.00
Lights	Mfr.	PRETORIA	Cost \$2,150.00	0.00
Rear Air Deflector	Mfr.	BLUE BIRD FULL WIDTH	Cost \$970.00	*
	Mfr.	☐ Driveline ☑ Transmission	Cost \$7,920.00	
Engine Exhaust & Compression Brake	Mfr.	VGT COMPRESSION	Cost \$1,300.00	0.00
	Mfr.	SPECTAL	Cost \$240 PER WDO ASSY	/DO ASSY
Under Bus Storage	Cubic feet 41.5	1 41.5	Cost \$2,200.00	0.00

TOTAL BUS



Option Package Special Needs - Lift Bus

APS=AS PER SPECIFICATION

	Track System to the floor usi self locking tie school district.	Full langth 4.	Power Lift Location to b	Manuals technicians of	Heater with a wheel	Fuel Tank		TEX
	wheelchair can legally be secured. The bus shall be fully seated. Track to be mounted to the floor using corrosion resistant fasteners. One set of automatic self tensioning, self locking tie-downs shall be provided. Seating diagram to be determined by the school district.		Location to be determined by school district	technicians operation and service manuals.	with a wheelchair position or track seating.	wall mounted professed. 16 beauty is at	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	STATE-SUPPORTED OPTIONS
Package Cost	Tie-down mfr.	Model # S5010	Mfr. RICON	APS	Location	Location E		VENDOR SPEC
\$14,700.00	Q STRAINT	Lift 800 lbs.			APS	BETWEEN FRAME RAILS		VENDOR SPECIFICALLY IDENTIFY ITEM BID

Check appropriate bus for this package:

Type D		Type C	Туре А
 ☐ 72/66 passenger, FE, 36,000 GVWR ☐ 66/60 passenger, RE, 36,000 GVWR ☑ 81/78 passenger, RE, 36,000 GVWRCNG 	 □ 30 passenger □ 42/36 passenger □ 60/54 passenger □ 66/60 passenger □ 66/60 passenger □ 72/66 passenger 	☐ 28/24 passenger, gas engine, dual rear wheel ☐ 28/24 passenger, diesel engine, dual rear wheel ☐ 30/24 passenger, gas engine, dual rear wheel	

VEHICLE DATA SHEET

AND OFFICIAL PRICE QUOTATION

TYPE D (RE) -- 78-75CNG PASSENGER
Specifications are in addition to Chapter 2, Minimum Standards for Wyoming School Buses.

VENDOR'S COMPANY NAME		REPRESENTATIVE'S NAME	TEL	TELEPHONE NI IMBER	, acces,	
I State Truck/ Lewis Bus group	us group	Nick Clawson/ Lance Parker		800-736	800-736-5264/ 877-786-6287	
ADDRESS		Estimated delivery date to school district from time purchase order is received:	trict from time purchase order is	5077000	July if by Jan. 1 2017	2017
4600 S Frontage rd- Billings, MT 59101	Billings, MT 59101	Firm where engine and chassis can be serviced or repaired and parts obtained:	be serviced or repaired and part	obtained:	I State/ Lewis	Ā.
1260 S 500 West- SLC, Utah 84101	SLC, Utah 84101	Firm where body can be serviced or repaired and parts obtained:	repaired and parts obtained:		I State/ Lewis	ų.
		ВОДУ				
MANUFACTURER: Thomas		Overall vehicle length:	78 passenger (minimum leg room)	om)	26.5 inches	es
MODEL 141YS Y	YEAR 2018	475.4 Inches	75 passenger (maximum leg room)	om)	29.8 inches	es
		Rear body overhang:	List method used to measure t	to measure these distances:	front of seat back to front	to front
		115.4 Inches	Seat color: Blue	l 9	of next at cushion level	면
Warranty: 1 Years u	unl Miles		Floor color: Grey			
		CHASSIS				
MANUFACTURER Thomas		Warranly:		Front axle capacity:		13200
		rears		Rear axle capacity:		23000
MODE	n Ag	unl Miles		GVWR:	3	36200
	, can	Wheelbase:		Rear axle ratio:		5.29
141YS	2017	277 Inches				
	IRANSMISSION		元の 北京の大学の はいいか	ENGINE	是 · · · · · · · · · · · · · · · · · · ·	THE RESERVE
MANUFACTURER		Warranty:	MANUFACTURER			
Allison	ň	5 Years		Cum	Cummins	
		unl Miles				
	YEAR	,	MODEL		YEAR	
3000 PTS	2017	Speeds forward: 6	ISLG		2017	
Quoted price is based upon payment	\$138,904.00	D PRICE \$138,904.00 78 Passenger	Warranty: 5 Years	Torque:	 	1300 RPM
upon delivery to the school district (without sales tax). Price to be	00 003 8613	\$138 604 00 75 Bassacra	~	A12297 17	- 1	100 M
April 1, 2017.		i di		_		
1 July / Junes	\{\begin{align*} \text{	910/12/11				
VENDOR REPRESENTATIVE'S SIGNATURE	ATIVE'S SIGNATURE	DATE				

GVWR	Fuel/Water Separator	based upon payment	Oriotad prica is		Frame			Engine Heater		(Engine		Cooling System	Compressor	brakes		Daller Y(les)	Battondian	Axie Katio	Axie Oil Seals	Axie-Rear	Axie-Front		Alternator		All falls); T ₂ , L ₂	Air Dryer			TEM
36,000 lb. GVWR minimum.	dash mounted water and fuel warning lights.	Five 3600 PSI CNG fuel cylinders- equivalnet to 66.5 gallons of Diesel			270-303 inch wheelbase.		The second second	Factory installed engine manufacturer's recommended in-block heater. Body plug on cowl		fan. Engine shall be 2013 EPA certified and compliant as measured from the tailoine		CNG- 280 HP minimum, 900 lbs. feet torque minimum, in-line six cylinder, cold starting	Heavy duly, maximum capacity. Fan clutch. Long life coolant must be provided.		Rear - 16.5 x 8.62		i wo-ou off roller bearing tray, 12 voit to be mounted in body battery compartment.		Axie ratio to be chosen at award of bid. Must comply with power and gradeability formula.		1 -	13,200 lb. minimum with grease type drag link and tie rod ends.		270 amp minimum, capable of 120 amp output at idle.		4,740 cu. iii. minimum with automatic heated air drain on wet tank.	7/0	Heated air dryer with spin-off replaceable cartridge.	venoor must meet or exceed these specifications. Item bid shall be specified in column to right.	STATE-SUPPORTED SPECIFICATIONS	CHASSIS
GVWR	Mfr.	Capacity	Rear Overhang	RBM rating	Frame thickness	Height 10	Mfr.	Watts		Net torque 900	Model or liters	Mfr.	Capacity in quarts	Cubic feet	Size	CCA	Number of batteries	Size or group		Mfr.	Capacity	Capacity	Maximum output	Mfr.		1 2	1	Mfr.	Price of items bi	VENDOR SPECI	
36200	fuel heater	66.5gal equivalent	115.93"	110,000 psi	1/4"	Width 3.5	Phillips		2200	@ 1300 R.P.M.	ISLG	Cummins	24	Bendix 13.2	16.5X6, 16.5x85/8	2250	lwo	8-D	5.29	AAC	23000	13200	270 amps	leece- Neville	6480 Total	3 4 5	Tank capacity	Bendix	Price of items bid will establish the state cost.	VENDOR SPECIFICALLY IDENTIFY ITEM BID	

	nisie unit allu cove moiurig shari de provided.	1001
Roof hatch mfr. Transpec Trip Value safT vent Model # II	As per state specifications with a three-point door latch system for side emergency door. Glass guard over bottom window of emergency door. Roof hatches shall be static vent type without opening. No seat, or portion of seat, may intrude into side emergency exit door, if so equipped.	Exits
included	A metal, sealed box shall be provided for the first aid kit and the body fluid kit. A heavy-duty metal bracket shall be provided for the fire extinguisher(s). Fire extinguisher(s) shall have a drawn steel cylinder with all metal valve. Each fire extinguiser shall have a total rating of 3A40BC or greater.	Emergency Equipment
Height 78"	Headroom: Minimum 77 inches.	Dimensions
e included	System to arm after the red loading lights are used. Disarm button to be in the rear of bus. System to sound alarm (horn) and flash headlights if driver exits without disarming in the included rear of bus.	Child Check System
included	Mounted above windshield for legal documents.	Certificate Holder
padded shoulder rail	Must be provided.	Below Window Padding
Mfr. two fans	I wo fans, six inch minimum, mounted to right and left windshield area.	Ļ
Number of speakers 8	AM/FM/PA radio with one exterior speaker and maximum interior speakers to be evenly spaced. Factory installed.	
VENDOR SPECIFICALLY IDENTIFY ITEM BID	STATE-SUPPORTED SPECIFICATIONS	ITEM
	ВОДУ	
Size 22.5 Rim width 8.25	Six, 22.5×8.25 center hub piloted disc wheels. 7,300 lb. minimum load rating.	Wheels
Net input HP 300 max		
Net input torque 950 max	Automatic - PTS 3000 six-speed. Oil level sensor to be included	Transmission
Tread design steer/ traction	Six, 11R22.5 load range H. Front - Highway tread. Rear - Traction tread.	Tires
Capacity Hendrickson 23k LB air suspension	23,000 lb. minimum GVW air-ride suspension equipped with one or two leveling valves and heavy-duty, double-acting shock absorbers.	Rear Suspension
included	Mounted in dash panel.	Hour Meter
included	programmed to meet state specifications of 75 mph.	
VENDOR SPECIFICALLY IDENTIFY ITEM BID	Both shall be provided with chiese control	and
	STATE-SUPPORTED SPECIFICATIONS	ITEM

JYC SYLLEGIBLIDITI	Li Gilla		
Transmission	Ď		
Chassis	Body 1vr	Manufacturer's standard warranty to include body, chassis, engine and transmission.	warranty
	Warranty Period		
		proper operation at time of delivery	
		All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure	
included		■ Interior and exterior will be clean (including glass)	Cleaning
•		Check fluid levels, verify all are at recommended full levels	Service and
		■ Chassis lubrication	
		■ Minimum -34°F freeze protection coolant	
		Cleaning and service by vendor prior to delivery will include:	
included		be furnished with each bus at time of delivery.	Handbook
		Owner's/Operator's One copy of the chassis and body manufacturer's owner's/operator's handbook or manual will	Owner's/Operator's
included		will be delivered with each vendor's packet at the time of delivery of the bus.	
-		Legible copy of manufacturer's line setting ticket or itemized build sheet for chassis and body	Itemized Build
			I ine Selling Ticket
		ADDITIONAL REQUIREMENTS - CHASSIS AND BODY	

Wyoming State Price Quote Specification STATE-SUPPORTED OPTIONS TYPE D

ITEM	STATE-SUPPORTED OPTIONS		VENDOB SECULION IN INCIDENTIFY THE PROPERTY OF	NTICY ITEM DID
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	ations. ght.		A TEM DIO
Air Disc Brakes	Mfr. Bendix		Cost &2 000 00	
Air Conditioner	Mfr. Carrier/Transair SUTRAK A/C, Heat System			\$23,250.00
Air Suspension	Mfr. Neway	☐ Rear ☐ Both ☐	Cost \$2,500.00	
Automatic Tire Chains	Mfr. On Spot or equivalent	0	Cost \$2,750.00 X	4.7
Backup Camera/Mirror Mfr.	Mfr. Rosco	0	Cost \$1,200.00	7
Book Racks	Solid I Tubular	0	Cost \$1,500.00	1
Crossing Arm	Mfr. SMC	Model # 78300	Cost \$550.00	
Flat Floor (Special Needs)	From front wheelhouses to rear.		Cost \$13,000.00	
Fuel-Fired Coolant Heater	Mfr. N/A 45	45K BTU	Cost N/A	
Heated Steps	✓ Second	0	Cost \$550.00	
Passenger Reading Lights	Mír. lugg racks required	0	Cost \$1,800.00	
Rear Air Deflector	Mfr. See II Foil	0	Cost \$650.00	*
Relarder	Mfr. Allison	☐ Driveline ✓ Transmission C	Cost \$7,000.00	
Engine Exhaust & Compression Brake	Mfr. N/A	0	Cost N/A	
Thermo Glass	Mfr. Per window	0	Cost \$250.00	
Under Bus Storage	Cubic feet N/A due to CNG tanks	378	Cost N/A	

TOTAL BUS WITH EQUIPHENT



Option Package Special Needs - Lift Bus

\$13,000.00	Package Cost	2017	
Q straint	Tie-down mfr.	wheelchair can legally be secured. The bus shall be fully seated. Track to be mounted to the floor using corrosion resistant fasteners. One set of automatic self tensioning, self locking tie-downs shall be provided. Seating diagram to be determined by the school district.	Track System
Lift 800 lbs.	Model # S		
Ricon	Mfr.	l onation to be determined by school district	Power Lift
included		technicians operation and service manuals.	Manuals
1 front, 2 rear	Location	a wheelchair position or track seating.	Heater
LH fill	Location		Fuel Tank
		Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	
VENDOR SPECIFICALLY IDENTIFY ITEM BID	VENDOR SPECIF	STATE-SUPPORTED OPTIONS	ITEM

	hen de stan be specified in countri to right.		
Fuel Tank		Location	LH fil
Heater	Low profile, wall mounted preferred. If heater is floor mounted, it must not interfere with a wheelchair position or track seating.	Location	1 front, 2
Manuals	Manuals and videos for lift and track system, including tie-downs. Driver's and technicians operation and service manuals.		included
Douber I iff		Mfr.	Ricon
LOWEL LIST	Location to be determined by school district.	Model# S	Lift 800 It
Track System	Full length 4-track system, track flooring and track mounted seats in any area where a wheelchair can legally be secured. The bus shall be fully seated. Track to be mounted to the floor using corrosion resistant fasteners. One set of automatic self tensioning, self locking tie-downs shall be provided. Seating diagram to be determined by the school district.	Tie-down mfr.	Q strai
	2017	Package Cost	\$13,000
Check appropriate	Check appropriate bus for this package:		
Type A			
Teo C	 28/24 passenger, gas engine, dual rear wheel 28/24 passenger, diesel engine, dual rear wheel 30/24 passenger, gas engine, dual rear wheel 		
Type C	 30 passenger 42/36 passenger 2016 60/54 passenger (Fuel tank may be installed belween frame rails behind rear axle or on right hand side.) 66/60 passenger 72/66 passenger 	hand side.)	
Type D	72/66 passenger, FE, 36,000 GVWR 66/60 passenger, RE, 36,000 GVWR 81/78 passenger, RE, 36,000 GVWR		

EEW

QUOTE

Elder Equipment Leasing of WY, Inc. P.O. Box 65 Casper, Wyoming 82602

1-800-442-3286

SOLD TO: NATRONA COUNTY SCHOOL DISTRICT #1

970 GLENN ROAD CASPER, WY 82601

A T T N: SYDNEY WEBB-DIRECTOR OF TRANSPORTAION

Quote Number Quote Date Customer Number Sales Order Number

10/19/2018 95220

Terms: Shipped Via: Special Instructions:

		Item Number	Deșcripțion : : : : : : : : : : : : : : : : : : :	Price Per	Amount
ſ	1	BBCV3303	2020 BLUE BIRD VISION	\$101,975.00	\$101,975.00
			TYPE C 72 PASSENGER S/N BUS		
	1	DISCOUNT	BLUE BIRD PREFERRED CUSTOMER	(\$5,000.00)	(\$5,000.00)
		BID PRICE	ELDER BID PRICE AFTER DISCOUNT	\$96,975.00	
		BASE PRICE	WY STATE BID BASE BUS PRICE	\$98,592.00	
	1	DISC BRAKES	AIR DISC BRAKES	\$2,825.00	\$2,825.00
١	1	BACK UP CAM	REAR BACK UP CAMERA	\$1,300.00	\$1,300.00
	1	CHAINS	AUTOMATIC TIRE CHAINS	\$3,400.00	\$3,400.00
	1	HTD STEP	ADDITIONAL HEATED STEP	\$450.00	\$450.00
١	1	REI CAMERAS	12 REI CAMERA SYSTEM INSTALLED	\$6,675.00	\$6,675.00
١	1	B/U CAMERA	BACK UP CAMERA	\$1,300.00	\$1,300.00
١	1	DOT CONV.SEATS	CONVERTIBLE SEATS W/3 PT BELTS TM	\$6,240.00	\$6,240.00
١	1	SPEC. NEEDS	SPECIAL NEEDS PACKAGE	\$16,700.00	\$16,700.00
١	1	AIR COND.	BULK HEAD AIR CONDITIONING	\$11,750.00	\$11,750.00
			WE APPRECIATE YOUR BUSINESS!!		



TOTAL Sales Tax

Freight

Total

\$147,615.00

\$147,615.00

EEW

QUOTE

Elder Equipment Leasing of WY, Inc. P.O. Box 65 Casper, Wyoming 82602

1-800-442-3286

SOLD TO: NATRONA COUNTY SCHOOL DISTRICT #1

970 GLENN ROAD CASPER, WY 82601

A T T N: SYDNEY WEBB-DIRECTOR OF TRANSPORTAION

Quote Number Quote Date Customer Number Sales Order Number

10/19/2018 95220

Terms: Shipped Via; Special Instructions:

Quantity		Dėscription : : : : : : : : : : : : : : : : : : :	Price Per	Amount
1	BBCV3303	2020 BLUE BIRD VISION	\$101,975.00	\$101,975.00
		TYPE C 72 PASSENGER		
1	DISCOUNT	BLUE BIRD PREFERRED CUSTOMER	(\$5,000.00)	(\$5,000.00)
	BID PRICE	ELDER BID PRICE AFTER DISCOUNT	\$96,975.00	
	BASE PRICE	WY STATE BID BASE BUS PRICE	\$98,592.00	
	DISC BRAKES	AIR DISC BRAKES	\$2,825.00	\$2,825.00
	CHAINS	AUTOMATIC TIRE CHAINS	\$3,400.00	\$3,400.00
	HTD STEP	ADDITIONAL HEATED STEP	\$450.00	\$450.00
	REI CAMERAS	12 REI CAMERA SYSTEM INSTALLED	\$6,675.00	\$6,675.00
	B/U CAMERA	BACK UP CAMERA	\$1,300.00	\$1,300.00
1	DOT CONV.SEATS	CONVERTIBLE SEATS W/3 PT.BELTS	\$6,600.00	\$6,600.00
		WE APPRECIATE YOUR BUSINESS!!		



TOTAL Sales Tax

Freight

Total::::::::::::

\$118,225.00

\$118,225.00

EEW

QUOTE

Elder Equipment Leasing of WY, Inc. P.O. Box 65 Casper, Wyoming 82602

1-800-442-3286

SOLD TO: NATRONA COUNTY SCHOOL DISTRICT #1

970 GLENN ROAD CASPER, WY 82601

ATTN; SYD WEBB-DIRECTOR OF TRANSPORTATION

Quote Number Quote Date **Customer Number** Sales Order Number

10/19/2018

95220

Terms:	. :		: -	: -										
Shipped Via	: .		::		÷									
Special Instr	uc	tior	าร	:	÷	:	1	:		÷		÷	÷	

: Quantity: :: Item Number: ::	: Description : : :	Price Per	:::::Amount::::::
1 T3RE4006	2020 BLUE BIRD ALL AMERICAN REAR ENGINE 78 PASSENGER	\$123,500.00	\$123,500.00
1 DISCOUNTS	PREFERRED CUSTOMER DISCOUNT	(\$10,000.00)	(\$10,000.00)
1 ELDER	ELDER BID PRICE AFTER DISCOUNT	\$113,500.00	
BASE PRICE	WY STATE BID BASE BUS PRICE	\$118,815.33	
1 DISC BRAKES 1 HTD. STEPS 1 CAMERA 1 AUTO CHAINS 1 CONV. SEATS 1 REI CAMERAS 1 WEBASTO HEATER 1 PARCEL RACKS 1 RETARDER 1 STORAGE	AIR DISC BRAKES ADDITIONAL HEATED STEPS BACKUP CAMERA AUTOMATIC TIRE CHAINS CONVERTIBLE SEATS W/3 PT BELTS 12 REI CAMERA SYSTEM INSTALLED FUEL FIRED WEBASTO HEATER INTERIOR PARCEL RACKS TRANS. RETARDER UNDER BUS STORAGE COMPTS.	\$2,825.00 \$450.00 \$1,300.00 \$3,400.00 \$7,150.00 \$6,675.00 \$3,650.00 \$2,295.00 \$7,920.00 \$7,125.00	\$2,825.00 \$450.00 \$1,300.00 \$3,400.00 \$7,150.00 \$6,675.00 \$3,650.00 \$2,295.00 \$7,920.00 \$7,125.00
	WE APPRECIATE YOUR BUSINESS!!		



TOTAL \$156,290.00

Sales Tax Freight

Total \$156,290.00



Elder Equipment Leasing of WY, Inc. P.O. Box 65 Casper, Wyoming 82602

1-800-442-3286

SOLD TO: NATRONA COUNTY SCHOOL DISTRICT #1

970 GLENN ROAD CASPER, WY 82601

A T T N; SYD WEBB-DIRECTOR OF TRANSPORTATION

Quote Number Quote Date

Customer Number
Sales Order Number

10/19/2018 95220

Terms: Shipped Via: Special Instructions:

Quantity		Description	Price Per	Amount
1	T3RE4006	2020 BLUE BIRD ALL AMERICAN REAR ENGINE 78 PASSENGER	\$123,500.00	\$123,500.00
1	DISCOUNTS	PREFERRED CUSTOMER DISCOUNT	(\$10,000.00)	(\$10,000.00)
1	ELDER	ELDER BID PRICE AFTER DISCOUNT	\$113,500.00	
	BASE PRICE	WY STATE BID BASE BUS PRICE	\$118,815.33	
1 1 1 1	HTD. STEPS CAMERA AUTO CHAINS CONV. SEATS REI CAMERAS DISC. BRAKES	ADDITIONAL HEATED STEPS BACKUP CAMERA AUTOMATIC TIRE CHAINS CONVERTIBLE SEATS W/3PT BELTS 12 REI CAMERA SYTEM INSTALLED AIR DISC BRAKES	\$450.00 \$1,300.00 \$3,400.00 \$7,150.00 \$6,675.00 \$2,825.00	\$450.00 \$1,300.00 \$3,400.00 \$7,150.00 \$6,675.00 \$2,825.00
		WE APPRECIATE YOUR BUSINESS!!		



TOTAL

\$135,300.00

Sales Tax

Freight

===========





Prepared For:

LINCOLN COUNTY SCHOOL DISTRICT #1 11 ADAVILLE ROAD DIAMONDVILLE, WY 83116 Prepared By: LANCE PARKER 801-232-5495

LANCE@LEWISBUSGROUP.COM

Quote Number:Quote Date:Customer Order No:3471839/7/2018Lincoln 1 C-2

Model Profile: Saf-T-Liner C2 311TS

Product Type: School Transportation

Year: 2020 Chassis Model: B2 106

Chassis MFG: FREIGHTLINER

GVWR: GVWR
Passenger Capacity: 72
Headroom: 78
Wheelbase: 259
Brake Type: AIR

Engine Type: CUMMINS B6.7 260 DIESEL, 6 Cyl, 260 HP, 2600 RPM

Fuel Type: DIESEL Fuel Tank Capacity: 100

Transmission Type: ALLISON PTS 3000
Axle, Front: 10000-lb Capacity
Axle, Rear: 21000-lb Capacity

Tires, Front: RADIAL FRONT TIRE, MICHELIN XZE2,11R22.5 16 PLY

Tires, Rear:

Suspension Front:

10,000 LB. TAPERLEAF FRONT SUSPENSION

Suspension Rear:

AIRLINER 23,000 LB. REAR SUSPENSION

Total for 1 complete unit(s): TOTAL PRICE \$108,682.00

Delivery Cost:

Includes the Following Equipment:

BODY

ACCESSORIES

- 1 [D106104000] LOC-1ST.SEAT DRVRSIDE REFL TRIANGLE
- 1 [D106400001] VISOR-TINTED DRIVER'S SIDE WINDOW 6"X18"
- 1 [D130900000] LOC-HDR.CERT.HOLDER.FRT BULKHEAD
- 1 [D131100001] LOCKS-KEYED ALIKE #CH545
- 1 [D133600000] METHOD-FASTENER SCREWS
- 1 [D607500000] HOLDER-CERTIFICATE 4"X 6"
- 1 [G100015000] Device-Rear Deflection Wing Yellow

CERTIFICATION/SAFETY

- 1 [D102200002] REFLECTTAPE-RR END YEL 2"
- 4 [D102500000] REFLECTTAPE-P/O WDO YEL
- 1 [D102901000] REFLECTIVE TAPE-EMERGENCY DOOR REAR YELLOW
- 1 [D103500311] REFLECTTAPE-SI 2" ABV FLR YEL
- 1 [D103900000] FIRE EXTINGUISHER-5 3A-40BC
- 1 [D107000000] REFLECTORS-AMBER(2) MID BDY 3"
- 1 [D107100000] REFLECTORS-RED (4) RR/RR SI 3"
- 1 [D107300002] HATCH-RF ESC MODEL 1100 ENG(2)
- 1 [D107700003] ELECTRICAL-ROOF ESCAPE HATCH POS 3
- 1 [D108700002] HANDLES-W/S SERVICE, BLACK
- 1 [D110024WYG] KIT, FIRST AID 24 UNIT WYOMING
- 1 [D110101WYG] KIT,BODY FLUID CLEAN UP WY.
- 1 [D110300000] SWITCH-ROCKER CROSSING ARM DEACTIVATION
- 1 [D110600000] LABEL-PASS ADVISOR INSTRUCTION
- 1 [D111700000] FE-5 3A-40BC ADDITIONAL
- 1 [D115900001] LOC-O/H STOR LS 10 UNIT B.F.C

- 1 [D116000002] LOCATION-OVERHEAD STORAGE RIGHT SIDE 5LB. FIRE EXTINGUISHER
- 1 [D118900004] LOC-FLR.CURB SIDE RR,BEHIND SEAT 5LB FE
- 1 [D122201000] CUTTER-SEAT BELT W/HAND GRIP
- 1 [D122400000] TRIANGLES-REFL. 3 W/BOX
- 1 [D124200003] MOTOR-XING ARM ELEC., SPECIALTY
- 1 [D127300001] LOC-RR BULKHEAD CURB SIDE 24 FAK
- 1 [D130301000] BRACKET-XING ARM STOWAGE 1/4" BUMP
- 1 [D140024WYG] KIT, FIRST AID 24 UNIT WYOMING ADDITIONAL
- 1 [D500003000] OPEN VIEW ES, HEATED, REMOTE
- 1 [D500301000] MIRROR-B EXTERIOR CROSSVIEW HEATED BLACK BRACKET
- 1 [D500602020] SIGN-STOP, ELEC FRT #T7000-E21 LED
- 1 [D602200007] MIRROR-INT 6"X30" CAMERA
- 1 [D602400000] LABEL-VEHICLE CERTIFICATION
- 1 [FL-31X-020] FRONT BUMP MT CROSS ARM W/DEACTIVATION SWITCH-ELECTRIC

DOORS

• 1 [D109400000] MAT-HEATER STEP TREAD ALL FRONT ENTRANCE DOOR

- 1 [D200301004] STEP-RS ALUM.ENT.DR W/HTR 8.75"RISER
- 1 [D300300000] HANDLE-EXTERIOR REAR DOOR WITH RECCESS
- 1 [D300800000] LATCH-DOOR INTERIOR STORAGE OVER WINDSHIELD
- 1 [D302000000] VANDALOCK-REAR DOOR W/BOLT
- 1 [D302305003] DOOR-ENT AG2 STORM TEMP LOCK
- 1 [D302404000] POWER SYSTEM-AG2 AIR ENTRANCE DOOR
- 1 [D302503000] ELEC-AG2 AIR OPERATED ENTRANCE DOOR
- 1 [D302901000] LATCH- 3-POINT, RR EMERG DOOR
- 1 [D303911000] VANDALOCK-ALUM.ENT.DR.CYLINDER W/KEY
- 1 [D304000002] PULL-ENTRANCE DOOR, EXTERNAL ALUMINUM
- 1 [D305300000] DOOR GLASS GUARD
- 1 [D311500000] KEY-VANDALOCK REAR DOOR NONE
- 1 [D311900000] TRIM-ENTRANCE DOOR INTERIOR
- 1 [D603000000] PAD-DR HEADER, RR EMER 36"W
- 1 [D608501006] TREAD-STP ALUM.ENT DR GRAY KSEAL W/PEBBLE NOSING
- 1 [D611000000] RAIL-ASSIST FRONT ENTRANCE DOOR RIGHT SIDE 1"OD
- 1 [D611801002] CVR-KICK PLATE ENT DR-W/HTR LO

ELECTRICAL - BODY

- 1 [D105400001] FAN-CIRC MID W/S HDR BLACK
- 1 [D105500001] ELEC-FAN MID W/S HDR
- 1 [D105600000] FAN-CIRC DRV'S WDO HDR BLACK
- 1 [D105700000] ELECTRICAL-FAN DRIVER'S WINDOW HEADER
- 1 [D106600003] HORN-SPEAKER LS COWL LEG
- 1 [D106902000] RADIO-AM/FM DEA510 W/PAGE
- 1 [D115000003] OPER-AUTOMATIC FAST IDLE

1 [D130706000] ELEC-ZONAR STANDARD MONITORING

- 1 [D133800001] KIT-ANTENNA GPS
- 1 [D301100001] ELEC-PWR CELL PHONE OUTLET LS
- 1 [D303104002] OPER-DOOR AIR ENT.W/ BAT.2 POS.
- 1 [D400200000] MONITOR-LAMPS WARNING/STOP/TAIL/TURN
- 1 [D400400001] LPS-DOME OVER DRIVER & STEPWELL
- 1 [D400600001] ELEC-DRIVER'S DOME LPS & STEPWELL

1 [D400704311] LPS-DOME PASS MEDIUM LED () 311T

- 1 [D400804311] ELEC-PASS DOME LPS MEDIUM 311T
- 1 [D400900002] SWITCH-RKR DOME LPS FRT/RR
- 1 [D401000001] MODULE-PWR.DIST.ELEC.SYS.
- 1 [D402200001] LPS-EXT AFT OF ENT DOOR, SHIELDED
- 1 [D402300001] ELEC-LPS EXT AFT OF ENT DOOR
- 1 [D402400001] OPER-STPWLL LPSW/PARKLPS&ENT DR.
- 1 [D402501000] LPS-STPWLL W/ HOOD (1)
- 1 [D402801002] LPS-STP/TAIL/DIR AMBER/REV LED
- 1 [D402904311] ELEC-LPS STOP/TAIL/TURN/REV
- 1 [D403000000] ADVISORY-PASSENGER BUZZER ACTIVATION, WITH SWITCH
- 1 [D404300001] ELEC-PWR, GND, NETWORK, BUZZ
- 1 [D405401000] OPER-LPS, DOME SPECIAL ACT. BUZ. W/O VANDALOCK
- 1 [D405600000] LAMPS-PILOT POST TRIP INSPECTION RED
- 1 [D406000002] LAMPS-SIDE DIRECTIONAL AMBER FRONT 2 CP LED
- 1 [D406212008] LPS-WARNING LED STROBE (8)
- 1 [D406601008] OPERATION-LAMPS WARNING (8) PACKAGE 8

- 1 [D406700000] OPERATION-LAMPS REVERSE WITH REAR EMERGENCY DOOR OPEN
- 1 [D406900006] LPS-ID AMB/RED LED
- 1 [D407000002] LPS-MKR ROOF FRT/RR LED WELDON
- 1 [D407100002] LAMPS-MARKER ROOF MID LED WELDON
- 1 [D407507311] ELEC-LPS ID/MKR PARK/SWITCH
- 1 [D408300003] STROBE-CLR 4.9"H 4' FROM REAR
- 1 [D408400001] STROBE LAMP GUARD (1)
- 1 [D408901000] LPS- STOP/TAIL 4" FLS.MT L.E.D.
- 1 [D409000000] SWITCH-ROCKER FAN DEFROST WINDSHIELD
- 1 [D409400001] SWITCH-ROCKER NOISE SUPPRESSION ON/OFF
- 1 [D410801003] LPS-SI DIR AMB LED GRD RR.AXLE
- 1 [D411000000] SWITCH-ROCKER STROBE LAMPS
- 1 [D412200000] LAMPS-PILOT WARNING LIGHTS RED
- 1 [D412300000] LAMPS-PILOT WARNING LIGHTS AMBER
- 1 [D412800003] SWITCH-WARN LPS ON/AMB ACT. (BLK)
- 1 [D413500000] LAMPS-PILOT WARNING LIGHTS MASTER GREEN
- 1 [D413807000] OPERATION-LAMP STROBE, IGNITION & SWITCH ACTIVATED
- 1 [D414700002] ELEC-CABLE PRIM PWR & GND-CUSTOMER ACCESS
- 1 [D416100000] OPERATION-LAMPS SIDE DIRECT.ONLY
- 1 [D416200000] ELEC-LPS,DOME SPECIAL ACT.BUZ.W/O VANDALOCK
- 1 [D416400000] BLOCK-FUSE CUSTOMER ACCESS
- 1 [D418600002] OPER-PRE-TRIP INSPECTION
- 1 [D419601001] ELEC-SEAT BELT PILOT LAMP
- 1 [D419700001] OPER-SEAT BELT PILOT LAMP
- 1 [D419900000] LAYOUT-ROCKER SWITCH STANDARD
- 1 [D421300001] GPS-ZONAR V3
- 1 [D500800007] ELEC-ELECTRIC STOP SIGN FRT
- 1 [D602001311] SPEAKERS-INT. 30 WAT.(6) 311T
- 1 [D602103311] ELEC- (6) INT SPKERS&HORN311T
- 1 [D609700000] SWITCH-RKR HTR BOOST PUMP
- 1 [D613400002] DOME LPS MEDIUM
- 1 [D619600000] ELEC-HTR ENT DOOR STEPWELL
- 1 [D622700001] BRACKET-ZONAR GPS
- 1 [D901600000] ELEC-PEDESTAL, HEATED SEAT
- 1 [FL-32C-008] PASS DOME LPS,FWD/REAR SWITCH SPECIAL ACTIVATION
- 1 [FL-721-029] 112DB BACKUP ALARM

EXTERIOR

- 1 [D105800001] HORN-AIR, UNDER FLOOR
- 1 [D108800002] FLAPS-MUD, REAR 22.5"W
- 1 [D108900001] FLAPS-MUD, FRONT 16"W X 12"H
- 1 [D110500000] STEPS-EXT W/S SERVICE
- 1 [D200200002] FENDER-QUARTER 24" BATTERY BOX DOOR
- 1 [D200600000] BODY ADJUSTMENT-FREIGHTLINER, BTR RS FUEL FILL LOCATION
- 1 [D201900003] REINFORCEMENT-FRAME STD 24" BATTERY BOX DOOR
- 1 [D202600000] CAP-ENTRANCE DOOR STANDARD
- 1 [D202800001] FLOOR-NON ADA
- 1 [D502600000] BUMPER-REAR 2 BRACES NO EXHAUST HOLE
- 1 [D502900004] SKT.FWD.STPWLL LO DEF
- 1 [D503302000] CAP-FRT ROOF VENT W/WARN.LPS.
- 1 [D503402000] CAP-REAR ROOF W/WARN.LPS.
- 1 [D503902311] GUSSET-21"H LWR SIDE SHEET
- 1 [D504006311] SHEET-LWR, L MID 20G,21"
- 1 [D504106311] SHEET-LWR,L RR 20G,21"
- 1 [D504206311] SHEET-LWR,R MID 20G,21"
- 1 [D504306311] SHEET-LWR,R RR 20G,21"
- 1 [D504402008] VISOR-EXT.@ WARN LPS (8)
- 1 [D504500003] DOOR-U/B L BATTERY 24"
- 1 [D505600000] DOOR-FUEL FILL ACCESS BTR
- 1 [D505701021] FENDERETTE-STL/RBR 21" SKIRT
- 1 [D507400003] LATCH-BATT DOOR LOCKING
- 1 [D507601000] LATCH-FUEL FILL ACCESS W/LOCK
- 1 [D510900000] VENT-STATIC PRESENT
- 1 [D511501700] PILASTER 311T, 700
- 1 [D511800001] LATCH-LOCKING DEF ACCESS DOOR
- 1 [D512900000] RAIL-SNOW RAIL PRESENT

1 [D515100311] HARDWARE-MOUNTING CLIPS STANDARD

HVAC

- 1 [D112400012] AIR COND NONE
- 1 [D603704084] HEATER-UNDERSEAT LEFT SIDE 84,000 BTU LOCATION 4
- 1 [D604209084] HTR-U/S LS 84,000 BTU LOC 9
- 1 [D6047091HM] HOSE-HTR HIMILER W/ W/H POS 9
- 1 [D604800000] HEATER-ENTRANCE DOOR STEPWELL
- 1 [D605200001] CLAMPS-PLUMBING HEATER CONSTANT TORQUE
- 1 [D605301000] CLAMPS-UNDERSEAT HEATER CONSTANT TORQUE
- 1 [D605803002] CONNECTION-HEATER(1) CONSTANT TORQUE/HI MILER
- 1 [FL-130-998] NO AIR CONDITIONING COMPRESSOR

INTERIOR

- 1 [D106500000] VISOR-WINDSHIELD SUN 6"X30" TINTED
- 1 [D109300001] ARM ASM-W/S WIPER WINTER (2)
- 1 [D123000002] DOOR-STORAGE BOX W/O GLASS
- 1 [D133300005] TRIM-LOWER REAR HEATER NO A/C
- 1 [D300601000] DOOR-ACC WITH WINDOW
- 1 [D309001001] LATCH-DR INT STOR OVR DRVRSHDR
- 1 [D510800001] BTR FUEL FILL RECESS, W/DOOR
- 1 [D600801001] COVER-TRIM DRVS HDR W/STORAGE
- 1 [D600901000] COVER-TRIM FRT END W/S HEADER
- 1 [D601003003] COVER-TRIM FRT ENT.ALUM.DR HDR.AIR.OP.
- 1 [D601402311] STRIPS-AISLE, GALVALUME 311T
- 1 [D601510311] FLR-GRY VINYL W/13" CTR AISLE
- 1 [D601600006] FLR-BLK WHEELHOUSE AND HEATER
- 1 [D601700311] FLR-PLYWOOD 5/8" 311T
- 1 [D607904700] LINING-SIDE INT.
- 1 [D608600000] TRIM-STEPWELL HORIZONTAL WITH DIAMONETTE NOSE
- 1 [D609901002] INSULATION-FRT BULKHEAD W/ACRSY 2"POLY
- 1 [D610403311] H/L-PASS AREA ACOUS GREY 311T
- 1 [D610600311] INSULATION RAFTER CAVITY 311T
- 1 [D610700002] SOUND ABATEMENT-STEPWELL WITH HEATER 2.25"
- 1 [D610800000] INSULATION URETHANE
- 1 [D610900700] PAD-SHDR RAIL, 42 OZ WOLF BLK
- 1 [D616800311] SEALANT-PLYWOOD FLOOR EDGES
- 1 [D617000000] SEALING-FLOOR COVERING
- 1 [D620600000] HOLDER-STORAGE, CLIP BOARD
- 1 [D801000000] TUBE-FILL BTR & OVERFLOW HOSE
- 1 [D801100000] CAP-FUEL FILL BTR NON-LOCKING

MISC

- 1 [A200100001] PDI IDENTIFIER FACTORY PERFORMED
- 1 [D125200000] MANUAL-DRVR'S/MAINT.ENGLISH
- 1 [D201600000] APPLICATION SCHOOL
- 1 [FL-141-998] NO COOLANT HEATER GAS/DIESEL
- 1 [FL-185-108] NO CLUTCH PEDAL WITH ADJUSTABLE SUSPENDED BRAKE&ACCELERATOR
- 1 [FL-657-1AJ] ALL UNIT(S) KEYED ALIKE WITH CUSTOMER SPECIFIED KEY #FT1001
- 1 [FL-702-998] NO A/C PLUMBING MAIN
- 1 [TB-001-310] SAF-T-LINER C2

PAINT/LETTERING

- 1 [A000000058] DECAL-UNITED AUTO WORKERS
- 1 [D100500000] LETTERING-"BATTERY" ON DOOR 2"
- 1 [D100600002] LABEL-P/O WDO EMER EXIT 2" BLACK
- 1 [D101502001] LABEL-ENGLISH AG2.AIR.ENT DR
- 1 [D126200000] LETTER OVERHEAD STORAGE BOX "SAFETY EQUIP"
- 1 [D127400000] DECAL-BACKING ALARM
- 1 [D130200000] DECAL-LOW SULFUR FUEL
- 1 [D132200010] LABEL-RR DR EMERGENCY DOOR 2"HIGH
- 1 [D132600000] DECAL-ENTRANCE DOOR VANDALOCK ENGLISH
- 1 [D134200000] LABEL-RR EMERGENCY DOOR INSTRUCTION
- 1 [D134600000] LABEL-"DEF ONLY"
- 1 [D134901000] LABEL-REGENERATION WARNING 2010/2013 EPA ENGLISH
- 1 [D300101001] HANDLE-INT RR DR RED
- 1 [D502513000] PAINT-EXT HNDLE(S) BLACK
- 1 [D503104001] DECAL-REFL FRT CAP "SCHOOL BUS"

- 1 [D503204001] DECAL-REFL RR CAP "SCHOOL BUS"
- 1 [D505500001] DECAL-"DIESEL"

1 [D50601E311] PAINT-EXTERIOR ROOF WHITE 311T

- 1 [D506114311] PAINT-EXT WINDOW AREA BLACK
- 1 [D506347000] PAINT-EXT GRD RAIL @ WINDOW BLACK
- 1 [D506447000] PAINT-EXT GRD RAIL @ SEAT BLACK
- 1 [D506547000] PAINT-EXT GRD RAIL @ FLOOR BLACK
- 1 [D506647000] PAINT-EXT GRD RAIL @ SKRT BLACK
- 1 [D506747001] PAINT-EXT BUMPER REAR BLACK
- 1 [D506900000] PAINT-BLACK TRIM-FRONT/REAR ROOF CAPS
- 1 [D510646311] PAINT-SOLID COLOR YELLOW
- 1 [D601100011] HEADLINING-VESTIBULE ACOUSTIC, GRAY,W/ DRIVE/ENTRANCE LAMPS
- 1 [FL-065-196] PAINT: ONE SOLID COLOR, BASE/CLEARCOAT
- 1 [FL-980-6MJ] CAB COLOR A:L5898EB SCHOOL BUS YELLOW ELITE BC
- 1 [FL-981-998] CAB COLOR B NONE
- 1 [FL-982-998] CAB COLOR C: NONE
- 1 [FL-98A-998] NO GRILLE PAINT

SEATS

- 1 [B610000095] BELT-ELR SHOULDER/PUSH BUTTON LAP
- 1 [B620000078] BARRIER STORAGE POUCH TWO (2)
- 1 [B620001077] BARRIER STORAGE POUCH, RIGHT SIDE AT ENTRANCE DOOR
- 1 [B640139200] 39" BARR-VERT,WALL MT 45"H RS 2009
- 1 [B640239000] 39"8DEG BARR-REV. WALL-MT 45"H 2009
- 2 [B660010121] PROFORM EDO BLUE UPHOLSTERY-45"HIGH RECESSED BARRIER
- 1 [D610339002] RAIL-ASSIST FRT ENT DR 39"W
- 1 [D900104001] SEAT-DRIVER NATIONAL W/HEAT
- 1 [D900302001] ARMREST NATIONAL DRVR'S ST. BOTH SIDES
- 1 [D900403005] UPH DR.ST.BLUE FABRIC INSERT KEVLAR TRIM NATIONAL
- 1 [D900503007] PEDESTAL-NATIONAL AIR W/2 SHOCKS
- 1 [D900602000] COVER PEDASTAL NATIONAL DR.ST.
- 1 [D900802002] RETAINER NATIONAL DR.ST.BELT
- 1 [D900902001] POUCH-DR.ST.STORAGE NONE
- 1 [D901039000] KICKPLATE-MOD.PANEL RS 39"
- 1 [D901200002] RISER-DRIVERS SEAT, NATIONAL
- 1 [D901700001] Haptics-Not Present
- 12 [D980139000] SC3 39"LS 3-PASSENGER WALL MOUNT
- 12 [D980239000] S3C 39"RS 3-PASSENGER WALL MOUNT
- 24 [D980410166] FIREBLOCK BLUE UPHOLSTERY S3C PASSENGER SEAT
- 1 [D989003000] S3C WALL MOUNT HARDWARE C2

WINDOWS/GLASS

- 1 [D700000001] GLASS-WINDSHIELD ONE PIECE WITH TINTED BAND
- 1 [D700101001] GLASS-RS FT STAT CLR TEM STORM
- 1 [D700201001] GLASS-LS FRT STAT CLR TEM STOR
- 1 [D700300000] GLASS-REAR STAT CLEAR TEMPERED
- 1 [D700400002] GLASS-RR SIDE STAT TINTED TEMP
- 1 [D700500000] FRAME-WDO SPLIT
- 12 [D700530000] FRAME-WDO SPLIT 30"W
- 2 [D700540000] FRAME-WDO SPLIT 40"W
- 2 [D700600L01] FRAME-WDO P/O VERT TEMP TNT LS
- 2 [D700600R01] WDO P/O VERT TEMP TNT RS
- 12 [D700730002] GLASS-WDO TINT TEMP 30"
- 2 [D700740002] GLASS-WDO TINT TEMP 40"
- 1 [D700830L00] GLASS-WDO STORM TEMP 30" L
- 1 [D700830R00] GLASS-WDO STORM TEMP 30" R
- 1 [D700900003] STOPS-WDO 12"
- 1 [D701202000] GLASS-LOWER REAR DOOR LAMINATED CLEAR STORM
- 1 [D701302000] GLASS-UPPER REAR DOOR LAMINATED CLEAR STORM
- 1 [D701600010] WDO-DRIVER'S STORM TEMP

OTHER

- 1 [D100200002] LOGO-FRT RS & RR
- 1 [D100300000] LOGO-THOMAS DECALS YELLOW
- 1 [D104000000] SWITCH-ROCKER AIR HORN
- 1 [D108200008] ELECTRICAL-ROOF ESCAPE HATCH POSITION 8
- 1 [D110200000] ELECTRICAL-ROOF HATCH OR P/O WINDOW (DASH)

- 1 [D110800000] OPER-FAN W/S HDR
- 1 [D110900000] OPER-FAN DRV'S WDO HDR
- 1 [D111000000] OPER-ALARM BACKING W/REV.
- 1 [D111100000] OPERATION-AIR HORN, LEFT SIDE PANEL SWITCH ACTIVATION
- 1 [D111400000] OPER-SPEAKER INT/EXT
- 1 [D113200000] OPER-RF HATCH BUZZER
- 1 [D119200003] LOCATION-OVERHEAD STORAGE CENTER 24 F.A.K.
- 1 [D119700001] AC DUCT-NOT PRESENT NO SIDE EVAP
- 1 [D123300000] CONDENSER ALERT NONE
- 1 [D123400000] EVAPORATOR QTY NONE
- 1 [D123600000] OPER-XING ARM DEACTIVATION
- 1 [D123800000] ANTENNA RADIO SWIVEL BASE
- 1 [D124000000] ELEC-ANTENNA RADIO COAXIAL
- 1 [D124100000] KIT-RADIO ANTENNA MOUNTING @ DRIVER'S HEADER
- 1 [D200000700] 311T30_N
- 1 [D200100000] TRIM-A POST
- 1 [D200700000] WHEELHOUSES-REAR L&R
- 1 [D200800311] STRINGER-ROOF 311T
- 1 [D201000000] FRONT END FRAME
- 1 [D201100000] FRT END FRAME MTG KIT
- 1 [D201200000] REAR END FRAME-28.68"DEEP
- 1 [D201300311] FLOOR-GALVALUME STEEL MID BODY
- 1 [D201400704] LOC-40" RAF SP 10TH 311T
- 1 [D201500000] RS TANK ALERT NONE
- 1 [D300700000] DOOR ALERT LS ENT NONE
- 1 [D301400000] TRIM-REAR DOOR
- 1 [D302800000] HINGES-REAR DOOR PIN TYPE
- 1 [D303000000] STOP-DOOR REAR EMERGENCY, 1-POS
- 1 [D303200000] OPERATION-VANDLOCK ENTRANCE/EMERGENCY DOOR(S)
- 1 [D306400000] OPER-DR.RR.EMG.W/BUZ
- 1 [D306500700] ELEC-EMERGENCY/EXIT DOOR(S)
- 1 [D307100000] DOOR-LS ENT RS EXIT -NONE REQD
- 1 [D307700000] INT COLOR -RR DOOR GRAY
- 1 [D308101000] VANDALOCK-NONE REQUIRED RS
- 1 [D308201000] VANDALOCK-NONE REQUIRED LS
- 1 [D308300000] DOOR ALERT RS EXIT NONE
- 1 [D308600001] SWITCH-PADDLE-TYPE ENTRANCE DOOR AIR
- 1 [D309200000] DOOR, REAR EMERGENCY
- 1 [D310501000] THRESHOLD REAR EMGERGENCY DOOR
- 1 [D400300000] OPERATION-MONITOR WARNING/STOP/TAIL/TURN
- 1 [D403100311] ELEC-PASSENGER ADVISORY 311T
- 1 [D403200002] OPER-PASS ADV IGN/WARN/BUZZER
- 1 [D403700000] SWITCH-RKR FAN DEFROST L.S.
- 1 [D404100001] BUZZER-SWITCH PANEL 1 TONE
- 1 [D404500000] OPERATION-NOISE SUPPRESSION
- 1 [D404608311] ELECTRICAL-LAMPS WARNING,8 LAMPS 311T
- 1 [D405800000] OPER-LPS BODY TAIL W/PARK SW.
- 1 [D405900000] LAMPS-LICENSE PLATE ILLUMINATION
- 1 [D406100311] ELECTRICAL-LAMPS SIDE DIRECTIONAL 311T
- 1 [D407600000] SWITCH-ROCKER DOME LAMPS DRIVER ON/OFF
- 1 [D408602311] ELECTRICAL-LAMPS STROBE 4' FROM REAR
- 1 [D410300000] OPER-DRVR'S DOME LPS ON/OFF
- 1 [D410400000] OPER-HTR BOOSTER PUMP OPER WITH SWITCH
- 1 [D410501000] OPERATION-LAMPS INTERIOR/EXTERIOR RIGHT FRONT ENTRANCE DOOR
- 1 [D410600000] OPER-LPS SERVICE BRAKE
- 1 [D410900005] OPERATION-SWITCH ID/MARKER LAMPS WITH PARK
- 1 [D411400002] OPER-LPS DOME (2)ON/OFF
- 1 [D411700000] OPER-LPS REVERSE
- 1 [D411900003] ELEC-(3) SWITCH BANKS
- 1 [D412000000] SWITCH-RKR SPEAKER INT/EXT.W/HORN
- 1 [D412600001] SWITCH-ROCKER WARNING LAMPS OVERRIDE ON/OFF
- 1 [D414500311] ELEC-HARNESS COMP ASM 311T
- 1 [D414600000] ELEC-ELECTRONIC COMP ASM
- 1 [D414900000] OPER-LPS DIR./HAZ.
- 1 [D415200000] SWITCH-ROCKER HEATED STEP TREAD

- 1 [D500100000] SWITCH-RKR MIRROR HTR.
- 1 [D500200001] ELEC-MIR A HTD & RC
- 1 [D501400311] RAIL-EXTERIOR GUARD @ WINDOW, SEAT, FLOOR, SKIRT
- 1 [D501500000] RAIL-EXT GRD @ SEAT FRT END LS
- 1 [D501901000] RAIL-EXT GRD@ FLOOR, NONE
- 1 [D502800000] TRIM-FRT CAP RS/LS
- 1 [D503500000] PANELS-EXTERIOR REAR
- 1 [D503600000] SHEET-DRIVERS EXTERIOR 20 GA.
- 1 [D503700700] SHEET-UPPER SIDE EXTERIOR
- 1 [D504600000] OPER-MIRRORS EXT HTD.
- 1 [D505300311] UNDERCOATING-ASPHALT EMULSION
- 1 [D505800704] HEADERS-WINDOW INTERIOR 311T
- 1 [D506800001] PAINT-EXT ENT DOOR NONE
- 1 [D507001001] PANELS-EXTERIOR REAR SIDE LONG W/STATIONARY GLASS
- 1 [D507100000] LS STORAGE BOX 1 NONE
- 1 [D507300000] LS STORAGE BOX 2 NONE
- 1 [D508100081] ROOF SHEETS-(2)HATCH 311T
- 1 [D508200000] RS STORAGE BOX 1 NONE
- 1 [D508300000] RS STORAGE BOX 2 NONE
- 1 [D508400000] RS STORAGE BOX ROH NONE
- 1 [D508500000] LS STORAGE BOX ROH NONE
- 1 [D600100000] PANELS-REAR END INTERIOR REAR GALVALUME
- 1 [D600201000] PANELS-RR END INT SI LONG W/ST
- 1 [D600300000] BULKHEAD-RR END INT.GRY
- 1 [D600400002] PANELS-ACCESS RR GRAY PASS ADVISORY
- 1 [D600500311] COVER-HARNESS ACCESS@HDR
- 1 [D600600000] COVER-ACCESS RR END HARNESS
- 1 [D600700000] COVER-ACCESS FRT END HARNESS
- 1 [D601200001] HEADLINING-REAR LONG SMOOTH, GRAY
- 1 [D601800001] COVER-FUEL SENDING INSPECTION
- 1 [D601900311] MOLDING-SHOE 311T
- 1 [D605000000] SWITCH-ROCKER HEATER STEPWELL
- 1 [D605600000] LUGGAGE RACK ALERT NONE
- 1 [D605900000] SWITCH-ROCKER HEATER LEFT 1ST
- 1 [D606000000] SWITCH-ROCKER HEATER LEFT 2ND
- 1 [D606500004] ELEC-HTR U/ SEAT POS 4
- 1 [D607000009] ELECTRICAL-HEATER UNDERSEAT POSITION 9
- 1 [D607600700] RAIL-SEAT
- 1 [D607700000] LAYOUT-SEAT RAIL HOLES RS
- 1 [D607800000] LAYOUT-SEAT RAIL HOLES LS
- 1 [D608100000] CABINET-SW, FWD
- 1 [D608200000] CABINET-SWITCH, LOWER WITHOUT POCKET
- 1 [D608300000] CABINET-SWITCH, UPPER
- 1 [D608400001] CABINET-TOP PLATE (3 BANK)
- 1 [D609000000] OPER-HTR U/ SEAT LS FWD
- 1 [D609100000] PANEL-ACCESSORY MOUNTING SAFTEY EQUIPMENT
- 1 [D609201001] OPERATION-HEATER STEPWELL & STEP TREAD
- 1 [D609500000] INSULATION-VEST HEADLINING 2"
- 1 [D609600700] INSULATION-SIDELINING 2" POLY
- 1 [D609800000] INSULATION-RR BULKHEAD 2" POLY
- 1 [D610000000] OPER-HTR U/ SEAT LS AFT
- 1 [D610500311] HEADERS-WINDOW EXTERIOR 311T
- 1 [D613100000] HARNESS COVER COLOR GRAY
- 1 [D613200001] SPEAKER ALERT PRESENT
- 1 [D613500000] HEADLINING COLOR GREY
- 1 [D613600001] HEADLINING TYPE ALL ACOUSTIC
- 1 [D613800000] MAT, FLOOR VESTIBULE
- 1 [D614000000] TRIM-INTERIOR DASH FORWARD
- 1 [D616100001] INSTALLATION-PARK BRAKE NONE
- 1 [D616900002] INSULATION-INT LONG REAR WDO
- 1 [D617100000] LUGGAGE RACK ALERT NONE
- 1 [D701500000] OPER-WDO P/O
- 1 [D900702001] SLIDE STOP NATIONAL DR.ST. NONE
- 1 [FL-157-002] VANDALOCK, STARTER DISABLE W/ANY LOCKED EMER DR(S), NO PILOT
- 1 [FL-168-002] LOWER RADIATOR GUARD

- 1 [FL-202-003] REINFORCED NYLON FUEL LINES
- 1 [FL-216-001] SINGLE SUCTION AND RETURN FUEL LINES
- 1 [FL-231-006] FUEL TANK MOUNTED BETWEEN RAILS, AFT OF REAR AXLE, WITH CAGE
- 1 [FL-267-001] REMOTE-MOUNTED SURGE TANK
- 1 [FL-275-034] PAGE SYSTEM W/CHASSIS MTD EXTERNAL SPEAKER
- 1 [FL-280-001] BASIC WIRING SCHEMATIC, UNMOUNTED, 12-VOLT NEGATIVE GROUND SYS
- 1 [FL-289-006] PAINTED BATTERY PANEL COVER
- 1 [FL-290-017] BATTERY BOX FRAME MOUNTED
- 1 [FL-298-039] INTEGRAL ELECTRONIC TURN SIGNAL FLASHER
- 1 [FL-302-068] BATT ENABLED 3 AMBER INBOARD ID LAMPS,2 AMBER OUTBOARD MARKE
- 1 [FL-317-006] STROBE LAMP, IGNITION SWITCH OR LH DASH SWITCH ACTIVATED
- 1 [FL-31C-063] L.E.D. WARNING SYSTEM LAMPS W/PULSING FEATURE
- 1 [FL-31T-050] STANDARD BODY VISUAL WARNING, LOWER RR, REV LAMPS ON DR/OPEN
- 1 [FL-320-004] STANDARD WIRING
- 1 [FL-324-1AB] DRIVER'S IGNITION OPERATED DOME LP WITH ON/OFF SW
- 1 [FL-325-066] PASSENGER COMPARTMENT DOME LAMPS, IGNITION ACTIVATED
- 1 [FL-32H-005] STEPWELL LAMP ON WITH DOOR OPEN AND MARKER LAMPS ON
- 1 [FL-33A-020] EIGHT LAMP WARNING SYSTEM, LH DASH SWITCH(S), PACKAGE 8
- 1 [FL-393-001] DRIVELINE GUARD
- 1 [FL-403-002] NON-ASBESTOS FRONT BRAKE LININGS
- 1 [FL-410-001] FRONT SHOCK ABSORBERS
- 1 [FL-433-002] NON-ASBESTOS REAR BRAKE LININGS
- 1 [FL-435-998] NO DRIVELINE PARKING BRAKE
- 1 [FL-524-998] NO POLISHED FRONT WHEELS
- 1 [FL-525-998] NO POLISHED REAR WHEELS
- 1 [FL-534-015] TWO QUART SEE THRU POWER STEERING RESERVOIR
- 1 [FL-539-003] POWER STEERING PUMP
- 1 [FL-551-006] ZINC-PLATED HEXHEAD CHASSIS FASTENERS
- 1 [FL-552-141] 3675MM (145") REAR FRAME OVERHANG
- 1 [FL-553-001] SQUARE END OF FRAME
- 1 [FL-574-001] BUMPER MOUNTING FOR SINGLE LICENSE PLATE
- 1 [FL-57W-014] COMBINATION S/T/T/R LAMPS, LED
- 1 [FL-59T-006] REAR EMERGENCY DOOR, IGNITION CONTROL, BUZZER ON W/DOOR OPEN
- 1 [FL-619-005] MAINTENANCE-FREE RUBBER BUSHINGS FRONT SUSPENSION
- 1 [FL-650-021] CAB MOUNTING FOR HOOD AND COWL CHASSIS
- 1 [FL-655-013] MANUAL ENT DOOR LOCK/BUZZER ON W/EMERGENCY DOORS UNLATCHED
- 1 [FL-659-003] ONE GALLON WINDSHIELD WASHER RESERVOIR
- 1 [FL-660-008] SINGLE ELECTRIC WINDSHIELD WIPER MOTOR W/DELAY
- 1 [FL-680-006] GRAY/CHARCOAL FLAT DASH
- 1 [FL-698-998] NO AIR CONDITIONER CONDENSER
- 1 [FL-700-001] HEATER AND DEFROSTER
- 1 [FL-701-001] STANDARD HVAC DUCTING
- 1 [FL-703-009] MAIN HVAC CONTROLS WITHOUT RECIRCULATION SWITCH, & NOISE SUPP
- 1 [FL-716-014] WINDSHIELD FAN,(1) HEADER MOUNTED
- 1 [FL-718-008] DRIVER'S FAN,(1) MOUNTED ABOVE SIDE WINDOW
- 1 [FL-71P-003] AUX BODY HEATER, UNDER SEAT, FWD
- 1 [FL-71V-001] AUXILIARY BODY HEATER, UNDER SEAT, AFT
- 1 [FL-732-004] GRAY INSTRUMENT PANEL-DRIVER
- 1 [FL-74B-088] BODY SUPPLIED HEATED MIRRORS
- 1 [FL-756-801] AIR PROVISIONS FOR CUSTOMER FURN DRIVERS AIR RIDE SEAT
- 1 [FL-778-004] ROOF MOUNTED VENT/ESCAPE HATCH
- 1 [FL-77Z-800] PUSH OUT BODY SIDE WINDOWS, BUZZER WITH WINDOW UNLATCHED
- 1 [FL-814-003] WARNING/REAR LAMP MONITOR
- 1 [FL-81B-001] STANDARD PANEL LAMP DIMMER
- 1 [FL-829-043] CHASSIS COWL AND HOOD ONLY
- 1 [FL-877-002] STANDARD BRAKE WIRING
- 1 [FL-964-020] BUMPER: BLACK
- 1 [FL-96F-998] NO SPARE WHEEL PAINT
- 1 [FL-986-019] CHASSIS: VENDOR BLACK
- 1 [FL-A63-99D] EXPECTED GROSS VEHICLE WEIGHT CAPACITY
- 1 [FL-A66-99D] EXPECTED FRONT AXLE(S) LOAD
- 1 [FL-A68-99D] EXPECTED REAR DRIVE AXLE(S) LOAD
- 1 [FL-A85-017] SCHOOL BUS SERVICE
- 1 [FL-AA1-006] COWL CHASSIS CONFIGURATION COMPLIES WITH SBMTC
- 1 [FL-AA3-028] BUS BODY WITH WHEELWELL

- 1 [FL-AA4-014] PASSENGER COMMODITY
- 1 [FL-AA6-001] DOMICILED USA 50 STATES (CALIFORNIA)
- 1 [FL-AF2-050] DOMICILED WYOMING
- 1 [FL-AF3-1BP] THOMAS BUILT SCHOOL BUS 311T

CHASSIS

AXLES AND SUSPENSIONS

- 1 [A000000117] ALIGNMENT-4-WHEEL SAF-T-LINER C2
- 1 [FL-400-1A5] DA-F-10-3 10,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE
- 1 [FL-409-021] CHICAGO RAWHIDE SCOTSEAL PLUS XL FRONT OIL SEAL
- 1 [FL-40T-002] SYNTHETIC 75W-90 FRONT AXLE LUBE
- 1 [FL-418-018] CON-MET ALUMINUM FRONT HUBS WITH PRE-SET BEARINGS
- 1 [FL-41T-002] SYNTHETIC 75W-90 REAR AXLE LUBE
- 1 [FL-420-1C8] DA-RS-21-4 21K R-SERIES SINGLE REAR AXLE
- 1 [FL-421-522] 5.22 AXLE RATIO
- 1 [FL-424-001] IRON REAR AXLE CARRIER HOUSING
- 1 [FL-439-004] REAR SHOCK ABSORBERS ONE AXLE
- 1 [FL-440-021] CHICAGO RAWHIDE SCOTSEAL PLUS XL REAR OIL SEAL
- 1 [FL-450-018] CON-MET ALUMINUM REAR HUBS WITH PRE-SET BEARINGS
- 1 [FL-620-062] 10,000 LB. TAPERLEAF FRONT SUSPENSION
- 1 [FL-622-216] AIRLINER 23,000 LB. REAR SUSPENSION
- 1 [FL-62G-004] COMFORT-TEC SUSPENSION
- 1 [FL-910-001] SINGLE AIR SUSPN LEVELING VALVES

BRAKES

- 1 [FL-018-002] AIR BRAKE PACKAGE
- 1 [FL-402-083] BENDIX ADB22X-V AIR DISC FRONT BRAKES
- 1 [FL-404-1BB] AIR DISC LONGSTROKE CENTER PORT FRONT BRAKE CHAMBERS
- 1 [FL-405-030] FRONT AIR DISC BRAKE INTERNAL ADJUSTERS
- 1 [FL-419-004] DISC BRAKE FRONT ROTORS FOR HYDRAULIC BRAKES
- 1 [FL-423-083] BENDIX ADB22X-V AIR DISC REARBRAKES
- 1 [FL-426-1AH] AIR DISC LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS
- 1 [FL-428-030] REAR AIR DISC BRAKE INTERNAL ADJUSTERS
- 1 [FL-451-005] REAR DISC BRAKE ROTORS
- 1 [FL-460-008] STEEL AIR BRAKE RESERVOIRS INSIDE FRAME RAILS
- 1 [FL-477-060] BW DV-2 AUTO DRN VLV W/HTR ON WET TANK, PETCOCK OTHER
- 1 [FL-480-034] BENDIX AD-IP AIR DRYER WITH HEATER
- 1 [FL-485-002] EXTERNAL CHARGING SCHRADER VALVE
- 1 [FL-490-101] WABCO 4S/4M ABS W/TRACTION CONTROL
- 1 [FL-882-023] ONE-VALVE PARKING BRAKE SYSTEM WITH WARNING

CHASSIS EQUIPMENT

- 1 [D800008311] EXHAUST-LS TURNDWN, BELOW BMPR
- 1 [D800600003] ANTI-FREEZE, OAT -34 DEGREE
- 1 [D800700000] WINTERFRONT-CHASSIS GRILLE WHITE
- 1 [D801200000] SHIELD-EXHAUST PIPE
- 1 [FL-001-310] B2 106 CONVENTIONAL CHASSIS
- 1 [FL-002-004] SET-BACK AXLE TRUCK
- 1 [FL-132-004] ELECTRIC GRID AIR INTAKE WARMER
- 1 [FL-155-057] DELCO 12V 29MT STARTER WITH INTEGRATED M
- 1 [FL-198-025] INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS
- 1 [FL-205-010] RIGHT HAND SIDE-FILL FUEL TANK CAP
- 1 [FL-230-003] 100GALLON/378 LITER STEEL RECTANGULAR FUEL TANK, BETWEEN RAIL
- 1 [FL-237-072] HORIZ TAILPIPE, EXIT LH REAR
- 1 [FL-23U-004] 11.5 GALLON DEF TANK
- 1 [FL-264-029] AIR HORN, LH MOMENTARY DASH SWITCH ACTIVATED
- 1 [FL-341-018] MAGNETIC ENGINE DRAIN, REAR AXLE DRAIN & FILL PLUG
- 1 [FL-35W-001] EXHAUST MITIGATION DEVICE FTL 4" ID SLIP
- 1 [FL-452-998] NO TRACTION STABILIZER
- 1 [FL-46A-032] 700 CUBIC INCH MINIMUM AUXILIARY AIR
- 1 [FL-532-002] ADJUSTABLE STEERING COLUMN
- 1 [FL-536-050] TRW THP-60 POWER STEERING
- 1 [FL-540-015] 450MM(18") LK FOUR-SPOKE CHARCOAL STEERING WHEEL
- 1 [FL-545-657] 6575MM (259") WHEELBASE
- 1 [FL-546-1AJ] 5/16" X 3" X 10-1/8" STEEL FRAME 120,000 PSI YIELD
- 1 [FL-556-1DF] 1-PIECE 14" PTD STL 1/4" HD BUMPER JACK PROVISION
- 1 [FL-558-001] FRONT FRAME-MOUNTED TOW HOOKS

- 1 [FL-587-003] REAR TOW HOOKS
- 1 [FL-644-069] FIBERGLASS HOOD WITH SOFT OPEN AND CLOSE MECHANISM
- 1 [FL-646-023] HOOD MTD CHROMED PLASTIC GRILLE
- 1 [FL-647-001] WHITE WINTERFRONT
- 1 [FL-65X-003] CHROME HOOD MOUNTED AIR INTAKE GRILLE
- 1 [FL-690-007] HOOD LINER INSULATION WITH SINGLE FIREWALL INSULATION
- 1 [FL-727-036] VALVE & PLUMBING FOR CUSTOMER FURNISHED AIR HORN
- 1 [FL-742-007] (2) CUPHOLDERS, LEFT HAND AND RIGHT HAND DASH
- 1 [FL-871-001] REINFORCED NYLON, FABRIC AND WIRE BRAID CHASSIS AIR LINES

ELECTRICAL - CHASSIS

- 1 [FL-124-1F3] LN 12V 240 AMP AVI PAD MOUNT ALTERNATOR
- 1 [FL-148-084] PROG RPM CTRL W A/C OR 12.75V LOW VOLT AUTO HI IDLE, DASH SW
- 1 [FL-149-013] CRUISE CONTROL-ELEC ENG,W/SWITCHES IN LH SWITCH PANEL
- 1 [FL-160-025] DIAGNOSTIC INTERFACE CONNECTOR,9-PIN, S
- 1 [FL-162-002] IGNITION SWITCH CONTROLLED ENGINE STOP
- 1 [FL-273-037] WARNER ELECTRIC ELECTRO-MAGNETIC ON/OFF
- 1 [FL-284-095] 12VOLT POWER SUPPLY LH PANEL
- 1 [FL-285-020] SOLID STATE CIRCUIT PROTECTION, PDMS WIT
- 1 [FL-292-1D7] (3) ALLI MODEL 1131, GROUP 31, 12V 2775CCA STUD BATTERIES

1 [FL-293-070] COLE HERSEE BATTERY CUT-OFF SWITCH, BATTERY BOX MOUNTED

- 1 [FL-299-013] SELF CANCEL TURN SIGNAL SWITCH W/DIM/WASH&HAZZARD IN HANDLE
- 1 [FL-300-015] STANDARD FRONT TURN SIGNAL LIGHTS
- 1 [FL-304-027] PARK LMP SW INTGRAL W/HL SWITCH, ID/MARKER/CLEARANCE/PARK ON
- 1 [FL-30B-998] NO FENDER MTD TURN/MARK COMBO LPS
- 1 [FL-30E-008] AMBER LED MIDSHIP TURN SIGNALS
- 1 [FL-30F-007] RED LED OVER REAR WHEELS MTD TURN SIGNALS GUARD
- 1 [FL-311-009] DAYTIME RUNNING LIGHTS SET @ 100% & EXTERIOR LAMPS W/ENG RUN
- 1 [FL-312-038] INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH CHROME BEZEL
- 1 [FL-31L-083] STOP SIGN PRESENT
- 1 [FL-322-998] NO BAGGAGE COMPARTNENT LAMP
- 1 [FL-32F-998] NO BODY MTD INT SPOT/WORK LAMP
- 1 [FL-49B-004] ELECTRONIC STABILITY CONTROL
- 1 [FL-653-023] AIR OPERATED BATTERY CONTROLLED RH FRONT ENTRANCE DOOR
- 1 [FL-66W-001] BATT POWERED 2-POS INTERNAL DOOR CONTROL SWITCH
- 1 [FL-726-006] DUAL ELEC HORN, PASSENGER ADVISORY BUZZER ON W/IGN AND WARN
- 1 [FL-736-998] NO OBSTACLE DETECTION SYSTEM
- 1 [FL-73H-998] NO CAMERA/VIDEO/IMAGING SYSTEM
- 1 [FL-746-803] C/F J1939 RADIO W/PA
- 1 [FL-763-801] FASTEN SEAT BELT INDICATOR FOR CUSTOMER SUPPLIED SEAT BELT
- 1 [FL-786-1A0] LOCATING SYSTEM WITH VEHICLE MONITORING
- 1 [FL-810-027] ELECTRONIC SPEEDOMETER WITH SECONDARY KPH SCALE, NO ODOMETER
- 1 [FL-811-042] ICU3S, 132x48 Display w/Diagnostics, 28 LED Warn Lamps
- 1 [FL-813-115] TBB ZONAR DASH MOUNTED
- 1 [FL-81Y-001] PRE/POST TRIP SYSTEM TEST
- 1 [FL-830-017] ENGINE AND HOUR METERS INTEGRAL WITH DRIVER DISPLAY
- 1 [FL-836-015] DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY
- 1 [FL-840-002] PRIMARY AND SECONDARY AIR PRESSURE GAUGES
- 1 [FL-844-001] ELECTRIC FUEL GAUGE
- 1 [FL-846-001] AMMETER
- 1 [FL-852-002] ELECTRIC ENGINE OIL PRESSURE GAUGE
- 1 [FL-856-001] ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE
- 1 [FL-864-001] TRANSMISSION OIL TEMPERATURE GAUGE

ENGINE AND EQUIPMENT

- 1 [FL-101-21V] CUM B6.7 260 HP @ 2400 RPM, 2600 GOV, 660 LB/FT @ 1600 RPM
- 1 [FL-103-039] ANTI-FREEZE TO -34F, OAT (NITRITE AND SILICATE FREE)EXT LIFE
- 1 [FL-105-001] ENGINE-MOUNTED OIL CHECK AND FILL
- 1 [FL-107-032] CUMMINS 18.7 CFM COMPRESSOR
- 1 [FL-110-003] CUMMINS SPIN ON FUEL FILTER
- 1 [FL-111-001] STANDARD ENGINE OIL
- 1 [FL-118-001] FULL FLOW OIL FILTER
- 1 [FL-120-011] FLEETGUARD COOLANT FILTER PLAIN, RAIL-MOUNTED
- 1 [FL-122-1H8] DAVCO 245 FUEL/WATER SEPARATORW/12V HEAT & WIF
- 1 [FL-128-076] CUMMINS INTEGRAL EXHAUST BRAKE WITH VARIABLE TURBO
- 1 [FL-134-001] ALUMINUM FLYWHEEL HOUSING
- 1 [FL-138-010] PHILLIPS 750 WATT/115 VOLT BLOCK HEATER

- 1 [FL-13E-001] STANDARD OIL PAN
- 1 [FL-140-039] ENGINE HEATER RECEPTACLE MOUNTED FACE OF BUMPER, LEFT SIDE
- 1 [FL-152-040] ELECTRONIC ENGINE, INTEGRAL WARNING & DERATE PROTECTION SYST
- 1 [FL-170-041] ADDL AUX LINES W/MANIFOLD PLUMBING AND COMBINED SHUTOFF
- 1 [FL-171-007] GATES BLUE STRIPE COOLANT HOSES
- 1 [FL-172-016] CONSTANT TORQUE BREEZE CLAMPS ON 1" IN DIA GREATER, SS C
- 1 [FL-174-001] CAST BOOSTER PUMP

1 [FL-175-003] STEPWELL TREAD HTD MAT W/53K BTU STEP HEATER, RH FRT ENT DR

- 1 [FL-190-001] DONALDSON ONE-STAGE AIR CLEANER
- 1 [FL-266-1AH] 750 SQUARE INCH DOWN FLOW RADIATOR
- 1 [FL-268-001] PNEUMATIC RADIATOR SHUTTERS
- 1 [FL-386-082] 1710 DANA SPICER MAIN DRIVELINE WITH HALF ROUND YOKES
- 1 [FL-79A-075] 75 MPH ROAD SPEED LIMIT
- 1 [FL-79G-998] NO IDLE SHUTDOWN CONFIGURATION
- 1 [FL-812-001] ELECTRONIC TACHOMETER 3000 RPM

TRANSMISSION AND EQUIPMENT

- 1 [FL-342-1K8] ALLISON 3000 PTS AUTOMATIC TRANSMISSION
- 1 [FL-343-342] ALLISON VOCATIONAL PACKAGE 226 FIFTH GEN
- 1 [FL-345-082] 5 GEN PUSH BUTTON ELEC SHIFTER W/REMOTE MTD ECU
- 1 [FL-346-003] TRANSMISSION OIL CHECK AND FILL W/ELECTRONIC OIL LEVEL CHECK
- 1 [FL-35T-001] SYNTHETIC 50W TRANSMISSION LUBE (TES-295 COMPLIANT)
- 1 [FL-370-011] WATER TO OIL TRANSMISSION COOLER FRAME MOUNTED
- 1 [FL-84C-022] PRIMARY MODE GEARS, 5 FORWARD
- 1 [FL-84L-017] DSS, ARM, FS; DSS-DISABLED, ARM-DISABLED, FS-DISABLED
- 1 [FL-84U-998] NO MODE SWITCH

WHEELS AND TIRES

- 1 [FL-093-1AX] RADIAL FRONT TIRE, MICHELIN XZE2,11R22.5 16 PLY
- 1 [FL-094-0GP] REARMICHELIN XDN2 11R22.5 16 PLY RADIAL
- 1 [FL-489-998] NO TIRE PRESSURE CONTROL/SENSOR
- 1 [FL-502-523] MAXION 90262 22.5 X 8.25 10 HOLE HUB PILOT 5-HAND
- 1 [FL-505-523] MAXION 90262 22.5 X 8.25 10 HOLE HUB PILOT 5-HAND
- 1 [FL-52M-003] TIRE/WHEEL BALANCING-LEAD FREE WEIGHTS
- 1 [FL-962-976] ACCURIDE PK-BLACK21 POWDER BLACK WHEEL (N0001H)- FRONT
- 1 [FL-966-976] ACCURIDE PKBLK21 POWDER BLACK WHEEL (N0001H) REAR

OTHER TYPE

PDI

- 1 [A000000161] ALERT-PDI INSTALLATION
- 1 [A000000164] ALERT-ENHANCED STABILITY CONTROL

DEALER ADD On's

•

Meets all FMVSS requirements in effect at the time of manufacture.

Total for 1 complete unit(s): TOTAL PRICE \$108,682.00 Delivery Cost:

Additional options you may want to consider:

AUTOMATIC TIRE CHAINS \$2700.00
HEATED STEP TREADS \$550.00
AIR DISC BRAKES \$2000.00
REAR AIR FOIL \$650.00
CAMERA MIRROR \$1200.00
24/7 8 CAMERA SYSTEM INSTALLED \$3650.00

NOTE: ADDITIONAL OPTION AVAILABLE

360 BUS WISE & MOBILE EYE SYSTEM \$3600.00

Terms and Conditions:

Quote Expires:		
Customer Signature:	Date:	
Dealer Signature:	Date:	

AttachedDetail



Quote Number

Quote Date

Elder Equipment Leasing of WY, Inc. P.O. Box 65 Casper, Wyoming 82602 1-800-442-3286

Customer Number
Sales Order Number
TY SCHOOL DISTRICT #1

TO: SWEETWATER COUNTY SCHOOL DISTRICT #1 PO BOX 1089 ROCK SPRINGS, WY 82901

ATTN; RICK BENNETT- TRANS.DEPT.

10/18/2018

95230

Quantity	Item Number	::::::::::::Description::::::::::::::::::::::::::::::::::::	Price Per	Amount
5	BBCV3303	2020 BBCV 3303	\$101,975.00	\$509,875.00
		TYPE C 72 PASSENGER 273" WB		
5	DISCOUNT	QUANTITY DISCOUNT	(\$5,500.00)	(\$27,500.00)
	ELDED DDIOE	EL DED DDIOS ASTED DIOCOUNT	# 00 475 00	
	ELDER PRICE	ELDER PRICE AFTER DISCOUNT	\$96,475.00	
	BASE PRICE	WY STATE BID BASE BUS PRICE=	\$98,410.67	
	DAGET RICE	WI STATE BID BASE BOST RICE	ψ90,410.07	
5	HTD STEPS	HEATED ENTRANCE STEPS	\$450.00	\$2,250.00
5	DISC BRAKES	AIR DISC BRAKES	\$2,825.00	\$14,125.00
	WEBASTO	WEBASTO HEATERS	\$3,650.00	\$18,250.00
	SEAT BELTS	3 PT. SEAT BELTS	\$6,240.00	\$31,200.00
5	PARCEL RACKS	INTERIOR PARCEL RACKS	\$2,050.00	\$10,250.00
		WE APPRECIATE YOUR BUSINESS!!		
		WE AFFRECIATE TOUR BUSINESS!!		



TOTAL \$558,450.00 Sales Tax

Freight

Total \$558,450.00

========



Elder Equipment Leasing of WY, Inc. P.O. Box 65 Casper, Wyoming 82602 1-800-442-3286

TO: SWEETWATER COUNTY SCHOOL DISTRICT #1 PO BOX 1089 ROCK SPRINGS, WY 82901

Quote Number Quote Date Customer Number Sales Order Number

10/18/2018 95230

ATTN: RICK BENNETT-TRANS. DEPT.

:::Quantity:::::!tem Number:::	::::::::::::::::::::::::::::::::::::::	Price Per	Amount
4 T3RE 4006	2020 T3RE 4006 75 PASS	\$123,300.00	\$493,200.00
	TYPE D REAR ENGINE	, <u>.</u>	(4
4 DISCOUNT	QUANTITY DISCOUNT	(\$10,000.00)	(\$40,000.00)
4 ELDER PRICE	ELDER PRICE AFTER DISCOUNT	\$113,300.00	
BASE PRICE	WY STATE BID BASE BUS PRICE=	\$118,668.33	
4 HTD STEPS	HEATED ENTRANCE STEPS	\$450.00	\$1,800.00
4 RACKS	INTERIOR PARCEL RACKS	\$2,330.00	\$9,320.00
4 RETARDER	TRANSMISSSION RETARDER	\$7,920.00	\$31,680.00
4 DISC BRAKES	AIR DISC BRAKES	\$2,825.00	\$11,300.00
4 SEAT BELTS	3PT. SEAT BELT SEATS	\$6,800.00	\$27,200.00
4 WEBASTO	WEBASTO HEATER	\$3,650.00	\$14,600.00
	WE APPRECIATE YOUR BUSINESS!!		



TOTAL \$549,100.00

==========



Elder Equipment Leasing of WY, Inc. P.O. Box 65 Casper, Wyoming 82602 1-800-442-3286

TO: SWEETWATER COUNTY SCHOOL DISTRICT #1 PO BOX 1089 ROCK SPRINGS, WY 82901

Quote Number Quote Date Customer Number Sales Order Number

10/18/2018 95230

ATTN: RICK BENNETT-TRANS. DEPT.

Quantity:::Item Number	Description:	Price Per	Amount
4 T3RE 4006	2020 T3RE 4006 75 PASS	\$123,300.00	\$493,200.00
100001117	TYPE D REAR ENGINE	(0.4.0.000.00)	(# 40,000,00)
4 DISCOUNT	QUANTITY DISCOUNT	(\$10,000.00)	(\$40,000.00)
4 ELDER PRICE	ELDER PRICE AFTER DISCOUNT	\$113,300.00	
BASE PRICE	WY STATE BID BASE BUS PRICE=	\$118,668.33	
4 HTD STEPS	HEATED ENTRANCE STEPS	\$450.00	\$1,800.00
4 STORAGE	UNDER BUS STORAGE	\$7,125.00	\$28,500.00
4 RETARDER	TRANSMISSSION RETARDER	\$7,920.00	\$31,680.00
4 DISC BRAKES	AIR DISC BRAKES	\$2,825.00	\$11,300.00
4 SEAT BELTS	3PT. SEAT BELT SEATS	\$6,800.00	\$27,200.00
4 WEBASTO	WEBASTO HEATER	\$3,650.00	\$14,600.00
	WE APPRECIATE YOUR BUSINESS!!		



TOTAL \$568,280.00

Total \$568,280.00

==========

Wyoming Department of Education Pupil Transportation Office (307) 777-6984

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C --- 72-66 PASSENGER

Specifications are in addition to Chapter 2, Minimum Standards for Wyoming School Buses.

3			DATE	DOR REPRESENTATIVE'S SIGNATURE	VENDOR REPRESE
			11-11-11		April 1, 2017.
1		100,000	66 Passenger	\$101,775.00 66 Passenger	district (without sales tax). Price to be effective until
250 @ 2400 RPM	Years H.P.:	100 000	\$101,975.00 72 Passenger		payment upon delivery to the school
660 @ 1600	Torque	Warranty:		QUOTED PRICE	
2017		B 6.7	Speeds forward: 5	2017	PTS 3000
YEAR		MODEL	6	YEAR	MODEL
			UNLIMITED Miles		
CUMMINS			5 Years	ALLISON	AL
		MANUFACTURER	Warranty:		MANUFACTURER
Zm	ENGINE			TRANSMISSION	1
			273 Inches	2018	BBCV 3303
Rear axle ratio: 5.29	Rear a		Wheelbase:	YEAR	MODEL
31,000	GVWR:		12,000 Miles		
Rear axle capacity: 21,000	Rear a		1 Years	BLUE BIRD	BLU
Front axle capacity: 12,000	Front a		Warranty:		MANUFACTURER
			CHASSIS		
KNEES, MEASURED FROM CENTER OF SEAT.	KNEE	Floor color: GREY		12,000 Miles	Warranty: 1 Years
HIPS TO BACK OF SEAT BACK AT		Seat color: GREY	152.5 Inches		
FROM FRONT OF SEAT BACK AT	re these distances	List method used to measure these distances:	Rear body overhang:	2018	BBCV 3303
26.5" inches ±1"	eg room)	66 passenger (maximum leg room)	470 Inches	YEAR	MODEL
LS=23", RS=24" inches ±1"	g room)	72 passenger (minimum leg room)	Overall vehicle length:		MANUFACTURER: BLUE BIRD
HALLER'S-CHEYENNE			вору		
ELDER-CASPER, PERRY'S-RIVERTON	ਂ	repaired and parts obtained	Firm where body can be serviced or repaired and parts obtained:	CASPER, WY 82602	CASPER
LOCAL DEALER	parts obtained:	be serviced or repaired and parts obtained:	Firm where engine and chassis can be serviced	PO BOX 65	PO
180-210 DAYS AFTER RECEIPT OF ORDER	der is received:	strict from time purchase orc	Estimated delivery date to school district from time purchase order is received:		ADDRESS
1-800-442-3286		•	JERRY STOLL	SING OF WY, INC.	ELDER EQUIPMENT LEASING OF WY, INC.
ER	TELEPHONE NUMBER		REPRESENTATIVE'S NAME		VENDOR'S COMPANY NAME
ool buses.	or veyorning sch	2, Minimum Standards	specifications are in addition to chapter z, winnimum standards for vayorning school buses	opeciii	

Fuel/Water He Separator	Fuel Tank 60	Front Suspension ab:			Frame 25		Exhaust System To		Engine Heater Fa	me	Engine sys		7	Cooling System mu	Compressor 13			Battery(ies) ma		Axle Ratio Ax	Axle Oil Seals Fro	Axle-Rear 21	Axle-Front 10	Citeriator			Air Tanks 3,4		Air Dryer He		ITEM	
Heated water separator with dash mounted water and fuel warning lights.	60 gallon minimum.	10,000 lb. minimum with parabolic taper leaf springs and heavy-duty, double-acting shock absorbers.			258-279 inch wheelbase. 168 inch maximum rear overhand		To exit left (street) side of bus, in the rear.	bumper.	installed engine manufacturer's recommended in-block heater. Body plug on front	measured from the tailpipe.	system capable of starting at 0°F. Engine shall be 2013 EPA certified and compliant as	g	1	Heavy duty, maximum capacity available with radiator shutters. Fan clutch. Long life coolant must be provided.	13.5 cu. ft. minimum with compressor inlet airline routed through engine air cleaner.			maintenance-free batteries.	1 200 CCA 12 volt to be mounted in body battery compartment. Three commercial	Axle ratio to be chosen at award of bid. Must comply with power and gradeability formula.	Front and rear. Wet design with sight glass in front.	21,000 lb. minimum.	10,000 lb. minimum with grease type drag link and tie rod ends.	Too amp inimiliant capable of or amp output at fale.	O amp minimum capable of 60 amp output at idle		3,432 cu. in. minimum with automatic heated air drain on wet tank.		Heated air dryer with spin-off replaceable cartridge.	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	STATE-SUPPORTED SPECIFICATIONS	CHASSIS
Mfr. FLEETGUARD	Capacity 60	Capacity 10,000	Rear Overhang 152.5"	RBM rating 573,710 IN LBS	Frame thickness 1/4"	Height 10 1/2" Width 3"	APS	Mfr. KIM HOTSTART	750	250 @ 2400	. 099 . 099	lel or liters	Mfr. CUMMINS	APS	Cubic feet 18.7	Size Front 16.5 X 5 Rear 16.5 X 7	CCA 2850 TOTAL	Number of batteries 3	Size or group GROUP 31	5.29	Mfr. SCOTSEAL TF	Capacity 21,000	Capacity 12,000	imum output	Mfr. LEECE-NEVILLE	2200 2200	1 2 3 4 5	Tank capacity	Mfr. BENDIX AD-IP	Price of items bid will establish the state cost.	VENDOR SPECIFICALLY IDENTIFY ITEM BID	

	Emergency Exits	Emergency Equipment	Dimensions	Child Check System	Certificate Holder	Below Window Padding	Battery Compartment	Auxiliary Fans	Audio System	Attachment	METI	Winter Front		Wheels	Transmission	lires, Rear	Tires, Front	Rear Suspension	Hour Meter	Hood	Cruise Control	GVWR	ITEM	
without opening. No seat, or portion of seat, may intrude into side emergency exit door, if so equipped.		A metal, sealed box shall be provided for the first aid kit and the body fluid kit. A heavy-duty metal bracket shall be provided for the fire extinguisher(s). Fire extinguisher(s) shall have a drawn steel cylinder with all metal valve. Each fire extinguiser shall have a total rating of 3A40BC or greater.		System to arm after the red loading lights are used. Disarm button to be in the rear of bus. System to sound alarm (horn) and flash headlights if driver exits without disarming in the rear of bus.	Mounted above windshield for legal documents.	Must be provided.	Battery slide out storage tray must be large enough to accommodate two batteries as specified in chassis section.	Two fans, six inch minimum, mounted to right and left windshield area.	AM/FM/PA radio with one exterior speaker and maximum interior speakers to be evenly spaced. Factory installed.	All available outriggers and body clips to attach body to frame.	STATE-SUPPORTED SPECIFICATIONS	Full front of grill only. BODY		Six 22.5 x 8.25 ten-hole hub piloted flange nut disc wheel	_	Four, 11R22.5 load range G traction-type tires. Automatic - Allison PTS 3000 five-speed. Oil temperature gaine and oil sensor level to be	Two, 11R22.5 load range G all-position or steering axle tires.	20,000 lb. minimum GVW air-ride suspension equipped with leveling valve(s) and heavy-duty, double-acting shock absorbers.	Mounted in dash panel.	Tilt hood with noise-suppression package.	Both shall be provided with cruise control programmed to meet state specifications of 75 mph.	30,000 lb. GVWR minimum.	CHASSIS STATE-SUPPORTED SPECIFICATIONS	
Model# TRIPLE VALUE	Roof hatch mfr. TRANSPEC	APS	Height 77	APS	APS	APS	☑ Slide Out ☐ Roll Out	Mfr. DCM	Number of speakers 8 I/S, 1 O/S	APS	VENDOR SPECIFICALLY IDENTIFY ITEM BID	LJ Full Front	Rim width 8.25	Size 22.5		Tread design HANKOOK Z35A	Tread design HANKOOK AH12	Capacity 21,000	APS	APS	APS	GVWR 31,000	VENDOR SPECIFICALLY IDENTIFY ITEM BID	

APO	williasillera (ilitea. Ali williaows, except theiliai paliea, shall be tilitea.	CANDILIAA
ADO	Windshield tinted All windows except thermal paned shall be tinted	
APS	Dark Plexiglas visors installed over driver's side window and driver's windshield area.	Visors
APS	Shall be provided. Mechanical. Keyed alike/one key for all accesses All outside openings must lock.	Vandal Locks
Location 4' FROM REAR OF BUS	reor modified white shope light to friegt state specifications.	
Mfr. SMI	Roof mounted white stroke light to meet state specifications	Strobe Light
MIT TRANSPEC APS	Electric. "Stop" shall be in flashing LED lights. The operating mechanism on the stop arm shall be interchangeable with the crossing control arm operating mechanism. There shall be no exposed wiring on the stop arm. The stop arm shall be SMI part # T7000-200-E31 to include the electronic servo latch.	Stop Arm
APS	nd two	Service Door and Entry Way
APS	Kick panel mounted below right front barrier. Fire block upholstery. Corrosion resistant bolts used for floor mounting. Convertible seats are the baseline seat for all Type C buses in State.	Seats, Passenger
FROM FRONT OF SEAT BACK AT HIPS TO BACK OF SEAT BACK AT KNEES, MEASURED FROM THE CENTER OF SEAT.	72 passenger (minimum leg room), 66 passenger (maximum leg room). Minimum leg room measurement <u>LS=23", RS=24" ±1"</u> Maximum leg room measurement <u>26.5" ±1"</u>	Seating Capacity
Model # NS 2000	DRIVER'S SEAT ONLY. PAD ON LH DRIVER'S PANEL.	Ocal, Direct
Mfr. NATIONAL	High back, fabric insert with two (2) arm rests and air suspension. RH ARMREST ON	Seat Driver
APS	Driver's compartment accessible standard accessory power point plug-in.	Power Point
APS	Accessory master cut-off switch to control noisy accessories.	Noise Kill Switch
Mfr. ROSCOE	Power controlled.	Mirrors, Exterior
APS	Driver dome light on separate switch.	Lighting (Interior)
Mfr. CRS, TRUCKLITE, SOUND OFF	LED for stop, tail, turn, marker and strobing loading lights. Override switch so the 8-way red lights can be turned on without having to open the door. Typical door operation triggering 8-way red light will still function and closing the door will still cancel lights.	Lighting (Exterior)
APS	Aluminized (non-painted) panels between bottom of windows and top of seat rail.	Interior Sidewalls
Total B.T.U. 290,000	EPDM hose in lieu of Goodyear High Miler hose. 50,000 BTU UNDERSEAT HEATERS BECAUSE OF SEATS	
Driver's heater B.T.U. N/A	Two blowers per under seat heater. Heaters to be evenly spaced.	
Rear B.T.U. 50,000	Goodyear High Miler hose. A ball valve to control cabin heat accessible from driver's seat.	Heaters
Center B.T.U. 100,000	line. Two-speed motors. Must include recirculating pump. All heater hose to be one-ply	
Right-front B.T.U. 50,000	driver seat heater - 12 000 R T II Shirt off hall time values at engine for simply and return	•
Left-front B.T.U. 90,000	Five total. Two front, one center, one rear, one under driver's seat. Minimum outputs: Left-	
APS	Aisle trim and cove molding shall be provided.	Floor
VENDOR SPECIFICALLY IDENTIFY ITEM BID	D SPECIFICA	ITEM

Wyoming Department of Education Pupil Transportation Office (307) 777-6984

Wyoming State Price Quote Specification TYPE C -- 72-66 PASSENGER

APS=AS PER SPECIFICATION

_							_								_	
	Warranty					Cleaning	Service and				Handbook	Owner's/Operator's	Sheet	Itemized Build	Line Setting Ticket/	
	Manufacturer's standard warranty to include body, chassis, engine and transmission.		■All components and accessories will be installed and operational at time of delivery	proper operation at time of delivery	■All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure	■ Interior and exterior will be clean (including glass)	■Check fluid levels, verify all are at recommended full levels	■ Chassis lubrication	■Minimum -34°F freeze protection coolant	Cleaning and service by vendor prior to delivery will include:	be furnished with each bus at time of delivery.	Owner's/Operator's One copy of the chassis and body manufacturer's owner's/operator's handbook or manual will	will be delivered with each verious packet at the tille of delivery of the bus.	will be delined with each worlder a mile semily never or relitized build silection disasts and body	enible conv of manufacturars line setting ticket or itemized build shoot for charging and body	ADDITIONAL MEMORY CHASSIS AND BODI
Engine 5/100000 Transmission	Body 12/12000 Chassis	Warranty Period) 	A Do				2700	ADO		APS		
5/UNLIMITED	12/12000							**								

Wyoming Department of Education Pupil Transportation Office (307) 777-6984

Wyoming State Price Quote Specification STATE-SUPPORTED OPTIONS TYPE C

TEM		STATE SUBDOBLED OPTIONS		VENDOB SBECIEICALLY INCUTIES ITEM BID
		Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	1	
Air Disc Brakes	Mfr.	BENDIX	Cost	\$2,825,00
Air Conditioner	Mfr.	CARRIER	Cost	\$11,750.00
Air Suspension	Mfr.	HENDRICKSON ☐ Front ☐ Rear ☐ Both	Cost	\$1,000.00
Automatic Tire Chains	Mfr.	ON SPOT	Cost	\$3,400.00
Back Up Camera/Mirror	Mfr.	ROSCOE	Cost	\$1,300.00
Book Racks	□ Solid	☑ Tubular	Cost	\$2,050.00
Flat Floor (Special Needs)			Cost	INCLUDED IN SPECIAL NEEDS PKG
Fuel-Fired Coolant Heater	Mfr.	WEBASTO BTU 45000	Cost	\$3,650.00
Gas Engine			Cost	(\$3,000.00)
Heated Steps	☑ Second		Cost	\$450.00
Passenger Reading Lights	Mfr.	PETORIA	Cost	\$2,180.00
Rear Air Deflector	Mfr.	BLUE BIRD FULL WIDTH	Cost	\$970.00
Retarder	Mfr.	FRENELSA OR TELMA ☐ Driveline ☐ Transmission	Cost	\$12,500.00
Engine Exhaust & Compression Brake	Mfr.	VGT COMPRESSION BRAKE	Cost	\$1,300.00
Thermo Glass	Mfr.	SPECTAL	Cost	\$240 PER WDO ASSY
Under Bus Storage	Cubic feet 95.5	95.5	Cost	\$4,250.00

Wyoming Department of Education Pupil Transportation Office (307) 777-6984

	Track System	Power Litt		Manuals	Heater	Fuel Tank		ITEM
	Full length 4-track system, track flooring and track mounted seats in any area where a wheelchair can legally be secured. The bus shall be fully seated. Track to be mounted to the floor using corrosion resistant fasteners. One set of automatic self tensioning, self locking tie-downs shall be provided. Seating diagram to be determined by the school district.	Location to be determined by school district.		Manuals and videos for lift and track system, including tie-downs. Driver's and technicians operation and service manuals.	Low profile, wall mounted preferred. If heater is floor mounted, it must not interfere with a wheelchair position or track seating.		Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	STATE-SUPPORTED OPTIONS
Package Cost	Tie-down mfr.	Model # \$5010	Mfr. RICON	APS	Location	Location E		VENDOR SPECI
\$16,700.00	Q STRAINT	Lift 800 lbs.			APS	BETWEEN FRAME RAILS		VENDOR SPECIFICALLY IDENTIFY ITEM BID

Check appropriate bus for this package:

Type D		Туре С	Type A
 ☐ 72/66 passenger, FE, 36,000 GVWR ☐ 66/60 passenger, RE, 36,000 GVWR ☐ 81/78 passenger, RE, 36,000 GVWR 	☐ 42/36 passenger ☐ 60/54 passenger ☐ 66/60 passenger ☐ 72/66 passenger	☐ 28/24 passenger, gas engine, dual rear wheel ☐ 28/24 passenger, diesel engine, dual rear wheel ☐ 30/24 passenger, gas engine, dual rear wheel	

Wyoming Department of Education Pupil Transportation Office (307) 777-6984

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C -- 72-66 PASSENGER

Specifications are in addition to Chapter 2, Minimum Standards for Wyoming School Buses.

VENDOR'S	COMPANY NAME			REPRESENT	ATIVE'S NAI	ME			TELEPHON	E NUMBER				
	I State Truck/ Lewis	s Bus gro	oup		Nick C	lawson/ Lar	nce Parker			800-736	-5264/ 801-364	1-4219		
ADDRESS				Estimated d	elivery date	to school dis	trict from time	purchase orde	er is receive	ed:	July if b	y Jan.	1,2017	
	4600 S Frontage	rd- Billin	gs, Mt 59101	Firm where	engine and	chassis can l	oe serviced or	repaired and	parts obtain	ied:		ate/ Lev		
	1260 S 500 Wes	st- SLC,	Utah 84101	Firm where	body can be	e serviced or	repaired and p	arts obtained:				ate/ Lev		
						BODY					100	ALC/ LC	WIO	
MANUFACT	URER: Thomas			Overall vehi	icle length:	ВОВТ	72 passenge	er (minimum le	g room)		27.2	inch	hes	
MODEL	311TS	YEAR	2018	Overall veril	_	Inches		·			29.6	inch	hes	
				L	447.7	_Inches		er (maximum l	,		Front of s			t
				Rear body o	•			used to meas	ire these di 		-			
					148.4	Inches	Seat color:	Blue		of ne	ext seat back a	cushic	on leve	l
Warranty:	<u>3</u> Years	50K	Miles				Floor color:	Grey						
						CHASSIS	5							
MANUFACT	URER Freightliner			Warranty:						Front axle of	capacity:		10000	
					3	Years				Rear axle c	apacity:	;	21000	
					50K	Miles				GVWR:	•		31000	
MODEL		YEAR		Wheelbase:		_				Rear axle ra	atio:		5.22	
	B2		2017	Wilcoldaso.	258.9	Inches				Trodi dxic is			0.22	
	DZ	TD	ANSMISSION		200.9	_ inches				ENGINE				
MANUFACT	TIRER	IN	ANSIMISSION				MANUFACTU	RER		LINGINE				
MANOI AOI		llison		Warranty:	_	V	WAINOI ACTO	INEIN		Cum	nmins			
					5	Years				Cuii	1111113			
MODEL		YEAR		4	unl	Miles	MODEL				YEAR			
MODEL	3000 PTS		2017	0		_	WODLE	IS	В)17 EP/	Α	
	3000 F 13			Speeds forv	vard:	5				Torque:	<u>l</u>	_		RPM
Quotod pri	ce is based upon paymer		OTED PRICE	70 December			Warranty:	5	Years	H.P.:			1600 2600	RPM
	ery to the school district	ıı	φ91,002.00	72 Passeng	ei			100K	Miles	C.I.D.:	6.7		2000	-
(without sa effective un April 1, 201			\$97,582.00	0_66 Passeng	er			10010	Willes		0.7			
	VENDOR REPRESE	NTATIVE	'S SIGNATURE		DATE	_								

	CHASSIS					
ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDO	R SPECIF	ICALLY IDE	NTIFY IT	EM BID
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of	titems bid	will establis	h the stat	e cost.
Air Dryer	Heated air dryer with spin-off replaceable cartridge.	Mfr.		Ben	dix	
			Т	ank capacity	/	
Air Tanks	3,432 cu. in. minimum with automatic heated air drain on wet tank.	1	2	3	4	5
				4160 total		
Alternator	160 amp minimum capable of 60 amp output at idle.	Mfr.		Leece-l	Neville	
Alternator		Maximum o	utput	185	amps	
Axle-Front	10,000 lb. minimum with grease type drag link and tie rod ends.	Capacity		100	00	
Axle-Rear	21,000 lb. minimum.	Capacity		210	00	
Axle Oil Seals	Front and rear. Wet design with sight glass in front.	Mfr.		Chic	ago	
Axle Ratio	Axle ratio to be chosen at award of bid. Must comply with power and gradeability formula.			5.13/5.71		
	1 200 CCA 12 yelt to be mounted in body bottom comportment. Two commercial	Size or grou	р	Gr	oup 31-10	031
Battery(ies)	1,200 CCA, 12 volt to be mounted in body battery compartment. Two commercial maintenance-free batteries.	Number of b	atteries		3	
	maintenance-nee battenes.	CCA			2280	
Brakes	Air. Drum. Largest available for axles bid. ABS.	Size	Front	15x5	Rear	16.5x7
Compressor	13.5 cu. ft. minimum with compressor inlet airline routed through engine air cleaner.	Cubic feet		18	.7	
Cooling System	Heavy duty, maximum capacity available with radiator shutters. Fan clutch. Long life coolant must be provided.			included		
	Diesel - 250 HP minimum, 660 lbs. feet torque minimum, in-line six cylinder, cold starting	Mfr.		Cum	mins	
Engine	system capable of starting at 0°F. Engine shall be 2013 EPA certified and compliant as	Model or lite			ISB 6.7	
Liigiiio	measured from the tailpipe.	Net torque	660	@	1600	R.P.M.
	· ·	Net HP	260	@	2600	R.P.M.
Engine Heater	Factory installed engine manufacturer's recommended in-block heater. Body plug on front	Watts		75		
	bumper.	Mfr.		Phill	iips	
Exhaust System	To exit left (street) side of bus, in the rear.		40.4/01	left rear		0.11
		Height	10 1/8"	Width	E /4 OII	3"
Frame	258-279 inch wheelbase. 168 inch maximum rear overhang.	Frame thick	ness	4 470 (5/16"	
		RBM rating		1,479,6	00 lbFt-ir 148.4	n per raii
	10,000 lb. minimum with parabolic taper leaf springs and heavy-duty, double-acting shock	Rear Overh	ang			
Front Suspension	absorbers.	Capacity		10000 lb	taperleaf	
Fuel Tank	60 gallon minimum.	Capacity		100 G	allon	
Fuel/Water Separator	Heated water separator with dash mounted water and fuel warning lights.	Mfr.		heated w	vith light	

	CHASSIS		
ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPEC	IFICALLY IDENTIFY ITEM BID
GVWR	30,000 lb. GVWR minimum.	GVWR	31000
High Idle and Cruise Control	Both shall be provided with cruise control programmed to meet state specifications of 75 mph.		included
Hood	Tilt hood with noise-suppression package.	included	
Hour Meter	Mounted in dash panel.		included
Rear Suspension	20,000 lb. minimum GVW air-ride suspension equipped with leveling valve(s) and heavyduty, double-acting shock absorbers.	Capacity	airliner 21k lb
Tires, Front	Two, 11R22.5 load range G all-position or steering axle tires.	Tread design	steer
Tires, Rear	Four, 11R22.5 load range G traction-type tires.	Tread design	traction
Transmission	Automatic - Allison, PTS 3000 five-speed. Oil temperature gauge and oil sensor level to be included.	Net input torque	950 max 300 max
Wheels	Six, 22.5 x 8.25 ten-hole hub piloted flange nut disc wheel.	Size Rim width	22.5 8.25
Winter Front	Full front or grill only.		
	BODY		
ITEM	STATE-SUPPORTED SPECIFICATIONS		IFICALLY IDENTIFY ITEM BID
Attachment	All available outriggers and body clips to attach body to frame.	included	
Audio System	AM/FM/PA radio with one exterior speaker and maximum interior speakers to be evenly \prod_{Sli} spaced. Factory installed.	Number of speakers	6
Auxiliary Fans	Two fans, six inch minimum, mounted to right and left windshield area.	Mfr.	two dans
Battery Compartment	Battery slide out storage tray must be large enough to accommodate two batteries as specified in chassis section.		
Below Window Padding	Must be provided.	pa	dded shoulder rail
Certificate Holder	Mounted above windshield for legal documents.		included
Child Check System	System to arm after the red loading lights are used. Disarm button to be in the rear of bus. System to sound alarm (horn) and flash headlights if driver exits without disarming in the rear of bus.	included	
Dimensions	Headroom: Minimum 77 inches.	Height	78"
Emergency Equipment	A metal, sealed box shall be provided for the first aid kit and the body fluid kit. A heavy-duty metal bracket shall be provided for the fire extinguisher(s). Fire extinguisher(s) shall have a drawn steel cylinder with all metal valve. Each fire extinguiser shall have a total rating of 3A40BC or greater.		included
Emergency Exits	As per state specifications with a three-point door latch system for rear emergency door. Glass guard over bottom window of emergency door. Roof hatches shall be static vent type	Roof hatch mfr.	Transpec
J 17 10	without opening. No seat, or portion of seat, may intrude into side emergency exit door, if so equipped.	Model #	Trip Value safT vent II

	BODY		
ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIF	ICALLY IDENTIFY ITEM BID
Floor	Aisle trim and cove molding shall be provided.	included	
	Five total. Two front, one center, one rear, one under driver's seat. Minimum outputs: Left-	Left-front B.T.U.	90000
	front - 90,000 B.T.U., Right-front - 50,000 B.T.U., Under seat - 80,000 B.T.U., one under	Right-front B.T.U.	30600
Heaters	driver seat heater - 12,000 B.T.U Shut-off ball type valves at engine for supply and return	Center B.T.U.	84000
ricaters	line. Two-speed motors. Must include recirculating pump. All heater hose to be one-ply	Rear B.T.U.	84000
	Goodyear High Miler hose. A ball valve to control cabin heat accessible from driver's seat. Two blowers per under seat heater. Heaters to be evenly spaced.	Driver's heater B.T.U.	bi level dash
	Two blowers per unuer seat heater. Heaters to be evenly spaced.	Total B.T.U.	288,600
Interior Sidewalls	Aluminized (non-painted) panels between bottom of windows and top of seat rail.	ma	ar proof walls
Lighting (Exterior)	LED for stop, tail, turn, marker and strobing loading lights. Override switch so the 8-way red lights can be turned on without having to open the door. Typical door operation triggering 8-way red light will still function and closing the door will still cancel lights.	Mfr.	included with override
Lighting (Interior)	Driver dome light on separate switch.		included
Mirrors, Exterior	Power controlled.	Mfr.	Rosco
Noise Kill Switch	Accessory master cut-off switch to control noisy accessories.		included
Power Point	Driver's compartment accessible standard accessory power point plug-in.		included
Seat, Driver	High back, fabric insert with two (2) arm rests and air suspension.	Mfr.	National
Coat, Dilvoi			air w/ 2 shocks & heat easure these distances: front or
Seating Capacity	72 passenger (minimum leg room), 66 passenger (maximum leg room). Minimum leg room measurement27.2 Maximum leg room measurement 29.6		ext seat back at cushion level
,	Convertible seats are the baseline seat for all Type C buses in State.		included
	Air powered panic-type door (both doors open outward). A minimum three-step entry with two full length handrails (one on the left and one on the right side of stairwell), pebble tread, and integral, nonskid white nosing on step tread. Heated lower step, independently switched.	included	
Stop Arm	Electric. "Stop" shall be in flashing LED lights. The operating mechanism on the stop arm shall be interchangeable with the crossing control arm operating mechanism. There shall be no exposed wiring on the stop arm. The stop arm shall be SMI part # T7000-200-E31 to include the electronic servo latch.	Mfr.	SMI T7000-200-E31
Strobe Light	Roof mounted white strobe light to meet state specifications.	Mfr.	aeroflash
Ollobe Light	,	Location	4' from rear
Vandal Locks	Shall be provided. Mechanical. Keyed alike/one key for all accesses All outside openings must lock.	included	
Visors	Dark Plexiglas visors installed over driver's side window and driver's windshield area.		included
Windows	Windshield tinted. All windows, except thermal paned, shall be tinted.		included

	ADDITIONAL REQUIREMENTS - CHASSIS AND BODY				
Line Setting Ticket/ Itemized Build Sheet	Legible copy of manufacturer's line setting ticket or itemized build sheet for chassis and body will be delivered with each vendor's packet at the time of delivery of the bus.	included			
Owner's/Operator's Handbook	One copy of the chassis and body manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.			included	
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: Minimum -34°F freeze protection coolant Chassis lubrication Check fluid levels, verify all are at recommended full levels Interior and exterior will be clean (including glass) All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery All components and accessories will be installed and operational at time of delivery			included	
Warranty	Manufacturer's standard warranty to include body, chassis, engine and transmission.	Warranty F Body Engine	Period 3yr 5yr	Chassis Transmission	3yr 5yr

Wyoming Department of Education Pupil Transportation Office (307) 777-6984

Wyoming State Price Quote Specification STATE-SUPPORTED OPTIONS TYPE C

ITEM		STATE-SUPPORTED OPTIONS			VFNI	DOR SPECIFICALLY	IDENTIFY ITEM RID
11 2.11		Vendor must meet or exceed these specific ltem bid shall be specified in column to			VEIG	BOIL OF EOII TOALLT	DENTIL THEM DID
Air Disc Brakes	Mfr.	Bendix			Cost	\$2,000.00	
Air Conditioner	Mfr.	Carrier/Transair			Cost	\$11,000.00	
Air Suspension	Mfr.	included Front	✓ Rear	Both	Cost	included	
Automatic Tire Chains	Mfr.	On spot or equivalent			Cost	\$2,750.00	
Backup Camera/ Mirror	Mfr.	Rosco			Cost	\$1,200.00	
Book Racks	Solid	✓ Tubular			Cost	\$1,500.00	
Flat Floor (Special Needs)	included in	special needs package			Cost	\$14,000.00	
Fuel-Fired Coolant Heater	Mfr.	Webasto/ pro heat \$900 add	15K BTU		Cost	\$3,700.00	\$4600.00 pro heat
Heated Steps	✓ Second				Cost	\$550.00	
Passenger Reading Lights	Mfr.				Cost	N/A	
Rear Air Deflector	Mfr.	See II Foil			Cost	\$650.00	
Retarder	Mfr.	Klam	✓ Driveline	Transmission	Cost	\$7,800.00	
Engine Exhaust & Compression Brake	Mfr.	Turbo Exhaust brake			Cost	\$3	300.00
Thermo Glass	Mfr.	per window			Cost	\$400.00	
Under Bus Storage	Cubic feet	60 cu ft			Cost	\$3,000.00	


Wyoming Department of Education Pupil Transportation Office (307) 777-6984

Option Package Special Needs - Lift Bus

ITEM	STATE-SUPPORTED OPTIONS	VENDOR SPECI	FICALLY IDENTIFY ITEM BID
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		
Fuel Tank		Location	left hand fill BTR
Heater	Low profile, wall mounted preferred. If heater is floor mounted, it must not interfere with a wheelchair position or track seating.	Location	1 front, 2 rear
Manuals	Manuals and videos for lift and track system, including tie-downs. Driver's and technicians operation and service manuals.		included
		Mfr.	Ricon
Power Lift	Location to be determined by school district.	Model # S	Lift 800 lbs.
Track System	Full length 4-track system, track flooring and track mounted seats in any area where a wheelchair can legally be secured. The bus shall be fully seated. Track to be mounted to the floor using corrosion resistant fasteners. One set of automatic self tensioning, self locking tie-downs shall be provided. Seating diagram to be determined by the school district.	Tie-down mfr.	Q Straint
	_	Package Cost	\$14,000.00

Check appropriate bus for this package:

Type A	
	28/24 passenger, gas engine, dual rear wheel
	28/24 passenger, diesel engine, dual rear wheel
	30/24 passenger, gas engine, dual rear wheel
Type C	 30 passenger 42/36 passenger 60/54 passenger 66/60 passenger √ 72/66 passenger (Fuel tank may be installed between frame rails behind rear axle or on right hand side.)
Type D	☐ 72/66 passenger, FE, 36,000 GVWR ☐ 66/60 passenger, RE, 36,000 GVWR ☐ 81/78 passenger, RE, 36,000 GVWR



Wyoming Department of Environmental Quality



DERA Work Plan and Budget Narrative FY 17-18

Submitted by

Brian Hall

Outreach Program Manager

Summary Page

Wyoming Department of Environmental Quality (WYDEQ) will continue the Emissions Reduction Pilot Program with FY 18 DERA funds. More information about the program can be found on our website at http://deq.wyoming.gov/aqd/resources/emission-reduction-pilot-program/. WYDEQ will use DERA funds to reduce emissions by replacing older diesel powered equipment with newer, cleaner burning equipment.

Organization Name	Wyoming Department of Environmental Quality
Project Manager	Brian Hall, Outreach Program Manager
Address	200 W 17 th St Cheyenne WY 82002
Phone	307-777-7753
Email	brian.hall@wyo.gov

Project Budget Overview

	FY 2017	FY 2018
EPA Base Allocation	\$222,712	\$274,036
State or Territory Matching Funds (if applicable)	\$222,712	\$274,036
EPA Match Incentive (if applicable)	\$111,356	\$137,018
Mandatory Cost-Share	\$1,670,340	\$2,055,270
TOTAL Project	\$2,227,120	\$2,740,360
Additional Leveraged Resources	\$0	\$0

Project Period

October 1, 2017 – September 30, 2019

Work Plan

Summary

The Wyoming Department of Environmental Quality (WDEQ) unveiled an Emissions Reduction Pilot Program in January 2018. More information about the program can be found on our website at http://deq.wyoming.gov/aqd/resources/emission-reduction-pilot-program/. WDEQ will use multiple funding sources, including Diesel Emissions Reduction Act (DERA) funds, to reduce emissions by replacing older diesel powered equipment with newer, cleaner burning equipment. Currently, we are working closely with a number of school districts to examine potential projects. WDEQ will also focus our efforts using the following programmatic priorities:

- Reduce ozone precursor emissions in the Upper Green River Basin (UGRB) ozone nonattainment area
- Achieve the greatest amount of emissions reductions possible
- Reduce emissions among higher population density and sensitive populations, like children and the elderly
- Maximize health benefits with greatest reductions per dollar

In 2016, air quality monitors in Cheyenne and Casper recorded annual PM $_{2.5}$ concentrations of 12.8 micrograms per cubic meter ($\mu g/m^3$) and 11.0 $\mu g/m^3$, respectively. The annual National Ambient Air Quality Standard (NAAQS) for PM $_{2.5}$ is 35.0 $\mu g/m^3$. That places Cheyenne and Casper – the only two Metropolitan Statistical Areas in the State of Wyoming – at roughly one-third of the allowable federal standard for PM $_{2.5}$.

While Wyoming is fortunate to have some of the cleanest air in the nation, WDEQ will continue to work with partners to make effective emissions reductions all over the State.

Scope of Work

Goals and Priorities

WDEQ has begun working closely with the Wyoming Department of Education (WDE) to create a school bus replacement program. At this time, we are evaluating vehicle eligibility statewide and doing outreach to school districts. Diesel-powered school buses expose children to harmful diesel emissions. Funding will be available to assist schools with the early replacement of diesel school buses. WDEQ and WDE will jointly develop and issue selection criteria if the number of eligible school buses exceeds funding.

- School buses with diesel engine model years 1995 through 2006 will be eligible for replacement.
- The new replacement bus must be powered by an EPA- or CARB-certified, 2017 or newer model year diesel or alternative-fueled engine.
- The replaced bus must not be scheduled for replacement prior to September 2020.
- The replaced bus must be disabled (scrapped).

Legislation was passed in March 2018 that allows school districts to purchase school buses if grant funding is available as stated below:

Beginning July 1, 2018, a district may purchase a bus that will be fully or partially paid for or rebated under the Diesel Emissions Reduction Act, 42 U.S.C. 16131 et seq., or other similar program as confirmed by a letter of assurance from the state or federal government. No district shall enter into a new lease for a school bus on or after July 1, 2018.

Estimated number of vehicle replacements by funding year:

Funding Year	FY 2017	FY 2018
Vehicles Replaced (estimated)	17 ¹	20 ²

¹Average cost of \$131,007 per bus for FY17

Vehicles and Technologies

WDEQ's School Bus Replacement Program will target existing school buses that are model year 1995-2006. Once identified and eligibility requirements are met, WDEQ will partner with school districts to replace eligible vehicles with clean diesel or alternative fuel technology.

Strategic Plan Linkage and Anticipated Outcomes

WDEQ plans to improve fuel efficiency and achieve emission reductions in order to meet EPA's objectives of reducing criteria pollutants, diesel particulate matter, volatile organic compounds, and air toxics. Authorized projects will improve air quality because older diesel engines will be removed from service. Greenhouse gas emission reductions will result from improved fuel efficiency of the engines.

WDEQ will focus our efforts using the following programmatic priorities:

²Average cost of \$137,018 per bus for FY18

- Reduce ozone precursor emissions in the Upper Green River Basin (UGRB) ozone nonattainment area
- Achieve the greatest amount of emissions reductions possible
- Reduce emissions among higher population density and sensitive populations, like children and the elderly
- Maximize health benefits with greatest reductions per dollar

Outputs will be quantified using EPA's Diesel Emissions Quantifier (DEQ). Reduction of air pollutants, as denoted in the tables below, show reductions for replacement of buses used for student transportation.

Annual Emission Reduction Calculations

Emissions reduction estimates using Diesel Emissions Quantifier (17 vehicles)

FY 2017

		Percent Reduction				
Current Vehicle Information	Upgraded Vehicle Information	NOx	PM2.5	НС	СО	
1997 72 Passenger Diesel Bus	2018 Equivalent Diesel Bus	95.8	99.1	95.5	92.9	
1997 72 Passenger Diesel Bus	2018 Equivalent Diesel Bus	95.8	99.1	95.5	92.9	
1997 72 Passenger Diesel Bus	2018 Equivalent Diesel Bus	95.8	99.1	95.5	92.9	
1997 72 Passenger Diesel Bus	2018 Equivalent Diesel Bus	95.8	99.1	95.5	92.9	
1997 72 Passenger Diesel Bus	2018 Equivalent Diesel Bus	95.8	99.1	95.5	92.9	
1997 72 Passenger Diesel Bus	2018 Equivalent Diesel Bus	95.8	99.1	95.5	92.9	
1997 72 Passenger Diesel Bus	2018 Equivalent Diesel Bus	95.8	99.1	95.5	92.9	
1997 72 Passenger Diesel Bus	2018 Equivalent Diesel Bus	95.8	99.1	95.5	92.9	
1997 72 Passenger Diesel Bus	2018 Equivalent Diesel Bus	95.8	99.1	95.5	92.9	
1997 72 Passenger Diesel Bus	2018 Equivalent Diesel Bus	95.8	99.1	95.5	92.9	
1997 72 Passenger Diesel Bus	2018 Equivalent Diesel Bus	95.8	99.1	95.5	92.9	
1997 72 Passenger Diesel Bus	2018 Equivalent Diesel Bus	95.8	99.1	95.5	92.9	
1997 72 Passenger Diesel Bus	2018 Equivalent Diesel Bus	95.8	99.1	95.5	92.9	
1997 72 Passenger Diesel Bus	2018 Equivalent Diesel Bus	95.8	99.1	95.5	92.9	
1997 72 Passenger Diesel Bus	2018 Equivalent Diesel Bus	95.8	99.1	95.5	92.9	
1997 72 Passenger Diesel Bus	2018 Equivalent Diesel Bus	95.8	99.1	95.5	92.9	
1997 72 Passenger Diesel Bus	2018 Equivalent Diesel Bus	95.8	99.1	95.5	92.9	

Emissions reduction estimates using Diesel Emissions Quantifier (20 vehicles)

FY 2018

			Percent Reduction				
Current Vehicle Information	Upgraded Vehicle Information	NOx	PM2.5	НС	со		
1997 72 Passenger Diesel Bus	2019 Equivalent Diesel Bus	95.8	99.1	95.5	92.9		
1997 72 Passenger Diesel Bus	2019 Equivalent Diesel Bus	95.8	99.1	95.5	92.9		
1997 72 Passenger Diesel Bus	2019 Equivalent Diesel Bus	95.8	99.1	95.5	92.9		
1997 72 Passenger Diesel Bus	2019 Equivalent Diesel Bus	95.8	99.1	95.5	92.9		
1997 72 Passenger Diesel Bus	2019 Equivalent Diesel Bus	95.8	99.1	95.5	92.9		
1997 72 Passenger Diesel Bus	2019 Equivalent Diesel Bus	95.8	99.1	95.5	92.9		
1997 72 Passenger Diesel Bus	2019 Equivalent Diesel Bus	95.8	99.1	95.5	92.9		
1997 72 Passenger Diesel Bus	2019 Equivalent Diesel Bus	95.8	99.1	95.5	92.9		
1997 72 Passenger Diesel Bus	2019 Equivalent Diesel Bus	95.8	99.1	95.5	92.9		
1997 72 Passenger Diesel Bus	2019 Equivalent Diesel Bus	95.8	99.1	95.5	92.9		
1997 72 Passenger Diesel Bus	2019 Equivalent Diesel Bus	95.8	99.1	95.5	92.9		
1997 72 Passenger Diesel Bus	2019 Equivalent Diesel Bus	95.8	99.1	95.5	92.9		
1997 72 Passenger Diesel Bus	2019 Equivalent Diesel Bus	95.8	99.1	95.5	92.9		
1997 72 Passenger Diesel Bus	2019 Equivalent Diesel Bus	95.8	99.1	95.5	92.9		
1997 72 Passenger Diesel Bus	2019 Equivalent Diesel Bus	95.8	99.1	95.5	92.9		
1997 72 Passenger Diesel Bus	2019 Equivalent Diesel Bus	95.8	99.1	95.5	92.9		
1997 72 Passenger Diesel Bus	2019 Equivalent Diesel Bus	95.8	99.1	95.5	92.9		
1997 72 Passenger Diesel Bus	2019 Equivalent Diesel Bus	95.8	99.1	95.5	92.9		
1997 72 Passenger Diesel Bus	2019 Equivalent Diesel Bus	95.8	99.1	95.5	92.9		
1997 72 Passenger Diesel Bus	2019 Equivalent Diesel Bus	95.8	99.1	95.5	92.9		

Roles/responsibilities

WDEQ:

- Preparation detailed work plan
- Acquire necessary approvals from EPA
- Calculate and report emissions reductions using Diesel Emissions Quantifier
- Prepare Cooperative Agreement with all partners
- Disburse Grant Funds upon completion of all required steps
 - o Using direct implementation by providing participant support costs.

 See attached cooperative agreement for description of written agreement between parties.

WDE/Wyoming School Districts:

- Provide outreach to Wyoming School Districts
- Determine eligibility of existing school buses for replacement
- Acquire necessary bids from vendors
- Secure funding for entire amount of purchase(s)
- Coordinate with WDEQ for salvage and destruction

Disbursement Methodology

WDEQ will implement a rebate program. Participants will be required to execute a cooperative agreement with WDEQ. The agreement clearly states expectations of both parties, including destruction requirements. Once the requirements have been met and proper documentation submitted to WDEQ, we will process payment in the agreed upon amount.

Additional Resources

DEQ will leverage any additional funds, if available, and they will be described here. WDEQ will use these funds, if available, in a complementary nature that will allow flexible cost sharing for qualifying projects that otherwise would be more difficult to implement through a single funding source.

Timeline

Date	Activity		
WYDEQ and WDE Project Development and Outre	each		
Ongoing	Continued outreach and project evaluation as they become available.		
Project selection			
November 2018	Select eligible vehicles for replacement		
December 2018	Complete Cooperative Agreement with selected school districts		
April-September 2019	After requirements have been met, reimburse for vehicle purchases		

Salvage

WDEQ will work cooperatively with project partners to find a salvage facility that meets the requirements provided by USEPA. WDEQ staff will be onsite to complete and document the following:

- Photo of bus being scrapped (side profile)
- Photo of VIN plate
- Photo of engine tag to be disabled
- Photo of chassis rail cut in half
- Photos of engine block before and after being drilled
- Letter containing proof of scrappage

WDEQ will report the above to US EPA upon completion.

Itemized Project Budget

		FY 2017*			FY 2018		
Budget Category	EPA Allocation	Voluntary Match (if applicable)	Mandatory Cost-Share (if applicable)	EPA Allocation	Voluntary Match (if applicable)	Mandatory Cost-Share (if applicable)	Total
1. Personnel							
2. Fringe Benefits							
3. Travel							
4. Supplies							
5. Equipment							
6. Contractual							
7. Program Income							
8. Other	\$334,068	\$222,712	\$1,670,340 ¹	\$411,054	\$274,036	\$2,055,270 ²	\$4,967,480
9. Total Direct Charges							
10. Indirect Charges							
Total							

¹Estimated cost of \$131,007 per bus in FY17

Explanation of Budget Framework

- There are no personnel costs included.
- There are no fringe benefits included.

²Estimated cost of \$137,018 per bus in FY18

- There is no travel included.
- There are not equipment costs included.
- There are no supplies included.
- There are no contractual costs included.
- Other Costs are as follows:

Expected Purchases under School Bus Replacement Program by funding year

FY 2017 (17 vehicles)

Vehicle 1	2018 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 2	2018 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 3	2018 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 4	2018 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 5	2018 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 6	2018 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 7	2018 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 8	2018 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 9	2018 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 10	2018 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 11	2018 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 12	2018 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 13	2018 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 14	2018 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 15	2018 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 16	2018 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 17	2018 Thomas C-2 Saf T Liner or BlueBird Bus

FY 2018 (20 vehicles)

Vehicle 1	2019 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 2	2019 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 3	2019 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 4	2019 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 5	2019 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 6	2019 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 7	2019 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 8	2019 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 9	2019 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 10	2019 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 11	2019 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 12	2019 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 13	2019 Thomas C-2 Saf T Liner or BlueBird Bus

Vehicle 14	2019 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 15	2019 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 16	2019 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 17	2019 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 18	2019 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 19	2019 Thomas C-2 Saf T Liner or BlueBird Bus
Vehicle 20	2019 Thomas C-2 Saf T Liner or BlueBird Bus

	FY 2	2017	FY 2018		
Budget Category	ЕРА	State Match	ЕРА	State Match	
Other – Rebates to school districts and local government	\$334,068	\$222,712*	\$411,054	\$274,036*	

^{*}state match funded with Volkswagen Mitigation Funds

There are no indirect costs included

Matching Funds and Cost-Share Funds

Project cost breakdown:

- EPA will fund up to 25% of each vehicle.
- Estimates are based on
 - o \$131,007 per bus in FY17
 - o \$137,018 per bus in FY18
- It is expected that costs will vary slightly.
- Each school district selected under this rebate program will be responsible for the remaining 75% cost share for each vehicle.
- Voluntary state match was made using Volkswagen Mitigation funds in both FY 2017 and FY 2018.

Additional Attachment Beneficiary Mitigation Plan



Background

In September 2015, the car company Volkswagen (VW) admitted to installing emissions control defeat devices on approximately 500,000 model year 2009 - 2016 VW/Porsche/Audi 2.0 liter diesel engines and an additional 90,000 3.0 liter diesel engines. These devices allowed up to 40 times the legal limit of nitrogen oxide (NO_X) emissions to be released from these vehicles.

On October 25, 2016, a partial settlement was finalized between the Volkswagen Corporation and its subsidiaries, the United States, and the State of California, addressing 2.0 liter diesel engines. Under the settlement, VW is required to establish and fund a \$2.7 Billion environmental mitigation trust to fund projects that will mitigate the excess emissions from the subject vehicles. A second partial settlement to address the 3.0 liter diesel engines was finalized between the parties on May 11, 2017 and required VW to pay an additional \$225 million to the mitigation trust.

Wyoming is anticipating access, over the next ten years, to \$8.125 million in mitigation funds from the combined 2.0 and 3.0 settlement by filing the necessary documents with the Northern District of California. Wyoming was deemed a beneficiary and must submit this mitigation plan to the Trustee by April 29, 2018.

Additionally Appendix D Section 4.1 of the 2.0 liter partial settlement details the five Beneficiary Mitigation Plan requirements:

- 1. The Beneficiaries overall goal for the use of the funds;
- 2. The categories of Eligible Mitigation Actions the Beneficiary anticipates will be appropriate to achieve the stated goals and the preliminary assessment of the percentages of funds anticipated to be used for each type of Eligible Mitigation Action;
- 3. A description of how the beneficiary will consider the potential beneficial impact of the selected Eligible Mitigation Actions on air quality in areas that bear a disproportionate share of the air pollution burden within its jurisdiction;
- 4. A general description of the expected ranges of emissions benefits the Beneficiary estimates would be realized by implementation of the Eligible Mitigation Actions identified in the Beneficiary Mitigation Plan; and
- 5. An explanation of the process by which the beneficiary shall seek and consider public input on its Beneficiary Mitigation Plan.

The Wyoming Department of Environmental Quality (WDEQ) provides this Beneficiary Mitigation Plan addressing these five necessary elements to the level of detail reasonably available at the time of submission. The plan does not imply any rights to claim an entitlement under the settlement by any party other than Wyoming as the designated beneficiary.

Public Input Process

Wyoming Governor Mathew Mead designated WDEQ as the lead agency in administering the mitigation plan. The WDEQ consulted with the Wyoming Department of Transportation and Wyoming Department of Education to identify potential goals and eligible mitigation actions that would be effective in Wyoming.

WDEQ solicited public input on how best to utilize the State's allocated mitigation funds through the WDEQ website and online comment function. The public received notification of this opportunity through public notice on the WDEQ website and statewide media release. This public comment opportunity lasted 30 days and ended on May 24, 2017. The WDEQ received public input through mail, phone, and online comment function of its website. As a result of comments received, the WDEQ expanded the list of priority Eligible Mitigation Actions. WDEQ held several stakeholder meetings to solicit input on development of this mitigation plan. Stakeholders included representation from the Wyoming Governor's Office, WDEQ, Wyoming Department of Transportation, Wyoming Department of Education, Natural Gas Vehicles for America, Yellowstone-Teton Clean Cities Coalition, Black Hills Energy, Energy Conservation Works, Cummins, and the Wyoming Business Council.

Future changes or updates to the plan, whether they are a result of the public input process or other unforeseeable circumstances, will be made available to the trustees and posted to the WDEQ's website. This plan has been drafted with the most recently available information to date.

Overall Goal of the Mitigation Plan

The WDEQ has developed the following goals for implementation of the mitigation plan.

- 1. To provide efficient and effective implementation of Eligible Mitigation Actions in the reduction of nitrogen oxide (NO_x).
 - a. The objective of the settlement is to reduce NO_X. While doing so, reductions of greenhouse gases and particulate matter will occur.
- 2. To support the Wyoming Department of Transportation Alternative Fuels Corridor Plan.

The WDEQ will issue a Request for Proposal (RFP) soliciting project proposals that meet the Eligible Mitigation Actions criteria. The following criteria will be used in selection and ranking of proposals received:

- 1. Greatest NO_x emissions reductions.
- 2. Cost benefit Projects that achieve the highest emission reductions at the lowest cost.
- 3. Potential for achieving measurable NO_X emission reductions in nonattainment areas.
- 4. NO_x Emission reduction benefits to areas of greater population density.
- 5. NO_x Emission reduction benefits to sensitive populations, such as children and the elderly.





Figure 1: The State of Wyoming and the Upper Green River Basin Nonattainment Area (2008 Ozone National Ambient Air Quality Standards)

WDEQ Project Proposal Evaluation Criteria



Eligible Mitigation Actions

The 2.0 liter partial settlement identifies ten categories of Eligible Mitigation Actions. The ten categories are;

- 1. Class 8 Local Freight Trucks and Port Drayage Trucks
- 2. Class 4 8 School Bus, Shuttle Bus, or Transit Bus
- 3. Freight Switchers (Locomotives)
- 4. Ferries/Tugs
- 5. Ocean Going Vessels (OGV) Shorepower
- 6. Class 4 7 Local Freight Trucks (Medium Trucks)
- 7. Airport Ground Support Equipment
- 8. Forklifts and Port Cargo Handling Equipment
- 9. Light Duty Zero Emission Vehicle Supply Equipment
- 10. Diesel Emission Reduction Act (DERA) Option

Not all of the Eligible Mitigation Actions are attainable in Wyoming. Through WDEQ assessment of the ten categories and input received from stakeholders and the public, the state will focus its efforts on seven of the eligible categories.

1. Class 8 Local Freight Trucks (Eligible Large Trucks)



- a. Eligible Large Trucks include 1992 2009 model year Class 8 Local Freight.
- b. Eligible Large Trucks must be scrapped if being replaced.
- c. Eligible Large Trucks may be repowered with any diesel or Alternate Fueled engine or All-Electric engine, or may be replaced with any new diesel or Alternate Fueled or All-Electric Vehicle, with the model year in which the Eligible Large truck Mitigation Action occurs.
 - 1. The original engine must be scrapped after repower has been completed.
- d. For Non-Government Owned Eligible Class 8 Local Freight Trucks, recipients may be eligible for reimbursement up to:
 - 1. 40% of the cost of a Repower with a new diesel or Alternate Fueled (e.g. Compressed Natural Gas (CNG), Propane, Hybrid) vehicle.

- 2. 25% of the cost of a new diesel or Alternate Fueled (e.g. CNG, propane, Hybrid) vehicle.
- 3. 75% of the cost of a Repower with a new All-Electric engine, including the costs of installation of such engine, and charging infrastructure associated with the new All-Electric engine.
- 4. 75% of the cost of a new All-Electric vehicle, including charging infrastructure associated with the new All-Electric vehicle.
- e. For Government Owned Eligible Class 8 Large Trucks, recipients may be eligible for reimbursement up to:
 - 1. 100% of the cost of a Repower with a new diesel or Alternate Fueled (e.g. CNG, propane, Hybrid) engine, including the costs of installation of such engine.
 - 2. 100% of the cost of a new diesel or Alternate Fueled (e.g. CNG, propane, Hybrid) vehicle.
 - 3. 100% of the cost of a Repower with a new All-Electric engine, including the cost of installation of such engine, and charging infrastructure associated with the new All-Electric engine.
 - 4. 100% of the cost of a new All-Electric vehicle, including charging infrastructure associated with the new All-Electric vehicle.




Estimated Emissions Reduction Benefit

Class 8 Replacement	NO _x (TPY)	PM _{2.5} (TPY)	CO ₂ (TPY)
Amount Reduction	1.9	.01	56
Percent Reduction	84%	97%	10%

^{*}Estimated emissions benefit calculated with EPA Diesel Emissions Quantifier with model year 2000 as baseline.

2. Class 4-8 School Bus, Shuttle Bus, or Transit Bus (Eligible Buses)



- a. Eligible Buses include 2009 model year or older class 4-8 school buses, shuttle buses, or transit buses.
- b. Eligible buses must be scrapped if being replaced.
- c. Eligible buses may be repowered with any new diesel or Alternate Fueled or All-Electric vehicle, with the model year in which the Eligible Bus Mitigation Action occurs.
 - 1. The original engine must be scrapped after repower has been completed.
- f. For Non-Government Owned Buses, recipients may be eligible for reimbursement up to:
 - 1. 40% of the cost of a Repower with a new diesel or Alternate Fueled (e.g. CNG, propane, Hybrid) engine, including the costs of installation of such engine.
 - 2. 25% of the cost of a new diesel or Alternate Fueled (e.g. CNG, propane, Hybrid) vehicle.
 - 3. 75% of the cost of a Repower with a new All-Electric engine, including the costs of installation of such engine, and charging infrastructure associated with the new All-Electric engine.
 - 4. 75% of the cost of a new All-Electric vehicle, including charging infrastructure associated with the new All-Electric vehicle.
- g. For Government Owned Eligible Buses, recipients may be eligible for reimbursement up to:
 - 1. 100% of the cost of a Repower with a new diesel or Alternate Fueled (e.g. CNG, propane, Hybrid) engine, including the costs of installation of such engine.
 - 2. 100% of the cost of a new diesel or Alternate Fueled (e.g. CNG, propane, Hybrid) vehicle.
 - 3. 100% of the cost of a Repower with a new All-Electric engine, including the cost of installation of such engine, and charging infrastructure associated with the new All-Electric engine.
 - 4. 100% of the cost of a new All-Electric vehicle, including charging infrastructure associated with the new All-Electric vehicle.

Estimated Emissions Reduction Benefit


School Bus Replacement	NO _x (TPY)	PM _{2.5} (TPY)	CO ₂ (TPY)
Amount Reduction	.11	.01	3.2
Percent Reduction	92%	98%	20%

^{*}Estimated emissions benefit calculated with EPA Diesel Emissions Quantifier with model year 2000 as baseline

6. Class 4-7 Local Freight Trucks (Medium Trucks)



- a. Eligible Medium trucks include 1992-2009 model year class 4-7 Local freight trucks.
- b. Eligible Medium Trucks must be scrapped if being replaced.
- c. Eligible medium Trucks may be Repowered with any new diesel or Alternate Fueled or All-Electric engine, or may be replaced with any new diesel or Alternate Fueled or All-Electric vehicle, with the model year in which the Eligible Medium Trucks Mitigation Action occurs.
 - 1. The original engine must be scrapped after repower has been completed.
- h. For Non-Government Owned Eligible Medium Trucks, recipients may be eligible for reimbursement up to:
 - 1. 40% of the cost of a Repower with a new diesel or Alternate fueled (CNG, propane, Hybrid) or All-Electric engine, including the costs of installation of such engine.
 - 2. 25% of the cost of a new diesel or Alternate Fueled (CNG, propane, Hybrid) or All-Electric vehicle.
 - 3. 75% of the cost of Repower with a new All-Electric engine, including the costs of installation of such engine, and charging infrastructure associated with the new All-Electric engine.
 - 4. 75% of the cost of a new All-Electric vehicle, including charging infrastructure associated with the new All-Electric vehicle.
- i. For Government Owned Eligible Medium Trucks, recipients may be eligible for reimbursement up to:
 - 1. 100% of the cost of a Repower with a new diesel or Alternate Fueled (e.g. CNG, propane, Hybrid) engine, including the costs of installation of such engine.
 - 2. 100% of the cost of a new diesel or Alternate Fueled (e.g. CNG, propane, Hybrid) vehicle.
 - 3. 100% of the cost of a Repower with a new All-Electric engine, including the costs of installation of such engine, and charging infrastructure associated with the new All-Electric engine.
 - 4. 100% of the cost of a new All-Electric vehicle, including charging infrastructure associated with the new All-Electric vehicle.



Estimated Emissions Reduction Benefit

Refuse Hauler Replacement	NO _x (TPY)	PM _{2.5} (TPY)	CO ₂ (TPY)
Amount Reduction	.5	.02	1.1
Percent Reduction	94%	97%	2.5%

 $[\]hbox{*Estimated emissions benefit calculated with EPA Diesel Emissions Quantifier with model year 2000 as baseline}$


7. Airport Ground Support Equipment

- a. Eligible Airport Ground Support Equipment included:
 - 1. Tier 0, Tier 1, or Tier2 diesel powered airport ground support equipment; and
 - 2. Uncertified or certified to 3g/bhp-hr or higher emissions, spark ignition engine powered airport ground support equipment.
- b. Eligible Airport Ground Support Equipment must be scrapped.

- c. Eligible Airport Ground Support Equipment may be Repowered with an All-Electric engine, or may be replaced with the same Airport Ground Support Equipment in an All-Electric form.
 - 1. The original engine must be scrapped after repower has been completed.
- d. For Non-Government Owned Eligible Airport Ground Support Equipment, recipients may be eligible for reimbursement up to:
 - 1. 75% of the cost of a Repower with a new All-Electric engine, including costs of installation of such engine, and charging infrastructure associated with such new All-Electric engine.
 - 2. 75% or the cost of a new All-Electric Airport Ground Support Equipment, including charging infrastructure associated with such new All-Electric Airport Ground Support Equipment.
- e. For Government Owned Eligible Airport Ground Support Equipment, recipients may be eligible for reimbursement up to:
 - 100% of the cost of a Repower with a new All-Electric engine, including costs of
 installation of such engine, and charging infrastructure associated with such new AllElectric engine.
 - 2. 100% of the cost of a new all-Electric Airport Ground Support Equipment, including charging infrastructure associated with such new All-Electric Airport ground Support Equipment.

9. Light Duty Zero Emission Vehicle Supply Equipment.

Each Beneficiary may use up to fifteen percent (15%) of its allocation of Trust Funds necessary for, and directly connected to, the acquisition, installation, operation and maintenance of new light duty zero emission vehicle supply equipment for projects as specified below. Provided, however, that Trust Funds shall not be made available or used to purchase or rent real estate, other capital costs (e.g., construction of buildings, parking facilities, etc.) or general maintenance (i.e., maintenance other than of the supply equipment).



- a. Light duty electric vehicles supply equipment includes Level 1, Level 2, or fast charging equipment (or analogous successor technologies) that is located in a public place, workplace, or multi-unit dwelling and is not consumer light duty electric supply equipment (i.e., not located at a private residential dwelling that is not a multi-unit dwelling).
- b. Subject to the 15% limitation above, each recipient may be eligible for reimbursement up to:
 - 100% of the cost to purchase, install and maintain eligible light duty electric vehicle supply equipment that will be available to the public at Government Owned Property.
 - 2. 80% of the cost to purchase, install and maintain eligible light duty electric vehicle supply equipment that will be available to the public at Non-Government Owned Property.
 - 3. 60% of the cost to purchase, install and maintain eligible light duty electric vehicle supply equipment that is available at a workplace but not to the general public.
 - 4. 60% of the cost to purchase, install and maintain eligible light duty electric vehicle supply equipment that is available at a multi-unit dwelling but not to the general public.

Trust Funds may be applied for projects that initiate and stimulate the continued development of electric vehicle charging infrastructure. The application of Trust Funds towards the development of electric charging stations along the tourism travel corridors between Cheyenne and Yellowstone National Park/Teton National Park aligns with existing Wyoming Department of Transportation (WYDOT) initiatives regarding alternative fueling methods. Furthermore, such an application of funds would help provide stimulus for future planning and development of WYDOT initiatives that more significantly expand the viability for electric charging stations across the State. The Trust Funds, therefore, may be used to initiate and stimulate the development of electric charging stations and other alternative fueling infrastructure in Wyoming.

10. Diesel Emission Reduction Act (DERA) Option

Eligible Mitigation Option 10 (DERA Option) allows beneficiaries to use Trust funds for their non-federal match or overmatch pursuant to Title VII, Subtitle G, Section 793 of the DERA program in the Energy Policy Act of 2005 (codified at 42 U.S.C. 16133). Beneficiaries may therefore use such Trust Funds for actions not specifically enumerated in Appendix D-2, but are otherwise eligible under DERA pursuant to all DERA guidance documents available through the EPA. Any matching DERA funds must be used following the DERA requirements.

The DERA option allows states to fund projects that would be ineligible under VW EMAs 1 through 9. Wyoming anticipates using Option 10 as a way to fund diesel emission reduction projects that are not engine or vehicle replacements, but will nonetheless result in significant NOx reductions.

Funding requirements under DERA include a mandatory cost share that is the responsibility of the grantee. States and territories that match the base amount dollar for dollar receive an additional amount of EPA DERA funding to add to the grant (50% of the base amount). This non-federal voluntary match can be state or territorial funds, private funds, or settlement funds such as those

from the beneficiary's allocation under the mitigation trust. Under the DERA option, beneficiaries may draw funds from the trust for their non-federal match on a 1:1 basis or greater than 1:1 basis.

Wyoming's DERA base allocation for fiscal year 2017 is \$222,712.00 and the State plans to overmatch these funds with Trust funds. EPA's match incentive would then be \$111,356.00. The State has identified a number of potential projects that would qualify under Option 10, and the Wyoming Department of Environmental Quality is currently coordinating with other state agencies as well as industry groups in the state to select projects likely to achieve the greatest amount of emissions reductions.

DERA grant recipients must file quarterly and final reports and any beneficiary using the DERA Option may fulfil reporting requirements by submitting reports to the trustee. Wyoming anticipates using this option to fulfil the reporting requirements of its DERA grants.

Sum of Amount (DERA)	Fu	nd						
Vendor Legal Name	VV	/ Match	Fed	deral DERA	Gra	and Total	# of Buses	
BIG HORN COUNTY SCHOOL DIST #3	\$	31,304.00	\$	46,956.00	\$	78,260.00		2
BIG HORN COUNTY SCHOOL DIST #4	\$	23,940.80	\$	35,911.20	\$	59,852.00		2
CAMPBELL COUNTY SCHOOL DIST #1	\$	131,517.98	\$	197,276.97	\$	328,794.95		10
LINCOLN COUNTY SCHOOL DIST #1	\$	21,736.40	\$	32,604.60	\$	54,341.00		2
NATRONA COUNTY SCHOOL DIST #1	\$	15,242.52	\$	22,863.78	\$	38,106.30		1
PARK COUNTY SCHOOL DIST #1	\$	22,276.40	\$	33,414.60	\$	55,691.00		2
SHERIDAN COUNTY SCHOOL DIST #2	\$	34,947.50	\$	52,421.25	\$	87,368.75		3
SWEETWATER CO SCHOOL DIST #1	\$	157,787.20	\$	236,680.80	\$	394,468.00		13
UINTA COUNTY SCHOOL DIST #1	\$	29,727.60	\$	44,591.40	\$	74,319.00		2
UINTA COUNTY SCHOOL DIST #4	\$	28,267.60	\$	42,401.40	\$	70,669.00		2
Grand Total	\$	496,748.00	\$	745,122.00	\$	1,241,870.00		39

FY 17 Diesel Annual Results (short tons)2 Baseline for Upgraded Vehicles/Engines Amount Reduced After Upgrades Percent Reduced After Upgrades	NOx 0.879 0.809 92.00%	0.06			28.3	,
Lifetime Results (short tons)2 Baseline for Upgraded Vehicles/Engines Amount Reduced After Upgrades Percent Reduced After Upgrades	4.396 4.044 92.00%	0.302			141.8	12,600
Lifetime Cost Effectiveness (\$/short ton reduced) Capital Cost Effectiveness4 (unit & labor costs only) Total Cost Effectiveness4 (includes all project costs)	\$216,372 \$550,727	\$2,894,223 \$7,366,607	\$1,055,898 \$2,687,555	\$455,394 \$1,159,106	\$6,173 \$15,712	
FY 17 LPG Annual Results (short tons)2 Baseline for Upgraded Vehicles/Engines Amount Reduced After Upgrades Percent Reduced After Upgrades	NOx 2.219 2.119 95.50%	0.086	0.237	CO 0.591 0.549 92.90%		13,400
Lifetime Results (short tons)2 Baseline for Upgraded Vehicles/Engines Amount Reduced After Upgrades Percent Reduced After Upgrades	11.095 10.596 95.50%	0.432	1.184	2.745	753.7	67,000
Lifetime Cost Effectiveness (\$/short ton reduced) Capital Cost Effectiveness4 (unit & labor costs only) Total Cost Effectiveness4 (includes all project costs)	\$127,406 \$198,187	\$3,125,762 \$4,862,296	\$1,140,370 \$1,773,909	\$491,827 \$765,065	\$1,791 \$2,786	

Annual Results (short tons)2	NOx	PM2.5	HC	CO	CO2	Fuel3
Baseline for Upgraded Vehicles/Engines	2.763	0.194	0.545	1.3	336.6	29,920
Amount Reduced After Upgrades	2.542	0.19	0.521	1.208	89.1	7,920
Percent Reduced After Upgrades	92.00%	98.20%	95.50%	92.90%	26.50%	26.50%
Lifetime Results (short tons)2						
Baseline for Upgraded Vehicles/Engines	13.815	0.968	2.727	6.5	1,683.00	149,600
Amount Reduced After Upgrades	12.71	0.95	2.604	6.039	445.5	39,600
Percent Reduced After Upgrades	92.00%	98.20%	95.50%	92.90%	26.50%	26.50%
Lifetime Cost Effectiveness (\$/short ton reduced)						
Capital Cost Effectiveness4 (unit & labor costs only)	\$233,682	\$3,125,765	\$1,140,368	\$491,827	\$6,667	
Total Cost Effectiveness4 (includes all project costs)	\$215,614	\$2,884,082	\$1,052,195	\$453,799	\$6,151	

	FY17	Annual	Lifetime	
	NOx	2.928	15.491	
	PM2.5	0.15	0.396	
I	HC	0.422	2.013	
(CO	1.005	4.666	
(CO2	179	895.5	